

CALIBRATION VERIFICATION SUMMARY

Contract: lou01

Lab Code: CHEM Case No.: O1233 SAS No.: O1233 SDG NO.: O1233

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 01/20/2023 01/20/2023

Client Sample No.: CCAL01 Date Analyzed: 01/20/2023

Lab Sample No.: PSTDCCC050 Data File : PL080428.D Time Analyzed: 20:00

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	6.501	6.404	6.604	48.270	50.000	-3.5
4,4'-DDE	5.987	5.889	6.089	49.010	50.000	-2.0
4,4'-DDT	6.815	6.716	6.916	47.330	50.000	-5.3
Aldrin	5.051	4.952	5.152	49.400	50.000	-1.2
alpha-BHC	3.800	3.701	3.901	50.520	50.000	1.0
alpha-Chlordane	5.810	5.711	5.911	48.940	50.000	-2.1
beta-BHC	4.325	4.225	4.425	48.490	50.000	-3.0
Decachlorobiphenyl	8.789	8.693	8.893	47.530	50.000	-4.9
delta-BHC	4.568	4.468	4.668	50.330	50.000	0.7
Dieldrin	6.132	6.033	6.233	49.250	50.000	-1.5
Endosulfan I	5.857	5.759	5.959	48.760	50.000	-2.5
Endosulfan II	6.577	6.480	6.680	42.260	50.000	-15.5
Endosulfan sulfate	6.941	6.843	7.043	48.650	50.000	-2.7
Endrin	6.359	6.261	6.461	48.680	50.000	-2.6
Endrin aldehyde	6.707	6.609	6.809	47.960	50.000	-4.1
Endrin ketone	7.421	7.324	7.524	48.690	50.000	-2.6
gamma-BHC (Lindane)	4.129	4.029	4.229	50.730	50.000	1.5
gamma-Chlordane	5.730	5.632	5.832	48.470	50.000	-3.1
Heptachlor	4.713	4.613	4.813	49.780	50.000	-0.4
Heptachlor epoxide	5.475	5.377	5.577	48.460	50.000	-3.1
Methoxychlor	7.292	7.194	7.394	48.170	50.000	-3.7
Tetrachloro-m-xylene	3.352	3.252	3.452	49.310	50.000	-1.4



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CALIBRATION VERIFICATION SUMMARY

Contract: loui01

Lab Code: CHEM Case No.: O1233 SAS No.: O1233 SDG NO.: O1233

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 01/20/2023 01/20/2023

Client Sample No.: CCAL01 Date Analyzed: 01/20/2023

Lab Sample No.: PSTDCCC050 Data File : PL080428.D Time Analyzed: 20:00

COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
4,4'-DDD	5.704	5.606	5.806	49.820	50.000	-0.4
4,4'-DDE	5.150	5.052	5.252	49.440	50.000	-1.1
4,4'-DDT	5.955	5.858	6.058	49.440	50.000	-1.1
Aldrin	4.140	4.041	4.241	50.500	50.000	1.0
alpha-BHC	3.191	3.091	3.291	51.440	50.000	2.9
alpha-Chlordane	4.957	4.859	5.059	49.040	50.000	-1.9
beta-BHC	3.815	3.716	3.916	49.090	50.000	-1.8
Decachlorobiphenyl	7.839	7.742	7.942	47.380	50.000	-5.2
delta-BHC	4.045	3.946	4.146	50.630	50.000	1.3
Dieldrin	5.277	5.179	5.379	49.990	50.000	0.0
Endosulfan I	5.012	4.913	5.113	49.610	50.000	-0.8
Endosulfan II	5.845	5.748	5.948	42.630	50.000	-14.7
Endosulfan sulfate	6.248	6.151	6.351	48.840	50.000	-2.3
Endrin	5.551	5.454	5.654	50.540	50.000	1.1
Endrin aldehyde	6.026	5.928	6.128	47.890	50.000	-4.2
Endrin ketone	6.754	6.656	6.856	49.490	50.000	-1.0
gamma-BHC (Lindane)	3.519	3.420	3.620	51.000	50.000	2.0
gamma-Chlordane	4.893	4.795	4.995	48.920	50.000	-2.2
Heptachlor	3.860	3.762	3.962	50.210	50.000	0.4
Heptachlor epoxide	4.642	4.544	4.744	49.890	50.000	-0.2
Methoxychlor	6.534	6.436	6.636	48.220	50.000	-3.6
Tetrachloro-m-xylene	2.690	2.590	2.790	50.300	50.000	0.6