

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012023\
 Data File : PL080441.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jan 2023 23:28
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 21 06:18:17 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Fri Jan 20 17:01:11 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.690	108.0E6	111.3E6	50.346	50.674
2)	SA Decachlor...	8.790	7.838	84669230	112.1E6	48.362	47.061
Target Compounds							
2)	A alpha-BHC	3.800	3.191	164.6E6	163.9E6	51.967	51.535
3)	MA gamma-BHC...	4.129	3.519	153.1E6	152.9E6	52.065	51.175
4)	MA Heptachlor	4.713	3.860	151.7E6	160.5E6	51.318	50.433
5)	MB Aldrin	5.051	4.140	138.4E6	150.7E6	50.589	51.084
6)	B beta-BHC	4.325	3.815	67616599	66340945	49.535	49.707
7)	B delta-BHC	4.568	4.045	149.9E6	148.4E6	51.781	51.453
8)	B Heptachlo...	5.476	4.643	130.0E6	138.7E6	50.249	49.836
9)	A Endosulfan I	5.857	5.012	117.7E6	127.8E6	49.840	49.143
10)	B gamma-Chl...	5.730	4.894	123.6E6	140.0E6	48.946	49.396
11)	B alpha-Chl...	5.810	4.958	126.4E6	140.7E6	50.065	49.132
12)	B 4,4'-DDE	5.987	5.150	112.2E6	118.4E6	50.362	50.189
13)	MA Dieldrin	6.132	5.277	120.0E6	134.9E6	50.144	49.863
14)	MA Endrin	6.359	5.552	108.4E6	117.2E6	50.109	50.509
15)	B Endosulfa...	6.578	5.846	98222849	94520874	42.849	45.361
16)	A 4,4'-DDD	6.501	5.704	91126693	95623128	49.742	50.885
17)	MA 4,4'-DDT	6.814	5.956	100.7E6	106.0E6	48.464	50.430
18)	B Endrin al...	6.707	6.026	80795772	87040737	48.572	47.665
19)	B Endosulfa...	6.941	6.249	102.7E6	113.7E6	49.597	48.909
20)	A Methoxychlor	7.292	6.534	54120755	59284897	49.054	48.856
21)	B Endrin ke...	7.421	6.754	108.5E6	125.3E6	49.165	49.067
22)	Mirex	7.893	6.938	84614334	108.9E6	49.200	47.814
23)	Chlordane-1	0.000	3.692	0	10193	N.D.	0.125 #
24)	Chlordane-2	5.051f	4.268	138.4E6	1309280	1434.960	14.522 #
25)	Chlordane-3	5.730	4.894	123.6E6	140.0E6	365.848	530.817 #
26)	Chlordane-4	5.810	4.958	126.4E6	140.7E6	292.939	522.643 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012023\
Data File : PL080441.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jan 2023 23:28
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 21 06:18:17 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Fri Jan 20 17:01:11 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 107984059
Conc: 50.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.690 min
Delta R.T.: 0.000 min
Response: 111302591
Conc: 50.67 ng/ml




#2 alpha-BHC

R.T.: 3.800 min
Delta R.T.: 0.000 min
Response: 164631364
Conc: 51.97 ng/ml



#2 alpha-BHC


R.T.: 3.191 min
Delta R.T.: 0.000 min
Response: 163902831
Conc: 51.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.129 min
Delta R.T.: 0.000 min
Response: 153060266
Conc: 52.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.519 min
Delta R.T.: -0.001 min
Response: 152874099
Conc: 51.17 ng/ml




#4 Heptachlor

R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 151656042
Conc: 51.32 ng/ml



#4 Heptachlor


R.T.: 3.860 min
Delta R.T.: -0.001 min
Response: 160495483
Conc: 50.43 ng/ml



#5 Aldrin


R.T.: 5.051 min
Delta R.T.: -0.001 min
Response: 138401106
Conc: 50.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.140 min
Delta R.T.: -0.001 min
Response: 150676027
Conc: 51.08 ng/ml




#6 beta-BHC

R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 67616599
Conc: 49.54 ng/ml



#6 beta-BHC


R.T.: 3.815 min
Delta R.T.: -0.001 min
Response: 66340945
Conc: 49.71 ng/ml



#7 delta-BHC


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 149905909
Conc: 51.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.045 min
Delta R.T.: -0.001 min
Response: 148412344
Conc: 51.45 ng/ml




#8 Heptachlor epoxide

R.T.: 5.476 min
Delta R.T.: -0.002 min
Response: 129997181
Conc: 50.25 ng/ml



#8 Heptachlor epoxide


R.T.: 4.643 min
Delta R.T.: -0.001 min
Response: 138660540
Conc: 49.84 ng/ml



#9 Endosulfan I


R.T.: 5.857 min
Delta R.T.: -0.002 min
Response: 117695667
Conc: 49.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.012 min
Delta R.T.: -0.001 min
Response: 127837761
Conc: 49.14 ng/ml




#10 gamma-Chlordane

R.T.: 5.730 min
Delta R.T.: -0.002 min
Response: 123624251
Conc: 48.95 ng/ml



#10 gamma-Chlordane


R.T.: 4.894 min
Delta R.T.: 0.000 min
Response: 140000401
Conc: 49.40 ng/ml



#11 alpha-Chlordane


R.T.: 5.810 min
Delta R.T.: -0.001 min
Response: 126378180
Conc: 50.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.958 min
Delta R.T.: -0.001 min
Response: 140746640
Conc: 49.13 ng/ml




#12 4,4'-DDE

R.T.: 5.987 min
Delta R.T.: -0.001 min
Response: 112173042
Conc: 50.36 ng/ml



#12 4,4'-DDE


R.T.: 5.150 min
Delta R.T.: -0.002 min
Response: 118387999
Conc: 50.19 ng/ml



#13 Dieldrin


R.T.: 6.132 min
Delta R.T.: -0.002 min
Response: 120012399
Conc: 50.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.277 min
Delta R.T.: -0.002 min
Response: 134877170
Conc: 49.86 ng/ml




#14 Endrin

R.T.: 6.359 min
Delta R.T.: -0.002 min
Response: 108371412
Conc: 50.11 ng/ml



#14 Endrin


R.T.: 5.552 min
Delta R.T.: -0.002 min
Response: 117240398
Conc: 50.51 ng/ml



#15 Endosulfan II


R.T.: 6.578 min
Delta R.T.: -0.002 min
Response: 98222849
Conc: 42.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.846 min
Delta R.T.: -0.002 min
Response: 94520874
Conc: 45.36 ng/ml




#16 4,4'-DDD

R.T.: 6.501 min
Delta R.T.: -0.003 min
Response: 91126693
Conc: 49.74 ng/ml



#16 4,4'-DDD


R.T.: 5.704 min
Delta R.T.: -0.002 min
Response: 95623128
Conc: 50.88 ng/ml



#17 4,4'-DDT


R.T.: 6.814 min
Delta R.T.: -0.002 min
Response: 100691238
Conc: 48.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.956 min
Delta R.T.: -0.002 min
Response: 105977494
Conc: 50.43 ng/ml




#18 Endrin aldehyde

R.T.: 6.707 min
Delta R.T.: -0.002 min
Response: 80795772
Conc: 48.57 ng/ml



#18 Endrin aldehyde


R.T.: 6.026 min
Delta R.T.: -0.002 min
Response: 87040737
Conc: 47.66 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.941 min
Delta R.T.: -0.001 min
Response: 102661702
Conc: 49.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.249 min
Delta R.T.: -0.003 min
Response: 113747126
Conc: 48.91 ng/ml




#20 Methoxychlor

R.T.: 7.292 min
Delta R.T.: -0.002 min
Response: 54120755
Conc: 49.05 ng/ml



#20 Methoxychlor


R.T.: 6.534 min
Delta R.T.: -0.002 min
Response: 59284897
Conc: 48.86 ng/ml



#21 Endrin ketone


R.T.: 7.421 min
Delta R.T.: -0.003 min
Response: 108473919
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.754 min
Delta R.T.: -0.002 min
Response: 125279206
Conc: 49.07 ng/ml




#22 Mirex

R.T.: 7.893 min
Delta R.T.: -0.003 min
Response: 84614334
Conc: 49.20 ng/ml



#22 Mirex


R.T.: 6.938 min
Delta R.T.: -0.002 min
Response: 108858498
Conc: 47.81 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.692 min
Delta R.T.: 0.005 min
Response: 10193
Conc: 0.13 ng/ml




#24 Chlordane-2

R.T.: 5.051 min
Delta R.T.: 0.024 min
Response: 138401106
Conc: 1434.96 ng/ml



#24 Chlordane-2


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 1309280
Conc: 14.52 ng/ml



#25 Chlordane-3


R.T.: 5.730 min
Delta R.T.: -0.002 min
Response: 123624251
Conc: 365.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.894 min
Delta R.T.: 0.000 min
Response: 140000401
Conc: 530.82 ng/ml




#26 Chlordane-4

R.T.: 5.810 min
Delta R.T.: -0.005 min
Response: 126378180
Conc: 292.94 ng/ml



#26 Chlordane-4


R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 140746640
Conc: 522.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.790 min
Delta R.T.: -0.003 min
Response: 84669230
Conc: 48.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.838 min
Delta R.T.: -0.004 min
Response: 112125526
Conc: 47.06 ng/ml