



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	04/05/23		
Project:	LOD-LOQ Study	Date Received:	04/05/23		
Client Sample ID:	LOD-MDL-SOIL-01-QT2-2023	SDG No.:	O2213		
Lab Sample ID:	O2213-01	Matrix:	SOIL		
Analytical Method:	8015D DRO	% Solid:	100	Decanted:	
Sample Wt/Vol:	30.04	Units:	g	Final Vol:	1 mL
Soil Aliquot Vol:			uL	Test:	Diesel Range Organics
Extraction Type:				Injection Volume :	
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG011714.D	1	04/06/23 08:00	04/06/23 12:32	PB151916

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	369	J	219	1660	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	19.2		37 - 130	96%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit