



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: O2213

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP

ID: 0.32 (mm)

Inst. Calib. Date(s): 04/12/2023

04/12/2023

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
I.BLK	I.BLK	04/12/2023	11:42	PS022661.D	6.48	0.00
HSTDICC200	HSTDICC200	04/12/2023	12:07	PS022662.D	6.48	0.00
HSTDICC500	HSTDICC500	04/12/2023	12:31	PS022663.D	6.48	0.00
HSTDICC750	HSTDICC750	04/12/2023	12:55	PS022664.D	6.48	0.00
HSTDICC1000	HSTDICC1000	04/12/2023	13:19	PS022665.D	6.48	0.00
HSTDICC1500	HSTDICC1500	04/12/2023	13:44	PS022666.D	6.49	0.00
I.BLK	I.BLK	04/12/2023	14:32	PS022668.D	6.48	0.00
HSTDCCC750	HSTDCCC750	04/12/2023	14:57	PS022669.D	6.48	0.00
LOD-MDL-SOIL-01-QT2-2023	O2213-01	04/12/2023	15:57	PS022671.D	6.48	0.00
LOD-MDL-SOIL-01-QT2-2023	O2213-01	04/12/2023	16:21	PS022672.D	6.48	0.00
LOQ-SOIL-02-QT2-2023	O2213-02	04/12/2023	17:34	PS022675.D	6.48	0.00
I.BLK	I.BLK	04/12/2023	19:36	PS022680.D	6.48	0.00
HSTDCCC750	HSTDCCC750	04/12/2023	20:01	PS022681.D	6.48	0.00



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: O2213

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP2

ID: 0.32 (mm)

Inst. Calib. Date(s): 04/12/2023

04/12/2023

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
I.BLK	I.BLK	04/12/2023	11:42	PS022661.D	6.87	0.00
HSTDICC200	HSTDICC200	04/12/2023	12:07	PS022662.D	6.87	0.00
HSTDICC500	HSTDICC500	04/12/2023	12:31	PS022663.D	6.87	0.00
HSTDICC750	HSTDICC750	04/12/2023	12:55	PS022664.D	6.87	0.00
HSTDICC1000	HSTDICC1000	04/12/2023	13:19	PS022665.D	6.87	0.00
HSTDICC1500	HSTDICC1500	04/12/2023	13:44	PS022666.D	6.87	0.00
I.BLK	I.BLK	04/12/2023	14:32	PS022668.D	6.87	0.00
HSTDCCC750	HSTDCCC750	04/12/2023	14:57	PS022669.D	6.87	0.00
LOD-MDL-SOIL-01-QT2-2023	O2213-01	04/12/2023	15:57	PS022671.D	6.87	0.00
LOD-MDL-SOIL-01-QT2-2023	O2213-01	04/12/2023	16:21	PS022672.D	6.87	0.00
LOQ-SOIL-02-QT2-2023	O2213-02	04/12/2023	17:34	PS022675.D	6.87	0.00
I.BLK	I.BLK	04/12/2023	19:36	PS022680.D	6.87	0.00
HSTDCCC750	HSTDCCC750	04/12/2023	20:01	PS022681.D	6.87	0.00