



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Report of Analysis

|                    |                           |                 |          |                    |          |
|--------------------|---------------------------|-----------------|----------|--------------------|----------|
| Client:            | Chemtech Consulting Group | Date Collected: | 04/05/23 |                    |          |
| Project:           | LOD-LOQ Study             | Date Received:  | 04/05/23 |                    |          |
| Client Sample ID:  | LOD-MDL-SOIL-01-QT2-2023  | SDG No.:        | O2213    |                    |          |
| Lab Sample ID:     | O2213-01                  | Matrix:         | SOIL     |                    |          |
| Analytical Method: | SW8082A                   | % Solid:        | 100      | Decanted:          |          |
| Sample Wt/Vol:     | 30.04                     | Units:          | g        | Final Vol:         | 10000 uL |
| Soil Aliquot Vol:  |                           |                 | uL       | Test:              | PCB      |
| Extraction Type:   |                           |                 |          | Injection Volume : |          |
| GPC Factor :       | 1.0                       | PH :            |          |                    |          |
| Prep Method :      | SW3541B                   |                 |          |                    |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PR060721.D        | 1         | 04/06/23 10:10 | 04/07/23 17:33 | PB151952      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 12674-11-2        | Aroclor-1016         | 3.60  | U         | 3.60     | 17.0       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 5.90  | U         | 5.90     | 17.0       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.50  | U         | 4.50     | 17.0       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 10.3  | J         | 3.10     | 17.0       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 2.80  | U         | 2.80     | 17.0       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.80  | U         | 3.80     | 17.0       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 2.70  | U         | 2.70     | 17.0       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 3.30  | U         | 3.30     | 17.0       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.30  | U         | 3.30     | 17.0       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 20.7  |           | 40 - 162 | 103%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 22.4  |           | 32 - 176 | 112%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit