



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	04/05/23			
Project:	LOD-LOQ Study	Date Received:	04/05/23			
Client Sample ID:	LOQ-WATER-05-QT2-2023	SDG No.:	O2213			
Lab Sample ID:	O2213-11	Matrix:	Water			
Analytical Method:	8015D TPH	% Solid:	0	Decanted:		
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1	mL
Soil Aliquot Vol:			uL	Test:	TPH GC	
Extraction Type:				Injection Volume :		
GPC Factor :		PH :				
Prep Method :	SW3510					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG011752.D	1	04/06/23 08:00	04/07/23 23:25	PB151919

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
PHC	Petroleum Hydrocarbons	112		12.0	85.0	ug/L
SURROGATES						
16416-32-3	TETRACOSANE-d50	21.1		29 - 130	105%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit