

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:		
Project:	169 Bridgeton Pike Mullica Hill, NJ # 0800X062		Date Received:		
Client Sample ID:	PB152545BS		SDG No.:	O2505	
Lab Sample ID:	PB152545BS		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO094691.D	1	05/03/23 08:50	05/03/23 14:16	PB152545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	143		3.60	17.0	ug/kg
11104-28-2	Aroclor-1221	5.90	U	5.90	17.0	ug/kg
11141-16-5	Aroclor-1232	4.50	U	4.50	17.0	ug/kg
53469-21-9	Aroclor-1242	3.10	U	3.10	17.0	ug/kg
12672-29-6	Aroclor-1248	2.80	U	2.80	17.0	ug/kg
11097-69-1	Aroclor-1254	3.80	U	3.80	17.0	ug/kg
37324-23-5	Aroclor-1262	2.70	U	2.70	17.0	ug/kg
11100-14-4	Aroclor-1268	3.30	U	3.30	17.0	ug/kg
11096-82-5	Aroclor-1260	131		3.30	17.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.5		30 (40) - 150 (162)	103%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.7		30 (32) - 150 (176)	108%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit