

Report of Analysis

Client:	Remington & Vernick Engineers	Date Collected:	04/25/23
Project:	169 Bridgeton Pike Mullica Hill, NJ # 0800X062	Date Received:	04/26/23
Client Sample ID:	HL-4	SDG No.:	O2509
Lab Sample ID:	O2509-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.6
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
04/27/23 10:07	04/28/23 4:46	PB152444

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	7.62		1	1.11	2.18	mg/kg	FE041599.D
Aliphatic C9-C28	Aliphatic C9-C28	1.15	U	1	1.15	4.36	mg/kg	FE041599.D
Total AliphaticEPH	Total AliphaticEPH	7.62			2.26	6.54	mg/kg	
Total EPH	Total EPH	7.62			2.26	6.54	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution



284 Sheffield Street, Mountainside NJ 07092 Phone: 908 789 8900 Fax : 908 789 8922

Report of Analysis

Client:	Remington & Vernick Engineers	Date Collected:	04/25/23
Project:	169 Bridgeton Pike Mullica Hill, NJ # 0800X062	Date Received:	04/26/23
Client Sample ID:	HL-4	SDG No.:	O2509
Lab Sample ID:	O2509-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.6
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE041599.D	1	04/27/23	04/28/23	PB152444

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	0.000	U	1.15	4.36	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	7.62		1.11	2.18	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	25.0		40 - 140	50%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	23.9		40 - 140	48%	SPK: 50



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	O2509-04	Acq On:	28 Apr 2023 04:46
Client Sample ID:	HL-4	Operator:	YP\AJ
Data file:	FE041599.D	Misc:	
Instrument:	FID_E	ALS Vial:	40
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.256	6.877	430316	2.875	300	ug/ml
Aliphatic C12-C16	6.878	10.315	499143	3.205	200	ug/ml
Aliphatic C16-C21	10.316	13.682	631868	3.915	300	ug/ml
Aliphatic C21-C28	13.683	17.343	1130908	7.152	400	ug/ml
Aliphatic C28-C40	17.344	22.280	14579076	104.806	600	ug/ml
Aliphatic EPH	3.256	22.280	17271311	121.953		ug/ml
ortho-Terphenyl (SURR)	11.983	11.983	4487556	23.92		ug/ml
1-chlorooctadecane (SURR)	13.419	13.419	3537239	25.04		ug/ml
Aliphatic C9-C28	3.256	17.343	2692235	17.147	1200	ug/ml