

Report of Analysis

Client:	LaBella Associates P.C.	Date Collected:	07/12/23
Project:	Mackenna Parcels	Date Received:	07/17/23
Client Sample ID:	RINSATE-BLANK	SDG No.:	O3645
Lab Sample ID:	O3645-08	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF134528.D	1	07/17/23 10:17	07/28/23 22:17	PB154218

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	10.0	U	3.30	10.0	ug/L
108-95-2	Phenol	5.00	U	1.50	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	5.00	U	1.70	5.00	ug/L
95-57-8	2-Chlorophenol	5.00	U	1.40	5.00	ug/L
95-48-7	2-Methylphenol	5.00	U	2.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	5.00	UQ	2.30	5.00	ug/L
98-86-2	Acetophenone	5.00	U	1.80	5.00	ug/L
65794-96-9	3+4-Methylphenols	10.0	U	2.20	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	2.00	2.50	ug/L
67-72-1	Hexachloroethane	5.00	UQ	1.60	5.00	ug/L
98-95-3	Nitrobenzene	5.00	U	1.70	5.00	ug/L
78-59-1	Isophorone	5.00	U	1.70	5.00	ug/L
88-75-5	2-Nitrophenol	5.00	U	2.40	5.00	ug/L
105-67-9	2,4-Dimethylphenol	5.00	U	3.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	5.00	U	2.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	5.00	U	1.70	5.00	ug/L
91-20-3	Naphthalene	5.00	U	1.70	5.00	ug/L
106-47-8	4-Chloroaniline	5.00	U	2.50	5.00	ug/L
87-68-3	Hexachlorobutadiene	5.00	U	1.90	5.00	ug/L
105-60-2	Caprolactam	10.0	U	3.40	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	5.00	U	1.80	5.00	ug/L
91-57-6	2-Methylnaphthalene	5.00	U	2.20	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	10.0	U	5.70	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.00	U	1.50	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	5.00	U	1.60	5.00	ug/L
92-52-4	1,1-Biphenyl	5.00	U	1.80	5.00	ug/L
91-58-7	2-Chloronaphthalene	5.00	U	1.60	5.00	ug/L
88-74-4	2-Nitroaniline	5.00	U	2.40	5.00	ug/L
131-11-3	Dimethylphthalate	5.00	U	1.90	5.00	ug/L
208-96-8	Acenaphthylene	5.00	U	2.10	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	5.00	U	2.10	5.00	ug/L

Report of Analysis

Client:	LaBella Associates P.C.	Date Collected:	07/12/23
Project:	Mackenna Parcels	Date Received:	07/17/23
Client Sample ID:	RINSATE-BLANK	SDG No.:	O3645
Lab Sample ID:	O3645-08	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF134528.D	1	07/17/23 08:30	07/28/23 22:17	PB154218

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
99-09-2	3-Nitroaniline	5.00	U	2.40	5.00	ug/L
83-32-9	Acenaphthene	5.00	U	1.70	5.00	ug/L
51-28-5	2,4-Dinitrophenol	10.0	U	5.50	10.0	ug/L
100-02-7	4-Nitrophenol	10.0	UQ	2.80	10.0	ug/L
132-64-9	Dibenzofuran	5.00	U	1.60	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	5.00	U	2.50	5.00	ug/L
84-66-2	Diethylphthalate	5.00	U	2.10	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	5.00	U	2.20	5.00	ug/L
86-73-7	Fluorene	5.00	U	2.00	5.00	ug/L
100-01-6	4-Nitroaniline	5.00	U	2.30	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	10.0	U	1.80	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	5.00	U	2.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	5.00	U	2.00	5.00	ug/L
118-74-1	Hexachlorobenzene	5.00	U	1.90	5.00	ug/L
1912-24-9	Atrazine	5.00	U	3.50	5.00	ug/L
87-86-5	Pentachlorophenol	10.0	U	2.60	10.0	ug/L
85-01-8	Phenanthrene	5.00	U	2.00	5.00	ug/L
120-12-7	Anthracene	5.00	U	2.30	5.00	ug/L
86-74-8	Carbazole	5.00	U	1.70	5.00	ug/L
84-74-2	Di-n-butylphthalate	5.00	U	2.40	5.00	ug/L
206-44-0	Fluoranthene	5.00	U	2.10	5.00	ug/L
129-00-0	Pyrene	5.00	U	1.90	5.00	ug/L
85-68-7	Butylbenzylphthalate	5.00	UQ	2.80	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	10.0	U	5.40	10.0	ug/L
56-55-3	Benzo(a)anthracene	5.00	U	1.50	5.00	ug/L
218-01-9	Chrysene	5.00	U	1.60	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	5.00	U	2.90	5.00	ug/L
117-84-0	Di-n-octyl phthalate	10.0	U	3.10	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	5.00	U	1.50	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	5.00	U	1.90	5.00	ug/L
50-32-8	Benzo(a)pyrene	5.00	U	2.70	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	5.00	U	2.10	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	5.00	U	2.00	5.00	ug/L

Report of Analysis

Client:	LaBella Associates P.C.	Date Collected:	07/12/23
Project:	Mackenna Parcels	Date Received:	07/17/23
Client Sample ID:	RINSATE-BLANK	SDG No.:	O3645
Lab Sample ID:	O3645-08	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF134528.D	1	07/17/23 08:30	07/28/23 22:17	PB154218

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
191-24-2	Benzo(g,h,i)perylene	5.00	U	1.90	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	5.00	U	2.10	5.00	ug/L
123-91-1	1,4-Dioxane	5.00	U	2.40	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	5.00	U	1.30	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	54.5		10 - 139	36%	SPK: 150
13127-88-3	Phenol-d6	33.2		10 - 134	22%	SPK: 150
4165-60-0	Nitrobenzene-d5	142	*	49 - 133	142%	SPK: 100
321-60-8	2-Fluorobiphenyl	93.9		52 - 132	94%	SPK: 100
118-79-6	2,4,6-Tribromophenol	98.3		45 - 141	66%	SPK: 150
1718-51-0	Terphenyl-d14	98.8		45 - 142	99%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	116000		6.828		
1146-65-2	Naphthalene-d8	262000		8.11		
15067-26-2	Acenaphthene-d10	137000		9.863		
1517-22-2	Phenanthrene-d10	224000		11.357		
1719-03-5	Chrysene-d12	150000		14.015		
1520-96-3	Perylene-d12	126000		15.515		
TENTATIVE IDENTIFIED COMPOUNDS						
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.10	AB		5.07	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products