



Laboratory Control Sample/Laboratory Control Sample Duplicate Summary
SW-846

SDG No.: O3645

Client: LaBella Associates P.C.

Analytical Method: SW8260D

Datafile : VD076747.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	
									High	RPD
VD0717SBS01	Dichlorodifluoromethane	20	22.5	ug/Kg	113			64	136	
	Chloromethane	20	19.5	ug/Kg	98			70	130	
	Vinyl chloride	20	19.7	ug/Kg	99			72	129	
	Bromomethane	20	19.1	ug/Kg	96			58	141	
	Chloroethane	20	19.1	ug/Kg	96			69	130	
	Trichlorofluoromethane	20	21.9	ug/Kg	110			69	134	
	1,1,2-Trichlorotrifluoroethane	20	21.9	ug/Kg	110			81	123	
	1,1-Dichloroethene	20	20.5	ug/Kg	103			79	121	
	Acetone	100	100	ug/Kg	100			60	131	
	Carbon disulfide	20	20.5	ug/Kg	103			45	154	
	Methyl tert-butyl Ether	20	20.0	ug/Kg	100			77	129	
	Methyl Acetate	20	20.5	ug/Kg	103			69	149	
	Methylene Chloride	20	17.3	ug/Kg	86			39	175	
	trans-1,2-Dichloroethene	20	20.2	ug/Kg	101			80	123	
	1,1-Dichloroethane	20	20.1	ug/Kg	101			82	123	
	Cyclohexane	20	20.4	ug/Kg	102			76	122	
	2-Butanone	100	100	ug/Kg	100			69	131	
	Carbon Tetrachloride	20	21.4	ug/Kg	107			76	129	
	cis-1,2-Dichloroethene	20	20.8	ug/Kg	104			82	123	
	Bromochloromethane	20	23.7	ug/Kg	119			62	134	
	Chloroform	20	20.6	ug/Kg	103			82	125	
	1,1,1-Trichloroethane	20	22.5	ug/Kg	113			80	126	
	Methylcyclohexane	20	20.8	ug/Kg	104			77	123	
	Benzene	20	20.6	ug/Kg	103			84	121	
	1,2-Dichloroethane	20	21.4	ug/Kg	107			81	126	
	Trichloroethene	20	21.1	ug/Kg	106			83	122	
	1,2-Dichloropropane	20	20.7	ug/Kg	104			83	122	
	Bromodichloromethane	20	20.5	ug/Kg	103			82	123	
	4-Methyl-2-Pentanone	100	99.9	ug/Kg	100			70	135	
	Toluene	20	20.4	ug/Kg	102			83	122	
	t-1,3-Dichloropropene	20	19.8	ug/Kg	99			78	124	
	cis-1,3-Dichloropropene	20	19.8	ug/Kg	99			81	122	
	1,1,2-Trichloroethane	20	21.0	ug/Kg	105			82	125	
	2-Hexanone	100	99.6	ug/Kg	100			66	138	
	Dibromochloromethane	20	21.4	ug/Kg	107			79	125	
	1,2-Dibromoethane	20	20.6	ug/Kg	103			80	125	
	Tetrachloroethene	20	23.3	ug/Kg	117			83	125	
	Chlorobenzene	20	21.1	ug/Kg	106			84	122	
	Ethyl Benzene	20	20.7	ug/Kg	104			82	124	
	m/p-Xylenes	40	41.3	ug/Kg	103			83	124	
	o-Xylene	20	20.5	ug/Kg	103			83	123	
	Styrene	20	20.7	ug/Kg	104			82	124	
	Bromoform	20	22.4	ug/Kg	112			75	127	
	Isopropylbenzene	20	21.1	ug/Kg	106			82	124	
	1,1,2,2-Tetrachloroethane	20	20.5	ug/Kg	103			77	127	
	N-propylbenzene	20	21.1	ug/Kg	106			81	123	
	1,3,5-Trimethylbenzene	20	21.0	ug/Kg	105			82	124	
	tert-Butylbenzene	20	21.3	ug/Kg	106			81	125	
	1,2,4-Trimethylbenzene	20	20.3	ug/Kg	102			81	125	



Laboratory Control Sample/Laboratory Control Sample Duplicate Summary
SW-846

SDG No.: O3645

Client: LaBella Associates P.C.

Analytical Method: SW8260D

Datafile : VD076747.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	
									High	RPD
VD0717SBS01	Sec-butylbenzene	20	21.4	ug/Kg	107			80	124	
	p-Isopropyltoluene	20	21.1	ug/Kg	106			81	125	
	1,3-Dichlorobenzene	20	21.5	ug/Kg	108			83	122	
	1,4-Dichlorobenzene	20	21.3	ug/Kg	106			84	121	
	n-Butylbenzene	20	21.2	ug/Kg	106			78	126	
	1,2-Dichlorobenzene	20	21.6	ug/Kg	108			83	124	
	1,2-Dibromo-3-Chloropropane	20	20.1	ug/Kg	101			66	134	
	1,2,4-Trichlorobenzene	20	20.8	ug/Kg	104			78	127	
	1,2,3-Trichlorobenzene	20	21.3	ug/Kg	106			70	137	