



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VD0717SBL01

Lab Name: CHEMTECH

Contract: LABE01

Lab Code: CHEM Case No.: 03645

SAS No.: 03645 SDG NO.: 03645

Lab File ID: VD076746.D

Lab Sample ID: VD0717SBL01

Date Analyzed: 07/17/2023

Time Analyzed: 11:15

GC Column: RTX-VMS ID: 0.18 (mm)

Heated Purge: (Y/N) Y

Instrument ID: MSVOA_D

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VD0717SBS01	VD0717SBS01	VD076747.D	07/17/2023
VD0717SBSD01	VD0717SBSD01	VD076748.D	07/17/2023
SB-02-(3-5)	03645-01	VD076751.D	07/17/2023
SB-04-(1-5)	03645-02	VD076752.D	07/17/2023
SB-07-(1-3)	03645-03	VD076753.D	07/17/2023
SB-08-(10.5-2.0)	03645-04	VD076754.D	07/17/2023
SB-09-(2.0-4.0)	03645-05	VD076755.D	07/17/2023
SB-10-(0.5-2.0)	03645-06	VD076756.D	07/17/2023
SB-04-(1-5)MS	03645-09MS	VD076762.D	07/17/2023
SB-04-(1-5)MSD	03645-10MSD	VD076763.D	07/17/2023

COMMENTS:



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VD0718SBL01

Lab Name: CHEMTECH

Contract: LABE01

Lab Code: CHEM Case No.: O3645

SAS No.: O3645 SDG NO.: O3645

Lab File ID: VD076767.D

Lab Sample ID: VD0718SBL01

Date Analyzed: 07/18/2023

Time Analyzed: 10:09

GC Column: RTX-VMS ID: 0.18 (mm)

Heated Purge: (Y/N) Y

Instrument ID: MSVOA_D

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VD0718SBS01	VD0718SBS01	VD076768.D	07/18/2023
DUP	O3645-07	VD076777.D	07/18/2023

COMMENTS: _____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VN0718WBL01

Lab Name: CHEMTECH

Contract: LABE01

Lab Code: CHEM Case No.: O3645

SAS No.: O3645 SDG NO.: O3645

Lab File ID: VN078552.D

Lab Sample ID: VN0718WBL01

Date Analyzed: 07/18/2023

Time Analyzed: 11:27

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_N

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VN0718WBS02	VN0718WBS02	VN078554.D	07/18/2023
VN0718WBSD02	VN0718WBSD02	VN078556.D	07/18/2023
RINSATE-BLANK	O3645-08	VN078566.D	07/18/2023

COMMENTS: