

DATA PACKAGE

GC SEMI-VOLATILES

PROJECT NAME : SCA - PS 182X

ATC GROUP SERVICES LLC

104 East 25th Street

New York, NY - 10010

Phone No: 212-353-8280

ORDER ID : 03649

ATTENTION : Denise Cosenza



Laboratory Certification ID # 20012



Table Of Contents for O3649

1) Signature Page	3
2) Case Narrative	4
2.1) PCB Group1- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) PCB Group1 Data	8
6) Shipping Document	17
6.1) CHAIN OF CUSTODY	18
6.2) ROC	19
6.3) Lab Certificate	21

1

2

3

4

5

6

Cover Page

Order ID : O3649

Project ID : SCA - PS 182X

Client : ATC Group Services LLC

Lab Sample Number

O3649-01
O3649-02
O3649-03
O3649-04
O3649-05
O3649-06

Client Sample Number

X182-S5
X182-B4
X182-S3
X182-B3
X182-DUP1
X182-S4

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : S. M. Jodhani

APPROVED

By *Sohil Jodhani, QA/QC Director* at 8:46 am, Feb 08, 2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

ATC Group Services LLC

Project Name: SCA - PS 182X

Project # N/A

Chemtech Project # O3649

Test Name: PCB Group1

A. Number of Samples and Date of Receipt:

6 Solid samples were received on 07/17/2023.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: PCB Group1. This data package contains results for PCB Group1.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_Q. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

E. Additional Comments:

This data package has been revised due to Client id changed for sample # 05 (From X182-B3-DUP to X182-DUP1) as per client request.

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature S. M. Jodhani

APPROVED*By Sohil Jodhani, QA/QC Director at 8:46 am, Feb 08, 2024*

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: O3649

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

1st Level QA Review Signature: MOHAMMAD AHMED

Date: 02/08/2024

2nd Level QA Review Signature:

S. M. Jodhani

APPROVED

By Sohil Jodhani, QA/QC Director at 8:46 am, Feb 08, 2024

Hit Summary Sheet
SW-846

SDG No.:	O3649	Order ID:	O3649
Client:	ATC Group Services LLC	Project ID:	SCA - PS 182X

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : X182-S3								
O3649-03	X182-S3	SOIL	Aroclor-1260	32.6	3.70		19.0	ug/kg
Total Concentration:				32.600				
Client ID : X182-B3								
O3649-04	X182-B3	SOIL	Aroclor-1260	29.2	3.90		19.6	ug/kg
Total Concentration:				29.200				
Client ID : X182-B3-DUP								
O3649-05	X182-DUP1	SOIL	Aroclor-1260	28.0	3.80		19.3	ug/kg
Total Concentration:				28.000				
Client ID : X182-S4								
O3649-06	X182-S4	SOIL	Aroclor-1260	18.7	3.60		18.2	ug/kg
Total Concentration:				18.700				

SAMPLE DATA

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-S5		SDG No.:	O3649	
Lab Sample ID:	O3649-01		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	82.2	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062360.D	1	07/18/23 09:10	07/18/23 19:41	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	20.7	ug/kg
11104-28-2	Aroclor-1221	7.10	U	7.10	20.7	ug/kg
11141-16-5	Aroclor-1232	5.50	U	5.50	20.7	ug/kg
53469-21-9	Aroclor-1242	3.80	U	3.80	20.7	ug/kg
12672-29-6	Aroclor-1248	3.40	U	3.40	20.7	ug/kg
11097-69-1	Aroclor-1254	4.60	U	4.60	20.7	ug/kg
37324-23-5	Aroclor-1262	3.30	U	3.30	20.7	ug/kg
11100-14-4	Aroclor-1268	4.00	U	4.00	20.7	ug/kg
11096-82-5	Aroclor-1260	4.10	U	4.10	20.7	ug/kg
Total PCBs	Total PCBs	7.00	U	7.00	20.7	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.3		40 - 162	91%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.0		32 - 176	80%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-B4		SDG No.:	O3649	
Lab Sample ID:	O3649-02		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	84.3	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062361.D	1	07/18/23 09:10	07/18/23 19:56	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	20.1	ug/kg
11104-28-2	Aroclor-1221	6.90	U	6.90	20.1	ug/kg
11141-16-5	Aroclor-1232	5.30	U	5.30	20.1	ug/kg
53469-21-9	Aroclor-1242	3.70	U	3.70	20.1	ug/kg
12672-29-6	Aroclor-1248	3.30	U	3.30	20.1	ug/kg
11097-69-1	Aroclor-1254	4.40	U	4.40	20.1	ug/kg
37324-23-5	Aroclor-1262	3.20	U	3.20	20.1	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	20.1	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	20.1	ug/kg
Total PCBs	Total PCBs	6.80	U	6.80	20.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.2		40 - 162	86%	SPK: 20
2051-24-3	Decachlorobiphenyl	12.5		32 - 176	63%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-S3		SDG No.:	O3649	
Lab Sample ID:	O3649-03		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	89.2	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062362.D	1	07/18/23 09:10	07/18/23 20:10	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.00	U	4.00	19.0	ug/kg
11104-28-2	Aroclor-1221	6.60	U	6.60	19.0	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	19.0	ug/kg
53469-21-9	Aroclor-1242	3.50	U	3.50	19.0	ug/kg
12672-29-6	Aroclor-1248	3.20	U	3.20	19.0	ug/kg
11097-69-1	Aroclor-1254	4.20	U	4.20	19.0	ug/kg
37324-23-5	Aroclor-1262	3.00	U	3.00	19.0	ug/kg
11100-14-4	Aroclor-1268	3.70	U	3.70	19.0	ug/kg
11096-82-5	Aroclor-1260	32.6		3.70	19.0	ug/kg
Total PCBs	Total PCBs	32.6		3.70	19.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.0		40 - 162	95%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.6		32 - 176	93%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-B3		SDG No.:	O3649	
Lab Sample ID:	O3649-04		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	86.5	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062363.D	1	07/18/23 09:10	07/18/23 20:25	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.10	U	4.10	19.6	ug/kg
11104-28-2	Aroclor-1221	6.80	U	6.80	19.6	ug/kg
11141-16-5	Aroclor-1232	5.20	U	5.20	19.6	ug/kg
53469-21-9	Aroclor-1242	3.60	U	3.60	19.6	ug/kg
12672-29-6	Aroclor-1248	3.30	U	3.30	19.6	ug/kg
11097-69-1	Aroclor-1254	4.30	U	4.30	19.6	ug/kg
37324-23-5	Aroclor-1262	3.10	U	3.10	19.6	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	19.6	ug/kg
11096-82-5	Aroclor-1260	29.2		3.90	19.6	ug/kg
Total PCBs	Total PCBs	29.2		3.90	19.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.4		40 - 162	97%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.3		32 - 176	97%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-DUP1		SDG No.:	O3649	
Lab Sample ID:	O3649-05		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	87.9	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062364.D	1	07/18/23 09:10	07/18/23 20:39	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.10	U	4.10	19.3	ug/kg
11104-28-2	Aroclor-1221	6.70	U	6.70	19.3	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	19.3	ug/kg
53469-21-9	Aroclor-1242	3.60	U	3.60	19.3	ug/kg
12672-29-6	Aroclor-1248	3.20	U	3.20	19.3	ug/kg
11097-69-1	Aroclor-1254	4.30	U	4.30	19.3	ug/kg
37324-23-5	Aroclor-1262	3.10	U	3.10	19.3	ug/kg
11100-14-4	Aroclor-1268	3.70	U	3.70	19.3	ug/kg
11096-82-5	Aroclor-1260	28.0		3.80	19.3	ug/kg
Total PCBs	Total PCBs	28.0		3.80	19.3	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	27.3		40 - 162	137%	SPK: 20
2051-24-3	Decachlorobiphenyl	32.3		32 - 176	162%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/17/23	
Project:	SCA - PS 182X		Date Received:	07/17/23	
Client Sample ID:	X182-S4		SDG No.:	O3649	
Lab Sample ID:	O3649-06		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	93.2	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ062365.D	1	07/18/23 09:10	07/18/23 20:54	PB154254

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	3.80	U	3.80	18.2	ug/kg
11104-28-2	Aroclor-1221	6.30	U	6.30	18.2	ug/kg
11141-16-5	Aroclor-1232	4.80	U	4.80	18.2	ug/kg
53469-21-9	Aroclor-1242	3.30	U	3.30	18.2	ug/kg
12672-29-6	Aroclor-1248	3.00	U	3.00	18.2	ug/kg
11097-69-1	Aroclor-1254	4.00	U	4.00	18.2	ug/kg
37324-23-5	Aroclor-1262	2.90	U	2.90	18.2	ug/kg
11100-14-4	Aroclor-1268	3.50	U	3.50	18.2	ug/kg
11096-82-5	Aroclor-1260	18.7		3.60	18.2	ug/kg
Total PCBs	Total PCBs	18.7		3.60	18.2	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.1		40 - 162	95%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.4		32 - 176	87%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



284 Sheffield Street, Mountainside, New Jersey - 07092

Phone: (908) 789 8900 Fax: (908) 789 8922

LAB CHRONICLE

OrderID: O3649
Client: ATC Group Services LLC
Contact: Denise Cosenza

OrderDate: 7/17/2023 12:32:06 PM
Project: SCA - PS 182X
Location: I11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
O3649-01	X182-S5	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23
O3649-02	X182-B4	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23
O3649-03	X182-S3	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23
O3649-04	X182-B3	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23
O3649-05	X182-DUP1	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23
O3649-06	X182-S4	SOIL	PCB Group1	8082A	07/17/23	07/18/23	07/18/23	07/17/23

SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.
QUOTE NO. 03649
COC Number 2040361

6
6.1

CLIENT INFORMATION

REPORT TO BE SENT TO:
COMPANY: Atlas
ADDRESS: 104 E 25th
CITY: NY STATE: NY ZIP: 10010
ATTENTION: Denise Cosenza
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: SCA - X182
PROJECT NO.: SCA-2022136 LOCATION: NYC
PROJECT MANAGER: D. Cosenza
e-mail: denise.cosenza@oneatlas.co
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS: Sam
CITY: STATE: ZIP: ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 24 HR DAYS*
HARDCOPY (DATA PACKAGE): Rust DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

TOTAL PCBs

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	X182 - S5	S		X	7/17	8:45	1	X									
2.	X182 - B4	S		X	7/17	8:45	1	X									
3.	X182 - S3	S		X	7/17	8:45	1	X									
4.	X182 - S B3	S		X	7/17	8:45	1	X									
5.	X182 - S B3 D40(17)	S		X	7/17	8:45	1	X									
6.																	
7.	X182 - S4 (not labeled)																
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: DATE/TIME: RECEIVED BY: 1220
1. 7/17/23 1220
RELINQUISHED BY SAMPLER: DATE/TIME: RECEIVED BY: 7-17-23
2.
RELINQUISHED BY SAMPLER: DATE/TIME: 1600 RECEIVED BY: SB
3. 7-17-23

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 5.0 °C
Comments:

Page 1 of 1 CLIENT: ☐ Hand Delivered ☐ Other
CHEMTECH: ☐ Picked Up ☐ Field Sampling Shipment Complete
☐ YES ☐ NO

03649

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

18 of 21 YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

Revised

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Sent: Wednesday, February 07, 2024 1:15 PM
To: Yazmeen@chemtech.net
Subject: RE: [EXTERNAL] RE: SCA - Project 03649

Hi Yazmeen,

We would prefer the report be updated.

Thank you,
Denise



Denise Cosenza
Project Manager
O: 212.284.0613 C: 718.490.0614

From: Yazmeen Gomez <Yazmeen@chemtech.net>
Sent: Wednesday, February 7, 2024 12:53 PM
To: Denise Cosenza <denise.cosenza@oneatlas.com>
Subject: [EXTERNAL] RE: SCA - Project 03649

[External Email] This email originated from outside of the Atlas mail system. Please use caution when opening attachments.

Denise,

Did you need the full report revised or would the FAX suffice?

Best Regards,

Yazmeen Gomez



Yazmeen Gomez
Sr. Project Manager, CHEMTECH Laboratory
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Date: February 7, 2024 at 10:51:27 AM EST

To: brandon@chemtech.net

Subject: SCA - Project 03649

Hi Brandon,

I'm hoping you can help me. It appears that a sample was mislabeled for a project we did back in the Summer.

Sample X182-B3-DUP (Lab id 03649-05) should have been identified as X182-DUP1.

Would there be any way to update the report? I know some time has passed.

Thanks

Denise

Denise Cosenza

Project Manager

<image001.png>

104 East 25th Street, 8th Floor

New York, NY 10010

O: 212.284.0613 | C: 718.490.0614

OneAtlas.com | [LinkedIn](#) | [Facebook](#) | [Twitter](#)

<image002.png>

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0649
DOD ELAP (L-A-B)	L2219
Maine	2022022
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	P330-21-00137
Texas	T104704488-23-16