

SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.
QUOTE NO. 03649
COC Number 2040361

CLIENT INFORMATION

REPORT TO BE SENT TO:
COMPANY: Atlas
ADDRESS: 104 E 25th
CITY: NY STATE: NY ZIP: 10010
ATTENTION: Denise Cosenza
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: SCA - X182
PROJECT NO.: SCA-2022136 LOCATION: NYC
PROJECT MANAGER: D. Cosenza
e-mail: denise.cosenza@oneatlas.co
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS: Sam
CITY: STATE: ZIP: ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 24 HR DAYS*
HARDCOPY (DATA PACKAGE): Rusty DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

TOTAL PCBs

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	X182 - S5	S		X	7/17	8:45	1	X									
2.	X182 - B4	S		X	7/17	8:45	1	X									
3.	X182 - S3	S		X	7/17	8:45	1	X									
4.	X182 - S B3	S		X	7/17	8:45	1	X									
5.	X182 - S B3 D40(17)	S		X	7/17	8:45	1	X									
6.																	
7.	X182 - S4 (not labeled)																
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: DATE/TIME: RECEIVED BY: 1220
1. [Signature] 7/17/23 1220 [Signature] 7-17-23
RELINQUISHED BY SAMPLER: DATE/TIME: RECEIVED BY:
2. [Signature] 7-17-23
RELINQUISHED BY SAMPLER: DATE/TIME: 1600 RECEIVED BY: SB
3. [Signature] 7-17-23

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 5.0 °C
Comments:

Page 1 of 1 CLIENT: ☐ Hand Delivered ☐ Other
CHEMTECH: ☐ Picked Up ☐ Field Sampling Shipment Complete
☐ YES ☐ NO

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Sent: Wednesday, February 07, 2024 1:15 PM
To: Yazmeen@chemtech.net
Subject: RE: [EXTERNAL] RE: SCA - Project 03649

Hi Yazmeen,

We would prefer the report be updated.

Thank you,
Denise



Denise Cosenza
Project Manager
O: 212.284.0613 C: 718.490.0614

From: Yazmeen Gomez <Yazmeen@chemtech.net>
Sent: Wednesday, February 7, 2024 12:53 PM
To: Denise Cosenza <denise.cosenza@oneatlas.com>
Subject: [EXTERNAL] RE: SCA - Project 03649

[External Email] This email originated from outside of the Atlas mail system. Please use caution when opening attachments.

Denise,

Did you need the full report revised or would the FAX suffice?

Best Regards,

Yazmeen Gomez



Yazmeen Gomez
Sr. Project Manager, CHEMTECH Laboratory
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Date: February 7, 2024 at 10:51:27 AM EST

To: brandon@chemtech.net

Subject: SCA - Project 03649

Hi Brandon,

I'm hoping you can help me. It appears that a sample was mislabeled for a project we did back in the Summer.

Sample X182-B3-DUP (Lab id 03649-05) should have been identified as X182-DUP1.

Would there be any way to update the report? I know some time has passed.

Thanks

Denise

Denise Cosenza

Project Manager

<image001.png>

104 East 25th Street, 8th Floor

New York, NY 10010

O: 212.284.0613 | C: 718.490.0614

OneAtlas.com | [LinkedIn](#) | [Facebook](#) | [Twitter](#)

<image002.png>

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0649
DOD ELAP (L-A-B)	L2219
Maine	2022022
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	P330-21-00137
Texas	T104704488-23-16