



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: RMJ Environomics, Inc.

SDG No.: O5252

Project: 245 Greenwood Ave

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 10/24/2023

10/24/2023

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/24/2023	21:01	PO098875.D	10.28	4.48
AR1660ICC1000	AR1660ICC1000	10/24/2023	21:19	PO098876.D	10.28	4.48
AR1660ICC750	AR1660ICC750	10/24/2023	21:36	PO098877.D	10.28	4.48
AR1660ICC500	AR1660ICC500	10/24/2023	21:53	PO098878.D	10.28	4.48
AR1660ICC250	AR1660ICC250	10/24/2023	22:09	PO098879.D	10.28	4.48
AR1660ICC050	AR1660ICC050	10/24/2023	22:27	PO098880.D	10.28	4.48
AR1221ICC500	AR1221ICC500	10/24/2023	22:43	PO098881.D	10.28	4.48
AR1232ICC500	AR1232ICC500	10/24/2023	23:00	PO098882.D	10.28	4.48
AR1242ICC1000	AR1242ICC1000	10/24/2023	23:17	PO098883.D	10.28	4.48
AR1242ICC750	AR1242ICC750	10/24/2023	23:34	PO098884.D	10.28	4.48
AR1242ICC500	AR1242ICC500	10/24/2023	23:51	PO098885.D	10.28	4.48
AR1242ICC250	AR1242ICC250	10/25/2023	00:08	PO098886.D	10.28	4.48
AR1242ICC050	AR1242ICC050	10/25/2023	00:25	PO098887.D	10.28	4.48
AR1248ICC1000	AR1248ICC1000	10/25/2023	00:42	PO098888.D	10.28	4.48
AR1248ICC750	AR1248ICC750	10/25/2023	00:59	PO098889.D	10.28	4.48
AR1248ICC500	AR1248ICC500	10/25/2023	01:16	PO098890.D	10.28	4.48
AR1248ICC250	AR1248ICC250	10/25/2023	01:33	PO098891.D	10.28	4.48
AR1248ICC050	AR1248ICC050	10/25/2023	01:50	PO098892.D	10.28	4.48
AR1254ICC1000	AR1254ICC1000	10/25/2023	02:07	PO098893.D	10.28	4.48
AR1254ICC750	AR1254ICC750	10/25/2023	02:24	PO098894.D	10.28	4.48
AR1254ICC500	AR1254ICC500	10/25/2023	02:41	PO098895.D	10.28	4.48
AR1254ICC250	AR1254ICC250	10/25/2023	02:58	PO098896.D	10.28	4.48
AR1254ICC050	AR1254ICC050	10/25/2023	03:15	PO098897.D	10.28	4.48
AR1262ICC500	AR1262ICC500	10/25/2023	03:32	PO098898.D	10.28	4.48
AR1268ICC1000	AR1268ICC1000	10/25/2023	03:49	PO098899.D	10.28	4.48
AR1268ICC750	AR1268ICC750	10/25/2023	04:06	PO098900.D	10.28	4.48
AR1268ICC500	AR1268ICC500	10/25/2023	04:22	PO098901.D	10.28	4.48
AR1268ICC250	AR1268ICC250	10/25/2023	04:39	PO098902.D	10.28	4.48
AR1268ICC050	AR1268ICC050	10/25/2023	04:56	PO098903.D	10.28	4.48
AR1660CCC500	AR1660CCC500	11/07/2023	09:20	PO099451.D	10.27	4.47
IBLK	IBLK	11/07/2023	09:36	PO099452.D	10.26	4.47
P001-WC01-01MS	O5255-02MS	11/07/2023	11:01	PO099457.D	10.26	4.47
P001-WC01-01MSD	O5255-03MSD	11/07/2023	11:18	PO099458.D	10.27	4.47
AR1660CCC500	AR1660CCC500	11/07/2023	13:17	PO099463.D	10.27	4.47
IBLK	IBLK	11/07/2023	13:34	PO099464.D	10.27	4.47
IBLK	IBLK	10/27/2023	10:47	PP061281.D	10.54	4.56
AR1660ICC1000	AR1660ICC1000	10/27/2023	11:03	PP061282.D	10.54	4.56
AR1660ICC750	AR1660ICC750	10/27/2023	11:20	PP061283.D	10.54	4.56
AR1660ICC500	AR1660ICC500	10/27/2023	11:36	PP061284.D	10.54	4.56
AR1660ICC250	AR1660ICC250	10/27/2023	11:52	PP061285.D	10.54	4.56
AR1660ICC050	AR1660ICC050	10/27/2023	12:08	PP061286.D	10.54	4.56
AR1221ICC500	AR1221ICC500	10/27/2023	12:25	PP061287.D	10.53	4.56
AR1232ICC500	AR1232ICC500	10/27/2023	12:41	PP061288.D	10.54	4.56
AR1242ICC1000	AR1242ICC1000	10/27/2023	12:57	PP061289.D	10.55	4.56
AR1242ICC750	AR1242ICC750	10/27/2023	13:13	PP061290.D	10.55	4.56

Analytical Sequence

AR1242ICC500	AR1242ICC500	10/27/2023	13:30	PP061291.D	10.54	4.56
AR1242ICC250	AR1242ICC250	10/27/2023	13:46	PP061292.D	10.54	4.56
AR1242ICC050	AR1242ICC050	10/27/2023	14:02	PP061293.D	10.54	4.56
AR1248ICC1000	AR1248ICC1000	10/27/2023	14:19	PP061294.D	10.53	4.56
AR1248ICC750	AR1248ICC750	10/27/2023	14:35	PP061295.D	10.53	4.56
AR1248ICC500	AR1248ICC500	10/27/2023	14:51	PP061296.D	10.54	4.56
AR1248ICC250	AR1248ICC250	10/27/2023	15:08	PP061297.D	10.54	4.56
AR1248ICC050	AR1248ICC050	10/27/2023	15:24	PP061298.D	10.54	4.56
AR1254ICC1000	AR1254ICC1000	10/27/2023	15:40	PP061299.D	10.53	4.56
AR1254ICC750	AR1254ICC750	10/27/2023	15:57	PP061300.D	10.53	4.56
AR1254ICC500	AR1254ICC500	10/27/2023	16:13	PP061301.D	10.53	4.56
AR1254ICC250	AR1254ICC250	10/27/2023	16:30	PP061302.D	10.53	4.56
AR1254ICC050	AR1254ICC050	10/27/2023	16:46	PP061303.D	10.53	4.56
AR1262ICC500	AR1262ICC500	10/27/2023	17:02	PP061304.D	10.53	4.56
AR1268ICC1000	AR1268ICC1000	10/27/2023	17:19	PP061305.D	10.53	4.56
AR1268ICC750	AR1268ICC750	10/27/2023	17:35	PP061306.D	10.53	4.56
AR1268ICC500	AR1268ICC500	10/27/2023	17:51	PP061307.D	10.53	4.56
AR1268ICC250	AR1268ICC250	10/27/2023	18:08	PP061308.D	10.52	4.56
AR1268ICC050	AR1268ICC050	10/27/2023	18:24	PP061309.D	10.53	4.56
AR1660CCC500	AR1660CCC500	11/06/2023	10:05	PP061440.D	10.55	4.57
LBLK	LBLK	11/06/2023	11:17	PP061444.D	10.56	4.57
PB156919BL	PB156919BL	11/06/2023	13:28	PP061445.D	10.56	4.57
PB156919BS	PB156919BS	11/06/2023	13:44	PP061446.D	10.55	4.57
WASTE	O5252-01	11/06/2023	14:00	PP061447.D	10.55	4.57
AR1660CCC500	AR1660CCC500	11/06/2023	16:11	PP061455.D	10.56	4.57
LBLK	LBLK	11/06/2023	17:17	PP061459.D	10.56	4.57



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: RMJ Environomics, Inc.

SDG No.: O5252

Project: 245 Greenwood Ave

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 10/24/2023

10/24/2023

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/24/2023	21:01	PO098875.D	8.63	3.63
AR1660ICC1000	AR1660ICC1000	10/24/2023	21:19	PO098876.D	8.63	3.63
AR1660ICC750	AR1660ICC750	10/24/2023	21:36	PO098877.D	8.63	3.63
AR1660ICC500	AR1660ICC500	10/24/2023	21:53	PO098878.D	8.63	3.63
AR1660ICC250	AR1660ICC250	10/24/2023	22:09	PO098879.D	8.63	3.63
AR1660ICC050	AR1660ICC050	10/24/2023	22:27	PO098880.D	8.63	3.63
AR1221ICC500	AR1221ICC500	10/24/2023	22:43	PO098881.D	8.63	3.63
AR1232ICC500	AR1232ICC500	10/24/2023	23:00	PO098882.D	8.63	3.63
AR1242ICC1000	AR1242ICC1000	10/24/2023	23:17	PO098883.D	8.63	3.63
AR1242ICC750	AR1242ICC750	10/24/2023	23:34	PO098884.D	8.63	3.63
AR1242ICC500	AR1242ICC500	10/24/2023	23:51	PO098885.D	8.63	3.63
AR1242ICC250	AR1242ICC250	10/25/2023	00:08	PO098886.D	8.63	3.63
AR1242ICC050	AR1242ICC050	10/25/2023	00:25	PO098887.D	8.63	3.63
AR1248ICC1000	AR1248ICC1000	10/25/2023	00:42	PO098888.D	8.63	3.63
AR1248ICC750	AR1248ICC750	10/25/2023	00:59	PO098889.D	8.63	3.63
AR1248ICC500	AR1248ICC500	10/25/2023	01:16	PO098890.D	8.63	3.63
AR1248ICC250	AR1248ICC250	10/25/2023	01:33	PO098891.D	8.63	3.63
AR1248ICC050	AR1248ICC050	10/25/2023	01:50	PO098892.D	8.63	3.63
AR1254ICC1000	AR1254ICC1000	10/25/2023	02:07	PO098893.D	8.63	3.63
AR1254ICC750	AR1254ICC750	10/25/2023	02:24	PO098894.D	8.63	3.63
AR1254ICC500	AR1254ICC500	10/25/2023	02:41	PO098895.D	8.63	3.63
AR1254ICC250	AR1254ICC250	10/25/2023	02:58	PO098896.D	8.63	3.63
AR1254ICC050	AR1254ICC050	10/25/2023	03:15	PO098897.D	8.63	3.63
AR1262ICC500	AR1262ICC500	10/25/2023	03:32	PO098898.D	8.63	3.63
AR1268ICC1000	AR1268ICC1000	10/25/2023	03:49	PO098899.D	8.63	3.63
AR1268ICC750	AR1268ICC750	10/25/2023	04:06	PO098900.D	8.63	3.63
AR1268ICC500	AR1268ICC500	10/25/2023	04:22	PO098901.D	8.63	3.63
AR1268ICC250	AR1268ICC250	10/25/2023	04:39	PO098902.D	8.63	3.63
AR1268ICC050	AR1268ICC050	10/25/2023	04:56	PO098903.D	8.63	3.63
AR1660CCC500	AR1660CCC500	11/07/2023	09:20	PO099451.D	8.62	3.62
IBLK	IBLK	11/07/2023	09:36	PO099452.D	8.61	3.62
P001-WC01-01MS	O5255-02MS	11/07/2023	11:01	PO099457.D	8.62	3.63
P001-WC01-01MSD	O5255-03MSD	11/07/2023	11:18	PO099458.D	8.62	3.63
AR1660CCC500	AR1660CCC500	11/07/2023	13:17	PO099463.D	8.62	3.62
IBLK	IBLK	11/07/2023	13:34	PO099464.D	8.62	3.62
IBLK	IBLK	10/27/2023	10:47	PP061281.D	8.77	3.70
AR1660ICC1000	AR1660ICC1000	10/27/2023	11:03	PP061282.D	8.77	3.70
AR1660ICC750	AR1660ICC750	10/27/2023	11:20	PP061283.D	8.77	3.70
AR1660ICC500	AR1660ICC500	10/27/2023	11:36	PP061284.D	8.76	3.69
AR1660ICC250	AR1660ICC250	10/27/2023	11:52	PP061285.D	8.77	3.70
AR1660ICC050	AR1660ICC050	10/27/2023	12:08	PP061286.D	8.77	3.69
AR1221ICC500	AR1221ICC500	10/27/2023	12:25	PP061287.D	8.77	3.69
AR1232ICC500	AR1232ICC500	10/27/2023	12:41	PP061288.D	8.77	3.70
AR1242ICC1000	AR1242ICC1000	10/27/2023	12:57	PP061289.D	8.77	3.70
AR1242ICC750	AR1242ICC750	10/27/2023	13:13	PP061290.D	8.77	3.70

Analytical Sequence

AR1242ICC500	AR1242ICC500	10/27/2023	13:30	PP061291.D	8.77	3.70
AR1242ICC250	AR1242ICC250	10/27/2023	13:46	PP061292.D	8.77	3.69
AR1242ICC050	AR1242ICC050	10/27/2023	14:02	PP061293.D	8.77	3.69
AR1248ICC1000	AR1248ICC1000	10/27/2023	14:19	PP061294.D	8.76	3.69
AR1248ICC750	AR1248ICC750	10/27/2023	14:35	PP061295.D	8.76	3.69
AR1248ICC500	AR1248ICC500	10/27/2023	14:51	PP061296.D	8.76	3.69
AR1248ICC250	AR1248ICC250	10/27/2023	15:08	PP061297.D	8.76	3.69
AR1248ICC050	AR1248ICC050	10/27/2023	15:24	PP061298.D	8.76	3.69
AR1254ICC1000	AR1254ICC1000	10/27/2023	15:40	PP061299.D	8.76	3.69
AR1254ICC750	AR1254ICC750	10/27/2023	15:57	PP061300.D	8.76	3.69
AR1254ICC500	AR1254ICC500	10/27/2023	16:13	PP061301.D	8.76	3.69
AR1254ICC250	AR1254ICC250	10/27/2023	16:30	PP061302.D	8.76	3.69
AR1254ICC050	AR1254ICC050	10/27/2023	16:46	PP061303.D	8.76	3.69
AR1262ICC500	AR1262ICC500	10/27/2023	17:02	PP061304.D	8.76	3.69
AR1268ICC1000	AR1268ICC1000	10/27/2023	17:19	PP061305.D	8.76	3.69
AR1268ICC750	AR1268ICC750	10/27/2023	17:35	PP061306.D	8.76	3.69
AR1268ICC500	AR1268ICC500	10/27/2023	17:51	PP061307.D	8.76	3.69
AR1268ICC250	AR1268ICC250	10/27/2023	18:08	PP061308.D	8.76	3.69
AR1268ICC050	AR1268ICC050	10/27/2023	18:24	PP061309.D	8.76	3.69
AR1660CCC500	AR1660CCC500	11/06/2023	10:05	PP061440.D	8.77	3.70
LBLK	LBLK	11/06/2023	11:17	PP061444.D	8.77	3.70
PB156919BL	PB156919BL	11/06/2023	13:28	PP061445.D	8.77	3.70
PB156919BS	PB156919BS	11/06/2023	13:44	PP061446.D	8.77	3.70
WASTE	O5252-01	11/06/2023	14:00	PP061447.D	8.77	3.70
AR1660CCC500	AR1660CCC500	11/06/2023	16:11	PP061455.D	8.78	3.70
LBLK	LBLK	11/06/2023	17:17	PP061459.D	8.78	3.70