



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

### Hit Summary Sheet SW-846

SDG No.: O5252

Client: RMJ Environomics, Inc.

| Sample ID   | Client ID | Matrix | Parameter                           | Concentration    | C | MDL | RDL | Units |
|-------------|-----------|--------|-------------------------------------|------------------|---|-----|-----|-------|
| Client ID : | WASTE     |        |                                     |                  |   |     |     |       |
| O5252-01    | WASTE     | SOIL   | Bis(2-ethylhexyl)phthalate          | 690.000          | J | 630 | 940 | ug/Kg |
|             |           |        | <b>Total Svoc :</b>                 | <b>690.00</b>    |   |     |     |       |
| O5252-01    | WASTE     | SOIL   | 1,3-Benzenediamine, 2,4-dinitro-1 * | 3,100.000        | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | 1,4-Benzenedicarboxylic acid, bis * | 810.000          | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | 7-Hydroxyquinoline, tert-butyldin * | 380.000          | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | Bifenthrin *                        | 21,900.000       | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | n-Hexadecanoic acid *               | 970.000          | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | Nonadecanoic acid *                 | 500.000          | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | Phenol, 4,4-(1-methylethylidene)t * | 500.000          | J | 0   | 0   | ug/Kg |
| O5252-01    | WASTE     | SOIL   | Trifluralin *                       | 650.000          | J | 0   | 0   | ug/Kg |
|             |           |        | <b>Total Tics :</b>                 | <b>28,810.00</b> |   |     |     |       |
|             |           |        | <b>Total Concentration:</b>         | <b>29,500.00</b> |   |     |     |       |

# SAMPLE DATA



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WASTE                  | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5252-01               | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 90.6                         |
| Sample Wt/Vol:     | 30.05      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BM042698.D        | 5         | 11/06/23 09:48 | 11/10/23 19:10 | PB156921      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|----------------|-----------------------------|-------|-----------|------|------------|-------------------|
| <b>TARGETS</b> |                             |       |           |      |            |                   |
| 100-52-7       | Benzaldehyde                | 820   | U         | 820  | 1800       | ug/Kg             |
| 108-95-2       | Phenol                      | 410   | U         | 410  | 940        | ug/Kg             |
| 111-44-4       | bis(2-Chloroethyl)ether     | 490   | U         | 490  | 940        | ug/Kg             |
| 95-57-8        | 2-Chlorophenol              | 400   | U         | 400  | 940        | ug/Kg             |
| 95-48-7        | 2-Methylphenol              | 630   | U         | 630  | 940        | ug/Kg             |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 580   | U         | 580  | 940        | ug/Kg             |
| 98-86-2        | Acetophenone                | 480   | U         | 480  | 940        | ug/Kg             |
| 65794-96-9     | 3+4-Methylphenols           | 600   | U         | 600  | 1800       | ug/Kg             |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 330   | U         | 330  | 440        | ug/Kg             |
| 67-72-1        | Hexachloroethane            | 410   | U         | 410  | 940        | ug/Kg             |
| 98-95-3        | Nitrobenzene                | 410   | U         | 410  | 940        | ug/Kg             |
| 78-59-1        | Isophorone                  | 380   | U         | 380  | 940        | ug/Kg             |
| 88-75-5        | 2-Nitrophenol               | 520   | U         | 520  | 940        | ug/Kg             |
| 105-67-9       | 2,4-Dimethylphenol          | 550   | U         | 550  | 940        | ug/Kg             |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 620   | U         | 620  | 940        | ug/Kg             |
| 120-83-2       | 2,4-Dichlorophenol          | 430   | U         | 430  | 940        | ug/Kg             |
| 91-20-3        | Naphthalene                 | 450   | U         | 450  | 940        | ug/Kg             |
| 106-47-8       | 4-Chloroaniline             | 580   | UQ        | 580  | 940        | ug/Kg             |
| 87-68-3        | Hexachlorobutadiene         | 460   | U         | 460  | 940        | ug/Kg             |
| 105-60-2       | Caprolactam                 | 640   | U         | 640  | 1800       | ug/Kg             |
| 59-50-7        | 4-Chloro-3-methylphenol     | 450   | U         | 450  | 940        | ug/Kg             |
| 91-57-6        | 2-Methylnaphthalene         | 520   | U         | 520  | 940        | ug/Kg             |
| 77-47-4        | Hexachlorocyclopentadiene   | 1200  | U         | 1200 | 1800       | ug/Kg             |
| 88-06-2        | 2,4,6-Trichlorophenol       | 420   | U         | 420  | 940        | ug/Kg             |
| 95-95-4        | 2,4,5-Trichlorophenol       | 480   | U         | 480  | 940        | ug/Kg             |
| 92-52-4        | 1,1-Biphenyl                | 500   | U         | 500  | 940        | ug/Kg             |
| 91-58-7        | 2-Chloronaphthalene         | 470   | U         | 470  | 940        | ug/Kg             |
| 88-74-4        | 2-Nitroaniline              | 550   | U         | 550  | 940        | ug/Kg             |
| 131-11-3       | Dimethylphthalate           | 490   | U         | 490  | 940        | ug/Kg             |
| 208-96-8       | Acenaphthylene              | 490   | U         | 490  | 940        | ug/Kg             |
| 606-20-2       | 2,6-Dinitrotoluene          | 500   | U         | 500  | 940        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WASTE                  | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5252-01               | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 90.6                         |
| Sample Wt/Vol:     | 30.05      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BM042698.D        | 5         | 11/06/23 09:48 | 11/10/23 19:10 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|-----|------------|-------------------|
| 99-09-2    | 3-Nitroaniline             | 510   | U         | 510 | 940        | ug/Kg             |
| 83-32-9    | Acenaphthene               | 440   | U         | 440 | 940        | ug/Kg             |
| 51-28-5    | 2,4-Dinitrophenol          | 990   | U         | 990 | 1800       | ug/Kg             |
| 100-02-7   | 4-Nitrophenol              | 630   | U         | 630 | 1800       | ug/Kg             |
| 132-64-9   | Dibenzofuran               | 420   | U         | 420 | 940        | ug/Kg             |
| 121-14-2   | 2,4-Dinitrotoluene         | 550   | U         | 550 | 940        | ug/Kg             |
| 84-66-2    | Diethylphthalate           | 470   | U         | 470 | 940        | ug/Kg             |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 500   | U         | 500 | 940        | ug/Kg             |
| 86-73-7    | Fluorene                   | 470   | U         | 470 | 940        | ug/Kg             |
| 100-01-6   | 4-Nitroaniline             | 570   | U         | 570 | 940        | ug/Kg             |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 480   | U         | 480 | 1800       | ug/Kg             |
| 86-30-6    | n-Nitrosodiphenylamine     | 510   | U         | 510 | 940        | ug/Kg             |
| 101-55-3   | 4-Bromophenyl-phenylether  | 540   | U         | 540 | 940        | ug/Kg             |
| 118-74-1   | Hexachlorobenzene          | 540   | U         | 540 | 940        | ug/Kg             |
| 1912-24-9  | Atrazine                   | 530   | U         | 530 | 940        | ug/Kg             |
| 87-86-5    | Pentachlorophenol          | 610   | U         | 610 | 1800       | ug/Kg             |
| 85-01-8    | Phenanthrene               | 510   | U         | 510 | 940        | ug/Kg             |
| 120-12-7   | Anthracene                 | 560   | U         | 560 | 940        | ug/Kg             |
| 86-74-8    | Carbazole                  | 470   | U         | 470 | 940        | ug/Kg             |
| 84-74-2    | Di-n-butylphthalate        | 570   | U         | 570 | 940        | ug/Kg             |
| 206-44-0   | Fluoranthene               | 520   | U         | 520 | 940        | ug/Kg             |
| 129-00-0   | Pyrene                     | 460   | U         | 460 | 940        | ug/Kg             |
| 85-68-7    | Butylbenzylphthalate       | 570   | U         | 570 | 940        | ug/Kg             |
| 91-94-1    | 3,3-Dichlorobenzidine      | 890   | U         | 890 | 1800       | ug/Kg             |
| 56-55-3    | Benzo(a)anthracene         | 460   | U         | 460 | 940        | ug/Kg             |
| 218-01-9   | Chrysene                   | 480   | U         | 480 | 940        | ug/Kg             |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 690   | J         | 630 | 940        | ug/Kg             |
| 117-84-0   | Di-n-octyl phthalate       | 680   | U         | 680 | 1800       | ug/Kg             |
| 205-99-2   | Benzo(b)fluoranthene       | 440   | U         | 440 | 940        | ug/Kg             |
| 207-08-9   | Benzo(k)fluoranthene       | 490   | U         | 490 | 940        | ug/Kg             |
| 50-32-8    | Benzo(a)pyrene             | 520   | U         | 520 | 940        | ug/Kg             |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 590   | U         | 590 | 940        | ug/Kg             |
| 53-70-3    | Dibenzo(a,h)anthracene     | 530   | U         | 530 | 940        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WASTE                  | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5252-01               | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 90.6                         |
| Sample Wt/Vol:     | 30.05      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BM042698.D        | 5         | 11/06/23 09:48 | 11/10/23 19:10 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|-----|------------|-------------------|
| 191-24-2   | Benzo(g,h,i)perylene       | 510   | U         | 510 | 940        | ug/Kg             |
| 95-94-3    | 1,2,4,5-Tetrachlorobenzene | 490   | U         | 490 | 940        | ug/Kg             |
| 123-91-1   | 1,4-Dioxane                | 640   | U         | 640 | 940        | ug/Kg             |
| 58-90-2    | 2,3,4,6-Tetrachlorophenol  | 460   | U         | 460 | 940        | ug/Kg             |

### SURROGATES

|            |                      |      |  |                     |     |          |
|------------|----------------------|------|--|---------------------|-----|----------|
| 367-12-4   | 2-Fluorophenol       | 86.3 |  | 30 (18) - 130 (112) | 58% | SPK: 150 |
| 13127-88-3 | Phenol-d6            | 81.2 |  | 30 (15) - 130 (107) | 54% | SPK: 150 |
| 4165-60-0  | Nitrobenzene-d5      | 60.6 |  | 30 (18) - 130 (107) | 61% | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl     | 62.8 |  | 30 (20) - 130 (109) | 63% | SPK: 100 |
| 118-79-6   | 2,4,6-Tribromophenol | 92.7 |  | 30 (10) - 130 (110) | 62% | SPK: 150 |
| 1718-51-0  | Terphenyl-d14        | 63.8 |  | 30 (14) - 130 (112) | 64% | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 62700  | 7.846  |
| 1146-65-2  | Naphthalene-d8         | 245000 | 10.663 |
| 15067-26-2 | Acenaphthene-d10       | 160000 | 14.504 |
| 1517-22-2  | Phenanthrene-d10       | 308000 | 17.257 |
| 1719-03-5  | Chrysene-d12           | 233000 | 21.439 |
| 1520-96-3  | Perylene-d12           | 261000 | 23.821 |

### TENTATIVE IDENTIFIED COMPOUNDS

|             |                                     |       |   |      |       |
|-------------|-------------------------------------|-------|---|------|-------|
| 001582-09-8 | Trifluralin                         | 650   | J | 15.8 | ug/Kg |
| 029091-21-2 | 1,3-Benzenediamine, 2,4-dinitro-N3  | 3100  | J | 18.0 | ug/Kg |
| 000057-10-3 | n-Hexadecanoic acid                 | 970   | J | 18.1 | ug/Kg |
| 867164-58-7 | 7-Hydroxyquinoline, tert-butylidene | 380   | J | 19.3 | ug/Kg |
| 000646-30-0 | Nonadecanoic acid                   | 500   | J | 19.4 | ug/Kg |
| 000080-05-7 | Phenol, 4,4-(1-methylethylidene)b   | 500   | J | 19.7 | ug/Kg |
| 082657-04-3 | Bifenthrin                          | 21900 | J | 21.1 | ug/Kg |
| 006422-86-2 | 1,4-Benzenedicarboxylic acid, bis(  | 810   | J | 22.3 | ug/Kg |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WASTE                  | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5252-01               | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 90.6                         |
| Sample Wt/Vol:     | 30.05      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BM042698.D        | 5         | 11/06/23 09:48 | 11/10/23 19:10 | PB156921      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|------------|-----------|-------|-----------|-----|------------|-------------------|
|------------|-----------|-------|-----------|-----|------------|-------------------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

# QC SUMMARY



## Surrogate Summary

SW-846

SDG No.: O5252

Client: RMJ Environomics, Inc.

Analytical Method: 8270E

| Lab Sample ID | Client ID  | Parameter            | Spike (PPM) | Result (PPM) | Recovery (%) | Qual | Limits (%) |           |
|---------------|------------|----------------------|-------------|--------------|--------------|------|------------|-----------|
|               |            |                      |             |              |              |      | Low        | High      |
| O5252-01      | WASTE      | 2-Fluorophenol       | 150         | 86.3         | 58           |      | 30 (18)    | 130 (112) |
|               |            | Phenol-d6            | 150         | 81.2         | 54           |      | 30 (15)    | 130 (107) |
|               |            | Nitrobenzene-d5      | 100         | 60.6         | 61           |      | 30 (18)    | 130 (107) |
|               |            | 2-Fluorobiphenyl     | 100         | 62.8         | 63           |      | 30 (20)    | 130 (109) |
|               |            | 2,4,6-Tribromophenol | 150         | 92.7         | 62           |      | 30 (10)    | 130 (110) |
|               |            | Terphenyl-d14        | 100         | 63.8         | 64           |      | 30 (14)    | 130 (112) |
| O5257-05MS    | WC-2MS     | 2-Fluorophenol       | 150         | 112          | 74           |      | 30 (18)    | 130 (112) |
|               |            | Phenol-d6            | 150         | 111          | 74           |      | 30 (15)    | 130 (107) |
|               |            | Nitrobenzene-d5      | 100         | 86.1         | 86           |      | 30 (18)    | 130 (107) |
|               |            | 2-Fluorobiphenyl     | 100         | 84.6         | 85           |      | 30 (20)    | 130 (109) |
|               |            | 2,4,6-Tribromophenol | 150         | 117          | 78           |      | 30 (10)    | 130 (110) |
|               |            | Terphenyl-d14        | 100         | 69.8         | 70           |      | 30 (14)    | 130 (112) |
| O5257-05MSD   | WC-2MSD    | 2-Fluorophenol       | 150         | 120          | 80           |      | 30 (18)    | 130 (112) |
|               |            | Phenol-d6            | 150         | 118          | 79           |      | 30 (15)    | 130 (107) |
|               |            | Nitrobenzene-d5      | 100         | 90.3         | 90           |      | 30 (18)    | 130 (107) |
|               |            | 2-Fluorobiphenyl     | 100         | 90.4         | 90           |      | 30 (20)    | 130 (109) |
|               |            | 2,4,6-Tribromophenol | 150         | 127          | 85           |      | 30 (10)    | 130 (110) |
|               |            | Terphenyl-d14        | 100         | 75.3         | 75           |      | 30 (14)    | 130 (112) |
| PB156921BL    | PB156921BL | 2-Fluorophenol       | 150         | 126          | 84           |      | 30 (18)    | 130 (112) |
|               |            | Phenol-d6            | 150         | 125          | 84           |      | 30 (15)    | 130 (107) |
|               |            | Nitrobenzene-d5      | 100         | 86.6         | 87           |      | 30 (18)    | 130 (107) |
|               |            | 2-Fluorobiphenyl     | 100         | 85.1         | 85           |      | 30 (20)    | 130 (109) |
|               |            | 2,4,6-Tribromophenol | 150         | 131          | 87           |      | 30 (10)    | 130 (110) |
|               |            | Terphenyl-d14        | 100         | 84.9         | 85           |      | 30 (14)    | 130 (112) |
| PB156921BS    | PB156921BS | 2-Fluorophenol       | 150         | 127          | 85           |      | 30 (18)    | 130 (112) |
|               |            | Phenol-d6            | 150         | 124          | 83           |      | 30 (15)    | 130 (107) |
|               |            | Nitrobenzene-d5      | 100         | 82.1         | 82           |      | 30 (18)    | 130 (107) |
|               |            | 2-Fluorobiphenyl     | 100         | 78.8         | 79           |      | 30 (20)    | 130 (109) |
|               |            | 2,4,6-Tribromophenol | 150         | 132          | 88           |      | 30 (10)    | 130 (110) |
|               |            | Terphenyl-d14        | 100         | 84.2         | 84           |      | 30 (14)    | 130 (112) |



**Matrix Spike/Matrix Spike Duplicate Summary**  
**SW-846**

SDG No.: 05252

Client: RMJ Environomics, Inc.

Analytical Method: SW8270E

| Parameter                   | Spike             | Sample Result            | Result        | Units | Rec | Rec Qual | RPD | RPD Qual         | Low               | Limits High | RPD |
|-----------------------------|-------------------|--------------------------|---------------|-------|-----|----------|-----|------------------|-------------------|-------------|-----|
| <b>Lab Sample ID:</b>       | <b>05257-05MS</b> | <b>Client Sample ID:</b> | <b>WC-2MS</b> |       |     |          |     | <b>DataFile:</b> | <b>BF136162.D</b> |             |     |
| Benzaldehyde                | 1100              | 0                        | 330           | ug/Kg | 30  |          |     |                  | 20 (26)           | 160 (163)   |     |
| Phenol                      | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 20 (67)           | 160 (126)   |     |
| bis(2-Chloroethyl)ether     | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (74)           | 130 (116)   |     |
| 2-Chlorophenol              | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (61)           | 130 (138)   |     |
| 2-Methylphenol              | 1100              | 0                        | 950           | ug/Kg | 86  |          |     |                  | 70 (66)           | 130 (122)   |     |
| 2,2-oxybis(1-Chloropropane) | 1100              | 0                        | 970           | ug/Kg | 88  |          |     |                  | 70 (52)           | 130 (115)   |     |
| Acetophenone                | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (75)           | 130 (111)   |     |
| 3+4-Methylphenols           | 1100              | 0                        | 980           | ug/Kg | 89  |          |     |                  | 20 (53)           | 160 (132)   |     |
| N-Nitroso-di-n-propylamine  | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (59)           | 130 (119)   |     |
| Hexachloroethane            | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 20 (65)           | 160 (117)   |     |
| Nitrobenzene                | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (70)           | 130 (119)   |     |
| Isophorone                  | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (76)           | 130 (122)   |     |
| 2-Nitrophenol               | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (54)           | 130 (145)   |     |
| 2,4-Dimethylphenol          | 1100              | 0                        | 960           | ug/Kg | 87  |          |     |                  | 70 (83)           | 130 (144)   |     |
| bis(2-Chloroethoxy)methane  | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (68)           | 130 (112)   |     |
| 2,4-Dichlorophenol          | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (72)           | 130 (118)   |     |
| Naphthalene                 | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (72)           | 130 (110)   |     |
| 4-Chloroaniline             | 1100              | 0                        | 260           | ug/Kg | 24  | *        |     |                  | 70 (10)           | 130 (100)   |     |
| Hexachlorobutadiene         | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (66)           | 130 (114)   |     |
| Caprolactam                 | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 20 (51)           | 160 (134)   |     |
| 4-Chloro-3-methylphenol     | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (57)           | 130 (132)   |     |
| 2-Methylnaphthalene         | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (59)           | 130 (123)   |     |
| Hexachlorocyclopentadiene   | 2200              | 0                        | 1400          | ug/Kg | 64  |          |     |                  | 20 (10)           | 160 (175)   |     |
| 2,4,6-Trichlorophenol       | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (72)           | 130 (117)   |     |
| 2,4,5-Trichlorophenol       | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (72)           | 130 (117)   |     |
| 1,1-Biphenyl                | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (75)           | 130 (113)   |     |
| 2-Chloronaphthalene         | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (67)           | 130 (118)   |     |
| 2-Nitroaniline              | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (69)           | 130 (127)   |     |
| Dimethylphthalate           | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (70)           | 130 (113)   |     |
| Acenaphthylene              | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (79)           | 130 (118)   |     |
| 2,6-Dinitrotoluene          | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (70)           | 130 (125)   |     |
| 3-Nitroaniline              | 1100              | 0                        | 660           | ug/Kg | 60  | *        |     |                  | 70 (20)           | 130 (111)   |     |
| Acenaphthene                | 1100              | 0                        | 1000          | ug/Kg | 91  |          |     |                  | 70 (70)           | 130 (121)   |     |
| 2,4-Dinitrophenol           | 2200              | 0                        | 1500          | ug/Kg | 68  |          |     |                  | 20 (16)           | 160 (160)   |     |
| 4-Nitrophenol               | 2200              | 0                        | 2000          | ug/Kg | 91  |          |     |                  | 20 (45)           | 160 (133)   |     |
| Dibenzofuran                | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (72)           | 130 (110)   |     |
| 2,4-Dinitrotoluene          | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (55)           | 130 (128)   |     |
| Diethylphthalate            | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (70)           | 130 (112)   |     |
| 4-Chlorophenyl-phenylether  | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (71)           | 130 (108)   |     |
| Fluorene                    | 1100              | 0                        | 1100          | ug/Kg | 100 |          |     |                  | 70 (68)           | 130 (116)   |     |
| 4-Nitroaniline              | 1100              | 0                        | 920           | ug/Kg | 84  |          |     |                  | 70 (55)           | 130 (120)   |     |
| 4,6-Dinitro-2-methylphenol  | 1100              | 0                        | 890           | ug/Kg | 81  |          |     |                  | 70 (32)           | 130 (145)   |     |
| N-Nitrosodiphenylamine      | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (73)           | 130 (118)   |     |
| 4-Bromophenyl-phenylether   | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (65)           | 130 (121)   |     |
| Hexachlorobenzene           | 1100              | 0                        | 1200          | ug/Kg | 109 |          |     |                  | 70 (67)           | 130 (118)   |     |
| Atrazine                    | 1100              | 0                        | 1500          | ug/Kg | 136 | *        |     |                  | 70 (79)           | 130 (127)   |     |
| Pentachlorophenol           | 2200              | 0                        | 2000          | ug/Kg | 91  |          |     |                  | 20 (47)           | 160 (128)   |     |

() = LABORATORY INHOUSE LIMIT

**Matrix Spike/Matrix Spike Duplicate Summary**  
**SW-846**

SDG No.: 05252

Client: RMJ Environomics, Inc.

Analytical Method: SW8270E

| Parameter                  | Spike | Sample<br>Result | Result | Units | Rec | Rec<br>Qual | RPD | RPD<br>Qual | Limits  |           |     |
|----------------------------|-------|------------------|--------|-------|-----|-------------|-----|-------------|---------|-----------|-----|
|                            |       |                  |        |       |     |             |     |             | Low     | High      | RPD |
| Phenanthrene               | 1100  | 71.1             | 1200   | ug/Kg | 103 |             |     |             | 70 (72) | 130 (113) |     |
| Anthracene                 | 1100  | 0                | 1100   | ug/Kg | 100 |             |     |             | 70 (62) | 130 (124) |     |
| Carbazole                  | 1100  | 0                | 1000   | ug/Kg | 91  |             |     |             | 70 (59) | 130 (119) |     |
| Di-n-butylphthalate        | 1100  | 0                | 1200   | ug/Kg | 109 |             |     |             | 70 (69) | 130 (118) |     |
| Fluoranthene               | 1100  | 120              | 1100   | ug/Kg | 89  |             |     |             | 70 (59) | 130 (125) |     |
| Pyrene                     | 1100  | 110              | 990    | ug/Kg | 80  |             |     |             | 70 (52) | 130 (128) |     |
| Butylbenzylphthalate       | 1100  | 0                | 1000   | ug/Kg | 91  |             |     |             | 70 (64) | 130 (126) |     |
| 3,3-Dichlorobenzidine      | 1100  | 0                | 1000   | ug/Kg | 91  |             |     |             | 70 (10) | 130 (164) |     |
| Benzo(a)anthracene         | 1100  | 67.6             | 1100   | ug/Kg | 94  |             |     |             | 70 (71) | 130 (114) |     |
| Chrysene                   | 1100  | 69.7             | 1100   | ug/Kg | 94  |             |     |             | 70 (57) | 130 (121) |     |
| bis(2-Ethylhexyl)phthalate | 1100  | 0                | 1100   | ug/Kg | 100 |             |     |             | 70 (66) | 130 (127) |     |
| Di-n-octyl phthalate       | 1100  | 0                | 1300   | ug/Kg | 118 |             |     |             | 70 (71) | 130 (126) |     |
| Benzo(b)fluoranthene       | 1100  | 100              | 1300   | ug/Kg | 109 |             |     |             | 70 (67) | 130 (121) |     |
| Benzo(k)fluoranthene       | 1100  | 0                | 1100   | ug/Kg | 100 |             |     |             | 70 (74) | 130 (114) |     |
| Benzo(a)pyrene             | 1100  | 70.4             | 1100   | ug/Kg | 94  |             |     |             | 70 (70) | 130 (142) |     |
| Indeno(1,2,3-cd)pyrene     | 1100  | 0                | 810    | ug/Kg | 74  |             |     |             | 70 (61) | 130 (125) |     |
| Dibenz(a,h)anthracene      | 1100  | 0                | 810    | ug/Kg | 74  |             |     |             | 70 (67) | 130 (130) |     |
| Benzo(g,h,i)perylene       | 1100  | 88.2             | 680    | ug/Kg | 54  | *           |     |             | 70 (53) | 130 (140) |     |
| 1,2,4,5-Tetrachlorobenzene | 1100  | 0                | 1100   | ug/Kg | 100 |             |     |             | 70 (69) | 130 (124) |     |
| 1,4-Dioxane                | 1100  | 0                | 830    | ug/Kg | 75  |             |     |             | 20 (46) | 160 (112) |     |
| 2,3,4,6-Tetrachlorophenol  | 1100  | 0                | 1000   | ug/Kg | 91  |             |     |             | 70 (56) | 130 (133) |     |

**Matrix Spike/Matrix Spike Duplicate Summary**  
**SW-846**

SDG No.: **O5252**

Client: **RMJ Environomics, Inc.**

Analytical Method: **SW8270E**

| Parameter                   | Spike              | Sample Result            | Result         | Units | Rec | Rec Qual | RPD | RPD Qual         | Low               | Limits High | RPD     |
|-----------------------------|--------------------|--------------------------|----------------|-------|-----|----------|-----|------------------|-------------------|-------------|---------|
| <b>Lab Sample ID:</b>       | <b>O5257-05MSD</b> | <b>Client Sample ID:</b> | <b>WC-2MSD</b> |       |     |          |     | <b>DataFile:</b> | <b>BF136163.D</b> |             |         |
| Benzaldehyde                | 1100               | 0                        | 350            | ug/Kg | 32  |          | 6   |                  | 20 (26)           | 160 (163)   | 30 (20) |
| Phenol                      | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 20 (67)           | 160 (126)   | 30 (20) |
| bis(2-Chloroethyl)ether     | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (74)           | 130 (116)   | 30 (20) |
| 2-Chlorophenol              | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 0   |                  | 70 (61)           | 130 (138)   | 30 (20) |
| 2-Methylphenol              | 1100               | 0                        | 1000           | ug/Kg | 91  |          | 6   |                  | 70 (66)           | 130 (122)   | 30 (20) |
| 2,2-oxybis(1-Chloropropane) | 1100               | 0                        | 1000           | ug/Kg | 91  |          | 3   |                  | 70 (52)           | 130 (115)   | 30 (20) |
| Acetophenone                | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (75)           | 130 (111)   | 30 (20) |
| 3+4-Methylphenols           | 1100               | 0                        | 1000           | ug/Kg | 91  |          | 2   |                  | 20 (53)           | 160 (132)   | 30 (20) |
| N-Nitroso-di-n-propylamine  | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (59)           | 130 (119)   | 30 (20) |
| Hexachloroethane            | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 20 (65)           | 160 (117)   | 30 (20) |
| Nitrobenzene                | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (70)           | 130 (119)   | 30 (20) |
| Isophorone                  | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 0   |                  | 70 (76)           | 130 (122)   | 30 (20) |
| 2-Nitrophenol               | 1100               | 0                        | 1300           | ug/Kg | 118 |          | 8   |                  | 70 (54)           | 130 (145)   | 30 (20) |
| 2,4-Dimethylphenol          | 1100               | 0                        | 1000           | ug/Kg | 91  |          | 4   |                  | 70 (83)           | 130 (144)   | 30 (20) |
| bis(2-Chloroethoxy)methane  | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (68)           | 130 (112)   | 30 (20) |
| 2,4-Dichlorophenol          | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (72)           | 130 (118)   | 30 (20) |
| Naphthalene                 | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 0   |                  | 70 (72)           | 130 (110)   | 30 (20) |
| 4-Chloroaniline             | 1100               | 0                        | 260            | ug/Kg | 24  | *        | 0   |                  | 70 (10)           | 130 (100)   | 30 (20) |
| Hexachlorobutadiene         | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 0   |                  | 70 (66)           | 130 (114)   | 30 (20) |
| Caprolactam                 | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 20 (51)           | 160 (134)   | 30 (20) |
| 4-Chloro-3-methylphenol     | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (57)           | 130 (132)   | 30 (20) |
| 2-Methylnaphthalene         | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (59)           | 130 (123)   | 30 (20) |
| Hexachlorocyclopentadiene   | 2200               | 0                        | 1700           | ug/Kg | 77  |          | 18  |                  | 20 (10)           | 160 (175)   | 30 (20) |
| 2,4,6-Trichlorophenol       | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (72)           | 130 (117)   | 30 (20) |
| 2,4,5-Trichlorophenol       | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (72)           | 130 (117)   | 30 (20) |
| 1,1-Biphenyl                | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (75)           | 130 (113)   | 30 (20) |
| 2-Chloronaphthalene         | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (67)           | 130 (118)   | 30 (20) |
| 2-Nitroaniline              | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (69)           | 130 (127)   | 30 (20) |
| Dimethylphthalate           | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (70)           | 130 (113)   | 30 (20) |
| Acenaphthylene              | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (79)           | 130 (118)   | 30 (20) |
| 2,6-Dinitrotoluene          | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (70)           | 130 (125)   | 30 (20) |
| 3-Nitroaniline              | 1100               | 0                        | 690            | ug/Kg | 63  | *        | 5   |                  | 70 (20)           | 130 (111)   | 30 (20) |
| Acenaphthene                | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 9   |                  | 70 (70)           | 130 (121)   | 30 (20) |
| 2,4-Dinitrophenol           | 2200               | 0                        | 1700           | ug/Kg | 77  |          | 12  |                  | 20 (16)           | 160 (160)   | 30 (20) |
| 4-Nitrophenol               | 2200               | 0                        | 2200           | ug/Kg | 100 |          | 9   |                  | 20 (45)           | 160 (133)   | 30 (20) |
| Dibenzofuran                | 1100               | 0                        | 1100           | ug/Kg | 100 |          | 0   |                  | 70 (72)           | 130 (110)   | 30 (20) |
| 2,4-Dinitrotoluene          | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 0   |                  | 70 (55)           | 130 (128)   | 30 (20) |
| Diethylphthalate            | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (70)           | 130 (112)   | 30 (20) |
| 4-Chlorophenyl-phenylether  | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (71)           | 130 (108)   | 30 (20) |
| Fluorene                    | 1100               | 0                        | 1200           | ug/Kg | 109 |          | 9   |                  | 70 (68)           | 130 (116)   | 30 (20) |
| 4-Nitroaniline              | 1100               | 0                        | 970            | ug/Kg | 88  |          | 5   |                  | 70 (55)           | 130 (120)   | 30 (20) |
| 4,6-Dinitro-2-methylphenol  | 1100               | 0                        | 970            | ug/Kg | 88  |          | 8   |                  | 70 (32)           | 130 (145)   | 30 (20) |
| N-Nitrosodiphenylamine      | 1100               | 0                        | 1300           | ug/Kg | 118 |          | 8   |                  | 70 (73)           | 130 (118)   | 30 (20) |
| 4-Bromophenyl-phenylether   | 1100               | 0                        | 1300           | ug/Kg | 118 |          | 8   |                  | 70 (65)           | 130 (121)   | 30 (20) |
| Hexachlorobenzene           | 1100               | 0                        | 1300           | ug/Kg | 118 |          | 8   |                  | 70 (67)           | 130 (118)   | 30 (20) |
| Atrazine                    | 1100               | 0                        | 1600           | ug/Kg | 145 | *        | 6   |                  | 70 (79)           | 130 (127)   | 30 (20) |
| Pentachlorophenol           | 2200               | 0                        | 2100           | ug/Kg | 95  |          | 4   |                  | 20 (47)           | 160 (128)   | 30 (20) |

( ) = LABORATORY INHOUSE LIMIT

**Matrix Spike/Matrix Spike Duplicate Summary**  
**SW-846**

SDG No.: 05252

Client: RMJ Environomics, Inc.

Analytical Method: SW8270E

| Parameter                  | Spike | Sample | Result | Units | Rec | Rec  | RPD | RPD  | Limits  |           |         |
|----------------------------|-------|--------|--------|-------|-----|------|-----|------|---------|-----------|---------|
|                            |       | Result |        |       |     | Qual |     | Qual | Low     | High      | RPD     |
| Phenanthrene               | 1100  | 71.1   | 1200   | ug/Kg | 103 |      | 0   |      | 70 (72) | 130 (113) | 30 (20) |
| Anthracene                 | 1100  | 0      | 1200   | ug/Kg | 109 |      | 9   |      | 70 (62) | 130 (124) | 30 (20) |
| Carbazole                  | 1100  | 0      | 1100   | ug/Kg | 100 |      | 9   |      | 70 (59) | 130 (119) | 30 (20) |
| Di-n-butylphthalate        | 1100  | 0      | 1300   | ug/Kg | 118 |      | 8   |      | 70 (69) | 130 (118) | 30 (20) |
| Fluoranthene               | 1100  | 120    | 1200   | ug/Kg | 98  |      | 10  |      | 70 (59) | 130 (125) | 30 (20) |
| Pyrene                     | 1100  | 110    | 1100   | ug/Kg | 90  |      | 12  |      | 70 (52) | 130 (128) | 30 (20) |
| Butylbenzylphthalate       | 1100  | 0      | 1100   | ug/Kg | 100 |      | 9   |      | 70 (64) | 130 (126) | 30 (20) |
| 3,3-Dichlorobenzidine      | 1100  | 0      | 1100   | ug/Kg | 100 |      | 9   |      | 70 (10) | 130 (164) | 30 (20) |
| Benzo(a)anthracene         | 1100  | 67.6   | 1200   | ug/Kg | 103 |      | 9   |      | 70 (71) | 130 (114) | 30 (20) |
| Chrysene                   | 1100  | 69.7   | 1200   | ug/Kg | 103 |      | 9   |      | 70 (57) | 130 (121) | 30 (20) |
| bis(2-Ethylhexyl)phthalate | 1100  | 0      | 1200   | ug/Kg | 109 |      | 9   |      | 70 (66) | 130 (127) | 30 (20) |
| Di-n-octyl phthalate       | 1100  | 0      | 1400   | ug/Kg | 127 |      | 7   |      | 70 (71) | 130 (126) | 30 (20) |
| Benzo(b)fluoranthene       | 1100  | 100    | 1400   | ug/Kg | 118 |      | 8   |      | 70 (67) | 130 (121) | 30 (20) |
| Benzo(k)fluoranthene       | 1100  | 0      | 1200   | ug/Kg | 109 |      | 9   |      | 70 (74) | 130 (114) | 30 (20) |
| Benzo(a)pyrene             | 1100  | 70.4   | 1200   | ug/Kg | 103 |      | 9   |      | 70 (70) | 130 (142) | 30 (20) |
| Indeno(1,2,3-cd)pyrene     | 1100  | 0      | 900    | ug/Kg | 82  |      | 10  |      | 70 (61) | 130 (125) | 30 (20) |
| Dibenz(a,h)anthracene      | 1100  | 0      | 910    | ug/Kg | 83  |      | 11  |      | 70 (67) | 130 (130) | 30 (20) |
| Benzo(g,h,i)perylene       | 1100  | 88.2   | 750    | ug/Kg | 60  | *    | 11  |      | 70 (53) | 130 (140) | 30 (20) |
| 1,2,4,5-Tetrachlorobenzene | 1100  | 0      | 1200   | ug/Kg | 109 |      | 9   |      | 70 (69) | 130 (124) | 30 (20) |
| 1,4-Dioxane                | 1100  | 0      | 870    | ug/Kg | 79  |      | 5   |      | 20 (46) | 160 (112) | 30 (20) |
| 2,3,4,6-Tetrachlorophenol  | 1100  | 0      | 1100   | ug/Kg | 100 |      | 9   |      | 70 (56) | 130 (133) | 30 (20) |

# Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: O5252

Client: RMJ Environomics, Inc.

Analytical Method: 8270E

DataFile: BF136178.D

| Lab Sample ID | Parameter                   | Spike | Result | Unit  | Rec | RPD | Qual | RPD  |         | Limits    |  | RPD |
|---------------|-----------------------------|-------|--------|-------|-----|-----|------|------|---------|-----------|--|-----|
|               |                             |       |        |       |     |     |      | Qual | Low     | High      |  |     |
| PB156921BS    | Benzaldehyde                | 1700  | 710    | ug/Kg | 42  |     |      |      | 20 (10) | 160 (147) |  |     |
|               | Phenol                      | 1700  | 1400   | ug/Kg | 82  |     |      |      | 20 (62) | 160 (112) |  |     |
|               | bis(2-Chloroethyl)ether     | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (60) | 130 (101) |  |     |
|               | 2-Chlorophenol              | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (65) | 130 (112) |  |     |
|               | 2-Methylphenol              | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (61) | 130 (108) |  |     |
|               | 2,2-oxybis(1-Chloropropane) | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (51) | 130 (100) |  |     |
|               | Acetophenone                | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (55) | 130 (104) |  |     |
|               | 3+4-Methylphenols           | 1700  | 1400   | ug/Kg | 82  |     |      |      | 20 (58) | 160 (111) |  |     |
|               | N-Nitroso-di-n-propylamine  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (63) | 130 (95)  |  |     |
|               | Hexachloroethane            | 1700  | 1500   | ug/Kg | 88  |     |      |      | 20 (72) | 160 (108) |  |     |
|               | Nitrobenzene                | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (57) | 130 (101) |  |     |
|               | Isophorone                  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (59) | 130 (99)  |  |     |
|               | 2-Nitrophenol               | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (61) | 130 (111) |  |     |
|               | 2,4-Dimethylphenol          | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (67) | 130 (119) |  |     |
|               | bis(2-Chloroethoxy)methane  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (53) | 130 (105) |  |     |
|               | 2,4-Dichlorophenol          | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (62) | 130 (107) |  |     |
|               | Naphthalene                 | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (62) | 130 (100) |  |     |
|               | 4-Chloroaniline             | 1700  | 1000   | ug/Kg | 59  |     | *    |      | 70 (16) | 130 (100) |  |     |
|               | Hexachlorobutadiene         | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (53) | 130 (98)  |  |     |
|               | Caprolactam                 | 1700  | 1600   | ug/Kg | 94  |     |      |      | 20 (67) | 160 (110) |  |     |
|               | 4-Chloro-3-methylphenol     | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (58) | 130 (112) |  |     |
|               | 2-Methylnaphthalene         | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (60) | 130 (104) |  |     |
|               | Hexachlorocyclopentadiene   | 3300  | 3100   | ug/Kg | 94  |     |      |      | 20 (45) | 160 (134) |  |     |
|               | 2,4,6-Trichlorophenol       | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (59) | 130 (102) |  |     |
|               | 2,4,5-Trichlorophenol       | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (61) | 130 (98)  |  |     |
|               | 1,1-Biphenyl                | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (57) | 130 (103) |  |     |
|               | 2-Chloronaphthalene         | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (58) | 130 (99)  |  |     |
|               | 2-Nitroaniline              | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (66) | 130 (101) |  |     |
|               | Dimethylphthalate           | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (61) | 130 (99)  |  |     |
|               | Acenaphthylene              | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (63) | 130 (101) |  |     |
|               | 2,6-Dinitrotoluene          | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (61) | 130 (104) |  |     |
|               | 3-Nitroaniline              | 1700  | 1200   | ug/Kg | 71  |     |      |      | 70 (28) | 130 (100) |  |     |
|               | Acenaphthene                | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70 (57) | 130 (104) |  |     |
|               | 2,4-Dinitrophenol           | 3300  | 2900   | ug/Kg | 88  |     |      |      | 20 (37) | 160 (128) |  |     |
|               | 4-Nitrophenol               | 3300  | 3100   | ug/Kg | 94  |     |      |      | 20 (48) | 160 (119) |  |     |
|               | Dibenzofuran                | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (63) | 130 (99)  |  |     |
|               | 2,4-Dinitrotoluene          | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70 (60) | 130 (106) |  |     |
|               | Diethylphthalate            | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (60) | 130 (101) |  |     |
|               | 4-Chlorophenyl-phenylether  | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (58) | 130 (98)  |  |     |
|               | Fluorene                    | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (61) | 130 (101) |  |     |
|               | 4-Nitroaniline              | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (64) | 130 (103) |  |     |
|               | 4,6-Dinitro-2-methylphenol  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (76) | 130 (113) |  |     |
|               | N-Nitrosodiphenylamine      | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (56) | 130 (107) |  |     |
|               | 4-Bromophenyl-phenylether   | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (55) | 130 (99)  |  |     |
|               | Hexachlorobenzene           | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70 (64) | 130 (98)  |  |     |
|               | Atrazine                    | 1700  | 1200   | ug/Kg | 71  |     |      |      | 70 (67) | 130 (113) |  |     |

() = LABORATORY INHOUSE LIMIT



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary  
SW-846

SDG No.: O5252

Client: RMJ Environomics, Inc.

Analytical Method: 8270E DataFile: BF136178.D

| Lab Sample ID | Parameter                  | Spike | Result | Unit  | Rec | RPD | Qual | RPD  | Limits  |           | RPD |
|---------------|----------------------------|-------|--------|-------|-----|-----|------|------|---------|-----------|-----|
|               |                            |       |        |       |     |     |      | Qual | Low     | High      |     |
| PB156921BS    | Pentachlorophenol          | 3300  | 2800   | ug/Kg | 85  |     |      |      | 20 (67) | 160 (105) |     |
|               | Phenanthrene               | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (59) | 130 (103) |     |
|               | Anthracene                 | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (61) | 130 (105) |     |
|               | Carbazole                  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (61) | 130 (99)  |     |
|               | Di-n-butylphthalate        | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (58) | 130 (104) |     |
|               | Fluoranthene               | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (57) | 130 (107) |     |
|               | Pyrene                     | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (59) | 130 (103) |     |
|               | Butylbenzylphthalate       | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (55) | 130 (103) |     |
|               | 3,3-Dichlorobenzidine      | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (42) | 130 (91)  |     |
|               | Benzo(a)anthracene         | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (60) | 130 (102) |     |
|               | Chrysene                   | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (59) | 130 (101) |     |
|               | bis(2-Ethylhexyl)phthalate | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (63) | 130 (111) |     |
|               | Di-n-octyl phthalate       | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (70) | 130 (108) |     |
|               | Benzo(b)fluoranthene       | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70 (62) | 130 (109) |     |
|               | Benzo(k)fluoranthene       | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70 (62) | 130 (109) |     |
|               | Benzo(a)pyrene             | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (63) | 130 (103) |     |
|               | Indeno(1,2,3-cd)pyrene     | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (63) | 130 (101) |     |
|               | Dibenz(a,h)anthracene      | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (61) | 130 (112) |     |
|               | Benzo(g,h,i)perylene       | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (70) | 130 (108) |     |
|               | 1,2,4,5-Tetrachlorobenzene | 1700  | 1400   | ug/Kg | 82  |     |      |      | 70 (53) | 130 (101) |     |
|               | 1,4-Dioxane                | 1700  | 1300   | ug/Kg | 76  |     |      |      | 20 (50) | 160 (96)  |     |
|               | 2,3,4,6-Tetrachlorophenol  | 1700  | 1500   | ug/Kg | 88  |     |      |      | 70 (59) | 130 (108) |     |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

4B

SEMIVOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB156921BL

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM Case No.: O5252

SAS No.: O5252 SDG NO.: O5252

Lab File ID: BF136177.D

Lab Sample ID: PB156921BL

Instrument ID: BNA\_F

Date Extracted: 11/06/2023

Matrix: (soil/water) SOIL

Date Analyzed: 11/07/2023

Level: (low/med) LOW

Time Analyzed: 15:47

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| PB156921BS        | PB156921BS       | BF136178.D     | 11/07/2023       |
| WASTE             | O5252-01         | BM042698.D     | 11/10/2023       |
| WC-2MS            | O5257-05MS       | BF136162.D     | 11/06/2023       |
| WC-2MSD           | O5257-05MSD      | BF136163.D     | 11/06/2023       |

COMMENTS:



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM

SAS No.: O5252 SDG NO.: O5252

Lab File ID: BF136022.D

DFTPP Injection Date: 10/30/2023

Instrument ID: BNA\_F

DFTPP Injection Time: 11:02

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 33.1                 |
| 68  | Less than 2.0% of mass 69          | 0.6 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 32.0                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 45.3                 |
| 197 | Less than 2.0% of mass 198         | 0.3                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.7                  |
| 275 | 10.0 - 60.0% of mass 198           | 28.1                 |
| 365 | Greater than 1% of mass 198        | 3.8                  |
| 441 | Present, but less than mass 443    | 15.5                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19 ( 19 ) 2          |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BF136023.D     | 10/30/2023       | 12:02            |
| SSTDICC005        | SSTDICC005       | BF136024.D     | 10/30/2023       | 12:32            |
| SSTDICC010        | SSTDICC010       | BF136025.D     | 10/30/2023       | 13:02            |
| SSTDICC020        | SSTDICC020       | BF136026.D     | 10/30/2023       | 13:33            |
| SSTDICCC040       | SSTDICCC040      | BF136027.D     | 10/30/2023       | 14:04            |
| SSTDICC050        | SSTDICC050       | BF136028.D     | 10/30/2023       | 14:49            |
| SSTDICC060        | SSTDICC060       | BF136029.D     | 10/30/2023       | 15:20            |
| SSTDICC080        | SSTDICC080       | BF136030.D     | 10/30/2023       | 15:51            |





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM

SAS No.: O5252 SDG NO.: O5252

Lab File ID: BF136148.D

DFTPP Injection Date: 11/06/2023

Instrument ID: BNA\_F

DFTPP Injection Time: 11:31

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 32.3                 |
| 68  | Less than 2.0% of mass 69          | 0.6 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 32.7                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 46                   |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.3                  |
| 275 | 10.0 - 60.0% of mass 198           | 28.1                 |
| 365 | Greater than 1% of mass 198        | 3.7                  |
| 441 | Present, but less than mass 443    | 15                   |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 18.7 (19.1) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BF136149.D     | 11/06/2023       | 12:01            |
| WC-2MS            | O5257-05MS       | BF136162.D     | 11/06/2023       | 18:59            |
| WC-2MSD           | O5257-05MSD      | BF136163.D     | 11/06/2023       | 19:29            |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM

SAS No.: O5252 SDG NO.: O5252

Lab File ID: BF136166.D

DFTPP Injection Date: 11/07/2023

Instrument ID: BNA\_F

DFTPP Injection Time: 09:28

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 32.6                 |
| 68  | Less than 2.0% of mass 69          | 0.6 ( 2 ) 1          |
| 69  | Mass 69 relative abundance         | 33                   |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 46.1                 |
| 197 | Less than 2.0% of mass 198         | 0.2                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.6                  |
| 275 | 10.0 - 60.0% of mass 198           | 27.7                 |
| 365 | Greater than 1% of mass 198        | 3.8                  |
| 441 | Present, but less than mass 443    | 14.8                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 17.8 (19.2) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BF136168.D     | 11/07/2023       | 10:30            |
| SSTDICC005        | SSTDICC005       | BF136169.D     | 11/07/2023       | 11:01            |
| SSTDICC010        | SSTDICC010       | BF136170.D     | 11/07/2023       | 11:31            |
| SSTDICC020        | SSTDICC020       | BF136171.D     | 11/07/2023       | 12:01            |
| SSTDICCC040       | SSTDICCC040      | BF136172.D     | 11/07/2023       | 12:31            |
| SSTDICC050        | SSTDICC050       | BF136173.D     | 11/07/2023       | 13:02            |
| SSTDICC060        | SSTDICC060       | BF136174.D     | 11/07/2023       | 13:33            |
| SSTDICC080        | SSTDICC080       | BF136175.D     | 11/07/2023       | 14:03            |
| PB156921BL        | PB156921BL       | BF136177.D     | 11/07/2023       | 15:47            |
| PB156921BS        | PB156921BS       | BF136178.D     | 11/07/2023       | 16:18            |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM

SAS No.: O5252 SDG NO.: O5252

Lab File ID: BM042487.D

DFTPP Injection Date: 10/30/2023

Instrument ID: BNA\_M

DFTPP Injection Time: 09:52

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 48.8                 |
| 68  | Less than 2.0% of mass 69          | 0.7 ( 1.5 ) 1        |
| 69  | Mass 69 relative abundance         | 45.8                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.4 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 47.4                 |
| 197 | Less than 2.0% of mass 198         | 0.5                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.9                  |
| 275 | 10.0 - 60.0% of mass 198           | 24.7                 |
| 365 | Greater than 1% of mass 198        | 3.4                  |
| 441 | Present, but less than mass 443    | 13.7                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 17.4 (19.7) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BM042488.D     | 10/30/2023       | 11:04            |
| SSTDICC005        | SSTDICC005       | BM042489.D     | 10/30/2023       | 11:40            |
| SSTDICC010        | SSTDICC010       | BM042490.D     | 10/30/2023       | 12:16            |
| SSTDICC020        | SSTDICC020       | BM042491.D     | 10/30/2023       | 12:52            |
| SSTDICCC040       | SSTDICCC040      | BM042492.D     | 10/30/2023       | 13:29            |
| SSTDICC050        | SSTDICC050       | BM042493.D     | 10/30/2023       | 14:05            |
| SSTDICC060        | SSTDICC060       | BM042494.D     | 10/30/2023       | 14:41            |
| SSTDICC080        | SSTDICC080       | BM042495.D     | 10/30/2023       | 15:18            |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: RMJE02

Lab Code: CHEM

SAS No.: O5252

SDG NO.: O5252

Lab File ID: BM042684.D

DFTPP Injection Date: 11/10/2023

Instrument ID: BNA\_M

DFTPP Injection Time: 10:10

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 54.5                 |
| 68  | Less than 2.0% of mass 69          | 0.7 ( 1.5 ) 1        |
| 69  | Mass 69 relative abundance         | 46.4                 |
| 70  | Less than 2.0% of mass 69          | 0.3 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 44.2                 |
| 197 | Less than 2.0% of mass 198         | 0.6                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.9                  |
| 275 | 10.0 - 60.0% of mass 198           | 27.2                 |
| 365 | Greater than 1% of mass 198        | 4.2                  |
| 441 | Present, but less than mass 443    | 15                   |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 18.9 (19.8) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BM042685.D     | 11/10/2023       | 11:22            |
| WASTE             | O5252-01         | BM042698.D     | 11/10/2023       | 19:10            |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG NO.: O5252

EPA Sample No.: SSTDCCC040 Date Analyzed: 11/06/2023

Lab File ID: BF136149.D Time Analyzed: 12:01

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 106195              | 6.822 | 409921              | 8.10  | 211105              | 9.86   |
| UPPER LIMIT    | 212390              | 7.322 | 819842              | 8.598 | 422210              | 10.363 |
| LOWER LIMIT    | 53097.5             | 6.322 | 204961              | 7.598 | 105553              | 9.363  |
| EPA SAMPLE NO. |                     |       |                     |       |                     |        |
| 01 WC-2MS      | 84798               | 6.82  | 326584              | 8.10  | 167090              | 9.86   |
| 02 WC-2MSD     | 84667               | 6.82  | 331240              | 8.10  | 166345              | 9.86   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: 05252 SAS No.: 05252 SDG NO.: 05252

EPA Sample No.: SSTDCCC040 Date Analyzed: 11/06/2023

Lab File ID: BF136149.D Time Analyzed: 12:01

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #  | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 390010              | 11.351 | 198566              | 14.01 | 195040              | 15.492 |
| UPPER LIMIT    | 780020              | 11.851 | 397132              | 14.51 | 390080              | 15.992 |
| LOWER LIMIT    | 195005              | 10.851 | 99283               | 13.51 | 97520               | 14.992 |
| EPA SAMPLE NO. |                     |        |                     |       |                     |        |
| 01 WC-2MS      | 266358              | 11.35  | 168860              | 14.01 | 162522              | 15.50  |
| 02 WC-2MSD     | 270586              | 11.35  | 171083              | 14.01 | 163710              | 15.50  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG NO.: O5252

EPA Sample No.: SSTDICCC040 Date Analyzed: 11/07/2023

Lab File ID: BF136172.D Time Analyzed: 12:31

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 94039               | 6.822 | 355903              | 8.10  | 179783              | 9.86   |
| UPPER LIMIT    | 188078              | 7.322 | 711806              | 8.598 | 359566              | 10.357 |
| LOWER LIMIT    | 47019.5             | 6.322 | 177952              | 7.598 | 89891.5             | 9.357  |
| EPA SAMPLE NO. |                     |       |                     |       |                     |        |
| 01 PB156921BL  | 92028               | 6.82  | 367949              | 8.10  | 188969              | 9.86   |
| 02 PB156921BS  | 87663               | 6.82  | 351885              | 8.10  | 189065              | 9.86   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

## SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: 05252 SAS No.: 05252 SDG NO.: 05252

EPA Sample No.: SSTDICCC040 Date Analyzed: 11/07/2023

Lab File ID: BF136172.D Time Analyzed: 12:31

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #  | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 318009              | 11.351 | 161950              | 14.01 | 176876              | 15.498 |
| UPPER LIMIT    | 636018              | 11.851 | 323900              | 14.51 | 353752              | 15.998 |
| LOWER LIMIT    | 159005              | 10.851 | 80975               | 13.51 | 88438               | 14.998 |
| EPA SAMPLE NO. |                     |        |                     |       |                     |        |
| 01 PB156921BL  | 341560              | 11.35  | 196372              | 14.00 | 181071              | 15.49  |
| 02 PB156921BS  | 332026              | 11.35  | 171609              | 14.01 | 179783              | 15.50  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



8B

## SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG NO.: O5252

EPA Sample No.: SSTDCCC040 Date Analyzed: 11/10/2023

Lab File ID: BM042685.D Time Analyzed: 11:22

Instrument ID: BNA\_M GC Column: ZB-GR ID: 0.25 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #   | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 72991               | 7.845 | 331358              | 10.66  | 231375              | 14.50  |
| UPPER LIMIT    | 145982              | 8.345 | 662716              | 11.163 | 462750              | 15.004 |
| LOWER LIMIT    | 36495.5             | 7.345 | 165679              | 10.163 | 115688              | 14.004 |
| EPA SAMPLE NO. |                     |       |                     |        |                     |        |
| 01 WASTE       | 62722               | 7.85  | 245261              | 10.66  | 160144              | 14.50  |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

## SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: 05252 SAS No.: 05252 SDG NO.: 05252

EPA Sample No.: SSTDCCC040 Date Analyzed: 11/10/2023

Lab File ID: BM042685.D Time Analyzed: 11:22

Instrument ID: BNA\_M GC Column: ZB-GR ID: 0.25 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 472580              | 17.257 | 366899              | 21.445 | 365656              | 23.821 |
| UPPER LIMIT    | 945160              | 17.757 | 733798              | 21.945 | 731312              | 24.321 |
| LOWER LIMIT    | 236290              | 16.757 | 183450              | 20.945 | 182828              | 23.321 |
| EPA SAMPLE NO. |                     |        |                     |        |                     |        |
| 01 WASTE       | 307838              | 17.26  | 232800              | 21.44  | 261247              | 23.82  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

# QC SAMPLE DATA



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                              |
| Project:           | 245 Greenwood Ave      | Date Received:  |                              |
| Client Sample ID:  | PB156921BL             | SDG No.:        | O5252                        |
| Lab Sample ID:     | PB156921BL             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 100                          |
| Sample Wt/Vol:     | 30.01      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136177.D        | 1         | 11/06/23 09:48 | 11/07/23 15:47 | PB156921      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|----------------|-----------------------------|-------|-----------|------|------------|-------------------|
| <b>TARGETS</b> |                             |       |           |      |            |                   |
| 100-52-7       | Benzaldehyde                | 150   | U         | 150  | 330        | ug/Kg             |
| 108-95-2       | Phenol                      | 74.4  | U         | 74.4 | 170        | ug/Kg             |
| 111-44-4       | bis(2-Chloroethyl)ether     | 89.8  | U         | 89.8 | 170        | ug/Kg             |
| 95-57-8        | 2-Chlorophenol              | 72.0  | U         | 72.0 | 170        | ug/Kg             |
| 95-48-7        | 2-Methylphenol              | 110   | U         | 110  | 170        | ug/Kg             |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 100   | U         | 100  | 170        | ug/Kg             |
| 98-86-2        | Acetophenone                | 86.7  | U         | 86.7 | 170        | ug/Kg             |
| 65794-96-9     | 3+4-Methylphenols           | 110   | U         | 110  | 330        | ug/Kg             |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 59.0  | U         | 59.0 | 80.0       | ug/Kg             |
| 67-72-1        | Hexachloroethane            | 73.6  | U         | 73.6 | 170        | ug/Kg             |
| 98-95-3        | Nitrobenzene                | 75.2  | U         | 75.2 | 170        | ug/Kg             |
| 78-59-1        | Isophorone                  | 68.1  | U         | 68.1 | 170        | ug/Kg             |
| 88-75-5        | 2-Nitrophenol               | 95.1  | U         | 95.1 | 170        | ug/Kg             |
| 105-67-9       | 2,4-Dimethylphenol          | 99.6  | U         | 99.6 | 170        | ug/Kg             |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 110   | U         | 110  | 170        | ug/Kg             |
| 120-83-2       | 2,4-Dichlorophenol          | 78.1  | U         | 78.1 | 170        | ug/Kg             |
| 91-20-3        | Naphthalene                 | 81.4  | U         | 81.4 | 170        | ug/Kg             |
| 106-47-8       | 4-Chloroaniline             | 100   | U         | 100  | 170        | ug/Kg             |
| 87-68-3        | Hexachlorobutadiene         | 84.0  | U         | 84.0 | 170        | ug/Kg             |
| 105-60-2       | Caprolactam                 | 120   | U         | 120  | 330        | ug/Kg             |
| 59-50-7        | 4-Chloro-3-methylphenol     | 82.5  | U         | 82.5 | 170        | ug/Kg             |
| 91-57-6        | 2-Methylnaphthalene         | 94.9  | U         | 94.9 | 170        | ug/Kg             |
| 77-47-4        | Hexachlorocyclopentadiene   | 210   | U         | 210  | 330        | ug/Kg             |
| 88-06-2        | 2,4,6-Trichlorophenol       | 77.1  | U         | 77.1 | 170        | ug/Kg             |
| 95-95-4        | 2,4,5-Trichlorophenol       | 87.9  | U         | 87.9 | 170        | ug/Kg             |
| 92-52-4        | 1,1-Biphenyl                | 91.3  | U         | 91.3 | 170        | ug/Kg             |
| 91-58-7        | 2-Chloronaphthalene         | 84.6  | U         | 84.6 | 170        | ug/Kg             |
| 88-74-4        | 2-Nitroaniline              | 99.3  | U         | 99.3 | 170        | ug/Kg             |
| 131-11-3       | Dimethylphthalate           | 88.9  | U         | 88.9 | 170        | ug/Kg             |
| 208-96-8       | Acenaphthylene              | 88.4  | U         | 88.4 | 170        | ug/Kg             |
| 606-20-2       | 2,6-Dinitrotoluene          | 90.0  | U         | 90.0 | 170        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                  |
|--------------------|------------------------|-----------------|------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                  |
| Project:           | 245 Greenwood Ave      | Date Received:  |                  |
| Client Sample ID:  | PB156921BL             | SDG No.:        | O5252            |
| Lab Sample ID:     | PB156921BL             | Matrix:         | SOIL             |
| Analytical Method: | SW8270                 | % Solid:        | 100              |
| Sample Wt/Vol:     | 30.01 Units: g         | Final Vol:      | 1000 uL          |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20 |
| Extraction Type :  | Decanted : N           | Level :         | LOW              |
| Injection Volume : | GPC Factor : 1.0       | GPC Cleanup :   | N PH :           |
| Prep Method :      | SW3541                 |                 |                  |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136177.D        | 1         | 11/06/23 09:48 | 11/07/23 15:47 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 99-09-2    | 3-Nitroaniline             | 93.4  | U         | 93.4 | 170        | ug/Kg             |
| 83-32-9    | Acenaphthene               | 80.3  | U         | 80.3 | 170        | ug/Kg             |
| 51-28-5    | 2,4-Dinitrophenol          | 180   | U         | 180  | 330        | ug/Kg             |
| 100-02-7   | 4-Nitrophenol              | 110   | U         | 110  | 330        | ug/Kg             |
| 132-64-9   | Dibenzofuran               | 76.9  | U         | 76.9 | 170        | ug/Kg             |
| 121-14-2   | 2,4-Dinitrotoluene         | 99.9  | U         | 99.9 | 170        | ug/Kg             |
| 84-66-2    | Diethylphthalate           | 85.9  | U         | 85.9 | 170        | ug/Kg             |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 90.4  | U         | 90.4 | 170        | ug/Kg             |
| 86-73-7    | Fluorene                   | 84.8  | U         | 84.8 | 170        | ug/Kg             |
| 100-01-6   | 4-Nitroaniline             | 100   | U         | 100  | 170        | ug/Kg             |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 87.8  | U         | 87.8 | 330        | ug/Kg             |
| 86-30-6    | n-Nitrosodiphenylamine     | 93.3  | U         | 93.3 | 170        | ug/Kg             |
| 101-55-3   | 4-Bromophenyl-phenylether  | 97.4  | U         | 97.4 | 170        | ug/Kg             |
| 118-74-1   | Hexachlorobenzene          | 98.8  | U         | 98.8 | 170        | ug/Kg             |
| 1912-24-9  | Atrazine                   | 95.4  | U         | 95.4 | 170        | ug/Kg             |
| 87-86-5    | Pentachlorophenol          | 110   | U         | 110  | 330        | ug/Kg             |
| 85-01-8    | Phenanthrene               | 92.7  | U         | 92.7 | 170        | ug/Kg             |
| 120-12-7   | Anthracene                 | 100   | U         | 100  | 170        | ug/Kg             |
| 86-74-8    | Carbazole                  | 84.9  | U         | 84.9 | 170        | ug/Kg             |
| 84-74-2    | Di-n-butylphthalate        | 100   | U         | 100  | 170        | ug/Kg             |
| 206-44-0   | Fluoranthene               | 94.4  | U         | 94.4 | 170        | ug/Kg             |
| 129-00-0   | Pyrene                     | 83.7  | U         | 83.7 | 170        | ug/Kg             |
| 85-68-7    | Butylbenzylphthalate       | 100   | U         | 100  | 170        | ug/Kg             |
| 91-94-1    | 3,3-Dichlorobenzidine      | 160   | U         | 160  | 330        | ug/Kg             |
| 56-55-3    | Benzo(a)anthracene         | 83.9  | U         | 83.9 | 170        | ug/Kg             |
| 218-01-9   | Chrysene                   | 86.8  | U         | 86.8 | 170        | ug/Kg             |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 110   | U         | 110  | 170        | ug/Kg             |
| 117-84-0   | Di-n-octyl phthalate       | 120   | U         | 120  | 330        | ug/Kg             |
| 205-99-2   | Benzo(b)fluoranthene       | 80.3  | U         | 80.3 | 170        | ug/Kg             |
| 207-08-9   | Benzo(k)fluoranthene       | 88.1  | U         | 88.1 | 170        | ug/Kg             |
| 50-32-8    | Benzo(a)pyrene             | 94.3  | U         | 94.3 | 170        | ug/Kg             |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 110   | U         | 110  | 170        | ug/Kg             |
| 53-70-3    | Dibenzo(a,h)anthracene     | 96.5  | U         | 96.5 | 170        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                              |
| Project:           | 245 Greenwood Ave      | Date Received:  |                              |
| Client Sample ID:  | PB156921BL             | SDG No.:        | O5252                        |
| Lab Sample ID:     | PB156921BL             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 100                          |
| Sample Wt/Vol:     | 30.01      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136177.D        | 1         | 11/06/23 09:48 | 11/07/23 15:47 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 191-24-2   | Benzo(g,h,i)perylene       | 92.5  | U         | 92.5 | 170        | ug/Kg             |
| 95-94-3    | 1,2,4,5-Tetrachlorobenzene | 89.4  | U         | 89.4 | 170        | ug/Kg             |
| 123-91-1   | 1,4-Dioxane                | 120   | U         | 120  | 170        | ug/Kg             |
| 58-90-2    | 2,3,4,6-Tetrachlorophenol  | 82.9  | U         | 82.9 | 170        | ug/Kg             |

### SURROGATES

|            |                      |      |  |                     |     |          |
|------------|----------------------|------|--|---------------------|-----|----------|
| 367-12-4   | 2-Fluorophenol       | 126  |  | 30 (18) - 130 (112) | 84% | SPK: 150 |
| 13127-88-3 | Phenol-d6            | 125  |  | 30 (15) - 130 (107) | 84% | SPK: 150 |
| 4165-60-0  | Nitrobenzene-d5      | 86.6 |  | 30 (18) - 130 (107) | 87% | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl     | 85.1 |  | 30 (20) - 130 (109) | 85% | SPK: 100 |
| 118-79-6   | 2,4,6-Tribromophenol | 131  |  | 30 (10) - 130 (110) | 87% | SPK: 150 |
| 1718-51-0  | Terphenyl-d14        | 84.9 |  | 30 (14) - 130 (112) | 85% | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 92000  | 6.816  |
| 1146-65-2  | Naphthalene-d8         | 368000 | 8.098  |
| 15067-26-2 | Acenaphthene-d10       | 189000 | 9.857  |
| 1517-22-2  | Phenanthrene-d10       | 342000 | 11.351 |
| 1719-03-5  | Chrysene-d12           | 196000 | 14.004 |
| 1520-96-3  | Perylene-d12           | 181000 | 15.492 |

### TENTATIVE IDENTIFIED COMPOUNDS

|             |                                    |     |   |      |       |
|-------------|------------------------------------|-----|---|------|-------|
| 000556-71-8 | Cyclononasiloxane, octadecamethyl- | 160 | J | 14.5 | ug/Kg |
| 000107-52-8 | Hexasiloxane, tetradecamethyl-     | 300 | J | 14.9 | ug/Kg |
|             | unknown15.351                      | 370 | J | 15.4 | ug/Kg |
|             | unknown15.880                      | 380 | J | 15.9 | ug/Kg |
|             | unknown16.510                      | 350 | J | 16.5 | ug/Kg |
|             | unknown17.274                      | 300 | J | 17.3 | ug/Kg |
| 000556-70-7 | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,13, | 280 | J | 18.2 | ug/Kg |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                              |
| Project:           | 245 Greenwood Ave      | Date Received:  |                              |
| Client Sample ID:  | PB156921BL             | SDG No.:        | O5252                        |
| Lab Sample ID:     | PB156921BL             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 100                          |
| Sample Wt/Vol:     | 30.01      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136177.D        | 1         | 11/06/23 09:48 | 11/07/23 15:47 | PB156921      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|------------|-----------|-------|-----------|-----|------------|-------------------|
|------------|-----------|-------|-----------|-----|------------|-------------------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



## Report of Analysis

|                    |                        |                 |                  |
|--------------------|------------------------|-----------------|------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                  |
| Project:           | 245 Greenwood Ave      | Date Received:  |                  |
| Client Sample ID:  | PB156921BS             | SDG No.:        | O5252            |
| Lab Sample ID:     | PB156921BS             | Matrix:         | SOIL             |
| Analytical Method: | SW8270                 | % Solid:        | 100              |
| Sample Wt/Vol:     | 30.03 Units: g         | Final Vol:      | 1000 uL          |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20 |
| Extraction Type :  | Decanted : N           | Level :         | LOW              |
| Injection Volume : | GPC Factor : 1.0       | GPC Cleanup :   | N PH :           |
| Prep Method :      | SW3541                 |                 |                  |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136178.D        | 1         | 11/06/23 09:48 | 11/07/23 16:18 | PB156921      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|----------------|-----------------------------|-------|-----------|------|------------|-------------------|
| <b>TARGETS</b> |                             |       |           |      |            |                   |
| 100-52-7       | Benzaldehyde                | 710   |           | 150  | 330        | ug/Kg             |
| 108-95-2       | Phenol                      | 1400  |           | 74.3 | 170        | ug/Kg             |
| 111-44-4       | bis(2-Chloroethyl)ether     | 1500  |           | 89.7 | 170        | ug/Kg             |
| 95-57-8        | 2-Chlorophenol              | 1500  |           | 71.9 | 170        | ug/Kg             |
| 95-48-7        | 2-Methylphenol              | 1400  |           | 110  | 170        | ug/Kg             |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 1500  |           | 100  | 170        | ug/Kg             |
| 98-86-2        | Acetophenone                | 1500  |           | 86.6 | 170        | ug/Kg             |
| 65794-96-9     | 3+4-Methylphenols           | 1400  |           | 110  | 330        | ug/Kg             |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 1500  |           | 58.9 | 79.9       | ug/Kg             |
| 67-72-1        | Hexachloroethane            | 1500  |           | 73.5 | 170        | ug/Kg             |
| 98-95-3        | Nitrobenzene                | 1400  |           | 75.1 | 170        | ug/Kg             |
| 78-59-1        | Isophorone                  | 1500  |           | 68.0 | 170        | ug/Kg             |
| 88-75-5        | 2-Nitrophenol               | 1500  |           | 95.0 | 170        | ug/Kg             |
| 105-67-9       | 2,4-Dimethylphenol          | 1500  |           | 99.5 | 170        | ug/Kg             |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 1500  |           | 110  | 170        | ug/Kg             |
| 120-83-2       | 2,4-Dichlorophenol          | 1500  |           | 78.0 | 170        | ug/Kg             |
| 91-20-3        | Naphthalene                 | 1400  |           | 81.3 | 170        | ug/Kg             |
| 106-47-8       | 4-Chloroaniline             | 1000  |           | 100  | 170        | ug/Kg             |
| 87-68-3        | Hexachlorobutadiene         | 1500  |           | 83.9 | 170        | ug/Kg             |
| 105-60-2       | Caprolactam                 | 1600  |           | 120  | 330        | ug/Kg             |
| 59-50-7        | 4-Chloro-3-methylphenol     | 1500  |           | 82.4 | 170        | ug/Kg             |
| 91-57-6        | 2-Methylnaphthalene         | 1400  |           | 94.8 | 170        | ug/Kg             |
| 77-47-4        | Hexachlorocyclopentadiene   | 3100  | E         | 210  | 330        | ug/Kg             |
| 88-06-2        | 2,4,6-Trichlorophenol       | 1400  |           | 77.0 | 170        | ug/Kg             |
| 95-95-4        | 2,4,5-Trichlorophenol       | 1400  |           | 87.8 | 170        | ug/Kg             |
| 92-52-4        | 1,1-Biphenyl                | 1400  |           | 91.2 | 170        | ug/Kg             |
| 91-58-7        | 2-Chloronaphthalene         | 1400  |           | 84.5 | 170        | ug/Kg             |
| 88-74-4        | 2-Nitroaniline              | 1500  |           | 99.2 | 170        | ug/Kg             |
| 131-11-3       | Dimethylphthalate           | 1400  |           | 88.8 | 170        | ug/Kg             |
| 208-96-8       | Acenaphthylene              | 1400  |           | 88.3 | 170        | ug/Kg             |
| 606-20-2       | 2,6-Dinitrotoluene          | 1500  |           | 89.9 | 170        | ug/Kg             |





## Report of Analysis

|                    |                        |                 |                  |
|--------------------|------------------------|-----------------|------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                  |
| Project:           | 245 Greenwood Ave      | Date Received:  |                  |
| Client Sample ID:  | PB156921BS             | SDG No.:        | O5252            |
| Lab Sample ID:     | PB156921BS             | Matrix:         | SOIL             |
| Analytical Method: | SW8270                 | % Solid:        | 100              |
| Sample Wt/Vol:     | 30.03 Units: g         | Final Vol:      | 1000 uL          |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20 |
| Extraction Type :  | Decanted : N           | Level :         | LOW              |
| Injection Volume : | GPC Factor : 1.0       | GPC Cleanup :   | N PH :           |
| Prep Method :      | SW3541                 |                 |                  |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136178.D        | 1         | 11/06/23 09:48 | 11/07/23 16:18 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 99-09-2    | 3-Nitroaniline             | 1200  |           | 93.3 | 170        | ug/Kg             |
| 83-32-9    | Acenaphthene               | 1600  |           | 80.2 | 170        | ug/Kg             |
| 51-28-5    | 2,4-Dinitrophenol          | 2900  | E         | 180  | 330        | ug/Kg             |
| 100-02-7   | 4-Nitrophenol              | 3100  | E         | 110  | 330        | ug/Kg             |
| 132-64-9   | Dibenzofuran               | 1400  |           | 76.8 | 170        | ug/Kg             |
| 121-14-2   | 2,4-Dinitrotoluene         | 1600  |           | 99.8 | 170        | ug/Kg             |
| 84-66-2    | Diethylphthalate           | 1400  |           | 85.8 | 170        | ug/Kg             |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 1400  |           | 90.3 | 170        | ug/Kg             |
| 86-73-7    | Fluorene                   | 1400  |           | 84.7 | 170        | ug/Kg             |
| 100-01-6   | 4-Nitroaniline             | 1500  |           | 100  | 170        | ug/Kg             |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 1500  |           | 87.7 | 330        | ug/Kg             |
| 86-30-6    | n-Nitrosodiphenylamine     | 1400  |           | 93.2 | 170        | ug/Kg             |
| 101-55-3   | 4-Bromophenyl-phenylether  | 1400  |           | 97.3 | 170        | ug/Kg             |
| 118-74-1   | Hexachlorobenzene          | 1600  |           | 98.7 | 170        | ug/Kg             |
| 1912-24-9  | Atrazine                   | 1200  |           | 95.3 | 170        | ug/Kg             |
| 87-86-5    | Pentachlorophenol          | 2800  | E         | 110  | 330        | ug/Kg             |
| 85-01-8    | Phenanthrene               | 1500  |           | 92.6 | 170        | ug/Kg             |
| 120-12-7   | Anthracene                 | 1400  |           | 100  | 170        | ug/Kg             |
| 86-74-8    | Carbazole                  | 1500  |           | 84.8 | 170        | ug/Kg             |
| 84-74-2    | Di-n-butylphthalate        | 1500  |           | 100  | 170        | ug/Kg             |
| 206-44-0   | Fluoranthene               | 1500  |           | 94.3 | 170        | ug/Kg             |
| 129-00-0   | Pyrene                     | 1400  |           | 83.6 | 170        | ug/Kg             |
| 85-68-7    | Butylbenzylphthalate       | 1500  |           | 100  | 170        | ug/Kg             |
| 91-94-1    | 3,3-Dichlorobenzidine      | 1500  |           | 160  | 330        | ug/Kg             |
| 56-55-3    | Benzo(a)anthracene         | 1500  |           | 83.8 | 170        | ug/Kg             |
| 218-01-9   | Chrysene                   | 1400  |           | 86.7 | 170        | ug/Kg             |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 1500  |           | 110  | 170        | ug/Kg             |
| 117-84-0   | Di-n-octyl phthalate       | 1500  |           | 120  | 330        | ug/Kg             |
| 205-99-2   | Benzo(b)fluoranthene       | 1600  |           | 80.2 | 170        | ug/Kg             |
| 207-08-9   | Benzo(k)fluoranthene       | 1600  |           | 88.0 | 170        | ug/Kg             |
| 50-32-8    | Benzo(a)pyrene             | 1500  |           | 94.2 | 170        | ug/Kg             |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 1500  |           | 110  | 170        | ug/Kg             |
| 53-70-3    | Dibenzo(a,h)anthracene     | 1500  |           | 96.4 | 170        | ug/Kg             |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: |                              |
| Project:           | 245 Greenwood Ave      | Date Received:  |                              |
| Client Sample ID:  | PB156921BS             | SDG No.:        | O5252                        |
| Lab Sample ID:     | PB156921BS             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 100                          |
| Sample Wt/Vol:     | 30.03      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136178.D        | 1         | 11/06/23 09:48 | 11/07/23 16:18 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 191-24-2   | Benzo(g,h,i)perylene       | 1500  |           | 92.4 | 170        | ug/Kg             |
| 95-94-3    | 1,2,4,5-Tetrachlorobenzene | 1400  |           | 89.3 | 170        | ug/Kg             |
| 123-91-1   | 1,4-Dioxane                | 1300  |           | 120  | 170        | ug/Kg             |
| 58-90-2    | 2,3,4,6-Tetrachlorophenol  | 1500  |           | 82.8 | 170        | ug/Kg             |

### SURROGATES

|            |                      |      |  |                     |     |          |
|------------|----------------------|------|--|---------------------|-----|----------|
| 367-12-4   | 2-Fluorophenol       | 127  |  | 30 (18) - 130 (112) | 85% | SPK: 150 |
| 13127-88-3 | Phenol-d6            | 124  |  | 30 (15) - 130 (107) | 83% | SPK: 150 |
| 4165-60-0  | Nitrobenzene-d5      | 82.1 |  | 30 (18) - 130 (107) | 82% | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl     | 78.8 |  | 30 (20) - 130 (109) | 79% | SPK: 100 |
| 118-79-6   | 2,4,6-Tribromophenol | 132  |  | 30 (10) - 130 (110) | 88% | SPK: 150 |
| 1718-51-0  | Terphenyl-d14        | 84.2 |  | 30 (14) - 130 (112) | 84% | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 87700  | 6.822  |
| 1146-65-2  | Naphthalene-d8         | 352000 | 8.104  |
| 15067-26-2 | Acenaphthene-d10       | 189000 | 9.863  |
| 1517-22-2  | Phenanthrene-d10       | 332000 | 11.351 |
| 1719-03-5  | Chrysene-d12           | 172000 | 14.01  |
| 1520-96-3  | Perylene-d12           | 180000 | 15.498 |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MS                 | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MS             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.08      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136162.D        | 1         | 11/06/23 09:48 | 11/06/23 18:59 | PB156921      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|----------------|-----------------------------|-------|-----------|------|------------|-------------------|
| <b>TARGETS</b> |                             |       |           |      |            |                   |
| 100-52-7       | Benzaldehyde                | 330   |           | 97.0 | 220        | ug/Kg             |
| 108-95-2       | Phenol                      | 1000  |           | 48.8 | 110        | ug/Kg             |
| 111-44-4       | bis(2-Chloroethyl)ether     | 1000  |           | 58.9 | 110        | ug/Kg             |
| 95-57-8        | 2-Chlorophenol              | 1100  |           | 47.2 | 110        | ug/Kg             |
| 95-48-7        | 2-Methylphenol              | 950   |           | 74.7 | 110        | ug/Kg             |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 970   |           | 68.8 | 110        | ug/Kg             |
| 98-86-2        | Acetophenone                | 1100  |           | 56.8 | 110        | ug/Kg             |
| 65794-96-9     | 3+4-Methylphenols           | 980   |           | 70.8 | 220        | ug/Kg             |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 1000  |           | 38.7 | 52.4       | ug/Kg             |
| 67-72-1        | Hexachloroethane            | 1100  |           | 48.2 | 110        | ug/Kg             |
| 98-95-3        | Nitrobenzene                | 1100  |           | 49.3 | 110        | ug/Kg             |
| 78-59-1        | Isophorone                  | 1100  |           | 44.6 | 110        | ug/Kg             |
| 88-75-5        | 2-Nitrophenol               | 1200  |           | 62.3 | 110        | ug/Kg             |
| 105-67-9       | 2,4-Dimethylphenol          | 960   |           | 65.3 | 110        | ug/Kg             |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 1000  |           | 73.4 | 110        | ug/Kg             |
| 120-83-2       | 2,4-Dichlorophenol          | 1100  |           | 51.2 | 110        | ug/Kg             |
| 91-20-3        | Naphthalene                 | 1100  |           | 53.4 | 110        | ug/Kg             |
| 106-47-8       | 4-Chloroaniline             | 260   |           | 68.8 | 110        | ug/Kg             |
| 87-68-3        | Hexachlorobutadiene         | 1200  |           | 55.1 | 110        | ug/Kg             |
| 105-60-2       | Caprolactam                 | 1100  |           | 76.7 | 220        | ug/Kg             |
| 59-50-7        | 4-Chloro-3-methylphenol     | 1100  |           | 54.1 | 110        | ug/Kg             |
| 91-57-6        | 2-Methylnaphthalene         | 1000  |           | 62.2 | 110        | ug/Kg             |
| 77-47-4        | Hexachlorocyclopentadiene   | 1400  |           | 140  | 220        | ug/Kg             |
| 88-06-2        | 2,4,6-Trichlorophenol       | 1100  |           | 50.5 | 110        | ug/Kg             |
| 95-95-4        | 2,4,5-Trichlorophenol       | 1000  |           | 57.6 | 110        | ug/Kg             |
| 92-52-4        | 1,1-Biphenyl                | 1100  |           | 59.8 | 110        | ug/Kg             |
| 91-58-7        | 2-Chloronaphthalene         | 1100  |           | 55.4 | 110        | ug/Kg             |
| 88-74-4        | 2-Nitroaniline              | 1100  |           | 65.1 | 110        | ug/Kg             |
| 131-11-3       | Dimethylphthalate           | 1100  |           | 58.3 | 110        | ug/Kg             |
| 208-96-8       | Acenaphthylene              | 1100  |           | 57.9 | 110        | ug/Kg             |
| 606-20-2       | 2,6-Dinitrotoluene          | 1100  |           | 59.0 | 110        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MS                 | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MS             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.08      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136162.D        | 1         | 11/06/23 09:48 | 11/06/23 18:59 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 99-09-2    | 3-Nitroaniline             | 660   |           | 61.2 | 110        | ug/Kg             |
| 83-32-9    | Acenaphthene               | 1000  |           | 52.6 | 110        | ug/Kg             |
| 51-28-5    | 2,4-Dinitrophenol          | 1500  |           | 120  | 220        | ug/Kg             |
| 100-02-7   | 4-Nitrophenol              | 2000  | E         | 74.7 | 220        | ug/Kg             |
| 132-64-9   | Dibenzofuran               | 1100  |           | 50.4 | 110        | ug/Kg             |
| 121-14-2   | 2,4-Dinitrotoluene         | 1200  |           | 65.5 | 110        | ug/Kg             |
| 84-66-2    | Diethylphthalate           | 1100  |           | 56.3 | 110        | ug/Kg             |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 1100  |           | 59.2 | 110        | ug/Kg             |
| 86-73-7    | Fluorene                   | 1100  |           | 55.6 | 110        | ug/Kg             |
| 100-01-6   | 4-Nitroaniline             | 920   |           | 68.2 | 110        | ug/Kg             |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 890   |           | 57.5 | 220        | ug/Kg             |
| 86-30-6    | n-Nitrosodiphenylamine     | 1200  |           | 61.1 | 110        | ug/Kg             |
| 101-55-3   | 4-Bromophenyl-phenylether  | 1200  |           | 63.8 | 110        | ug/Kg             |
| 118-74-1   | Hexachlorobenzene          | 1200  |           | 64.8 | 110        | ug/Kg             |
| 1912-24-9  | Atrazine                   | 1500  |           | 62.5 | 110        | ug/Kg             |
| 87-86-5    | Pentachlorophenol          | 2000  | E         | 72.8 | 220        | ug/Kg             |
| 85-01-8    | Phenanthrene               | 1200  |           | 60.8 | 110        | ug/Kg             |
| 120-12-7   | Anthracene                 | 1100  |           | 66.9 | 110        | ug/Kg             |
| 86-74-8    | Carbazole                  | 1000  |           | 55.6 | 110        | ug/Kg             |
| 84-74-2    | Di-n-butylphthalate        | 1200  |           | 68.2 | 110        | ug/Kg             |
| 206-44-0   | Fluoranthene               | 1100  |           | 61.9 | 110        | ug/Kg             |
| 129-00-0   | Pyrene                     | 990   |           | 54.9 | 110        | ug/Kg             |
| 85-68-7    | Butylbenzylphthalate       | 1000  |           | 67.5 | 110        | ug/Kg             |
| 91-94-1    | 3,3-Dichlorobenzidine      | 1000  |           | 110  | 220        | ug/Kg             |
| 56-55-3    | Benzo(a)anthracene         | 1100  |           | 55.0 | 110        | ug/Kg             |
| 218-01-9   | Chrysene                   | 1100  |           | 56.9 | 110        | ug/Kg             |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 1100  |           | 75.4 | 110        | ug/Kg             |
| 117-84-0   | Di-n-octyl phthalate       | 1300  |           | 80.6 | 220        | ug/Kg             |
| 205-99-2   | Benzo(b)fluoranthene       | 1300  |           | 52.6 | 110        | ug/Kg             |
| 207-08-9   | Benzo(k)fluoranthene       | 1100  |           | 57.7 | 110        | ug/Kg             |
| 50-32-8    | Benzo(a)pyrene             | 1100  |           | 61.8 | 110        | ug/Kg             |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 810   |           | 70.1 | 110        | ug/Kg             |
| 53-70-3    | Dibenzo(a,h)anthracene     | 810   |           | 63.2 | 110        | ug/Kg             |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MS                 | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MS             | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.08      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136162.D        | 1         | 11/06/23 09:48 | 11/06/23 18:59 | PB156921      |

| CAS Number                | Parameter                  | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|----------------------------|--------|-----------|---------------------|------------|-------------------|
| 191-24-2                  | Benzo(g,h,i)perylene       | 680    |           | 60.6                | 110        | ug/Kg             |
| 95-94-3                   | 1,2,4,5-Tetrachlorobenzene | 1100   |           | 58.6                | 110        | ug/Kg             |
| 123-91-1                  | 1,4-Dioxane                | 830    |           | 76.7                | 110        | ug/Kg             |
| 58-90-2                   | 2,3,4,6-Tetrachlorophenol  | 1000   |           | 54.3                | 110        | ug/Kg             |
| <b>SURROGATES</b>         |                            |        |           |                     |            |                   |
| 367-12-4                  | 2-Fluorophenol             | 112    |           | 30 (18) - 130 (112) | 74%        | SPK: 150          |
| 13127-88-3                | Phenol-d6                  | 111    |           | 30 (15) - 130 (107) | 74%        | SPK: 150          |
| 4165-60-0                 | Nitrobenzene-d5            | 86.1   |           | 30 (18) - 130 (107) | 86%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl           | 84.6   |           | 30 (20) - 130 (109) | 85%        | SPK: 100          |
| 118-79-6                  | 2,4,6-Tribromophenol       | 117    |           | 30 (10) - 130 (110) | 78%        | SPK: 150          |
| 1718-51-0                 | Terphenyl-d14              | 69.8   |           | 30 (14) - 130 (112) | 70%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                            |        |           |                     |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4     | 84800  | 6.822     |                     |            |                   |
| 1146-65-2                 | Naphthalene-d8             | 327000 | 8.104     |                     |            |                   |
| 15067-26-2                | Acenaphthene-d10           | 167000 | 9.863     |                     |            |                   |
| 1517-22-2                 | Phenanthrene-d10           | 266000 | 11.351    |                     |            |                   |
| 1719-03-5                 | Chrysene-d12               | 169000 | 14.01     |                     |            |                   |
| 1520-96-3                 | Perylene-d12               | 163000 | 15.498    |                     |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MSD                | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MSD            | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.06      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136163.D        | 1         | 11/06/23 09:48 | 11/06/23 19:29 | PB156921      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|----------------|-----------------------------|-------|-----------|------|------------|-------------------|
| <b>TARGETS</b> |                             |       |           |      |            |                   |
| 100-52-7       | Benzaldehyde                | 350   |           | 97.0 | 220        | ug/Kg             |
| 108-95-2       | Phenol                      | 1100  |           | 48.8 | 110        | ug/Kg             |
| 111-44-4       | bis(2-Chloroethyl)ether     | 1100  |           | 58.9 | 110        | ug/Kg             |
| 95-57-8        | 2-Chlorophenol              | 1100  |           | 47.2 | 110        | ug/Kg             |
| 95-48-7        | 2-Methylphenol              | 1000  |           | 74.7 | 110        | ug/Kg             |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 1000  |           | 68.8 | 110        | ug/Kg             |
| 98-86-2        | Acetophenone                | 1200  |           | 56.8 | 110        | ug/Kg             |
| 65794-96-9     | 3+4-Methylphenols           | 1000  |           | 70.8 | 220        | ug/Kg             |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 1100  |           | 38.7 | 52.5       | ug/Kg             |
| 67-72-1        | Hexachloroethane            | 1200  |           | 48.3 | 110        | ug/Kg             |
| 98-95-3        | Nitrobenzene                | 1200  |           | 49.3 | 110        | ug/Kg             |
| 78-59-1        | Isophorone                  | 1100  |           | 44.7 | 110        | ug/Kg             |
| 88-75-5        | 2-Nitrophenol               | 1300  |           | 62.4 | 110        | ug/Kg             |
| 105-67-9       | 2,4-Dimethylphenol          | 1000  |           | 65.3 | 110        | ug/Kg             |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 1100  |           | 73.4 | 110        | ug/Kg             |
| 120-83-2       | 2,4-Dichlorophenol          | 1200  |           | 51.2 | 110        | ug/Kg             |
| 91-20-3        | Naphthalene                 | 1100  |           | 53.4 | 110        | ug/Kg             |
| 106-47-8       | 4-Chloroaniline             | 260   |           | 68.8 | 110        | ug/Kg             |
| 87-68-3        | Hexachlorobutadiene         | 1200  |           | 55.1 | 110        | ug/Kg             |
| 105-60-2       | Caprolactam                 | 1200  |           | 76.7 | 220        | ug/Kg             |
| 59-50-7        | 4-Chloro-3-methylphenol     | 1200  |           | 54.1 | 110        | ug/Kg             |
| 91-57-6        | 2-Methylnaphthalene         | 1100  |           | 62.2 | 110        | ug/Kg             |
| 77-47-4        | Hexachlorocyclopentadiene   | 1700  |           | 140  | 220        | ug/Kg             |
| 88-06-2        | 2,4,6-Trichlorophenol       | 1200  |           | 50.6 | 110        | ug/Kg             |
| 95-95-4        | 2,4,5-Trichlorophenol       | 1100  |           | 57.6 | 110        | ug/Kg             |
| 92-52-4        | 1,1-Biphenyl                | 1200  |           | 59.9 | 110        | ug/Kg             |
| 91-58-7        | 2-Chloronaphthalene         | 1200  |           | 55.5 | 110        | ug/Kg             |
| 88-74-4        | 2-Nitroaniline              | 1200  |           | 65.1 | 110        | ug/Kg             |
| 131-11-3       | Dimethylphthalate           | 1200  |           | 58.3 | 110        | ug/Kg             |
| 208-96-8       | Acenaphthylene              | 1200  |           | 58.0 | 110        | ug/Kg             |
| 606-20-2       | 2,6-Dinitrotoluene          | 1200  |           | 59.0 | 110        | ug/Kg             |



## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MSD                | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MSD            | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.06      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136163.D        | 1         | 11/06/23 09:48 | 11/06/23 19:29 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 99-09-2    | 3-Nitroaniline             | 690   |           | 61.2 | 110        | ug/Kg             |
| 83-32-9    | Acenaphthene               | 1100  |           | 52.7 | 110        | ug/Kg             |
| 51-28-5    | 2,4-Dinitrophenol          | 1700  |           | 120  | 220        | ug/Kg             |
| 100-02-7   | 4-Nitrophenol              | 2200  | E         | 74.7 | 220        | ug/Kg             |
| 132-64-9   | Dibenzofuran               | 1100  |           | 50.4 | 110        | ug/Kg             |
| 121-14-2   | 2,4-Dinitrotoluene         | 1200  |           | 65.5 | 110        | ug/Kg             |
| 84-66-2    | Diethylphthalate           | 1200  |           | 56.3 | 110        | ug/Kg             |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 1200  |           | 59.3 | 110        | ug/Kg             |
| 86-73-7    | Fluorene                   | 1200  |           | 55.6 | 110        | ug/Kg             |
| 100-01-6   | 4-Nitroaniline             | 970   |           | 68.2 | 110        | ug/Kg             |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 970   |           | 57.6 | 220        | ug/Kg             |
| 86-30-6    | n-Nitrosodiphenylamine     | 1300  |           | 61.2 | 110        | ug/Kg             |
| 101-55-3   | 4-Bromophenyl-phenylether  | 1300  |           | 63.9 | 110        | ug/Kg             |
| 118-74-1   | Hexachlorobenzene          | 1300  |           | 64.8 | 110        | ug/Kg             |
| 1912-24-9  | Atrazine                   | 1600  |           | 62.6 | 110        | ug/Kg             |
| 87-86-5    | Pentachlorophenol          | 2100  | E         | 72.8 | 220        | ug/Kg             |
| 85-01-8    | Phenanthrene               | 1200  |           | 60.8 | 110        | ug/Kg             |
| 120-12-7   | Anthracene                 | 1200  |           | 66.9 | 110        | ug/Kg             |
| 86-74-8    | Carbazole                  | 1100  |           | 55.7 | 110        | ug/Kg             |
| 84-74-2    | Di-n-butylphthalate        | 1300  |           | 68.2 | 110        | ug/Kg             |
| 206-44-0   | Fluoranthene               | 1200  |           | 61.9 | 110        | ug/Kg             |
| 129-00-0   | Pyrene                     | 1100  |           | 54.9 | 110        | ug/Kg             |
| 85-68-7    | Butylbenzylphthalate       | 1100  |           | 67.5 | 110        | ug/Kg             |
| 91-94-1    | 3,3-Dichlorobenzidine      | 1100  |           | 110  | 220        | ug/Kg             |
| 56-55-3    | Benzo(a)anthracene         | 1200  |           | 55.0 | 110        | ug/Kg             |
| 218-01-9   | Chrysene                   | 1200  |           | 56.9 | 110        | ug/Kg             |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 1200  |           | 75.4 | 110        | ug/Kg             |
| 117-84-0   | Di-n-octyl phthalate       | 1400  |           | 80.6 | 220        | ug/Kg             |
| 205-99-2   | Benzo(b)fluoranthene       | 1400  |           | 52.7 | 110        | ug/Kg             |
| 207-08-9   | Benzo(k)fluoranthene       | 1200  |           | 57.8 | 110        | ug/Kg             |
| 50-32-8    | Benzo(a)pyrene             | 1200  |           | 61.8 | 110        | ug/Kg             |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 900   |           | 70.2 | 110        | ug/Kg             |
| 53-70-3    | Dibenzo(a,h)anthracene     | 910   |           | 63.3 | 110        | ug/Kg             |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Report of Analysis

|                    |                        |                 |                              |
|--------------------|------------------------|-----------------|------------------------------|
| Client:            | RMJ Environomics, Inc. | Date Collected: | 11/03/23                     |
| Project:           | 245 Greenwood Ave      | Date Received:  | 11/03/23                     |
| Client Sample ID:  | WC-2MSD                | SDG No.:        | O5252                        |
| Lab Sample ID:     | O5257-05MSD            | Matrix:         | SOIL                         |
| Analytical Method: | SW8270                 | % Solid:        | 91.4                         |
| Sample Wt/Vol:     | 50.06      Units:    g | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | SVOC-TCL BNA -20             |
| Extraction Type :  | Decanted :      N      | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0    | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                 |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF136163.D        | 1         | 11/06/23 09:48 | 11/06/23 19:29 | PB156921      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------------|-------|-----------|------|------------|-------------------|
| 191-24-2   | Benzo(g,h,i)perylene       | 750   |           | 60.6 | 110        | ug/Kg             |
| 95-94-3    | 1,2,4,5-Tetrachlorobenzene | 1200  |           | 58.6 | 110        | ug/Kg             |
| 123-91-1   | 1,4-Dioxane                | 870   |           | 76.7 | 110        | ug/Kg             |
| 58-90-2    | 2,3,4,6-Tetrachlorophenol  | 1100  |           | 54.4 | 110        | ug/Kg             |

### SURROGATES

|            |                      |      |  |                     |     |          |
|------------|----------------------|------|--|---------------------|-----|----------|
| 367-12-4   | 2-Fluorophenol       | 120  |  | 30 (18) - 130 (112) | 80% | SPK: 150 |
| 13127-88-3 | Phenol-d6            | 118  |  | 30 (15) - 130 (107) | 79% | SPK: 150 |
| 4165-60-0  | Nitrobenzene-d5      | 90.3 |  | 30 (18) - 130 (107) | 90% | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl     | 90.4 |  | 30 (20) - 130 (109) | 90% | SPK: 100 |
| 118-79-6   | 2,4,6-Tribromophenol | 127  |  | 30 (10) - 130 (110) | 85% | SPK: 150 |
| 1718-51-0  | Terphenyl-d14        | 75.3 |  | 30 (14) - 130 (112) | 75% | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 84700  | 6.822  |
| 1146-65-2  | Naphthalene-d8         | 331000 | 8.104  |
| 15067-26-2 | Acenaphthene-d10       | 166000 | 9.863  |
| 1517-22-2  | Phenanthrene-d10       | 271000 | 11.351 |
| 1719-03-5  | Chrysene-d12           | 171000 | 14.009 |
| 1520-96-3  | Perylene-d12           | 164000 | 15.498 |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF103023.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Tue Oct 31 01:13:02 2023  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BF136023.D 5 =BF136024.D 10 =BF136025.D 20 =BF136026.D 40 =BF136027.D 50 =BF136028.D 60 =BF136029.D 80 =BF136030.D

| Compound |                       | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg   | %RSD  |
|----------|-----------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----    |                       |                |       |       |       |       |       |       |       |       |       |
| 1) I     | 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 2)       | 1,4-Dioxane           | 0.541          | 0.518 | 0.583 | 0.551 | 0.547 | 0.565 | 0.574 | 0.554 |       | 3.97  |
| 3)       | Pyridine              | 1.476          | 1.427 | 1.591 | 1.496 | 1.493 | 1.538 | 1.568 | 1.513 |       | 3.74  |
| 4)       | n-Nitrosodimet...     | 0.594          | 0.613 | 0.651 | 0.628 | 0.628 | 0.649 | 0.663 | 0.632 |       | 3.78  |
| 5) S     | 2-Fluorophenol        | 1.313          | 1.280 | 1.370 | 1.246 | 1.218 | 1.247 | 1.235 | 1.273 |       | 4.16  |
| 6)       | Aniline               | 2.103          | 2.052 | 2.203 | 2.019 | 1.957 | 2.021 | 2.016 | 2.053 |       | 3.88  |
| 7) S     | Phenol-d6             | 1.668          | 1.574 | 1.704 | 1.565 | 1.504 | 1.542 | 1.543 | 1.586 |       | 4.59  |
| 8)       | 2-Chlorophenol        | 1.403          | 1.386 | 1.472 | 1.352 | 1.290 | 1.324 | 1.298 | 1.361 |       | 4.77  |
| 9)       | Benzaldehyde          | 1.055          | 0.974 | 0.974 | 0.861 | 0.787 | 0.778 | 0.760 | 0.884 |       | 13.23 |
| 10) C    | Phenol                | 1.675          | 1.639 | 1.747 | 1.643 | 1.559 | 1.622 | 1.595 | 1.640 |       | 3.65  |
| 11)      | bis(2-Chloroet...     | 1.328          | 1.271 | 1.384 | 1.260 | 1.217 | 1.269 | 1.259 | 1.284 |       | 4.27  |
| 12)      | 1,3-Dichlorobe...     | 1.531          | 1.394 | 1.521 | 1.380 | 1.334 | 1.380 | 1.375 | 1.416 |       | 5.46  |
| 13) C    | 1,4-Dichlorobe...     | 1.490          | 1.435 | 1.522 | 1.398 | 1.343 | 1.376 | 1.371 | 1.419 |       | 4.66  |
| 14)      | 1,2-Dichlorobe...     | 1.398          | 1.373 | 1.450 | 1.307 | 1.251 | 1.276 | 1.234 | 1.327 |       | 6.12  |
| 15)      | Benzyl Alcohol        | 1.140          | 1.147 | 1.232 | 1.123 | 1.081 | 1.089 | 1.059 | 1.124 |       | 5.11  |
| 16)      | 2,2'-oxybis(1-...     | 1.827          | 1.781 | 1.892 | 1.746 | 1.689 | 1.717 | 1.719 | 1.767 |       | 4.05  |
| 17)      | 2-Methylphenol        | 1.168          | 1.154 | 1.220 | 1.136 | 1.105 | 1.143 | 1.154 | 1.154 |       | 3.06  |
| 18)      | Hexachloroethane      | 0.512          | 0.491 | 0.533 | 0.495 | 0.479 | 0.492 | 0.490 | 0.499 |       | 3.59  |
| 19) P    | n-Nitroso-di-n...     | 0.944          | 0.959 | 0.915 | 0.961 | 0.878 | 0.846 | 0.865 | 0.879 | 0.906 | 4.97  |
| 20)      | 3+4-Methylphenols     | 1.563          | 1.482 | 1.565 | 1.389 | 1.302 | 1.301 | 1.252 | 1.408 |       | 9.23  |
|          |                       |                |       |       |       |       |       |       |       |       |       |
| 21) I    | Naphthalene-d8        | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 22)      | Acetophenone          | 0.492          | 0.465 | 0.485 | 0.442 | 0.408 | 0.412 | 0.401 | 0.443 |       | 8.52  |
| 23) S    | Nitrobenzene-d5       | 0.315          | 0.314 | 0.355 | 0.340 | 0.322 | 0.338 | 0.338 | 0.332 |       | 4.60  |
| 24)      | Nitrobenzene          | 0.322          | 0.318 | 0.360 | 0.343 | 0.329 | 0.340 | 0.337 | 0.336 |       | 4.26  |
| 25)      | Isophorone            | 0.627          | 0.612 | 0.657 | 0.622 | 0.601 | 0.621 | 0.644 | 0.626 |       | 3.02  |
| 26) C    | 2-Nitrophenol         | 0.114          | 0.129 | 0.161 | 0.166 | 0.159 | 0.170 | 0.173 | 0.153 |       | 14.83 |
| 27)      | 2,4-Dimethylph...     | 0.286          | 0.284 | 0.309 | 0.295 | 0.276 | 0.287 | 0.288 | 0.289 |       | 3.56  |
| 28)      | bis(2-Chloroet...     | 0.390          | 0.384 | 0.412 | 0.385 | 0.365 | 0.371 | 0.379 | 0.384 |       | 3.89  |
| 29) C    | 2,4-Dichloroph...     | 0.265          | 0.261 | 0.295 | 0.280 | 0.263 | 0.274 | 0.271 | 0.273 |       | 4.30  |
| 30)      | 1,2,4-Trichlor...     | 0.306          | 0.296 | 0.320 | 0.300 | 0.283 | 0.290 | 0.288 | 0.298 |       | 4.23  |
| 31)      | Naphthalene           | 1.022          | 0.975 | 1.047 | 0.966 | 0.914 | 0.928 | 0.899 | 0.964 |       | 5.76  |
| 32)      | Benzoic acid          |                | 0.153 | 0.194 | 0.224 | 0.222 | 0.237 | 0.247 | 0.213 |       | 16.08 |
| 33)      | 4-Chloroaniline       | 0.436          | 0.418 | 0.454 | 0.425 | 0.403 | 0.413 | 0.408 | 0.422 |       | 4.20  |
| 34) C    | Hexachlorobuta...     | 0.174          | 0.166 | 0.185 | 0.173 | 0.163 | 0.166 | 0.166 | 0.171 |       | 4.38  |
| 35)      | Caprolactam           | 0.082          | 0.081 | 0.094 | 0.091 | 0.088 | 0.091 | 0.094 | 0.089 |       | 6.10  |
| 36) C    | 4-Chloro-3-met...     | 0.287          | 0.279 | 0.304 | 0.291 | 0.275 | 0.283 | 0.285 | 0.286 |       | 3.28  |
| 37)      | 2-Methylnaphth...     | 0.693          | 0.654 | 0.703 | 0.651 | 0.610 | 0.613 | 0.602 | 0.647 |       | 6.28  |
| 38)      | 1-Methylnaphth...     | 0.643          | 0.611 | 0.653 | 0.608 | 0.559 | 0.575 | 0.563 | 0.602 |       | 6.26  |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF103023.M

|       |                   |                |       |       |       |       |       |       |       |       |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 39) I | Acenaphthene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |
| 40)   | 1,2,4,5-Tetrac... | 0.595          | 0.574 | 0.612 | 0.577 | 0.540 | 0.547 | 0.548 | 0.570 | 4.75  |
| 41) P | Hexachlorocycl... | 0.261          | 0.270 | 0.321 | 0.321 | 0.308 | 0.321 | 0.330 | 0.305 | 9.06  |
| 42) S | 2,4,6-Tribromo... | 0.200          | 0.213 | 0.227 | 0.222 | 0.208 | 0.213 | 0.212 | 0.213 | 4.19  |
| 43) C | 2,4,6-Trichlor... | 0.362          | 0.360 | 0.392 | 0.385 | 0.363 | 0.366 | 0.376 | 0.372 | 3.43  |
| 44)   | 2,4,5-Trichlor... | 0.418          | 0.413 | 0.463 | 0.439 | 0.416 | 0.431 | 0.435 | 0.431 | 4.09  |
| 45) S | 2-Fluorobiphenyl  | 1.441          | 1.357 | 1.398 | 1.228 | 1.142 | 1.122 | 1.095 | 1.255 | 11.37 |
| 46)   | 1,1'-Biphenyl     | 1.633          | 1.575 | 1.645 | 1.537 | 1.431 | 1.437 | 1.415 | 1.525 | 6.42  |
| 47)   | 2-Chloronaphth... | 1.163          | 1.145 | 1.202 | 1.136 | 1.064 | 1.074 | 1.083 | 1.124 | 4.61  |
| 48)   | 2-Nitroaniline    | 0.267          | 0.292 | 0.352 | 0.358 | 0.342 | 0.351 | 0.366 | 0.333 | 11.28 |
| 49)   | Acenaphthylene    | 1.801          | 1.790 | 1.886 | 1.777 | 1.669 | 1.678 | 1.671 | 1.753 | 4.73  |
| 50)   | Dimethylphthalate | 1.372          | 1.318 | 1.402 | 1.330 | 1.247 | 1.268 | 1.298 | 1.319 | 4.17  |
| 51)   | 2,6-Dinitrotol... | 0.239          | 0.256 | 0.293 | 0.300 | 0.284 | 0.295 | 0.308 | 0.282 | 8.95  |
| 52) C | Acenaphthene      | 1.177          | 1.160 | 1.194 | 1.131 | 1.050 | 1.041 | 1.049 | 1.115 | 5.95  |
| 53)   | 3-Nitroaniline    | 0.283          | 0.301 | 0.349 | 0.344 | 0.326 | 0.344 | 0.358 | 0.329 | 8.36  |
| 54) P | 2,4-Dinitrophenol | 0.071          | 0.103 | 0.129 | 0.133 | 0.147 | 0.158 | 0.123 |       | 25.71 |
| 55)   | Dibenzofuran      | 1.719          | 1.677 | 1.760 | 1.642 | 1.522 | 1.527 | 1.529 | 1.625 | 6.13  |
| 56) P | 4-Nitrophenol     | 0.193          | 0.217 | 0.251 | 0.264 | 0.252 | 0.268 | 0.279 | 0.246 | 12.46 |
| 57)   | 2,4-Dinitrotol... | 0.275          | 0.323 | 0.377 | 0.386 | 0.373 | 0.382 | 0.383 | 0.357 | 11.86 |
| 58)   | Fluorene          | 1.337          | 1.277 | 1.338 | 1.214 | 1.130 | 1.129 | 1.093 | 1.217 | 8.44  |
| 59)   | 2,3,4,6-Tetrac... | 0.343          | 0.336 | 0.356 | 0.351 | 0.333 | 0.336 | 0.341 | 0.342 | 2.47  |
| 60)   | Diethylphthalate  | 1.287          | 1.258 | 1.335 | 1.290 | 1.206 | 1.217 | 1.231 | 1.260 | 3.66  |
| 61)   | 4-Chlorophenyl... | 0.684          | 0.645 | 0.663 | 0.602 | 0.554 | 0.556 | 0.549 | 0.607 | 9.31  |
| 62)   | 4-Nitroaniline    | 0.264          | 0.286 | 0.330 | 0.338 | 0.325 | 0.329 | 0.346 | 0.317 | 9.50  |
| 63)   | Azobenzene        | 1.249          | 1.211 | 1.308 | 1.231 | 1.154 | 1.167 | 1.178 | 1.214 | 4.43  |
| 64) I | Phenanthrene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |
| 65)   | 4,6-Dinitro-2-... | 0.062          | 0.090 | 0.109 | 0.104 | 0.112 | 0.118 | 0.099 |       | 20.71 |
| 66) c | n-Nitrosodiphe... | 0.625          | 0.608 | 0.642 | 0.624 | 0.565 | 0.583 | 0.576 | 0.603 | 4.79  |
| 67)   | 4-Bromophenyl-... | 0.207          | 0.204 | 0.222 | 0.220 | 0.199 | 0.206 | 0.209 | 0.210 | 4.02  |
| 68)   | Hexachlorobenzene | 0.226          | 0.218 | 0.235 | 0.235 | 0.211 | 0.221 | 0.222 | 0.224 | 3.94  |
| 69)   | Atrazine          | 0.176          | 0.173 | 0.180 | 0.165 | 0.152 | 0.157 | 0.146 | 0.164 | 7.77  |
| 70) C | Pentachlorophenol | 0.118          | 0.130 | 0.151 | 0.156 | 0.147 | 0.152 | 0.153 | 0.144 | 9.97  |
| 71)   | Phenanthrene      | 1.079          | 1.031 | 1.083 | 1.038 | 0.935 | 0.948 | 0.935 | 1.007 | 6.56  |
| 72)   | Anthracene        | 1.082          | 1.057 | 1.122 | 1.062 | 0.958 | 0.986 | 0.958 | 1.032 | 6.28  |
| 73)   | Carbazole         | 0.919          | 0.904 | 0.960 | 0.937 | 0.845 | 0.858 | 0.854 | 0.897 | 5.02  |
| 74)   | Di-n-butylphth... | 1.042          | 1.033 | 1.110 | 1.065 | 0.967 | 0.982 | 0.974 | 1.025 | 5.20  |
| 75) C | Fluoranthene      | 1.089          | 1.049 | 1.126 | 1.079 | 0.973 | 0.977 | 0.949 | 1.035 | 6.59  |
| 76) I | Chrysene-d12      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 77)   | Benzidine         | 0.482          | 0.296 | 0.408 | 0.467 | 0.324 | 0.367 | 0.385 | 0.390 | 17.64 |
| 78)   | Pyrene            | 1.608          | 1.562 | 1.770 | 1.894 | 1.680 | 1.865 | 1.966 | 1.763 | 8.67  |
| 79) S | Terphenyl-d14     | 1.271          | 1.226 | 1.341 | 1.365 | 1.197 | 1.299 | 1.310 | 1.287 | 4.66  |
| 80)   | Butylbenzylpht... | 0.535          | 0.542 | 0.636 | 0.676 | 0.641 | 0.683 | 0.705 | 0.631 | 10.75 |
| 81)   | Benzo(a)anthra... | 1.290          | 1.276 | 1.400 | 1.389 | 1.267 | 1.307 | 1.340 | 1.324 | 4.05  |
| 82)   | 3,3'-Dichlorob... | 0.375          | 0.392 | 0.439 | 0.453 | 0.426 | 0.426 | 0.448 | 0.423 | 6.89  |
| 83)   | Chrysene          | 1.257          | 1.227 | 1.368 | 1.361 | 1.270 | 1.293 | 1.352 | 1.304 | 4.32  |
| 84)   | Bis(2-ethylhex... | 0.665          | 0.675 | 0.774 | 0.784 | 0.732 | 0.754 | 0.763 | 0.735 | 6.44  |
| 85) c | Di-n-octyl pht... | 0.928          | 0.972 | 1.105 | 1.154 | 1.143 | 1.158 | 1.250 | 1.102 | 10.26 |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
Method File : 8270-BF103023.M

|       |                   |                |       |       |       |       |       |       |       |       |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 87)   | Indeno(1,2,3-c... | 1.052          | 1.058 | 1.300 | 1.444 | 1.336 | 1.458 | 1.502 | 1.307 | 14.21 |
| 88)   | Benzo(b)fluora... | 1.182          | 1.139 | 1.330 | 1.169 | 1.173 | 1.142 | 1.149 | 1.183 | 5.64  |
| 89)   | Benzo(k)fluora... | 1.192          | 1.232 | 1.254 | 1.176 | 1.123 | 1.095 | 1.125 | 1.171 | 5.10  |
| 90) C | Benzo(a)pyrene    | 1.063          | 1.040 | 1.155 | 1.118 | 1.085 | 1.105 | 1.131 | 1.100 | 3.62  |
| 91)   | Dibenzo(a,h)an... | 0.856          | 0.871 | 1.085 | 1.184 | 1.097 | 1.184 | 1.217 | 1.071 | 13.93 |
| 92)   | Benzo(g,h,i)pe... | 0.885          | 0.870 | 1.096 | 1.235 | 1.139 | 1.235 | 1.275 | 1.105 | 15.14 |

-----  
(#) = Out of Range

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF110723.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Wed Nov 08 02:12:01 2023  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BF136168.D 5 =BF136169.D 10 =BF136170.D 20 =BF136171.D 40 =BF136172.D 50 =BF136173.D 60 =BF136174.D 80 =BF136175.D

|       | Compound              | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg   | %RSD  |
|-------|-----------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1) I  | 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 2)    | 1,4-Dioxane           |                | 0.471 | 0.481 | 0.515 | 0.507 | 0.492 | 0.524 | 0.530 | 0.503 | 4.44  |
| 3)    | Pyridine              |                | 1.331 | 1.245 | 1.379 | 1.354 | 1.327 | 1.386 | 1.439 | 1.352 | 4.50  |
| 4)    | n-Nitrosodimet...     |                | 0.590 | 0.559 | 0.640 | 0.621 | 0.611 | 0.644 | 0.674 | 0.620 | 6.14  |
| 5) S  | 2-Fluorophenol        |                | 1.273 | 1.217 | 1.325 | 1.244 | 1.194 | 1.270 | 1.269 | 1.256 | 3.40  |
| 6)    | Aniline               |                | 2.010 | 1.900 | 2.095 | 1.942 | 1.869 | 1.960 | 1.938 | 1.959 | 3.81  |
| 7) S  | Phenol-d6             |                | 1.609 | 1.488 | 1.638 | 1.530 | 1.476 | 1.533 | 1.546 | 1.546 | 3.83  |
| 8)    | 2-Chlorophenol        |                | 1.412 | 1.319 | 1.452 | 1.337 | 1.287 | 1.327 | 1.331 | 1.352 | 4.29  |
| 9)    | Benzaldehyde          |                | 1.035 | 0.925 | 0.979 | 0.859 | 0.801 | 0.827 | 0.830 | 0.894 | 9.83  |
| 10) C | Phenol                |                | 1.720 | 1.670 | 1.823 | 1.678 | 1.635 | 1.650 | 1.641 | 1.688 | 3.91  |
| 11)   | bis(2-Chloroet...     |                | 1.308 | 1.199 | 1.307 | 1.227 | 1.176 | 1.233 | 1.234 | 1.241 | 4.05  |
| 12)   | 1,3-Dichlorobe...     |                | 1.470 | 1.362 | 1.496 | 1.427 | 1.380 | 1.411 | 1.438 | 1.426 | 3.33  |
| 13) C | 1,4-Dichlorobe...     |                | 1.474 | 1.386 | 1.500 | 1.414 | 1.374 | 1.427 | 1.436 | 1.430 | 3.15  |
| 14)   | 1,2-Dichlorobe...     |                | 1.436 | 1.321 | 1.427 | 1.320 | 1.283 | 1.312 | 1.312 | 1.344 | 4.54  |
| 15)   | Benzyl Alcohol        |                | 1.168 | 1.120 | 1.240 | 1.153 | 1.123 | 1.154 | 1.135 | 1.156 | 3.53  |
| 16)   | 2,2'-oxybis(1-...     |                | 1.709 | 1.580 | 1.714 | 1.601 | 1.548 | 1.594 | 1.599 | 1.621 | 3.99  |
| 17)   | 2-Methylphenol        |                | 1.181 | 1.081 | 1.184 | 1.115 | 1.080 | 1.120 | 1.137 | 1.128 | 3.77  |
| 18)   | Hexachloroethane      |                | 0.533 | 0.497 | 0.557 | 0.517 | 0.502 | 0.521 | 0.527 | 0.522 | 3.86  |
| 19) P | n-Nitroso-di-n...     | 0.897          | 0.927 | 0.879 | 0.953 | 0.870 | 0.851 | 0.880 | 0.883 | 0.892 | 3.67  |
| 20)   | 3+4-Methylphenols     |                | 1.566 | 1.402 | 1.521 | 1.381 | 1.328 | 1.331 | 1.327 | 1.408 | 6.93  |
| 21) I | Naphthalene-d8        | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 22)   | Acetophenone          |                | 0.485 | 0.458 | 0.482 | 0.464 | 0.439 | 0.451 | 0.454 | 0.462 | 3.61  |
| 23) S | Nitrobenzene-d5       |                | 0.352 | 0.335 | 0.372 | 0.367 | 0.354 | 0.362 | 0.367 | 0.358 | 3.53  |
| 24)   | Nitrobenzene          |                | 0.341 | 0.330 | 0.360 | 0.357 | 0.346 | 0.347 | 0.361 | 0.349 | 3.24  |
| 25)   | Isophorone            |                | 0.603 | 0.584 | 0.637 | 0.633 | 0.612 | 0.622 | 0.639 | 0.619 | 3.26  |
| 26) C | 2-Nitrophenol         |                | 0.145 | 0.151 | 0.176 | 0.182 | 0.174 | 0.177 | 0.180 | 0.169 | 8.71  |
| 27)   | 2,4-Dimethylph...     |                | 0.268 | 0.270 | 0.297 | 0.297 | 0.279 | 0.288 | 0.288 | 0.284 | 4.18  |
| 28)   | bis(2-Chloroet...     |                | 0.366 | 0.355 | 0.392 | 0.378 | 0.365 | 0.377 | 0.377 | 0.373 | 3.19  |
| 29) C | 2,4-Dichloroph...     |                | 0.264 | 0.266 | 0.290 | 0.288 | 0.270 | 0.279 | 0.280 | 0.277 | 3.81  |
| 30)   | 1,2,4-Trichlor...     |                | 0.309 | 0.299 | 0.319 | 0.315 | 0.299 | 0.306 | 0.311 | 0.308 | 2.48  |
| 31)   | Naphthalene           |                | 1.005 | 0.961 | 1.033 | 1.007 | 0.949 | 0.975 | 0.966 | 0.985 | 3.07  |
| 32)   | Benzoic acid          |                |       | 0.134 | 0.179 | 0.202 | 0.208 | 0.208 | 0.225 | 0.193 | 16.66 |
| 33)   | 4-Chloroaniline       |                | 0.397 | 0.390 | 0.429 | 0.429 | 0.397 | 0.409 | 0.408 | 0.409 | 3.80  |
| 34) C | Hexachlorobuta...     |                | 0.190 | 0.176 | 0.195 | 0.194 | 0.185 | 0.186 | 0.186 | 0.187 | 3.45  |
| 35)   | Caprolactam           |                | 0.075 | 0.074 | 0.083 | 0.084 | 0.082 | 0.082 | 0.080 | 0.080 | 5.02  |
| 36) C | 4-Chloro-3-met...     |                | 0.276 | 0.274 | 0.305 | 0.306 | 0.288 | 0.293 | 0.292 | 0.291 | 4.32  |
| 37)   | 2-Methylnaphth...     |                | 0.677 | 0.644 | 0.694 | 0.677 | 0.637 | 0.647 | 0.647 | 0.661 | 3.32  |
| 38)   | 1-Methylnaphth...     |                | 0.627 | 0.600 | 0.643 | 0.628 | 0.589 | 0.600 | 0.602 | 0.613 | 3.20  |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF110723.M

|       |                   |                |       |       |       |       |       |       |       |       |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 39) I | Acenaphthene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |
| 40)   | 1,2,4,5-Tetrac... | 0.608          | 0.587 | 0.622 | 0.618 | 0.554 | 0.595 | 0.612 | 0.599 | 3.91  |
| 41) P | Hexachlorocycl... | 0.234          | 0.263 | 0.311 | 0.338 | 0.314 | 0.342 | 0.362 | 0.309 | 14.82 |
| 42) S | 2,4,6-Tribromo... | 0.204          | 0.199 | 0.222 | 0.226 | 0.202 | 0.208 | 0.204 | 0.209 | 5.05  |
| 43) C | 2,4,6-Trichlor... | 0.361          | 0.357 | 0.387 | 0.397 | 0.357 | 0.381 | 0.388 | 0.375 | 4.49  |
| 44)   | 2,4,5-Trichlor... | 0.431          | 0.396 | 0.438 | 0.456 | 0.417 | 0.441 | 0.447 | 0.432 | 4.66  |
| 45) S | 2-Fluorobiphenyl  | 1.459          | 1.361 | 1.438 | 1.377 | 1.245 | 1.277 | 1.314 | 1.353 | 5.88  |
| 46)   | 1,1'-Biphenyl     | 1.633          | 1.544 | 1.655 | 1.625 | 1.462 | 1.524 | 1.543 | 1.569 | 4.45  |
| 47)   | 2-Chloronaphth... | 1.146          | 1.131 | 1.203 | 1.190 | 1.077 | 1.124 | 1.159 | 1.147 | 3.70  |
| 48)   | 2-Nitroaniline    | 0.324          | 0.322 | 0.364 | 0.375 | 0.338 | 0.357 | 0.368 | 0.350 | 6.22  |
| 49)   | Acenaphthylene    | 1.789          | 1.721 | 1.853 | 1.841 | 1.678 | 1.753 | 1.759 | 1.771 | 3.54  |
| 50)   | Dimethylphthalate | 1.367          | 1.317 | 1.436 | 1.410 | 1.279 | 1.318 | 1.332 | 1.351 | 4.14  |
| 51)   | 2,6-Dinitrotol... | 0.271          | 0.278 | 0.308 | 0.315 | 0.285 | 0.294 | 0.301 | 0.293 | 5.45  |
| 52) C | Acenaphthene      | 1.139          | 1.138 | 1.229 | 1.244 | 1.128 | 1.186 | 1.192 | 1.179 | 3.91  |
| 53)   | 3-Nitroaniline    | 0.286          | 0.294 | 0.329 | 0.339 | 0.308 | 0.315 | 0.318 | 0.313 | 5.99  |
| 54) P | 2,4-Dinitrophenol |                | 0.070 | 0.103 | 0.135 | 0.127 | 0.135 | 0.147 | 0.120 | 23.60 |
| 55)   | Dibenzofuran      | 1.676          | 1.619 | 1.717 | 1.719 | 1.538 | 1.599 | 1.610 | 1.640 | 4.07  |
| 56) P | 4-Nitrophenol     | 0.159          | 0.174 | 0.220 | 0.235 | 0.219 | 0.218 | 0.229 | 0.208 | 13.96 |
| 57)   | 2,4-Dinitrotol... | 0.336          | 0.355 | 0.395 | 0.410 | 0.361 | 0.377 | 0.372 | 0.372 | 6.69  |
| 58)   | Fluorene          | 1.288          | 1.264 | 1.336 | 1.299 | 1.152 | 1.188 | 1.185 | 1.244 | 5.57  |
| 59)   | 2,3,4,6-Tetrac... | 0.305          | 0.307 | 0.356 | 0.354 | 0.320 | 0.325 | 0.326 | 0.328 | 6.26  |
| 60)   | Diethylphthalate  | 1.528          | 1.381 | 1.432 | 1.395 | 1.245 | 1.260 | 1.249 | 1.356 | 8.01  |
| 61)   | 4-Chlorophenyl... | 0.671          | 0.633 | 0.687 | 0.658 | 0.576 | 0.605 | 0.598 | 0.633 | 6.56  |
| 62)   | 4-Nitroaniline    | 0.263          | 0.257 | 0.299 | 0.321 | 0.282 | 0.283 | 0.289 | 0.285 | 7.53  |
| 63)   | Azobenzene        | 1.183          | 1.155 | 1.252 | 1.266 | 1.119 | 1.175 | 1.153 | 1.186 | 4.55  |
| 64) I | Phenanthrene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |
| 65)   | 4,6-Dinitro-2-... |                | 0.075 | 0.099 | 0.114 | 0.111 | 0.116 | 0.122 | 0.106 | 16.02 |
| 66) c | n-Nitrosodiphe... | 0.614          | 0.602 | 0.660 | 0.655 | 0.599 | 0.644 | 0.668 | 0.635 | 4.57  |
| 67)   | 4-Bromophenyl-... | 0.211          | 0.204 | 0.229 | 0.236 | 0.215 | 0.228 | 0.236 | 0.223 | 5.68  |
| 68)   | Hexachlorobenzene | 0.227          | 0.225 | 0.240 | 0.247 | 0.229 | 0.238 | 0.249 | 0.236 | 4.19  |
| 69)   | Atrazine          | 0.179          | 0.165 | 0.176 | 0.162 | 0.149 | 0.151 | 0.143 | 0.161 | 8.65  |
| 70) C | Pentachlorophenol | 0.101          | 0.112 | 0.135 | 0.148 | 0.136 | 0.142 | 0.152 | 0.132 | 14.14 |
| 71)   | Phenanthrene      | 1.035          | 1.002 | 1.081 | 1.064 | 0.962 | 1.000 | 1.025 | 1.024 | 3.96  |
| 72)   | Anthracene        | 1.043          | 1.007 | 1.101 | 1.089 | 0.995 | 1.030 | 1.052 | 1.045 | 3.75  |
| 73)   | Carbazole         | 0.826          | 0.802 | 0.897 | 0.886 | 0.798 | 0.816 | 0.840 | 0.838 | 4.68  |
| 74)   | Di-n-butylphth... | 0.990          | 0.952 | 1.052 | 1.057 | 0.970 | 0.950 | 0.966 | 0.991 | 4.55  |
| 75) C | Fluoranthene      | 0.963          | 0.908 | 1.003 | 1.008 | 0.897 | 0.874 | 0.896 | 0.935 | 5.89  |
| 76) I | Chrysene-d12      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 77)   | Benzidine         |                | 0.424 | 0.381 | 0.375 | 0.291 | 0.299 | 0.307 | 0.346 | 15.79 |
| 78)   | Pyrene            | 1.866          | 1.841 | 2.075 | 1.958 | 1.789 | 1.791 | 1.773 | 1.870 | 5.89  |
| 79) S | Terphenyl-d14     | 1.455          | 1.428 | 1.600 | 1.462 | 1.314 | 1.323 | 1.281 | 1.409 | 7.91  |
| 80)   | Butylbenzylpht... | 0.538          | 0.523 | 0.640 | 0.659 | 0.607 | 0.589 | 0.615 | 0.596 | 8.38  |
| 81)   | Benzo(a)anthra... | 1.264          | 1.236 | 1.387 | 1.387 | 1.289 | 1.327 | 1.396 | 1.327 | 4.94  |
| 82)   | 3,3'-Dichlorob... | 0.361          | 0.367 | 0.427 | 0.464 | 0.432 | 0.450 | 0.481 | 0.426 | 10.81 |
| 83)   | Chrysene          | 1.252          | 1.201 | 1.346 | 1.345 | 1.250 | 1.293 | 1.396 | 1.298 | 5.26  |
| 84)   | Bis(2-ethylhex... | 0.669          | 0.641 | 0.737 | 0.794 | 0.736 | 0.714 | 0.744 | 0.719 | 7.05  |
| 85) c | Di-n-octyl pht... |                | 0.916 | 1.101 | 1.286 | 1.214 | 1.282 | 1.427 | 1.204 | 14.67 |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
Method File : 8270-BF110723.M

|       |                   |                |       |       |       |       |       |       |       |      |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |      |
| 87)   | Indeno(1,2,3-c... | 1.261          | 1.372 | 1.568 | 1.510 | 1.434 | 1.546 | 1.567 | 1.465 | 7.91 |
| 88)   | Benzo(b)fluora... | 1.060          | 1.021 | 1.129 | 1.171 | 1.071 | 1.092 | 1.184 | 1.104 | 5.42 |
| 89)   | Benzo(k)fluora... | 1.073          | 1.046 | 1.196 | 1.161 | 1.068 | 1.122 | 1.116 | 1.112 | 4.83 |
| 90) C | Benzo(a)pyrene    | 0.963          | 1.013 | 1.138 | 1.143 | 1.076 | 1.125 | 1.165 | 1.089 | 6.94 |
| 91)   | Dibenzo(a,h)an... | 1.063          | 1.143 | 1.304 | 1.253 | 1.195 | 1.265 | 1.278 | 1.214 | 7.07 |
| 92)   | Benzo(g,h,i)pe... | 1.067          | 1.170 | 1.331 | 1.255 | 1.208 | 1.290 | 1.298 | 1.231 | 7.39 |

-----  
(#) = Out of Range

Method Path : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\  
 Method File : 8270-BM103023.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Tue Oct 31 02:55:18 2023  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BM042488.D 5 =BM042489.D 10 =BM042490.D 20 =BM042491.D 40 =BM042492.D 50 =BM042493.D 60 =BM042494.D 80 =BM042495.D

| Compound                   | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg   | %RSD  |
|----------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----                      |                |       |       |       |       |       |       |       |       |       |
| 1) I 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 2) 1,4-Dioxane             | 0.585          | 0.580 | 0.630 | 0.585 | 0.570 | 0.594 | 0.590 | 0.591 | 3.25  |       |
| 3) Pyridine                | 1.666          | 1.580 | 1.781 | 1.681 | 1.674 | 1.709 | 1.767 | 1.694 | 4.00  |       |
| 4) n-Nitrosodimet...       | 0.783          | 0.744 | 0.841 | 0.812 | 0.808 | 0.840 | 0.878 | 0.815 | 5.36  |       |
| 5) S 2-Fluorophenol        | 1.147          | 1.153 | 1.298 | 1.240 | 1.243 | 1.273 | 1.321 | 1.239 | 5.44  |       |
| 6) Aniline                 | 1.951          | 1.957 | 2.253 | 2.188 | 2.191 | 2.240 | 2.344 | 2.160 | 6.95  |       |
| 7) S Phenol-d6             | 1.520          | 1.550 | 1.786 | 1.717 | 1.715 | 1.770 | 1.838 | 1.700 | 7.07  |       |
| 8) 2-Chlorophenol          | 1.255          | 1.216 | 1.398 | 1.330 | 1.349 | 1.371 | 1.435 | 1.336 | 5.80  |       |
| 9) Benzaldehyde            | 1.137          | 1.043 | 1.068 | 0.954 | 0.911 | 0.877 | 0.867 | 0.980 | 10.64 |       |
| 10) C Phenol               | 1.590          | 1.581 | 1.811 | 1.723 | 1.737 | 1.773 | 1.868 | 1.726 | 6.23  |       |
| 11) bis(2-Chloroet...      | 1.403          | 1.399 | 1.517 | 1.439 | 1.447 | 1.489 | 1.526 | 1.460 | 3.55  |       |
| 12) 1,3-Dichlorobe...      | 1.420          | 1.362 | 1.505 | 1.421 | 1.414 | 1.468 | 1.520 | 1.444 | 3.86  |       |
| 13) C 1,4-Dichlorobe...    | 1.455          | 1.368 | 1.523 | 1.428 | 1.443 | 1.470 | 1.543 | 1.462 | 4.01  |       |
| 14) 1,2-Dichlorobe...      | 1.387          | 1.343 | 1.455 | 1.383 | 1.389 | 1.434 | 1.487 | 1.411 | 3.50  |       |
| 15) Benzyl Alcohol         | 0.933          | 1.010 | 1.184 | 1.256 | 1.273 | 1.328 | 1.437 | 1.203 | 14.73 |       |
| 16) 2,2'-oxybis(1-...      | 2.316          | 2.191 | 2.408 | 2.286 | 2.286 | 2.349 | 2.431 | 2.324 | 3.51  |       |
| 17) 2-Methylphenol         | 1.102          | 1.094 | 1.250 | 1.232 | 1.245 | 1.284 | 1.348 | 1.222 | 7.61  |       |
| 18) Hexachloroethane       | 0.542          | 0.515 | 0.594 | 0.565 | 0.570 | 0.596 | 0.622 | 0.572 | 6.32  |       |
| 19) P n-Nitroso-di-n...    | 0.986          | 1.080 | 1.102 | 1.262 | 1.245 | 1.271 | 1.300 | 1.371 | 1.202 | 10.88 |
| 20) 3+4-Methylphenols      | 1.370          | 1.413 | 1.687 | 1.681 | 1.688 | 1.751 | 1.850 | 1.634 | 10.80 |       |
|                            |                |       |       |       |       |       |       |       |       |       |
| 21) I Naphthalene-d8       | -----ISTD----- |       |       |       |       |       |       |       |       |       |
| 22) Acetophenone           | 0.448          | 0.469 | 0.517 | 0.525 | 0.497 | 0.522 | 0.553 | 0.504 | 7.09  |       |
| 23) S Nitrobenzene-d5      | 0.365          | 0.384 | 0.436 | 0.453 | 0.430 | 0.455 | 0.480 | 0.429 | 9.52  |       |
| 24) Nitrobenzene           | 0.368          | 0.380 | 0.440 | 0.444 | 0.420 | 0.442 | 0.463 | 0.423 | 8.39  |       |
| 25) Isophorone             | 0.668          | 0.662 | 0.757 | 0.805 | 0.764 | 0.800 | 0.860 | 0.759 | 9.56  |       |
| 26) C 2-Nitrophenol        | 0.120          | 0.132 | 0.158 | 0.175 | 0.167 | 0.180 | 0.192 | 0.161 | 16.23 |       |
| 27) 2,4-Dimethylph...      | 0.250          | 0.258 | 0.299 | 0.307 | 0.291 | 0.305 | 0.324 | 0.291 | 9.31  |       |
| 28) bis(2-Chloroet...      | 0.408          | 0.411 | 0.471 | 0.481 | 0.458 | 0.474 | 0.499 | 0.457 | 7.63  |       |
| 29) C 2,4-Dichloroph...    | 0.235          | 0.246 | 0.288 | 0.310 | 0.295 | 0.308 | 0.331 | 0.287 | 12.10 |       |
| 30) 1,2,4-Trichlor...      | 0.291          | 0.290 | 0.322 | 0.327 | 0.309 | 0.323 | 0.343 | 0.315 | 6.21  |       |
| 31) Naphthalene            | 0.966          | 0.958 | 1.054 | 1.075 | 1.007 | 1.060 | 1.113 | 1.033 | 5.61  |       |
| 32) Benzoic acid           |                | 0.157 | 0.211 | 0.230 | 0.226 | 0.248 |       | 0.215 | 16.17 |       |
| 33) 4-Chloroaniline        | 0.305          | 0.343 | 0.402 | 0.446 | 0.419 | 0.439 | 0.467 | 0.403 | 14.54 |       |
| 34) C Hexachlorobuta...    | 0.178          | 0.171 | 0.191 | 0.196 | 0.189 | 0.201 | 0.212 | 0.191 | 7.18  |       |
| 35) Caprolactam            |                | 0.077 | 0.093 | 0.108 | 0.102 | 0.108 | 0.118 | 0.101 | 13.98 |       |
| 36) C 4-Chloro-3-met...    | 0.263          | 0.280 | 0.323 | 0.353 | 0.336 | 0.353 | 0.382 | 0.327 | 12.97 |       |
| 37) 2-Methylnaphth...      | 0.663          | 0.654 | 0.736 | 0.766 | 0.719 | 0.752 | 0.805 | 0.728 | 7.48  |       |
| 38) 1-Methylnaphth...      | 0.621          | 0.620 | 0.693 | 0.717 | 0.679 | 0.706 | 0.759 | 0.685 | 7.39  |       |



Method Path : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\  
 Method File : 8270-BM103023.M

|       |                   |                |       |       |       |       |       |       |       |       |  |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| 39) I | Acenaphthene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 40)   | 1,2,4,5-Tetrac... | 0.539          | 0.540 | 0.604 | 0.616 | 0.589 | 0.622 | 0.672 | 0.597 | 7.89  |  |
| 41) P | Hexachlorocycl... | 0.225          | 0.285 | 0.316 | 0.311 | 0.344 | 0.373 | 0.309 |       | 16.53 |  |
| 42) S | 2,4,6-Tribromo... | 0.203          | 0.251 | 0.272 | 0.261 | 0.278 | 0.302 | 0.261 |       | 12.82 |  |
| 43) C | 2,4,6-Trichlor... | 0.309          | 0.329 | 0.388 | 0.408 | 0.386 | 0.413 | 0.445 | 0.383 | 12.55 |  |
| 44)   | 2,4,5-Trichlor... | 0.384          | 0.393 | 0.458 | 0.485 | 0.458 | 0.483 | 0.526 | 0.455 | 11.21 |  |
| 45) S | 2-Fluorobiphenyl  | 1.372          | 1.363 | 1.514 | 1.537 | 1.454 | 1.536 | 1.628 | 1.486 | 6.46  |  |
| 46)   | 1,1'-Biphenyl     | 1.411          | 1.400 | 1.561 | 1.602 | 1.496 | 1.567 | 1.664 | 1.529 | 6.41  |  |
| 47)   | 2-Chloronaphth... | 1.018          | 1.047 | 1.148 | 1.177 | 1.097 | 1.148 | 1.216 | 1.122 | 6.32  |  |
| 48)   | 2-Nitroaniline    | 0.252          | 0.296 | 0.375 | 0.444 | 0.421 | 0.449 | 0.490 | 0.390 | 22.36 |  |
| 49)   | Acenaphthylene    | 1.626          | 1.651 | 1.902 | 1.977 | 1.856 | 1.930 | 2.060 | 1.857 | 8.76  |  |
| 50)   | Dimethylphthalate | 1.336          | 1.355 | 1.522 | 1.589 | 1.472 | 1.543 | 1.648 | 1.495 | 7.77  |  |
| 51)   | 2,6-Dinitrotol... | 0.248          | 0.262 | 0.312 | 0.334 | 0.315 | 0.332 | 0.353 | 0.308 | 12.67 |  |
| 52) C | Acenaphthene      | 1.028          | 1.019 | 1.150 | 1.184 | 1.115 | 1.158 | 1.237 | 1.127 | 7.11  |  |
| 53)   | 3-Nitroaniline    | 0.182          | 0.216 | 0.295 | 0.335 | 0.322 | 0.348 | 0.372 | 0.296 | 24.02 |  |
| 54) P | 2,4-Dinitrophenol | 0.101          | 0.149 | 0.195 | 0.187 | 0.207 | 0.227 | 0.177 |       | 25.69 |  |
| 55)   | Dibenzofuran      | 1.644          | 1.661 | 1.868 | 1.929 | 1.809 | 1.894 | 2.025 | 1.833 | 7.62  |  |
| 56) P | 4-Nitrophenol     | 0.142          | 0.207 | 0.250 | 0.242 | 0.267 | 0.290 | 0.233 |       | 22.52 |  |
| 57)   | 2,4-Dinitrotol... | 0.274          | 0.321 | 0.407 | 0.456 | 0.434 | 0.462 | 0.504 | 0.408 | 20.19 |  |
| 58)   | Fluorene          | 1.305          | 1.336 | 1.493 | 1.580 | 1.472 | 1.548 | 1.647 | 1.483 | 8.45  |  |
| 59)   | 2,3,4,6-Tetrac... | 0.317          | 0.334 | 0.388 | 0.410 | 0.385 | 0.409 | 0.441 | 0.384 | 11.46 |  |
| 60)   | Diethylphthalate  | 1.305          | 1.327 | 1.547 | 1.629 | 1.519 | 1.586 | 1.688 | 1.514 | 9.65  |  |
| 61)   | 4-Chlorophenyl... | 0.645          | 0.651 | 0.751 | 0.793 | 0.747 | 0.794 | 0.862 | 0.749 | 10.50 |  |
| 62)   | 4-Nitroaniline    | 0.103          | 0.154 | 0.238 | 0.295 | 0.286 | 0.314 | 0.338 | 0.247 | 35.45 |  |
| 63)   | Azobenzene        | 1.331          | 1.442 | 1.725 | 1.831 | 1.711 | 1.780 | 1.862 | 1.669 | 12.14 |  |
| 64) I | Phenanthrene-d10  | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 65)   | 4,6-Dinitro-2-... | 0.078          | 0.105 | 0.126 | 0.121 | 0.129 | 0.140 | 0.117 |       | 18.93 |  |
| 66) c | n-Nitrosodiphe... | 0.491          | 0.505 | 0.571 | 0.606 | 0.564 | 0.586 | 0.625 | 0.564 | 8.80  |  |
| 67)   | 4-Bromophenyl-... | 0.171          | 0.174 | 0.197 | 0.214 | 0.199 | 0.211 | 0.233 | 0.200 | 11.00 |  |
| 68)   | Hexachlorobenzene | 0.198          | 0.197 | 0.220 | 0.235 | 0.219 | 0.230 | 0.249 | 0.221 | 8.53  |  |
| 69)   | Atrazine          | 0.146          | 0.154 | 0.171 | 0.173 | 0.161 | 0.167 | 0.167 | 0.163 | 5.97  |  |
| 70) C | Pentachlorophenol | 0.127          | 0.151 | 0.170 | 0.163 | 0.175 | 0.190 | 0.163 |       | 13.25 |  |
| 71)   | Phenanthrene      | 0.944          | 0.942 | 1.047 | 1.116 | 1.031 | 1.077 | 1.158 | 1.045 | 7.81  |  |
| 72)   | Anthracene        | 0.881          | 0.893 | 1.027 | 1.133 | 1.042 | 1.093 | 1.178 | 1.035 | 10.96 |  |
| 73)   | Carbazole         | 0.666          | 0.728 | 0.838 | 0.975 | 0.901 | 0.945 |       | 0.842 | 14.62 |  |
| 74)   | Di-n-butylphth... | 0.934          | 1.000 | 1.183 | 1.302 | 1.219 | 1.271 | 1.370 | 1.183 | 13.53 |  |
| 75) C | Fluoranthene      | 1.009          | 1.067 | 1.216 | 1.329 | 1.235 | 1.312 | 1.425 | 1.228 | 11.99 |  |
| 76) I | Chrysene-d12      | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 77)   | Benzidine         | 0.187          | 0.205 | 0.197 | 0.196 | 0.171 | 0.197 | 0.190 | 0.192 | 5.68  |  |
| 78)   | Pyrene            | 1.173          | 1.149 | 1.321 | 1.436 | 1.428 | 1.496 | 1.610 | 1.373 | 12.31 |  |
| 79) S | Terphenyl-d14     | 0.946          | 0.958 | 1.143 | 1.267 | 1.243 | 1.308 | 1.392 | 1.180 | 14.62 |  |
| 80)   | Butylbenzylpht... | 0.470          | 0.472 | 0.578 | 0.634 | 0.625 | 0.635 | 0.692 | 0.587 | 14.62 |  |
| 81)   | Benzo(a)anthra... | 1.097          | 1.111 | 1.258 | 1.319 | 1.276 | 1.360 | 1.486 | 1.273 | 10.75 |  |
| 82)   | 3,3'-Dichlorob... | 0.330          | 0.362 | 0.410 | 0.438 | 0.408 | 0.431 | 0.452 | 0.404 | 10.87 |  |
| 83)   | Chrysene          | 1.212          | 1.205 | 1.293 | 1.333 | 1.265 | 1.312 | 1.428 | 1.293 | 5.94  |  |
| 84)   | Bis(2-ethylhex... | 0.767          | 0.791 | 0.895 | 0.933 | 0.886 | 0.933 | 0.999 | 0.886 | 9.26  |  |
| 85) c | Di-n-octyl pht... | 1.376          | 1.402 | 1.561 | 1.577 | 1.514 | 1.568 | 1.683 | 1.526 | 6.99  |  |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\  
Method File : 8270-BM103023.M

|       |                   |                |       |       |       |       |       |       |       |       |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 87)   | Indeno(1,2,3-c... | 0.989          | 0.957 | 1.144 | 1.243 | 1.257 | 1.328 | 1.414 | 1.190 | 14.29 |
| 88)   | Benzo(b)fluora... | 0.920          | 0.971 | 1.059 | 1.163 | 1.151 | 1.232 | 1.304 | 1.114 | 12.40 |
| 89)   | Benzo(k)fluora... | 1.162          | 1.093 | 1.233 | 1.237 | 1.240 | 1.312 | 1.414 | 1.242 | 8.28  |
| 90) C | Benzo(a)pyrene    | 0.871          | 0.977 | 1.095 | 1.141 | 1.124 | 1.202 | 1.268 | 1.097 | 12.25 |
| 91)   | Dibenzo(a,h)an... | 0.709          | 0.755 | 0.962 | 1.036 | 1.020 | 1.086 | 1.199 | 0.967 | 18.26 |
| 92)   | Benzo(g,h,i)pe... | 0.896          | 0.912 | 1.040 | 1.065 | 1.080 | 1.146 | 1.205 | 1.049 | 10.80 |

-----  
(#) = Out of Range



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

7C

## SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: RMJE02

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG No.: O5252

Instrument ID: BNA\_F Calibration Date/Time: 11/06/2023 12:01

Lab File ID: BF136149.D Init. Calib. Date(s): 10/30/2023 10/30/2023

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:02 15:51

GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND                    | RRF   | RRF040 | MIN<br>RRF | %D   | MAX%D |
|-----------------------------|-------|--------|------------|------|-------|
| 2-Fluorophenol              | 1.273 | 1.234  |            | -3.1 |       |
| Benzaldehyde                | 0.884 | 0.876  |            | -0.9 |       |
| Phenol-d6                   | 1.586 | 1.540  |            | -2.9 |       |
| Phenol                      | 1.640 | 1.577  |            | -3.8 | 20.0  |
| bis(2-Chloroethyl) ether    | 1.284 | 1.216  |            | -5.3 |       |
| 2-Chlorophenol              | 1.361 | 1.326  |            | -2.6 |       |
| 2-Methylphenol              | 1.154 | 1.114  |            | -3.5 |       |
| 2,2-oxybis(1-Chloropropane) | 1.767 | 1.622  |            | -8.2 |       |
| Acetophenone                | 0.443 | 0.452  |            | 2.0  |       |
| 3+4-Methylphenols           | 1.408 | 1.371  |            | -2.6 |       |
| n-Nitroso-di-n-propylamine  | 0.906 | 0.869  | 0.050      | -4.1 |       |
| Nitrobenzene-d5             | 0.332 | 0.361  |            | 8.7  |       |
| Hexachloroethane            | 0.499 | 0.510  |            | 2.2  |       |
| Nitrobenzene                | 0.336 | 0.355  |            | 5.7  |       |
| Isophorone                  | 0.626 | 0.631  |            | 0.8  |       |
| 2-Nitrophenol               | 0.153 | 0.177  |            | 15.7 | 20.0  |
| 2,4-Dimethylphenol          | 0.289 | 0.293  |            | 1.4  |       |
| bis(2-Chloroethoxy) methane | 0.384 | 0.378  |            | -1.6 |       |
| 2,4-Dichlorophenol          | 0.273 | 0.286  |            | 4.8  | 20.0  |
| Naphthalene                 | 0.964 | 0.994  |            | 3.1  |       |
| 4-Chloroaniline             | 0.422 | 0.427  |            | 1.2  |       |
| Hexachlorobutadiene         | 0.171 | 0.186  |            | 8.8  | 20.0  |
| Caprolactam                 | 0.089 | 0.090  |            | 1.1  |       |
| 4-Chloro-3-methylphenol     | 0.286 | 0.304  |            | 6.3  | 20.0  |
| 2-Methylnaphthalene         | 0.647 | 0.672  |            | 3.9  |       |
| Hexachlorocyclopentadiene   | 0.305 | 0.322  | 0.050      | 5.6  |       |
| 2,4,6-Trichlorophenol       | 0.372 | 0.385  |            | 3.5  | 20.0  |
| 2-Fluorobiphenyl            | 1.255 | 1.326  |            | 5.7  |       |
| 2,4,5-Trichlorophenol       | 0.431 | 0.457  |            | 6.0  |       |
| 1,1-Biphenyl                | 1.525 | 1.587  |            | 4.1  |       |
| 2-Chloronaphthalene         | 1.124 | 1.175  |            | 4.5  |       |
| 2-Nitroaniline              | 0.333 | 0.383  |            | 15.0 |       |
| Dimethylphthalate           | 1.319 | 1.394  |            | 5.7  |       |
| Acenaphthylene              | 1.753 | 1.834  |            | 4.6  |       |
| 2,6-Dinitrotoluene          | 0.282 | 0.317  |            | 12.4 |       |
| 3-Nitroaniline              | 0.329 | 0.351  |            | 6.7  |       |
| Acenaphthene                | 1.115 | 1.149  |            | 3.0  | 20.0  |
| 2,4-Dinitrophenol           | 0.123 | 0.138  | 0.050      | 12.2 |       |
| 4-Nitrophenol               | 0.246 | 0.255  | 0.050      | 3.7  |       |
| Dibenzofuran                | 1.625 | 1.706  |            | 5.0  |       |
| 2,4-Dinitrotoluene          | 0.357 | 0.417  |            | 16.8 |       |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

7C

## SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: RMJE02

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG No.: O5252

Instrument ID: BNA\_F Calibration Date/Time: 11/06/2023 12:01

Lab File ID: BF136149.D Init. Calib. Date(s): 10/30/2023 10/30/2023

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:02 15:51

GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND                   | RRF   | RRF040 | MIN<br>RRF | %D   | MAX%D |
|----------------------------|-------|--------|------------|------|-------|
| Diethylphthalate           | 1.260 | 1.418  |            | 12.5 |       |
| 4-Chlorophenyl-phenylether | 0.607 | 0.642  |            | 5.8  |       |
| Fluorene                   | 1.217 | 1.294  |            | 6.3  |       |
| 4-Nitroaniline             | 0.317 | 0.331  |            | 4.4  |       |
| 4,6-Dinitro-2-methylphenol | 0.099 | 0.115  |            | 16.2 |       |
| n-Nitrosodiphenylamine     | 0.603 | 0.624  |            | 3.5  | 20.0  |
| 2,4,6-Tribromophenol       | 0.213 | 0.230  |            | 8.0  |       |
| 4-Bromophenyl-phenylether  | 0.210 | 0.227  |            | 8.1  |       |
| Hexachlorobenzene          | 0.224 | 0.238  |            | 6.3  |       |
| Atrazine                   | 0.164 | 0.161  |            | -1.8 |       |
| Pentachlorophenol          | 0.144 | 0.150  |            | 4.2  | 20.0  |
| Phenanthrene               | 1.007 | 1.046  |            | 3.9  |       |
| Anthracene                 | 1.032 | 1.095  |            | 6.1  |       |
| Carbazole                  | 0.897 | 0.920  |            | 2.6  |       |
| Di-n-butylphthalate        | 1.025 | 1.097  |            | 7.0  |       |
| Fluoranthene               | 1.035 | 1.057  |            | 2.1  | 20.0  |
| Pyrene                     | 1.763 | 2.060  |            | 16.8 |       |
| Terphenyl-d14              | 1.287 | 1.521  |            | 18.2 |       |
| Butylbenzylphthalate       | 0.631 | 0.713  |            | 13.0 |       |
| 3,3-Dichlorobenzidine      | 0.423 | 0.447  |            | 5.7  |       |
| Benzo(a)anthracene         | 1.324 | 1.394  |            | 5.3  |       |
| Chrysene                   | 1.304 | 1.333  |            | 2.2  |       |
| Bis(2-ethylhexyl)phthalate | 0.735 | 0.779  |            | 6.0  |       |
| Di-n-octyl phthalate       | 1.102 | 1.114  |            | 1.1  | 20.0  |
| Benzo(b)fluoranthene       | 1.183 | 1.176  |            | -0.6 |       |
| Benzo(k)fluoranthene       | 1.171 | 1.072  |            | -8.5 |       |
| Benzo(a)pyrene             | 1.100 | 1.110  |            | 0.9  | 20.0  |
| Indeno(1,2,3-cd)pyrene     | 1.307 | 1.535  |            | 17.4 |       |
| Dibenzo(a,h)anthracene     | 1.071 | 1.263  |            | 17.9 |       |
| Benzo(g,h,i)perylene       | 1.105 | 1.276  |            | 15.5 |       |
| 1,2,4,5-Tetrachlorobenzene | 0.570 | 0.601  |            | 5.4  |       |
| 1,4-Dioxane                | 0.554 | 0.512  |            | -7.6 | 20.0  |
| 2,3,4,6-Tetrachlorophenol  | 0.342 | 0.362  |            | 5.8  |       |

All other compounds must meet a minimum RRF of 0.010.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

7C

## SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: RMJE02

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG No.: O5252

Instrument ID: BNA\_M Calibration Date/Time: 11/10/2023 11:22

Lab File ID: BM042685.D Init. Calib. Date(s): 10/30/2023 10/30/2023

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 11:04 15:18

GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                    | RRF   | RRF040 | MIN<br>RRF | %D    | MAX%D |
|-----------------------------|-------|--------|------------|-------|-------|
| 2-Fluorophenol              | 1.239 | 1.163  |            | -6.1  |       |
| Benzaldehyde                | 0.980 | 1.175  |            | 19.9  |       |
| Phenol-d6                   | 1.700 | 1.798  |            | 5.8   |       |
| Phenol                      | 1.726 | 1.724  |            | -0.1  | 20.0  |
| bis(2-Chloroethyl) ether    | 1.460 | 1.455  |            | -0.3  |       |
| 2-Chlorophenol              | 1.336 | 1.337  |            | 0.1   |       |
| 2-Methylphenol              | 1.222 | 1.303  |            | 6.6   |       |
| 2,2-oxybis(1-Chloropropane) | 2.325 | 2.460  |            | 5.8   |       |
| Acetophenone                | 0.504 | 0.539  |            | 6.9   |       |
| 3+4-Methylphenols           | 1.634 | 1.835  |            | 12.3  |       |
| n-Nitroso-di-n-propylamine  | 1.202 | 1.519  | 0.050      | 26.4  |       |
| Nitrobenzene-d5             | 0.429 | 0.496  |            | 15.6  |       |
| Hexachloroethane            | 0.572 | 0.635  |            | 11.0  |       |
| Nitrobenzene                | 0.423 | 0.469  |            | 10.9  |       |
| Isophorone                  | 0.759 | 0.909  |            | 19.8  |       |
| 2-Nitrophenol               | 0.161 | 0.187  |            | 16.1  | 20.0  |
| 2,4-Dimethylphenol          | 0.291 | 0.290  |            | -0.3  |       |
| bis(2-Chloroethoxy) methane | 0.457 | 0.475  |            | 3.9   |       |
| 2,4-Dichlorophenol          | 0.287 | 0.333  |            | 16.0  | 20.0  |
| Naphthalene                 | 1.033 | 1.074  |            | 4.0   |       |
| 4-Chloroaniline             | 0.403 | 0.441  |            | 9.4   |       |
| Hexachlorobutadiene         | 0.191 | 0.262  |            | 37.2  | 20.0  |
| Caprolactam                 | 0.101 | 0.100  |            | -1.0  |       |
| 4-Chloro-3-methylphenol     | 0.327 | 0.379  |            | 15.9  | 20.0  |
| 2-Methylnaphthalene         | 0.728 | 0.818  |            | 12.4  |       |
| Hexachlorocyclopentadiene   | 0.309 | 0.430  | 0.050      | 39.2  |       |
| 2,4,6-Trichlorophenol       | 0.383 | 0.433  |            | 13.1  | 20.0  |
| 2-Fluorobiphenyl            | 1.486 | 1.763  |            | 18.6  |       |
| 2,4,5-Trichlorophenol       | 0.455 | 0.519  |            | 14.1  |       |
| 1,1-Biphenyl                | 1.529 | 1.587  |            | 3.8   |       |
| 2-Chloronaphthalene         | 1.122 | 1.144  |            | 2.0   |       |
| 2-Nitroaniline              | 0.390 | 0.443  |            | 13.6  |       |
| Dimethylphthalate           | 1.495 | 1.621  |            | 8.4   |       |
| Acenaphthylene              | 1.857 | 1.949  |            | 5.0   |       |
| 2,6-Dinitrotoluene          | 0.308 | 0.330  |            | 7.1   |       |
| 3-Nitroaniline              | 0.296 | 0.287  |            | -3.0  |       |
| Acenaphthene                | 1.127 | 1.154  |            | 2.4   | 20.0  |
| 2,4-Dinitrophenol           | 0.177 | 0.157  | 0.050      | -11.3 |       |
| 4-Nitrophenol               | 0.233 | 0.208  | 0.050      | -10.7 |       |
| Dibenzofuran                | 1.833 | 1.994  |            | 8.8   |       |
| 2,4-Dinitrotoluene          | 0.408 | 0.479  |            | 17.4  |       |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

7C

## SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: RMJE02

Lab Code: CHEM Case No.: O5252 SAS No.: O5252 SDG No.: O5252

Instrument ID: BNA\_M Calibration Date/Time: 11/10/2023 11:22

Lab File ID: BM042685.D Init. Calib. Date(s): 10/30/2023 10/30/2023

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 11:04 15:18

GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                   | RRF   | RRF040 | MIN<br>RRF | %D    | MAX%D |
|----------------------------|-------|--------|------------|-------|-------|
| Diethylphthalate           | 1.514 | 1.657  |            | 9.4   |       |
| 4-Chlorophenyl-phenylether | 0.749 | 0.920  |            | 22.8  |       |
| Fluorene                   | 1.483 | 1.643  |            | 10.8  |       |
| 4-Nitroaniline             | 0.247 | 0.258  |            | 4.5   |       |
| 4,6-Dinitro-2-methylphenol | 0.117 | 0.125  |            | 6.8   |       |
| n-Nitrosodiphenylamine     | 0.564 | 0.634  |            | 12.4  | 20.0  |
| 2,4,6-Tribromophenol       | 0.261 | 0.317  |            | 21.5  |       |
| 4-Bromophenyl-phenylether  | 0.200 | 0.252  |            | 26.0  |       |
| Hexachlorobenzene          | 0.221 | 0.272  |            | 23.1  |       |
| Atrazine                   | 0.163 | 0.169  |            | 3.7   |       |
| Pentachlorophenol          | 0.163 | 0.169  |            | 3.7   | 20.0  |
| Phenanthrene               | 1.045 | 1.082  |            | 3.5   |       |
| Anthracene                 | 1.035 | 1.118  |            | 8.0   |       |
| Carbazole                  | 0.842 | 0.862  |            | 2.4   |       |
| Di-n-butylphthalate        | 1.183 | 1.321  |            | 11.7  |       |
| Fluoranthene               | 1.228 | 1.212  |            | -1.3  | 20.0  |
| Pyrene                     | 1.373 | 1.573  |            | 14.6  |       |
| Terphenyl-d14              | 1.180 | 1.570  |            | 33.1  |       |
| Butylbenzylphthalate       | 0.587 | 0.674  |            | 14.8  |       |
| 3,3-Dichlorobenzidine      | 0.404 | 0.469  |            | 16.1  |       |
| Benzo(a)anthracene         | 1.273 | 1.359  |            | 6.8   |       |
| Chrysene                   | 1.293 | 1.328  |            | 2.7   |       |
| Bis(2-ethylhexyl)phthalate | 0.886 | 1.014  |            | 14.4  |       |
| Di-n-octyl phthalate       | 1.526 | 1.584  |            | 3.8   | 20.0  |
| Benzo(b)fluoranthene       | 1.114 | 1.127  |            | 1.2   |       |
| Benzo(k)fluoranthene       | 1.242 | 1.242  |            | 0.0   |       |
| Benzo(a)pyrene             | 1.097 | 1.133  |            | 3.3   | 20.0  |
| Indeno(1,2,3-cd)pyrene     | 1.190 | 1.370  |            | 15.1  |       |
| Dibenzo(a,h)anthracene     | 0.967 | 1.164  |            | 20.4  |       |
| Benzo(g,h,i)perylene       | 1.049 | 1.087  |            | 3.6   |       |
| 1,2,4,5-Tetrachlorobenzene | 0.597 | 0.691  |            | 15.7  |       |
| 1,4-Dioxane                | 0.591 | 0.515  |            | -12.9 | 20.0  |
| 2,3,4,6-Tetrachlorophenol  | 0.384 | 0.432  |            | 12.5  |       |

All other compounds must meet a minimum RRF of 0.010.

SAMPLE  
RAW  
DATA

A

B

C

D

E

F

G

H

I

J

K

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
 Data File : BM042698.D  
 Acq On : 10 Nov 2023 19:10  
 Operator : MA/JU  
 Sample : 05252-01 5X  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 WASTE

Quant Time: Nov 10 23:04:46 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Thu Nov 09 13:21:00 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min)  |
|-------------------------------|--------|------|----------|--------|-------|-----------|
| -----                         |        |      |          |        |       |           |
| Internal Standards            |        |      |          |        |       |           |
| 1) 1,4-Dichlorobenzene-d4     | 7.846  | 152  | 62722    | 20.000 | ng    | 0.00      |
| 21) Naphthalene-d8            | 10.663 | 136  | 245261   | 20.000 | ng    | 0.00      |
| 39) Acenaphthene-d10          | 14.504 | 164  | 160144   | 20.000 | ng    | 0.00      |
| 64) Phenanthrene-d10          | 17.257 | 188  | 307838   | 20.000 | ng    | # 0.00    |
| 76) Chrysene-d12              | 21.439 | 240  | 232800   | 20.000 | ng    | 0.00      |
| 86) Perylene-d12              | 23.821 | 264  | 261247   | 20.000 | ng    | 0.00      |
| System Monitoring Compounds   |        |      |          |        |       |           |
| 5) 2-Fluorophenol             | 5.381  | 112  | 67095    | 17.264 | ng    | 0.00      |
| 7) Phenol-d6                  | 7.016  | 99   | 86544    | 16.237 | ng    | 0.00      |
| 23) Nitrobenzene-d5           | 9.045  | 82   | 63759    | 12.119 | ng    | 0.00      |
| 42) 2,4,6-Tribromophenol      | 15.998 | 330  | 38753    | 18.535 | ng    | 0.00      |
| 45) 2-Fluorobiphenyl          | 13.122 | 172  | 149455   | 12.558 | ng    | 0.00      |
| 79) Terphenyl-d14             | 19.874 | 244  | 175307   | 12.769 | ng    | 0.00      |
| Target Compounds              |        |      |          |        |       |           |
| 84) Bis(2-ethylhexyl)phtha... | 21.309 | 149  | 38787    | 3.759  | ng    | Qvalue 99 |
| -----                         |        |      |          |        |       |           |


(#) = qualifier out of range (m) = manual integration (+) = signals summed




Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Time: Nov 10 23:04:46 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Nov 09 13:21:00 2023  
Response via : Initial Calibration









#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 7.846 min Scan# 806  
Delta R.T. 0.001 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10




Instrument :  
BNA\_M  
ClientSampleId :  
WASTE


Tgt Ion:152 Resp: 62722  
Ion Ratio Lower Upper  
152 100  
150 152.4 127.4 191.0  
115 60.1 47.9 71.9



#5  
2-Fluorophenol  
Concen: 17.264 ng  
RT: 5.381 min Scan# 407  
Delta R.T. 0.006 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10

Tgt Ion:112 Resp: 67095  
Ion Ratio Lower Upper  
112 100  
64 66.5 52.1 78.1  
63 42.6 28.3 42.5#









#7  
Phenol-d6  
Concen: 16.237 ng  
RT: 7.016 min Scan# 61  
Delta R.T. 0.006 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10




Instrument :  
BNA\_M  
ClientSampleId :  
WASTE


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 99      | 100   |       |       |
| 42      | 32.9  | 18.7  | 28.1# |
| 71      | 43.4  | 29.1  | 43.7  |



#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 10.663 min Scan# 1305  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 136     | 100   |       |       |
| 137     | 10.3  | 9.0   | 13.6  |
| 54      | 10.4  | 8.0   | 12.0  |
| 68      | 6.0   | 5.7   | 8.5   |





#23

Nitrobenzene-d5

Concen: 12.119 ng

RT: 9.045 min Scan# 10

Delta R.T. -0.006 min

Lab File: BM042698.D

Acq: 10 Nov 2023 19:10

Instrument :

BNA\_M

ClientSampleId :

WASTE





Tgt Ion: 82 Resp: 63759

Ion Ratio Lower Upper

82 100

128 36.7 30.7 46.1

54 61.5 45.3 67.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.504 min Scan# 1958

Delta R.T. 0.000 min

Lab File: BM042698.D

Acq: 10 Nov 2023 19:10




Tgt Ion:164 Resp: 160144


Ion Ratio Lower Upper

164 100

162 100.3 81.6 122.4

160 44.7 36.2 54.4









#42  
2,4,6-Tribromophenol  
Concen: 18.535 ng  
RT: 15.998 min Scan# 2191  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10




Instrument :  
BNA\_M  
ClientSampleId :  
WASTE


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 330     | 100   |       |       |
| 332     | 97.0  | 78.8  | 118.2 |
| 141     | 39.0  | 31.1  | 46.7  |



#45  
2-Fluorobiphenyl  
Concen: 12.558 ng  
RT: 13.122 min Scan# 1723  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 172     | 100   |       |       |
| 171     | 34.4  | 28.2  | 42.2  |
| 170     | 23.3  | 19.0  | 28.4  |









#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 17.257 min Scan# 24  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10




Instrument :  
BNA\_M  
ClientSampleId :  
WASTE


Tgt Ion:188 Resp: 307838  
Ion Ratio Lower Upper  
188 100  
94 7.1 8.2 12.4#  
80 9.2 9.4 14.2#



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 21.439 min Scan# 3137  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10

Tgt Ion:240 Resp: 232800  
Ion Ratio Lower Upper  
240 100  
120 8.4 8.3 12.5  
236 26.1 20.8 31.2









#79  
Terphenyl-d14  
Concen: 12.769 ng  
RT: 19.874 min Scan# 21  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10




Instrument :  
BNA\_M  
ClientSampleId :  
WASTE


Tgt Ion:244 Resp: 175307  
Ion Ratio Lower Upper  
244 100  
212 8.0 5.4 8.2  
122 9.3 7.2 10.8



#84  
Bis(2-ethylhexyl)phthalate  
Concen: 3.759 ng  
RT: 21.309 min Scan# 3115  
Delta R.T. 0.000 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10


Tgt Ion:149 Resp: 38787  
Ion Ratio Lower Upper  
149 100  
167 27.3 21.4 32.0  
279 5.0 3.4 5.2







#86  
Perylene-d12  
Concen: 20.000 ng  
RT: 23.821 min Scan# 3  
Delta R.T. 0.006 min  
Lab File: BM042698.D  
Acq: 10 Nov 2023 19:10

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE



Tgt Ion:264 Resp: 261247  
Ion Ratio Lower Upper  
264 100  
260 24.4 19.0 28.4  
265 22.0 18.7 28.1





Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
 Data File : BM042698.D  
 Acq On : 10 Nov 2023 19:10  
 Operator : MA/JU  
 Sample : 05252-01 5X  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 WASTE

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BM042698.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 5.381       | 401           | 407         | 419          | rBV      | 171159         | 285203        | 7.20%           | 2.545%        |
| 2         | 7.016       | 678           | 685         | 703          | rBV      | 163086         | 312307        | 7.88%           | 2.786%        |
| 3         | 7.846       | 818           | 826         | 844          | rBV      | 262817         | 454128        | 11.46%          | 4.052%        |
| 4         | 9.045       | 1025          | 1030        | 1038         | rBV      | 98200          | 179944        | 4.54%           | 1.605%        |
| 5         | 10.663      | 1298          | 1305        | 1313         | rBV      | 344692         | 572358        | 14.44%          | 5.107%        |
| 6         | 13.122      | 1717          | 1723        | 1735         | rBV      | 323249         | 469948        | 11.86%          | 4.193%        |
| 7         | 14.504      | 1952          | 1958        | 1969         | rBV      | 532302         | 752528        | 18.99%          | 6.714%        |
| 8         | 15.827      | 2179          | 2183        | 2188         | rBV      | 120688         | 132607        | 3.35%           | 1.183%        |
| 9         | 15.998      | 2207          | 2212        | 2222         | rBV      | 237905         | 352864        | 8.90%           | 3.148%        |
| 10        | 17.257      | 2421          | 2426        | 2432         | rBV      | 544885         | 689291        | 17.39%          | 6.150%        |
| 11        | 18.033      | 2554          | 2558        | 2563         | rBV      | 484445         | 577686        | 14.57%          | 5.154%        |
| 12        | 18.110      | 2567          | 2571        | 2581         | rBV      | 107780         | 181461        | 4.58%           | 1.619%        |
| 13        | 19.315      | 2774          | 2776        | 2782         | rVB2     | 59680          | 71542         | 1.80%           | 0.638%        |
| 14        | 19.392      | 2787          | 2789        | 2799         | rVB7     | 43589          | 90554         | 2.28%           | 0.808%        |
| 15        | 19.704      | 2840          | 2842        | 2846         | rVB      | 88213          | 90770         | 2.29%           | 0.810%        |
| 16        | 19.874      | 2867          | 2871        | 2876         | rBV      | 402251         | 488529        | 12.32%          | 4.359%        |
| 17        | 21.056      | 3067          | 3072        | 3076         | rVB      | 3803909        | 3963725       | 100.00%         | 35.364%       |
| 18        | 21.309      | 3112          | 3115        | 3118         | rVB      | 127027         | 131046        | 3.31%           | 1.169%        |
| 19        | 21.445      | 3133          | 3138        | 3142         | rBV      | 474370         | 665494        | 16.79%          | 5.937%        |
| 20        | 22.262      | 3275          | 3277        | 3285         | rVB      | 129762         | 145949        | 3.68%           | 1.302%        |
| 21        | 23.821      | 3537          | 3542        | 3549         | rVB      | 313395         | 600413        | 15.15%          | 5.357%        |




Sum of corrected areas: 11208347

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*  
Peak Number 1 Trifluralin Concentration Rank 5

| R.T.   | EstConc | Area   | Relative to ISTD | R.T.   |
|--------|---------|--------|------------------|--------|
| 15.827 | 3.52 ng | 132607 | Acenaphthene-d10 | 14.504 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm      | CAS#         | Qual |
|------|----|---|-------------------------------------|-----|--------------|--------------|------|
| 1    |    |   | Trifluralin                         | 335 | C13H16F3N3O4 | 001582-09-8  | 99   |
| 2    |    |   | 4-Iodo-2-nitroaniline, Ac deriva... | 306 | C8H7IN2O3    | 1000494-76-3 | 64   |
| 3    |    |   | Acetamide, 2,2,2-trifluoro-N-(2-... | 306 | C14H9F3N4O   | 350700-28-6  | 30   |
| 4    |    |   | 2,3,4,5-Tetrahydro-2-methyl-6-(2... | 264 | C10H8N4O5    | 017427-31-5  | 30   |
| 5    |    |   | 2,4-Dimethoxyiodobenzene            | 264 | C8H9IO2      | 020469-63-0  | 27   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 2 1,3-Benzenediamine, 2,4-din... Concentration Rank 2

| R.T.   | EstConc  | Area                                | Relative to ISTD | R.T.          |              |      |
|--------|----------|-------------------------------------|------------------|---------------|--------------|------|
| 18.033 | 16.76 ng | 577686                              | Phenanthrene-d10 | 17.257        |              |      |
| Hit#   | of 5     | Tentative ID                        | MW               | MolForm       | CAS#         | Qual |
| 1      |          | 1,3-Benzenediamine, 2,4-dinitro-... | 350              | C13H17F3N4O4  | 029091-21-2  | 97   |
| 2      |          | 5-[[4-(Trifluoromethoxy)phenyl]a... | 321              | C11H10F3N3OS2 | 1000507-70-1 | 49   |
| 3      |          | Cyclohexanone, 2-(2-nitro-1(5H)-... | 321              | C18H15N3O3    | 021589-32-2  | 43   |
| 4      |          | 4-Amino-5-nitro-6-[3,4,5-trimeth... | 321              | C13H15N5O5    | 1000254-14-1 | 38   |
| 5      |          | 3,4,5-Trimethoxy-4'-nitrodipheny... | 321              | C15H15NO5S    | 024891-42-7  | 38   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*  
Peak Number 3 n-Hexadecanoic acid Concentration Rank 3

| R.T.   | EstConc | Area   | Relative to ISTD | R.T.   |
|--------|---------|--------|------------------|--------|
| 18.110 | 5.27 ng | 181461 | Phenanthrene-d10 | 17.257 |

| Hit# | of | 5 | Tentative ID        | MW  | MolForm  | CAS#        | Qual |
|------|----|---|---------------------|-----|----------|-------------|------|
| 1    |    |   | n-Hexadecanoic acid | 256 | C16H32O2 | 000057-10-3 | 97   |
| 2    |    |   | Tetradecanoic acid  | 228 | C14H28O2 | 000544-63-8 | 87   |
| 3    |    |   | Tridecanoic acid    | 214 | C13H26O2 | 000638-53-9 | 87   |
| 4    |    |   | Pentadecanoic acid  | 242 | C15H30O2 | 001002-84-2 | 74   |
| 5    |    |   | Undecanoic acid     | 186 | C11H22O2 | 000112-37-8 | 72   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1










Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*  
Peak Number 4 7-Hydroxyquinoline, tert-bu... Concentration Rank 8

| R.T.      | EstConc                             | Area  | Relative to ISTD | R.T.        |      |
|-----------|-------------------------------------|-------|------------------|-------------|------|
| 19.315    | 2.08 ng                             | 71542 | Phenanthrene-d10 | 17.257      |      |
| Hit# of 5 | Tentative ID                        | MW    | MolForm          | CAS#        | Qual |
| 1         | 7-Hydroxyquinoline, tert-butyldi... | 259   | C15H21NOSi       | 867164-58-7 | 50   |
| 2         | Pyrene                              | 202   | C16H10           | 000129-00-0 | 49   |
| 3         | Fluoranthene                        | 202   | C16H10           | 000206-44-0 | 49   |
| 4         | Benzene, 1,1'-(1,3-butadiyne-1,4... | 202   | C16H10           | 000886-66-8 | 49   |
| 5         | 4,4'-Bis(tetrahydrothiopyran)       | 202   | C10H18S2         | 116196-83-9 | 38   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION










TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 5 Nonadecanoic acid Concentration Rank 7

| R.T.   | EstConc | Area  | Relative to ISTD | R.T.   |
|--------|---------|-------|------------------|--------|
| 19.392 | 2.72 ng | 90554 | Chrysene-d12     | 21.439 |

| Hit# | of | 5 | Tentative ID        | MW  | MolForm  | CAS#        | Qual |
|------|----|---|---------------------|-----|----------|-------------|------|
| 1    |    |   | Nonadecanoic acid   | 298 | C19H38O2 | 000646-30-0 | 90   |
| 2    |    |   | Octadecanoic acid   | 284 | C18H36O2 | 000057-11-4 | 89   |
| 3    |    |   | n-Hexadecanoic acid | 256 | C16H32O2 | 000057-10-3 | 70   |
| 4    |    |   | Pentadecanoic acid  | 242 | C15H30O2 | 001002-84-2 | 55   |
| 5    |    |   | Tridecanoic acid    | 214 | C13H26O2 | 000638-53-9 | 46   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P










\*\*\*\*\*

Peak Number 6 Phenol, 4,4'-(1-methylethyl... Concentration Rank 6

| R.T.   | EstConc | Area  | Relative to ISTD | R.T.   |
|--------|---------|-------|------------------|--------|
| 19.704 | 2.73 ng | 90770 | Chrysene-d12     | 21.439 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm      | CAS#         | Qual |
|------|----|---|-------------------------------------|-----|--------------|--------------|------|
| 1    |    |   | Phenol, 4,4'-(1-methylethylidene... | 228 | C15H16O2     | 000080-05-7  | 91   |
| 2    |    |   | 4,4'-(1,3-Dimethylbutylidene)bis... | 270 | C18H22O2     | 006807-17-6  | 83   |
| 3    |    |   | 2,2-Bis-(4-hydroxyphenyl)-butane    | 242 | C16H18O2     | 000077-40-7  | 64   |
| 4    |    |   | 5-Fluoro-2-nitrophenylamine, TMS... | 228 | C9H13FN2O2Si | 1000484-54-5 | 64   |
| 5    |    |   | 2H,8H-Benzo[1,2-b:3,4-b']dipyran... | 228 | C14H12O3     | 000523-59-1  | 59   |





Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*  
Peak Number 7 Bifenthrin Concentration Rank 1

| R.T.   | EstConc   | Area    | Relative to ISTD | R.T.   |
|--------|-----------|---------|------------------|--------|
| 21.056 | 119.12 ng | 3963730 | Chrysene-d12     | 21.439 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm      | CAS#        | Qual |
|------|----|---|-------------------------------------|-----|--------------|-------------|------|
| 1    |    |   | Bifenthrin                          | 422 | C23H22ClF3O2 | 082657-04-3 | 91   |
| 2    |    |   | Benzene, 1,1'-(1-methylethyliden... | 196 | C15H16       | 000778-22-3 | 64   |
| 3    |    |   | Benzene, 4-(dimethoxymethyl)-1,2... | 212 | C11H16O4     | 059276-33-4 | 58   |
| 4    |    |   | Benzeneethanol, .beta.-methyl-.b... | 212 | C15H16O      | 074421-26-4 | 53   |
| 5    |    |   | 8-Methyl-4-azafluorene              | 181 | C13H11N      | 064292-00-8 | 53   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P










\*\*\*\*\*

Peak Number 8 1,4-Benzenedicarboxylic aci... Concentration Rank 4

| R.T.   | EstConc | Area   | Relative to ISTD | R.T.   |
|--------|---------|--------|------------------|--------|
| 22.262 | 4.39 ng | 145949 | Chrysene-d12     | 21.439 |

| Hit# | of 5 | Tentative ID                        | MW  | MolForm     | CAS#         | Qual |
|------|------|-------------------------------------|-----|-------------|--------------|------|
| 1    |      | 1,4-Benzenedicarboxylic acid, bi... | 390 | C24H38O4    | 006422-86-2  | 74   |
| 2    |      | 1,3-Benzenedicarboxylic acid, bi... | 390 | C24H38O4    | 000137-89-3  | 58   |
| 3    |      | Phthalic acid, cyclohexyl 3,5-di... | 360 | C20H18F2O4  | 1000315-61-1 | 27   |
| 4    |      | Phthalic acid, di(2-propylpentyl... | 390 | C24H38O4    | 1000377-93-5 | 27   |
| 5    |      | Isophthalic acid, octyl 2,4,5-tr... | 456 | C22H23Cl3O4 | 1010356-61-5 | 27   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111023\  
Data File : BM042698.D  
Acq On : 10 Nov 2023 19:10  
Operator : MA/JU  
Sample : 05252-01 5X  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
WASTE

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\8270-BM103023.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST0.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name   | RT     | EstConc | Units | Response | --Internal Standard-- |        |        |      |
|--------------------|--------|---------|-------|----------|-----------------------|--------|--------|------|
|                    |        |         |       |          | #                     | RT     | Resp   | Conc |
| Trifluralin        | 15.827 | 3.5     | ng    | 132607   | 3                     | 14.504 | 752528 | 20.0 |
| 1,3-Benzenediam... | 18.033 | 16.8    | ng    | 577686   | 4                     | 17.257 | 689291 | 20.0 |
| n-Hexadecanoic ... | 18.110 | 5.3     | ng    | 181461   | 4                     | 17.257 | 689291 | 20.0 |
| 7-Hydroxyquinol... | 19.315 | 2.1     | ng    | 71542    | 4                     | 17.257 | 689291 | 20.0 |
| Nonadecanoic acid  | 19.392 | 2.7     | ng    | 90554    | 5                     | 21.439 | 665494 | 20.0 |
| Phenol, 4,4'-(1... | 19.704 | 2.7     | ng    | 90770    | 5                     | 21.439 | 665494 | 20.0 |
| Bifenthrin         | 21.056 | 119.1   | ng    | 3963730  | 5                     | 21.439 | 665494 | 20.0 |
| 1,4-Benzenedica... | 22.262 | 4.4     | ng    | 145949   | 5                     | 21.439 | 665494 | 20.0 |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
 Data File : BF136177.D  
 Acq On : 07 Nov 2023 15:47  
 Operator : CG\JU  
 Sample : PB156921BL  
 Misc :  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 PB156921BL

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K

Quant Time: Nov 08 02:57:05 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Nov 08 02:12:01 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-----------------------------|--------|------|----------|---------|-------|----------|
| -----                       |        |      |          |         |       |          |
| Internal Standards          |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4   | 6.816  | 152  | 92028    | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8          | 8.098  | 136  | 367949   | 20.000  | ng    | 0.00     |
| 39) Acenaphthene-d10        | 9.857  | 164  | 188969   | 20.000  | ng    | 0.00     |
| 64) Phenanthrene-d10        | 11.351 | 188  | 341560   | 20.000  | ng    | 0.00     |
| 76) Chrysene-d12            | 14.004 | 240  | 196372   | 20.000  | ng    | 0.00     |
| 86) Perylene-d12            | 15.492 | 264  | 181071   | 20.000  | ng    | 0.00     |
| System Monitoring Compounds |        |      |          |         |       |          |
| 5) 2-Fluorophenol           | 5.457  | 112  | 725672   | 125.554 | ng    | 0.01     |
| 7) Phenol-d6                | 6.451  | 99   | 891315   | 125.322 | ng    | 0.00     |
| 23) Nitrobenzene-d5         | 7.381  | 82   | 571281   | 86.641  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol    | 10.651 | 330  | 259719   | 131.228 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl        | 9.181  | 172  | 1087912  | 85.101  | ng    | 0.00     |
| 79) Terphenyl-d14           | 12.951 | 244  | 1174267  | 84.882  | ng    | 0.00     |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL


Quant Time: Nov 08 02:57:05 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed Nov 08 02:12:01 2023  
Response via : Initial Calibration








#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 6.816 min Scan# 805  
Delta R.T. -0.006 min  
Lab File: BF136177.D  
Acq: 07 Nov 2023 15:47


Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL





Tgt Ion:152 Resp: 92028  
Ion Ratio Lower Upper  
152 100  
150 161.6 123.1 184.7  
115 67.4 50.5 75.7




#5  
2-Fluorophenol  
Concen: 125.554 ng  
RT: 5.457 min Scan# 573  
Delta R.T. 0.012 min  
Lab File: BF136177.D  
Acq: 07 Nov 2023 15:47



Tgt Ion:112 Resp: 725672  
Ion Ratio Lower Upper  
112 100  
64 58.9 45.4 68.0  
63 31.4 24.4 36.6





#7

Phenol-d6

Concen: 125.322 ng

RT: 6.451 min Scan# 743

Delta R.T. -0.006 min

Lab File: BF136177.D


Acq: 07 Nov 2023 15:47

Instrument :

BNA\_F

ClientSampleId :

PB156921BL






Tgt Ion: 99 Resp: 891315

Ion Ratio Lower Upper

99 100

42 18.4 14.1 21.1

71 37.3 29.0 43.4



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.098 min Scan# 1022

Delta R.T. 0.000 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47

Tgt Ion: 136 Resp: 367949




Ion Ratio Lower Upper


136 100

137 10.9 8.6 13.0

54 6.9 6.3 9.5

68 4.6 3.8 5.8





#23

Nitrobenzene-d5

Concen: 86.641 ng

RT: 7.381 min Scan# 901

Delta R.T. -0.006 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47

Instrument :

BNA\_F

ClientSampleId :

PB156921BL





Tgt Ion: 82 Resp: 571281

Ion Ratio Lower Upper

82 100

128 44.3 35.8 53.6

54 52.8 40.6 60.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.857 min Scan# 1321

Delta R.T. 0.000 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47




Tgt Ion: 164 Resp: 188969

Ion Ratio Lower Upper


164 100

162 104.0 83.2 124.8

160 46.5 35.8 53.8







#42

2,4,6-Tribromophenol

Concen: 131.228 ng

RT: 10.651 min Scan# 1456

Delta R.T. 0.000 min

Lab File: BF136177.D


Acq: 07 Nov 2023 15:47

Instrument :

BNA\_F

ClientSampleId :

PB156921BL






Tgt Ion:330 Resp: 259719

Ion Ratio Lower Upper

330 100

332 97.5 77.6 116.4

141 31.1 25.8 38.6



#45

2-Fluorobiphenyl

Concen: 85.101 ng

RT: 9.181 min Scan# 1206

Delta R.T. 0.000 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47




Tgt Ion:172 Resp: 1087912


Ion Ratio Lower Upper

172 100

171 36.0 28.9 43.3

170 23.4 19.1 28.7









#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 11.351 min Scan# 11  
Delta R.T. 0.000 min  
Lab File: BF136177.D  
Acq: 07 Nov 2023 15:47




Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL


Tgt Ion:188 Resp: 341560  
Ion Ratio Lower Upper  
188 100  
94 7.3 6.6 9.8  
80 7.3 7.3 10.9



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 14.004 min Scan# 2026  
Delta R.T. -0.006 min  
Lab File: BF136177.D  
Acq: 07 Nov 2023 15:47

Tgt Ion:240 Resp: 196372  
Ion Ratio Lower Upper  
240 100  
120 9.5 7.1 10.7  
236 24.4 20.9 31.3





#79

Terphenyl-d14

Concen: 84.882 ng

RT: 12.951 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47

Instrument :

BNA\_F

ClientSampleId :

PB156921BL





Tgt Ion:244 Resp: 1174267

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0

122 10.9 8.1 12.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.492 min Scan# 2279

Delta R.T. -0.006 min

Lab File: BF136177.D

Acq: 07 Nov 2023 15:47




Tgt Ion:264 Resp: 181071

Ion Ratio Lower Upper

264 100

260 22.4 18.5 27.7

265 20.9 16.9 25.3



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF136177.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 5.075       | 505           | 508         | 514          | rVB      | 29719          | 37645         | 1.20%           | 0.187%        |
| 2         | 5.457       | 567           | 573         | 576          | rBV      | 2475270        | 2518207       | 80.40%          | 12.480%       |
| 3         | 6.451       | 736           | 742         | 745          | rBV      | 2061583        | 2504493       | 79.96%          | 12.412%       |
| 4         | 6.816       | 801           | 804         | 808          | rVB      | 714301         | 550560        | 17.58%          | 2.728%        |
| 5         | 7.381       | 895           | 900         | 903          | rBV      | 1683536        | 1676448       | 53.53%          | 8.308%        |
| 6         | 8.098       | 1018          | 1022        | 1025         | rBV      | 930985         | 722778        | 23.08%          | 3.582%        |
| 7         | 9.181       | 1201          | 1206        | 1209         | rBV      | 3898505        | 3131990       | 100.00%         | 15.522%       |
| 8         | 9.857       | 1317          | 1321        | 1324         | rBV      | 1011857        | 815673        | 26.04%          | 4.042%        |
| 9         | 10.651      | 1451          | 1456        | 1459         | rBV      | 2121964        | 1890463       | 60.36%          | 9.369%        |
| 10        | 11.351      | 1571          | 1575        | 1578         | rBV      | 911897         | 806669        | 25.76%          | 3.998%        |
| 11        | 12.951      | 1843          | 1847        | 1850         | rBV      | 3133229        | 3012309       | 96.18%          | 14.929%       |
| 12        | 14.004      | 2022          | 2026        | 2030         | rBV      | 632736         | 523517        | 16.72%          | 2.594%        |
| 13        | 14.110      | 2040          | 2044        | 2048         | rBV2     | 47245          | 46288         | 1.48%           | 0.229%        |
| 14        | 14.504      | 2107          | 2111        | 2118         | rBV      | 115713         | 125070        | 3.99%           | 0.620%        |
| 15        | 14.898      | 2173          | 2178        | 2189         | rBV      | 148693         | 205416        | 6.56%           | 1.018%        |
| 16        | 15.351      | 2249          | 2255        | 2267         | rBV      | 163819         | 254262        | 8.12%           | 1.260%        |
| 17        | 15.492      | 2274          | 2279        | 2288         | rBV      | 364096         | 454708        | 14.52%          | 2.253%        |
| 18        | 15.880      | 2337          | 2345        | 2358         | rBV2     | 129281         | 261132        | 8.34%           | 1.294%        |
| 19        | 16.510      | 2443          | 2452        | 2468         | rBV3     | 94759          | 241779        | 7.72%           | 1.198%        |
| 20        | 17.274      | 2573          | 2582        | 2594         | rBV4     | 68296          | 205070        | 6.55%           | 1.016%        |
| 21        | 18.227      | 2732          | 2744        | 2762         | rBV5     | 50675          | 193698        | 6.18%           | 0.960%        |




Sum of corrected areas: 20178175

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P










\*\*\*\*\*

Peak Number 1 Cyclononasiloxane, octadeca... Concentration Rank 7

| R.T.   | EstConc | Area   | Relative to ISTD | R.T.   |
|--------|---------|--------|------------------|--------|
| 14.504 | 4.78 ng | 125070 | Chrysene-d12     | 14.004 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm     | CAS#        | Qual |
|------|----|---|-------------------------------------|-----|-------------|-------------|------|
| 1    |    |   | Cyclononasiloxane, octadecamethyl-  | 666 | C18H54O9Si9 | 000556-71-8 | 87   |
| 2    |    |   | Hexasiloxane, tetradecamethyl-      | 458 | C14H42O5Si6 | 000107-52-8 | 87   |
| 3    |    |   | 1,1,1,5,7,7,7-Heptamethyl-3,3-bi... | 444 | C13H40O5Si6 | 038147-00-1 | 37   |
| 4    |    |   | Mercaptoacetic acid, 2TMS deriva... | 236 | C8H20O2SSi2 | 006398-62-5 | 37   |
| 5    |    |   | N-Benzyl-N-ethyl-p-isopropylbenz... | 281 | C19H23NO    | 015089-22-2 | 30   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 2 Hexasiloxane, tetradecamethyl- Concentration Rank 4

| R.T.      | EstConc                             | Area   | Relative to ISTD | R.T.        |      |
|-----------|-------------------------------------|--------|------------------|-------------|------|
| 14.898    | 9.04 ng                             | 205416 | Perylene-d12     | 15.492      |      |
| Hit# of 5 | Tentative ID                        | MW     | MolForm          | CAS#        | Qual |
| 1         | Hexasiloxane, tetradecamethyl-      | 458    | C14H42O5Si6      | 000107-52-8 | 87   |
| 2         | Cyclononasiloxane, octadecamethyl-  | 666    | C18H54O9Si9      | 000556-71-8 | 83   |
| 3         | Heptasiloxane, hexadecamethyl-      | 532    | C16H48O6Si7      | 000541-01-5 | 58   |
| 4         | 3,6-Dioxa-2,4,5,7-tetrasilaoctan... | 294    | C10H30O2Si4      | 004342-25-0 | 47   |
| 5         | Mercaptoacetic acid, 2TMS deriva... | 236    | C8H20O2SSi2      | 006398-62-5 | 37   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P










\*\*\*\*\*

Peak Number 3 unknown15.351 Concentration Rank 2

| R.T.   | EstConc  | Area   | Relative to ISTD | R.T.   |
|--------|----------|--------|------------------|--------|
| 15.351 | 11.18 ng | 254262 | Perylene-d12     | 15.492 |

| Hit# | of 5 | Tentative ID                        | MW  | MolForm     | CAS#        | Qual |
|------|------|-------------------------------------|-----|-------------|-------------|------|
| 1    |      | Hexasiloxane, tetradecamethyl-      | 458 | C14H42O5Si6 | 000107-52-8 | 87   |
| 2    |      | Cyclononasiloxane, octadecamethyl-  | 666 | C18H54O9Si9 | 000556-71-8 | 80   |
| 3    |      | Mercaptoacetic acid, 2TMS deriva... | 236 | C8H20O2SSi2 | 006398-62-5 | 37   |
| 4    |      | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,1... | 680 | C20H60O8Si9 | 002652-13-3 | 37   |
| 5    |      | Pentasiloxane, dodecamethyl-        | 384 | C12H36O4Si5 | 000141-63-9 | 30   |





Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION










TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 4 unknown15.880 Concentration Rank 1

| R.T.   | EstConc  | Area   | Relative to ISTD | R.T.   |
|--------|----------|--------|------------------|--------|
| 15.880 | 11.49 ng | 261132 | Perylene-d12     | 15.492 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm     | CAS#        | Qual |
|------|----|---|-------------------------------------|-----|-------------|-------------|------|
| 1    |    |   | Cyclononasiloxane, octadecamethyl-  | 666 | C18H54O9Si9 | 000556-71-8 | 86   |
| 2    |    |   | Hexasiloxane, tetradecamethyl-      | 458 | C14H42O5Si6 | 000107-52-8 | 81   |
| 3    |    |   | Heptasiloxane, hexadecamethyl-      | 532 | C16H48O6Si7 | 000541-01-5 | 42   |
| 4    |    |   | Mercaptoacetic acid, 2TMS deriva... | 236 | C8H20O2SSi2 | 006398-62-5 | 32   |
| 5    |    |   | N-Benzyl-N-ethyl-p-isopropylbenz... | 281 | C19H23NO    | 015089-22-2 | 25   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*  
Peak Number 5 unknown16.510 Concentration Rank 3

| R.T.   | EstConc  | Area   | Relative to ISTD | R.T.   |
|--------|----------|--------|------------------|--------|
| 16.510 | 10.63 ng | 241779 | Perylene-d12     | 15.492 |

| Hit# | of | 5 | Tentative ID                        | MW  | MolForm      | CAS#        | Qual |
|------|----|---|-------------------------------------|-----|--------------|-------------|------|
| 1    |    |   | Hexasiloxane, tetradecamethyl-      | 458 | C14H42O5Si6  | 000107-52-8 | 83   |
| 2    |    |   | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,1... | 754 | C22H66O9Si10 | 000556-70-7 | 49   |
| 3    |    |   | Pentasiloxane, dodecamethyl-        | 384 | C12H36O4Si5  | 000141-63-9 | 38   |
| 4    |    |   | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,1... | 680 | C20H60O8Si9  | 002652-13-3 | 38   |
| 5    |    |   | Mercaptoacetic acid, 2TMS deriva... | 236 | C8H20O2SSi2  | 006398-62-5 | 37   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P










\*\*\*\*\*

Peak Number 6 unknown17.274 Concentration Rank 5

| R.T.   | EstConc | Area   | Relative to ISTD | R.T.   |
|--------|---------|--------|------------------|--------|
| 17.274 | 9.02 ng | 205070 | Perylene-d12     | 15.492 |

| Hit# | of 5 | Tentative ID                        | MW  | MolForm     | CAS#        | Qual |
|------|------|-------------------------------------|-----|-------------|-------------|------|
| 1    |      | Hexasiloxane, tetradecamethyl-      | 458 | C14H42O5Si6 | 000107-52-8 | 72   |
| 2    |      | Cyclononasiloxane, octadecamethyl-  | 666 | C18H54O9Si9 | 000556-71-8 | 58   |
| 3    |      | 2-Amino-2-oxo-acetic acid, N-[3,... | 221 | C12H15NO3   | 024451-17-0 | 37   |
| 4    |      | 3,6-Dioxa-2,4,5,7-tetrasilaoctan... | 294 | C10H30O2Si4 | 004342-25-0 | 37   |
| 5    |      | N-Benzyl-N-ethyl-p-isopropylbenz... | 281 | C19H23NO    | 015089-22-2 | 25   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL










Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 7 1,1,1,3,3,5,5,7,7,9,9,11,11... Concentration Rank 6

| R.T.      | EstConc                             | Area   | Relative to ISTD | R.T.        |      |
|-----------|-------------------------------------|--------|------------------|-------------|------|
| 18.227    | 8.52 ng                             | 193698 | Perylene-d12     | 15.492      |      |
| Hit# of 5 | Tentative ID                        | MW     | MolForm          | CAS#        | Qual |
| 1         | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,1... | 754    | C22H66O9Si10     | 000556-70-7 | 50   |
| 2         | 1,1,1,3,3,5,5,7,7,9,9,11,11,13,1... | 606    | C18H54O7Si8      | 000556-69-4 | 38   |
| 3         | N-Benzyl-N-ethyl-p-isopropylbenz... | 281    | C19H23NO         | 015089-22-2 | 25   |
| 4         | Pentasiloxane, dodecamethyl-        | 384    | C12H36O4Si5      | 000141-63-9 | 22   |
| 5         | 3-Isopropoxy-1,1,1,7,7,7-hexamet... | 576    | C18H52O7Si7      | 071579-69-6 | 16   |



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
Data File : BF136177.D  
Acq On : 07 Nov 2023 15:47  
Operator : CG\JU  
Sample : PB156921BL  
Misc :  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB156921BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST0.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name   | RT     | EstConc | Units | Response | --Internal Standard-- |        |        |      |
|--------------------|--------|---------|-------|----------|-----------------------|--------|--------|------|
|                    |        |         |       |          | #                     | RT     | Resp   | Conc |
| Cyclononasiloxa... | 14.504 | 4.8     | ng    | 125070   | 5                     | 14.004 | 523517 | 20.0 |
| Hexasiloxane, t... | 14.898 | 9.0     | ng    | 205416   | 6                     | 15.492 | 454708 | 20.0 |
| unknown15.351      | 15.351 | 11.2    | ng    | 254262   | 6                     | 15.492 | 454708 | 20.0 |
| unknown15.880      | 15.880 | 11.5    | ng    | 261132   | 6                     | 15.492 | 454708 | 20.0 |
| unknown16.510      | 16.510 | 10.6    | ng    | 241779   | 6                     | 15.492 | 454708 | 20.0 |
| unknown17.274      | 17.274 | 9.0     | ng    | 205070   | 6                     | 15.492 | 454708 | 20.0 |
| 1,1,1,3,3,5,5,7... | 18.227 | 8.5     | ng    | 193698   | 6                     | 15.492 | 454708 | 20.0 |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
 Data File : BF136178.D  
 Acq On : 07 Nov 2023 16:18  
 Operator : CG\JU  
 Sample : PB156921BS  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

## Instrument :

BNA\_F

## ClientSampleId :

PB156921BS

## Manual Integrations

## APPROVED

Reviewed By :Yogesh Patel 11/09/2023

Supervised By :mohammad ahmed 11/09/2023

Quant Time: Nov 08 02:57:18 2023

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Wed Nov 08 02:12:01 2023

Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| -----                         |        |      |          |         |        |          |
| Internal Standards            |        |      |          |         |        |          |
| 1) 1,4-Dichlorobenzene-d4     | 6.822  | 152  | 87663    | 20.000  | ng     | 0.00     |
| 21) Naphthalene-d8            | 8.104  | 136  | 351885   | 20.000  | ng     | 0.00     |
| 39) Acenaphthene-d10          | 9.863  | 164  | 189065   | 20.000  | ng     | 0.00     |
| 64) Phenanthrene-d10          | 11.351 | 188  | 332026   | 20.000  | ng     | 0.00     |
| 76) Chrysene-d12              | 14.010 | 240  | 171609   | 20.000  | ng     | 0.00     |
| 86) Perylene-d12              | 15.498 | 264  | 179783   | 20.000  | ng     | 0.00     |
| System Monitoring Compounds   |        |      |          |         |        |          |
| 5) 2-Fluorophenol             | 5.457  | 112  | 699534   | 127.058 | ng     | 0.01     |
| 7) Phenol-d6                  | 6.457  | 99   | 843094   | 124.445 | ng     | 0.00     |
| 23) Nitrobenzene-d5           | 7.386  | 82   | 517686   | 82.096  | ng     | 0.00     |
| 42) 2,4,6-Tribromophenol      | 10.657 | 330  | 260670   | 131.641 | ng     | 0.00     |
| 45) 2-Fluorobiphenyl          | 9.186  | 172  | 1007868  | 78.800  | ng     | 0.00     |
| 79) Terphenyl-d14             | 12.957 | 244  | 1017671  | 84.177  | ng     | 0.00     |
| Target Compounds              |        |      |          |         |        |          |
|                               |        |      |          |         | Qvalue |          |
| 2) 1,4-Dioxane                | 2.651  | 88   | 86029    | 39.020  | ng     | 99       |
| 3) Pyridine                   | 3.404  | 79   | 187528   | 31.656  | ng     | 96       |
| 4) n-Nitrosodimethylamine     | 3.369  | 42   | 119295   | 43.904  | ng     | 97       |
| 6) Aniline                    | 6.486  | 93   | 284166   | 33.094  | ng     | 100      |
| 8) 2-Chlorophenol             | 6.604  | 128  | 263978   | 44.540  | ng     | 99       |
| 9) Benzaldehyde               | 6.369  | 77   | 83750    | 21.382  | ng     | 96       |
| 10) Phenol                    | 6.475  | 94   | 314329   | 42.484  | ng     | 87       |
| 11) bis(2-Chloroethyl)ether   | 6.563  | 93   | 237170   | 43.615  | ng     | 100      |
| 12) 1,3-Dichlorobenzene       | 6.763  | 146  | 275301   | 44.035  | ng     | 99       |
| 13) 1,4-Dichlorobenzene       | 6.839  | 146  | 278837   | 44.480  | ng     | 99       |
| 14) 1,2-Dichlorobenzene       | 6.986  | 146  | 262876   | 44.613  | ng     | 98       |
| 15) Benzyl Alcohol            | 6.963  | 79   | 219560   | 43.332  | ng     | 100      |
| 16) 2,2'-oxybis(1-Chloropr... | 7.098  | 45   | 323044   | 45.474  | ng     | 99       |
| 17) 2-Methylphenol            | 7.075  | 107  | 202710   | 40.992  | ng     | 97       |
| 18) Hexachloroethane          | 7.328  | 117  | 103497   | 45.240  | ng     | 98       |
| 19) n-Nitroso-di-n-propyla... | 7.239  | 70   | 171599   | 43.878  | ng     | 96       |
| 20) 3+4-Methylphenols         | 7.228  | 107  | 257573   | 41.737  | ng     | 97       |
| 22) Acetophenone              | 7.233  | 105  | 357605   | 44.017  | ng     | 97       |
| 24) Nitrobenzene              | 7.404  | 77   | 264025   | 43.023  | ng     | 99       |
| 25) Isophorone                | 7.639  | 82   | 480147   | 44.122  | ng     | 100      |
| 26) 2-Nitrophenol             | 7.716  | 139  | 132849   | 44.665  | ng     | 96       |
| 27) 2,4-Dimethylphenol        | 7.757  | 122  | 227244   | 45.485  | ng     | 99       |
| 28) bis(2-Chloroethoxy)met... | 7.857  | 93   | 288121   | 43.902  | ng     | 99       |
| 29) 2,4-Dichlorophenol        | 7.957  | 162  | 216315   | 44.406  | ng     | 98       |
| 30) 1,2,4-Trichlorobenzene    | 8.045  | 180  | 238325   | 43.939  | ng     | 96       |
| 31) Naphthalene               | 8.128  | 128  | 739123   | 42.640  | ng     | 100      |
| 32) Benzoic acid              | 7.880  | 122  | 152731   | 42.063  | ng     | 91       |
| 33) 4-Chloroaniline           | 8.175  | 127  | 221744   | 30.842  | ng     | 99       |
| 34) Hexachlorobutadiene       | 8.239  | 225  | 143861   | 43.631  | ng     | 98       |
| 35) Caprolactam               | 8.545  | 113  | 67189m   | 47.636  | ng     |          |
| 36) 4-Chloro-3-methylphenol   | 8.657  | 107  | 231251   | 45.214  | ng     | 98       |
| 37) 2-Methylnaphthalene       | 8.816  | 142  | 485378   | 41.763  | ng     | 98       |
| 38) 1-Methylnaphthalene       | 8.916  | 142  | 451933   | 41.912  | ng     | 100      |
| 40) 1,2,4,5-Tetrachloroben... | 8.980  | 216  | 235075   | 41.487  | ng     | 98       |
| 41) Hexachlorocyclopentadiene | 8.969  | 237  | 271652   | 92.969  | ng     | 98       |
| 43) 2,4,6-Trichlorophenol     | 9.092  | 196  | 153946   | 43.389  | ng     | 100      |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110723\  
 Data File : BF136178.D  
 Acq On : 07 Nov 2023 16:18  
 Operator : CG\JU  
 Sample : PB156921BS  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 PB156921BS

### Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/09/2023  
 Supervised By :mohammad ahmed 11/09/2023

Quant Time: Nov 08 02:57:18 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF110723.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Nov 08 02:12:01 2023  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 44) 2,4,5-Trichlorophenol     | 9.139  | 196  | 166967   | 40.849 | ng    | 96       |
| 46) 1,1'-Biphenyl             | 9.286  | 154  | 618059   | 41.660 | ng    | 98       |
| 47) 2-Chloronaphthalene       | 9.310  | 162  | 465700   | 42.946 | ng    | 97       |
| 48) 2-Nitroaniline            | 9.404  | 65   | 144560   | 43.724 | ng    | 88       |
| 49) Acenaphthylene            | 9.722  | 152  | 700951   | 41.877 | ng    | 99       |
| 50) Dimethylphthalate         | 9.586  | 163  | 551973   | 43.210 | ng    | 99       |
| 51) 2,6-Dinitrotoluene        | 9.651  | 165  | 121796   | 43.939 | ng    | # 86     |
| 52) Acenaphthene              | 9.898  | 154  | 522615m  | 46.877 | ng    |          |
| 53) 3-Nitroaniline            | 9.816  | 138  | 108904   | 36.849 | ng    | 99       |
| 54) 2,4-Dinitrophenol         | 9.922  | 184  | 119485   | 87.821 | ng    | 96       |
| 55) Dibenzofuran              | 10.069 | 168  | 652688   | 42.108 | ng    | 98       |
| 56) 4-Nitrophenol             | 9.980  | 139  | 185297   | 94.349 | ng    | 97       |
| 57) 2,4-Dinitrotoluene        | 10.051 | 165  | 164414   | 46.701 | ng    | # 87     |
| 58) Fluorene                  | 10.416 | 166  | 502114   | 42.681 | ng    | 98       |
| 59) 2,3,4,6-Tetrachlorophenol | 10.186 | 232  | 143432   | 46.300 | ng    | 94       |
| 60) Diethylphthalate          | 10.292 | 149  | 545656   | 42.578 | ng    | 99       |
| 61) 4-Chlorophenyl-phenyle... | 10.404 | 204  | 253580   | 42.402 | ng    | 100      |
| 62) 4-Nitroaniline            | 10.433 | 138  | 119357   | 44.313 | ng    | 90       |
| 63) Azobenzene                | 10.569 | 77   | 491704   | 43.852 | ng    | 96       |
| 65) 4,6-Dinitro-2-methylph... | 10.463 | 198  | 83357    | 44.047 | ng    | 87       |
| 66) n-Nitrosodiphenylamine    | 10.527 | 169  | 454804   | 43.176 | ng    | 98       |
| 67) 4-Bromophenyl-phenylether | 10.898 | 248  | 159395   | 43.104 | ng    | 95       |
| 68) Hexachlorobenzene         | 10.963 | 284  | 182851   | 46.575 | ng    | # 91     |
| 69) Atrazine                  | 11.057 | 200  | 98176    | 36.789 | ng    | 97       |
| 70) Pentachlorophenol         | 11.157 | 266  | 187241   | 85.275 | ng    | 99       |
| 71) Phenanthrene              | 11.380 | 178  | 746009   | 43.876 | ng    | 98       |
| 72) Anthracene                | 11.433 | 178  | 748752   | 43.142 | ng    | 100      |
| 73) Carbazole                 | 11.586 | 167  | 636458   | 45.765 | ng    | 99       |
| 74) Di-n-butylphthalate       | 11.927 | 149  | 756343   | 45.972 | ng    | 99       |
| 75) Fluoranthene              | 12.574 | 202  | 703604   | 45.315 | ng    | 100      |
| 77) Benzidine                 | 12.698 | 184  | 154093   | 51.856 | ng    | 98       |
| 78) Pyrene                    | 12.804 | 202  | 692887   | 43.177 | ng    | 98       |
| 80) Butylbenzylphthalate      | 13.433 | 149  | 235065   | 45.970 | ng    | 96       |
| 81) Benzo(a)anthracene        | 13.998 | 228  | 503529   | 44.237 | ng    | 99       |
| 82) 3,3'-Dichlorobenzidine    | 13.968 | 252  | 164095   | 44.907 | ng    | 98       |
| 83) Chrysene                  | 14.039 | 228  | 483148   | 43.386 | ng    | 100      |
| 84) Bis(2-ethylhexyl)phtha... | 14.004 | 149  | 282374   | 45.751 | ng    | # 99     |
| 85) Di-n-octyl phthalate      | 14.621 | 149  | 464345   | 44.936 | ng    | 99       |
| 87) Indeno(1,2,3-cd)pyrene    | 17.021 | 276  | 611219   | 46.401 | ng    | 99       |
| 88) Benzo(b)fluoranthene      | 15.062 | 252  | 475107   | 47.865 | ng    | 99       |
| 89) Benzo(k)fluoranthene      | 15.092 | 252  | 486014   | 48.624 | ng    | 99       |
| 90) Benzo(a)pyrene            | 15.439 | 252  | 432073   | 44.133 | ng    | 98       |
| 91) Dibenzo(a,h)anthracene    | 17.045 | 278  | 507963   | 46.530 | ng    | 99       |
| 92) Benzo(g,h,i)perylene      | 17.480 | 276  | 498898   | 45.075 | ng    | 97       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

**Instrument :**  
BNA\_F  
**ClientSampleId :**  
PB156921BS

## Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/09/2023  
Supervised By :mohammad ahmed 11/09/2023





Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110623\  
 Data File : BF136162.D  
 Acq On : 06 Nov 2023 18:59  
 Operator : CG\JU  
 Sample : 05257-05MS  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-2MS

### Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/08/2023  
 Supervised By :mohammad ahmed 11/08/2023

Quant Time: Nov 06 23:30:25 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF103023.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Nov 06 00:53:35 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-------------------------------|--------|------|----------|---------|-------|----------|
| -----                         |        |      |          |         |       |          |
| Internal Standards            |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 6.822  | 152  | 84798    | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8            | 8.104  | 136  | 326584   | 20.000  | ng    | # 0.00   |
| 39) Acenaphthene-d10          | 9.863  | 164  | 167090   | 20.000  | ng    | 0.00     |
| 64) Phenanthrene-d10          | 11.351 | 188  | 266358   | 20.000  | ng    | 0.00     |
| 76) Chrysene-d12              | 14.010 | 240  | 168860   | 20.000  | ng    | 0.00     |
| 86) Perylene-d12              | 15.498 | 264  | 162522   | 20.000  | ng    | 0.00     |
|                               |        |      |          |         |       |          |
| System Monitoring Compounds   |        |      |          |         |       |          |
| 5) 2-Fluorophenol             | 5.457  | 112  | 602360   | 111.625 | ng    | 0.01     |
| 7) Phenol-d6                  | 6.457  | 99   | 743962   | 110.651 | ng    | 0.00     |
| 23) Nitrobenzene-d5           | 7.386  | 82   | 466639   | 86.135  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol      | 10.657 | 330  | 208128   | 116.698 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl          | 9.180  | 172  | 886940   | 84.617  | ng    | 0.00     |
| 79) Terphenyl-d14             | 12.951 | 244  | 758175   | 69.775  | ng    | 0.00     |
|                               |        |      |          |         |       |          |
| Target Compounds              |        |      |          |         |       | Qvalue   |
| 2) 1,4-Dioxane                | 2.657  | 88   | 88896    | 37.831  | ng    | 99       |
| 3) Pyridine                   | 3.404  | 79   | 217607   | 33.928  | ng    | 95       |
| 4) n-Nitrosodimethylamine     | 3.375  | 42   | 123223   | 45.950  | ng    | # 85     |
| 6) Aniline                    | 6.487  | 93   | 268899   | 30.891  | ng    | 99       |
| 8) 2-Chlorophenol             | 6.604  | 128  | 278091   | 48.202  | ng    | 99       |
| 9) Benzaldehyde               | 6.369  | 77   | 55918    | 14.915  | ng    | 98       |
| 10) Phenol                    | 6.475  | 94   | 327402m  | 47.080  | ng    |          |
| 11) bis(2-Chloroethyl)ether   | 6.563  | 93   | 250219   | 45.961  | ng    | 98       |
| 12) 1,3-Dichlorobenzene       | 6.763  | 146  | 292387   | 48.694  | ng    | 97       |
| 13) 1,4-Dichlorobenzene       | 6.839  | 146  | 293318   | 48.743  | ng    | 98       |
| 14) 1,2-Dichlorobenzene       | 6.986  | 146  | 277604   | 49.336  | ng    | 95       |
| 15) Benzyl Alcohol            | 6.963  | 79   | 234461   | 49.181  | ng    | 94       |
| 16) 2,2'-oxybis(1-Chloropr... | 7.098  | 45   | 331864   | 44.287  | ng    | 100      |
| 17) 2-Methylphenol            | 7.075  | 107  | 211999   | 43.316  | ng    | 95       |
| 18) Hexachloroethane          | 7.328  | 117  | 104287   | 49.307  | ng    | 99       |
| 19) n-Nitroso-di-n-propyla... | 7.239  | 70   | 176976   | 46.068  | ng    | 96       |
| 20) 3+4-Methylphenols         | 7.228  | 107  | 266448   | 44.646  | ng    | 97       |
| 22) Acetophenone              | 7.234  | 105  | 371515   | 51.302  | ng    | # 92     |
| 24) Nitrobenzene              | 7.404  | 77   | 273124   | 49.840  | ng    | 93       |
| 25) Isophorone                | 7.639  | 82   | 495546   | 48.451  | ng    | 97       |
| 26) 2-Nitrophenol             | 7.716  | 139  | 138836   | 55.529  | ng    | # 85     |
| 27) 2,4-Dimethylphenol        | 7.757  | 122  | 208182   | 44.063  | ng    | 97       |
| 28) bis(2-Chloroethoxy)met... | 7.857  | 93   | 299465   | 47.787  | ng    | 98       |
| 29) 2,4-Dichlorophenol        | 7.957  | 162  | 228119   | 51.217  | ng    | 95       |
| 30) 1,2,4-Trichlorobenzene    | 8.045  | 180  | 245133   | 50.451  | ng    | 99       |
| 31) Naphthalene               | 8.128  | 128  | 763253   | 48.465  | ng    | 99       |
| 32) Benzoic acid              | 7.881  | 122  | 172076   | 45.735  | ng    | 89       |
| 33) 4-Chloroaniline           | 8.169  | 127  | 82496    | 11.962  | ng    | 99       |
| 34) Hexachlorobutadiene       | 8.239  | 225  | 149181   | 53.538  | ng    | 99       |
| 35) Caprolactam               | 8.551  | 113  | 73280m   | 50.598  | ng    |          |
| 36) 4-Chloro-3-methylphenol   | 8.657  | 107  | 241130   | 51.567  | ng    | 97       |
| 37) 2-Methylnaphthalene       | 8.816  | 142  | 494532   | 46.832  | ng    | 99       |
| 38) 1-Methylnaphthalene       | 8.916  | 142  | 480910   | 48.938  | ng    | 100      |
| 40) 1,2,4,5-Tetrachloroben... | 8.980  | 216  | 243130   | 51.021  | ng    | 99       |
| 41) Hexachlorocyclopentadiene | 8.969  | 237  | 167514   | 65.799  | ng    | 99       |
| 43) 2,4,6-Trichlorophenol     | 9.092  | 196  | 157027   | 50.539  | ng    | 98       |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110623\  
 Data File : BF136162.D  
 Acq On : 06 Nov 2023 18:59  
 Operator : CG\JU  
 Sample : 05257-05MS  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-2MS

### Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/08/2023  
 Supervised By :mohammad ahmed 11/08/2023

Quant Time: Nov 06 23:30:25 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF103023.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Nov 06 00:53:35 2023  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 44) 2,4,5-Trichlorophenol     | 9.139  | 196  | 169554   | 47.110 | ng    | 98       |
| 46) 1,1'-Biphenyl             | 9.286  | 154  | 643646   | 50.531 | ng    | 98       |
| 47) 2-Chloronaphthalene       | 9.310  | 162  | 481028   | 51.227 | ng    | 99       |
| 48) 2-Nitroaniline            | 9.404  | 65   | 143248   | 51.547 | ng    | 100      |
| 49) Acenaphthylene            | 9.722  | 152  | 759293   | 51.833 | ng    | 99       |
| 50) Dimethylphthalate         | 9.586  | 163  | 562869   | 51.070 | ng    | 99       |
| 51) 2,6-Dinitrotoluene        | 9.651  | 165  | 122860   | 52.120 | ng    | 100      |
| 52) Acenaphthene              | 9.898  | 154  | 445292   | 47.817 | ng    | 99       |
| 53) 3-Nitroaniline            | 9.816  | 138  | 83369    | 30.310 | ng    | 94       |
| 54) 2,4-Dinitrophenol         | 9.922  | 184  | 83828    | 67.049 | ng    | # 84     |
| 55) Dibenzofuran              | 10.069 | 168  | 662544   | 48.792 | ng    | 95       |
| 56) 4-Nitrophenol             | 9.980  | 139  | 186350   | 90.575 | ng    | # 78     |
| 57) 2,4-Dinitrotoluene        | 10.051 | 165  | 158420   | 53.116 | ng    | 96       |
| 58) Fluorene                  | 10.416 | 166  | 507306   | 49.898 | ng    | 99       |
| 59) 2,3,4,6-Tetrachlorophenol | 10.186 | 232  | 137066   | 47.902 | ng    | 97       |
| 60) Diethylphthalate          | 10.292 | 149  | 536740   | 50.969 | ng    | 100      |
| 61) 4-Chlorophenyl-phenyle... | 10.404 | 204  | 249659   | 49.194 | ng    | 90       |
| 62) 4-Nitroaniline            | 10.433 | 138  | 111321   | 42.031 | ng    | 91       |
| 63) Azobenzene                | 10.569 | 77   | 481356   | 47.463 | ng    | 97       |
| 65) 4,6-Dinitro-2-methylph... | 10.457 | 198  | 57823    | 40.533 | ng    | 73       |
| 66) n-Nitrosodiphenylamine    | 10.527 | 169  | 444761   | 55.353 | ng    | 99       |
| 67) 4-Bromophenyl-phenylether | 10.898 | 248  | 154369   | 55.278 | ng    | # 93     |
| 68) Hexachlorobenzene         | 10.957 | 284  | 165737   | 55.570 | ng    | # 86     |
| 69) Atrazine                  | 11.057 | 200  | 152260   | 69.647 | ng    | 97       |
| 70) Pentachlorophenol         | 11.157 | 266  | 178386   | 93.131 | ng    | 98       |
| 71) Phenanthrene              | 11.380 | 178  | 715998   | 53.388 | ng    | 99       |
| 72) Anthracene                | 11.427 | 178  | 690315   | 50.233 | ng    | 100      |
| 73) Carbazole                 | 11.586 | 167  | 561955   | 47.057 | ng    | 98       |
| 74) Di-n-butylphthalate       | 11.927 | 149  | 742586   | 54.419 | ng    | 99       |
| 75) Fluoranthene              | 12.574 | 202  | 680233   | 49.373 | ng    | 96       |
| 77) Benzidine                 | 12.698 | 184  | 271143   | 82.384 | ng    | 100      |
| 78) Pyrene                    | 12.804 | 202  | 673497   | 45.239 | ng    | 99       |
| 80) Butylbenzylphthalate      | 13.433 | 149  | 251615   | 47.216 | ng    | 99       |
| 81) Benzo(a)anthracene        | 13.998 | 228  | 577155   | 51.628 | ng    | 99       |
| 82) 3,3'-Dichlorobenzidine    | 13.968 | 252  | 170070   | 47.665 | ng    | # 99     |
| 83) Chrysene                  | 14.039 | 228  | 558229   | 50.705 | ng    | 99       |
| 84) Bis(2-ethylhexyl)phtha... | 14.004 | 149  | 320131   | 51.562 | ng    | 98       |
| 85) Di-n-octyl phthalate      | 14.621 | 149  | 563651   | 60.602 | ng    | 100      |
| 87) Indeno(1,2,3-cd)pyrene    | 17.009 | 276  | 393803   | 37.075 | ng    | 95       |
| 88) Benzo(b)fluoranthene      | 15.062 | 252  | 593108   | 61.675 | ng    | 99       |
| 89) Benzo(k)fluoranthene      | 15.092 | 252  | 462100   | 48.564 | ng    | 99       |
| 90) Benzo(a)pyrene            | 15.439 | 252  | 444333m  | 49.727 | ng    |          |
| 91) Dibenzo(a,h)anthracene    | 17.033 | 278  | 323674   | 37.201 | ng    | 97       |
| 92) Benzo(g,h,i)perylene      | 17.468 | 276  | 299110   | 31.269 | ng    | 96       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

**Instrument :**  
BNA\_F  
**ClientSampleId :**  
WC-2MS

## Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/08/2023  
Supervised By :mohammad ahmed 11/08/2023



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110623\  
 Data File : BF136163.D  
 Acq On : 06 Nov 2023 19:29  
 Operator : CG\JU  
 Sample : 05257-05MSD  
 Misc :  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-2MSD

Quant Time: Nov 06 23:31:03 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF103023.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Nov 06 00:53:35 2023  
 Response via : Initial Calibration

### Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/08/2023  
 Supervised By :mohammad ahmed 11/08/2023

| Compound                      | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-------------------------------|--------|------|----------|---------|-------|----------|
| -----                         |        |      |          |         |       |          |
| Internal Standards            |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 6.822  | 152  | 84667    | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8            | 8.104  | 136  | 331240   | 20.000  | ng    | # 0.00   |
| 39) Acenaphthene-d10          | 9.863  | 164  | 166345   | 20.000  | ng    | 0.00     |
| 64) Phenanthrene-d10          | 11.351 | 188  | 270586   | 20.000  | ng    | 0.00     |
| 76) Chrysene-d12              | 14.009 | 240  | 171083   | 20.000  | ng    | 0.00     |
| 86) Perylene-d12              | 15.498 | 264  | 163710   | 20.000  | ng    | 0.00     |
| System Monitoring Compounds   |        |      |          |         |       |          |
| 5) 2-Fluorophenol             | 5.457  | 112  | 646016   | 119.900 | ng    | 0.01     |
| 7) Phenol-d6                  | 6.463  | 99   | 794287   | 118.319 | ng    | 0.00     |
| 23) Nitrobenzene-d5           | 7.386  | 82   | 496314   | 90.324  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol      | 10.657 | 330  | 225168   | 126.817 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl          | 9.186  | 172  | 942959   | 90.365  | ng    | 0.00     |
| 79) Terphenyl-d14             | 12.951 | 244  | 829177   | 75.318  | ng    | 0.00     |
| Target Compounds              |        |      |          |         |       |          |
|                               |        |      |          |         |       | Qvalue   |
| 2) 1,4-Dioxane                | 2.657  | 88   | 93427    | 39.821  | ng    | 95       |
| 3) Pyridine                   | 3.410  | 79   | 231170   | 36.098  | ng    | 96       |
| 4) n-Nitrosodimethylamine     | 3.381  | 42   | 133658   | 49.919  | ng    | 87       |
| 6) Aniline                    | 6.486  | 93   | 284175   | 32.696  | ng    | 99       |
| 8) 2-Chlorophenol             | 6.604  | 128  | 297626   | 51.668  | ng    | 99       |
| 9) Benzaldehyde               | 6.369  | 77   | 60669    | 16.207  | ng    | 97       |
| 10) Phenol                    | 6.475  | 94   | 347216m  | 50.007  | ng    |          |
| 11) bis(2-Chloroethyl)ether   | 6.563  | 93   | 261829   | 48.168  | ng    | 99       |
| 12) 1,3-Dichlorobenzene       | 6.763  | 146  | 309055   | 51.549  | ng    | 96       |
| 13) 1,4-Dichlorobenzene       | 6.839  | 146  | 314092   | 52.276  | ng    | 97       |
| 14) 1,2-Dichlorobenzene       | 6.992  | 146  | 295624   | 52.620  | ng    | 97       |
| 15) Benzyl Alcohol            | 6.969  | 79   | 253448   | 53.246  | ng    | 96       |
| 16) 2,2'-oxybis(1-Chloropr... | 7.098  | 45   | 349086   | 46.657  | ng    | 98       |
| 17) 2-Methylphenol            | 7.075  | 107  | 226680   | 46.387  | ng    | 94       |
| 18) Hexachloroethane          | 7.333  | 117  | 112225   | 53.142  | ng    | 91       |
| 19) n-Nitroso-di-n-propyla... | 7.239  | 70   | 192459   | 50.176  | ng    | 96       |
| 20) 3+4-Methylphenols         | 7.233  | 107  | 282481   | 47.405  | ng    | 92       |
| 22) Acetophenone              | 7.233  | 105  | 395495   | 53.845  | ng    | # 89     |
| 24) Nitrobenzene              | 7.404  | 77   | 295166   | 53.105  | ng    | 94       |
| 25) Isophorone                | 7.645  | 82   | 533408   | 51.420  | ng    | 99       |
| 26) 2-Nitrophenol             | 7.722  | 139  | 151493   | 59.740  | ng    | 98       |
| 27) 2,4-Dimethylphenol        | 7.757  | 122  | 220824   | 46.082  | ng    | 94       |
| 28) bis(2-Chloroethoxy)met... | 7.857  | 93   | 316437   | 49.786  | ng    | 98       |
| 29) 2,4-Dichlorophenol        | 7.963  | 162  | 242840   | 53.755  | ng    | 99       |
| 30) 1,2,4-Trichlorobenzene    | 8.045  | 180  | 266269   | 54.031  | ng    | 100      |
| 31) Naphthalene               | 8.128  | 128  | 829216   | 51.913  | ng    | 99       |
| 32) Benzoic acid              | 7.886  | 122  | 187786m  | 48.820  | ng    |          |
| 33) 4-Chloroaniline           | 8.169  | 127  | 82587    | 11.806  | ng    | 97       |
| 34) Hexachlorobutadiene       | 8.239  | 225  | 158662   | 56.140  | ng    | 98       |
| 35) Caprolactam               | 8.557  | 113  | 79036m   | 53.806  | ng    |          |
| 36) 4-Chloro-3-methylphenol   | 8.657  | 107  | 261185   | 55.071  | ng    | 97       |
| 37) 2-Methylnaphthalene       | 8.816  | 142  | 523137   | 48.845  | ng    | 99       |
| 38) 1-Methylnaphthalene       | 8.916  | 142  | 512441   | 51.414  | ng    | 98       |
| 40) 1,2,4,5-Tetrachloroben... | 8.980  | 216  | 260765   | 54.967  | ng    | 99       |
| 41) Hexachlorocyclopentadiene | 8.969  | 237  | 199732   | 78.806  | ng    | 99       |
| 43) 2,4,6-Trichlorophenol     | 9.098  | 196  | 172249   | 55.687  | ng    | 100      |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110623\  
 Data File : BF136163.D  
 Acq On : 06 Nov 2023 19:29  
 Operator : CG\JU  
 Sample : 05257-05MSD  
 Misc :  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-2MSD

Quant Time: Nov 06 23:31:03 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF103023.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Nov 06 00:53:35 2023  
 Response via : Initial Calibration

### Manual Integrations APPROVED

Reviewed By :Yogesh Patel 11/08/2023  
 Supervised By :mohammad ahmed 11/08/2023

| Compound                      | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-------------------------------|--------|------|----------|---------|-------|----------|
| 44) 2,4,5-Trichlorophenol     | 9.139  | 196  | 179316   | 50.045  | ng    | 98       |
| 46) 1,1'-Biphenyl             | 9.286  | 154  | 683507   | 53.901  | ng    | 98       |
| 47) 2-Chloronaphthalene       | 9.310  | 162  | 511533   | 54.720  | ng    | 99       |
| 48) 2-Nitroaniline            | 9.404  | 65   | 151764   | 54.856  | ng    | 98       |
| 49) Acenaphthylene            | 9.722  | 152  | 815374   | 55.911  | ng    | 100      |
| 50) Dimethylphthalate         | 9.592  | 163  | 601010   | 54.775  | ng    | 100      |
| 51) 2,6-Dinitrotoluene        | 9.651  | 165  | 132953   | 56.654  | ng    | 98       |
| 52) Acenaphthene              | 9.898  | 154  | 477235m  | 51.477  | ng    |          |
| 53) 3-Nitroaniline            | 9.816  | 138  | 86926    | 31.745  | ng    | 90       |
| 54) 2,4-Dinitrophenol         | 9.922  | 184  | 97817    | 77.216  | ng    | # 83     |
| 55) Dibenzofuran              | 10.069 | 168  | 709096   | 52.454  | ng    | 94       |
| 56) 4-Nitrophenol             | 9.980  | 139  | 207272   | 101.195 | ng    | # 75     |
| 57) 2,4-Dinitrotoluene        | 10.057 | 165  | 169458   | 57.072  | ng    | 95       |
| 58) Fluorene                  | 10.416 | 166  | 538988   | 53.252  | ng    | 99       |
| 59) 2,3,4,6-Tetrachlorophenol | 10.186 | 232  | 148158   | 52.010  | ng    | 97       |
| 60) Diethylphthalate          | 10.292 | 149  | 581721   | 55.488  | ng    | 99       |
| 61) 4-Chlorophenyl-phenyle... | 10.410 | 204  | 267440   | 52.934  | ng    | 98       |
| 62) 4-Nitroaniline            | 10.433 | 138  | 117034   | 44.386  | ng    | 90       |
| 63) Azobenzene                | 10.569 | 77   | 516918   | 51.198  | ng    | 97       |
| 65) 4,6-Dinitro-2-methylph... | 10.463 | 198  | 65600    | 44.590  | ng    | 96       |
| 66) n-Nitrosodiphenylamine    | 10.527 | 169  | 482464   | 59.107  | ng    | 99       |
| 67) 4-Bromophenyl-phenylether | 10.898 | 248  | 163941   | 57.789  | ng    | # 92     |
| 68) Hexachlorobenzene         | 10.963 | 284  | 180071   | 59.432  | ng    | 98       |
| 69) Atrazine                  | 11.063 | 200  | 161517   | 72.727  | ng    | 98       |
| 70) Pentachlorophenol         | 11.157 | 266  | 191247   | 98.285  | ng    | 99       |
| 71) Phenanthrene              | 11.380 | 178  | 764659   | 56.126  | ng    | 99       |
| 72) Anthracene                | 11.433 | 178  | 744240   | 53.310  | ng    | 99       |
| 73) Carbazole                 | 11.586 | 167  | 618161   | 50.955  | ng    | 99       |
| 74) Di-n-butylphthalate       | 11.927 | 149  | 797035   | 57.497  | ng    | 99       |
| 75) Fluoranthene              | 12.574 | 202  | 744637   | 53.203  | ng    | 96       |
| 77) Benzidine                 | 12.698 | 184  | 290371   | 87.080  | ng    | 100      |
| 78) Pyrene                    | 12.804 | 202  | 750244   | 49.739  | ng    | 99       |
| 80) Butylbenzylphthalate      | 13.433 | 149  | 273552   | 50.665  | ng    | 98       |
| 81) Benzo(a)anthracene        | 13.998 | 228  | 634241   | 55.998  | ng    | 99       |
| 82) 3,3'-Dichlorobenzidine    | 13.968 | 252  | 181551   | 50.222  | ng    | # 97     |
| 83) Chrysene                  | 14.039 | 228  | 610200   | 54.705  | ng    | 99       |
| 84) Bis(2-ethylhexyl)phtha... | 13.998 | 149  | 345743   | 54.964  | ng    | # 96     |
| 85) Di-n-octyl phthalate      | 14.621 | 149  | 614219   | 65.181  | ng    | 99       |
| 87) Indeno(1,2,3-cd)pyrene    | 17.015 | 276  | 442094   | 41.319  | ng    | 95       |
| 88) Benzo(b)fluoranthene      | 15.062 | 252  | 639012   | 65.966  | ng    | 99       |
| 89) Benzo(k)fluoranthene      | 15.098 | 252  | 511001m  | 53.314  | ng    |          |
| 90) Benzo(a)pyrene            | 15.439 | 252  | 484824   | 53.865  | ng    | # 98     |
| 91) Dibenzo(a,h)anthracene    | 17.039 | 278  | 365302   | 41.681  | ng    | # 96     |
| 92) Benzo(g,h,i)perylene      | 17.474 | 276  | 335081   | 34.451  | ng    | 96       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed



Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF110623\  
Data File : BF136163.D  
Acq On : 06 Nov 2023 19:29  
Operator : CG\JU  
Sample : 05257-05MSD  
Misc :  
ALS Vial : 16 Sample Multiplier: 1

Instrument :

BNA\_F

ClientSampleId :

WC-2MSD

Quant Time: Nov 06 23:31:03 2023

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF103023.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Mon Nov 06 00:53:35 2023


Response via : Initial Calibration

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 11/08/2023

Supervised By :mohammad ahmed 11/08/2023





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BF103023

Instrument

BNA\_f

| Sample ID   | File ID    | Parameter    | Review By | Review On                | Supervised By | Supervised On            | Reason                      |
|-------------|------------|--------------|-----------|--------------------------|---------------|--------------------------|-----------------------------|
| SSTDICC005  | BF136024.D | Phenol       | yogesh    | 10/31/2023<br>4:26:33 AM | mohammad      | 10/31/2023<br>4:53:39 AM | Peak Integrated by Software |
| SSTDICC020  | BF136026.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:35 AM | mohammad      | 10/31/2023<br>4:53:42 AM | Peak Integrated by Software |
| SSTDICC020  | BF136026.D | Phenol       | yogesh    | 10/31/2023<br>4:26:35 AM | mohammad      | 10/31/2023<br>4:53:42 AM | Peak Integrated by Software |
| SSTDICCC040 | BF136027.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:37 AM | mohammad      | 10/31/2023<br>4:53:44 AM | Peak Integrated by Software |
| SSTDICCC040 | BF136027.D | Benzoic acid | yogesh    | 10/31/2023<br>4:26:37 AM | mohammad      | 10/31/2023<br>4:53:44 AM | Peak Integrated by Software |
| SSTDICCC040 | BF136027.D | Phenol       | yogesh    | 10/31/2023<br>4:26:37 AM | mohammad      | 10/31/2023<br>4:53:44 AM | Peak Integrated by Software |
| SSTDICC050  | BF136028.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:39 AM | mohammad      | 10/31/2023<br>4:53:47 AM | Peak Integrated by Software |
| SSTDICC050  | BF136028.D | Benzoic acid | yogesh    | 10/31/2023<br>4:26:39 AM | mohammad      | 10/31/2023<br>4:53:47 AM | Peak Integrated by Software |
| SSTDICC050  | BF136028.D | Phenol       | yogesh    | 10/31/2023<br>4:26:39 AM | mohammad      | 10/31/2023<br>4:53:47 AM | Peak Integrated by Software |
| SSTDICC060  | BF136029.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:40 AM | mohammad      | 10/31/2023<br>4:53:50 AM | Peak Integrated by Software |
| SSTDICC060  | BF136029.D | Benzoic acid | yogesh    | 10/31/2023<br>4:26:40 AM | mohammad      | 10/31/2023<br>4:53:50 AM | Peak Integrated by Software |
| SSTDICC060  | BF136029.D | Phenol       | yogesh    | 10/31/2023<br>4:26:40 AM | mohammad      | 10/31/2023<br>4:53:50 AM | Peak Integrated by Software |
| SSTDICC080  | BF136030.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:42 AM | mohammad      | 10/31/2023<br>4:53:53 AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BF103023

Instrument

BNA\_f

| Sample ID  | File ID    | Parameter    | Review By | Review On                | Supervised By | Supervised On            | Reason                      |
|------------|------------|--------------|-----------|--------------------------|---------------|--------------------------|-----------------------------|
| SSTDICC080 | BF136030.D | Benzoic acid | yogesh    | 10/31/2023<br>4:26:42 AM | mohammad      | 10/31/2023<br>4:53:53 AM | Peak Integrated by Software |
| SSTDICC080 | BF136030.D | Caprolactam  | yogesh    | 10/31/2023<br>4:26:42 AM | mohammad      | 10/31/2023<br>4:53:53 AM | Peak Integrated by Software |
| SSTDICC080 | BF136030.D | Phenol       | yogesh    | 10/31/2023<br>4:26:42 AM | mohammad      | 10/31/2023<br>4:53:53 AM | Peak Integrated by Software |
| SSTDICV040 | BF136031.D | Acenaphthene | yogesh    | 10/31/2023<br>4:26:46 AM | mohammad      | 10/31/2023<br>4:53:55 AM | Peak Integrated by Software |
| SSTDICV040 | BF136031.D | Benzoic acid | yogesh    | 10/31/2023<br>4:26:46 AM | mohammad      | 10/31/2023<br>4:53:55 AM | Peak Integrated by Software |
| SSTDICV040 | BF136031.D | Phenol       | yogesh    | 10/31/2023<br>4:26:46 AM | mohammad      | 10/31/2023<br>4:53:55 AM | Peak Integrated by Software |





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BF110623

Instrument

BNA\_f

| Sample ID   | File ID    | Parameter            | Review By | Review On                | Supervised By | Supervised On        | Reason                      |
|-------------|------------|----------------------|-----------|--------------------------|---------------|----------------------|-----------------------------|
| SSTDCCC040  | BF136149.D | Acenaphthene         | yogesh    | 11/8/2023<br>12:35:36 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| SSTDCCC040  | BF136149.D | Benzoic acid         | yogesh    | 11/8/2023<br>12:35:36 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| SSTDCCC040  | BF136149.D | Phenol               | yogesh    | 11/8/2023<br>12:35:36 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MS  | BF136162.D | Benzo(a)pyrene       | yogesh    | 11/8/2023<br>12:36:14 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MS  | BF136162.D | Caprolactam          | yogesh    | 11/8/2023<br>12:36:14 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MS  | BF136162.D | Phenol               | yogesh    | 11/8/2023<br>12:36:14 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MSD | BF136163.D | Acenaphthene         | yogesh    | 11/8/2023<br>12:36:15 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MSD | BF136163.D | Benzo(k)fluoranthene | yogesh    | 11/8/2023<br>12:36:15 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MSD | BF136163.D | Benzoic acid         | yogesh    | 11/8/2023<br>12:36:15 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MSD | BF136163.D | Caprolactam          | yogesh    | 11/8/2023<br>12:36:15 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| O5257-05MSD | BF136163.D | Phenol               | yogesh    | 11/8/2023<br>12:36:15 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| SSTDCCC040  | BF136165.D | Acenaphthene         | yogesh    | 11/8/2023<br>12:36:18 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |
| SSTDCCC040  | BF136165.D | Benzo(k)fluoranthene | yogesh    | 11/8/2023<br>12:36:18 AM | mohammad      | 11/8/2023 1:02:43 AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BF110623

Instrument

BNA\_f

| Sample ID  | File ID    | Parameter    | Review By | Review On                | Supervised By | Supervised On           | Reason                      |
|------------|------------|--------------|-----------|--------------------------|---------------|-------------------------|-----------------------------|
| SSTDCCC040 | BF136165.D | Benzoic acid | yogesh    | 11/8/2023<br>12:36:18 AM | mohammad      | 11/8/2023 1:02:43<br>AM | Peak Integrated by Software |
| SSTDCCC040 | BF136165.D | Phenol       | yogesh    | 11/8/2023<br>12:36:18 AM | mohammad      | 11/8/2023 1:02:43<br>AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BF110723

Instrument

BNA\_f

| Sample ID   | File ID    | Parameter            | Review By | Review On            | Supervised By | Supervised On        | Reason                      |
|-------------|------------|----------------------|-----------|----------------------|---------------|----------------------|-----------------------------|
| SSTDICC005  | BF136169.D | Phenol               | yogesh    | 11/9/2023 3:21:03 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC010  | BF136170.D | Benzo(b)fluoranthene | yogesh    | 11/9/2023 3:21:05 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICCC040 | BF136172.D | Benzoic acid         | yogesh    | 11/9/2023 3:21:07 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC050  | BF136173.D | Benzoic acid         | yogesh    | 11/9/2023 3:21:08 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC060  | BF136174.D | Acenaphthene         | yogesh    | 11/9/2023 3:21:10 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC060  | BF136174.D | Benzoic acid         | yogesh    | 11/9/2023 3:21:10 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC080  | BF136175.D | Acenaphthene         | yogesh    | 11/9/2023 3:21:12 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICC080  | BF136175.D | Benzoic acid         | yogesh    | 11/9/2023 3:21:12 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| SSTDICV040  | BF136176.D | Benzoic acid         | yogesh    | 11/9/2023 3:21:13 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| PB156921BS  | BF136178.D | Acenaphthene         | yogesh    | 11/9/2023 3:21:15 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |
| PB156921BS  | BF136178.D | Caprolactam          | yogesh    | 11/9/2023 3:21:15 AM | mohammad      | 11/9/2023 3:24:19 AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BM103023

Instrument

BNA\_m

| Sample ID  | File ID    | Parameter                    | Review By | Review On                | Supervised By | Supervised On            | Reason                      |
|------------|------------|------------------------------|-----------|--------------------------|---------------|--------------------------|-----------------------------|
| SSTDICC005 | BM042489.D | Benzidine                    | yogesh    | 10/31/2023<br>4:28:41 AM | mohammad      | 10/31/2023<br>4:55:05 AM | Peak Integrated by Software |
| SSTDICC005 | BM042489.D | Benzo(k)fluoranthene         | yogesh    | 10/31/2023<br>4:28:41 AM | mohammad      | 10/31/2023<br>4:55:05 AM | Peak Integrated by Software |
| SSTDICC005 | BM042489.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:41 AM | mohammad      | 10/31/2023<br>4:55:05 AM | Peak Integrated by Software |
| SSTDICC010 | BM042490.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:42 AM | mohammad      | 10/31/2023<br>4:55:07 AM | Peak Integrated by Software |
| SSTDICC010 | BM042490.D | 2,4-Dimethylphenol           | yogesh    | 10/31/2023<br>4:28:42 AM | mohammad      | 10/31/2023<br>4:55:07 AM | Peak Integrated by Software |
| SSTDICC010 | BM042490.D | Benzidine                    | yogesh    | 10/31/2023<br>4:28:42 AM | mohammad      | 10/31/2023<br>4:55:07 AM | Peak Integrated by Software |
| SSTDICC010 | BM042490.D | Benzoic acid                 | yogesh    | 10/31/2023<br>4:28:42 AM | mohammad      | 10/31/2023<br>4:55:07 AM | Peak Integrated by Software |
| SSTDICC010 | BM042490.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:42 AM | mohammad      | 10/31/2023<br>4:55:07 AM | Peak Integrated by Software |
| SSTDICC020 | BM042491.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:44 AM | mohammad      | 10/31/2023<br>4:55:10 AM | Peak Integrated by Software |
| SSTDICC020 | BM042491.D | 2,4-Dimethylphenol           | yogesh    | 10/31/2023<br>4:28:44 AM | mohammad      | 10/31/2023<br>4:55:10 AM | Peak Integrated by Software |
| SSTDICC020 | BM042491.D | Benzidine                    | yogesh    | 10/31/2023<br>4:28:44 AM | mohammad      | 10/31/2023<br>4:55:10 AM | Peak Integrated by Software |
| SSTDICC020 | BM042491.D | Benzoic acid                 | yogesh    | 10/31/2023<br>4:28:44 AM | mohammad      | 10/31/2023<br>4:55:10 AM | Peak Integrated by Software |
| SSTDICC020 | BM042491.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:44 AM | mohammad      | 10/31/2023<br>4:55:10 AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

Sequence:

BM103023

Instrument

BNA\_m

| Sample ID   | File ID    | Parameter                    | Review By | Review On                | Supervised By | Supervised On            | Reason                      |
|-------------|------------|------------------------------|-----------|--------------------------|---------------|--------------------------|-----------------------------|
| SSTDICCC040 | BM042492.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:46 AM | mohammad      | 10/31/2023<br>4:55:13 AM | Peak Integrated by Software |
| SSTDICCC050 | BM042493.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:48 AM | mohammad      | 10/31/2023<br>4:55:16 AM | Peak Integrated by Software |
| SSTDICCC050 | BM042493.D | Benzidine                    | yogesh    | 10/31/2023<br>4:28:48 AM | mohammad      | 10/31/2023<br>4:55:16 AM | Peak Integrated by Software |
| SSTDICCC050 | BM042493.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:48 AM | mohammad      | 10/31/2023<br>4:55:16 AM | Peak Integrated by Software |
| SSTDICCC060 | BM042494.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:49 AM | mohammad      | 10/31/2023<br>4:55:18 AM | Peak Integrated by Software |
| SSTDICCC060 | BM042494.D | Benzyl Alcohol               | yogesh    | 10/31/2023<br>4:28:49 AM | mohammad      | 10/31/2023<br>4:55:18 AM | Peak Integrated by Software |
| SSTDICCC060 | BM042494.D | Pyridine                     | yogesh    | 10/31/2023<br>4:28:49 AM | mohammad      | 10/31/2023<br>4:55:18 AM | Peak Integrated by Software |
| SSTDICCC080 | BM042495.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:51 AM | mohammad      | 10/31/2023<br>4:55:20 AM | Peak Integrated by Software |
| SSTDICCC080 | BM042495.D | Pyridine                     | yogesh    | 10/31/2023<br>4:28:51 AM | mohammad      | 10/31/2023<br>4:55:20 AM | Peak Integrated by Software |
| SSTDICV040  | BM042496.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 10/31/2023<br>4:28:52 AM | mohammad      | 10/31/2023<br>4:55:23 AM | Peak Integrated by Software |
| SSTDICV040  | BM042496.D | 2,4-Dimethylphenol           | yogesh    | 10/31/2023<br>4:28:52 AM | mohammad      | 10/31/2023<br>4:55:23 AM | Peak Integrated by Software |



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | bm111023 | Instrument | BNA_m |
|-----------|----------|------------|-------|

| Sample ID  | File ID    | Parameter                    | Review By | Review On                | Supervised By | Supervised On            | Reason                      |
|------------|------------|------------------------------|-----------|--------------------------|---------------|--------------------------|-----------------------------|
| SSTDCCC040 | BM042685.D | 2,2"-oxybis(1-Chloropropane) | yogesh    | 11/14/2023<br>4:39:05 PM | mohammad      | 11/16/2023<br>1:32:18 AM | Peak Integrated by Software |

## Daily Analysis Runlog For Sequence/QC Batch ID # BF103023

|                          |                                                                |                      |                       |
|--------------------------|----------------------------------------------------------------|----------------------|-----------------------|
| Review By                | yogesh                                                         | Review On            | 10/31/2023 4:29:34 AM |
| Supervise By             | mohammad                                                       | Supervise On         | 10/31/2023 4:54:30 AM |
| SubDirectory             | BF103023                                                       | HP Acquire Method    | BNA_F                 |
|                          |                                                                | HP Processing Method | BF103023              |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                               |                      |                       |
| Tune/Reschk              | SP6271                                                         |                      |                       |
| Initial Calibration Stds | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                      |                       |
| CCC                      | SP6232                                                         |                      |                       |
| Internal Standard/PEM    | S11507 10ul/1000ul sample                                      |                      |                       |
| ICV/I.BLK                | SP6324                                                         |                      |                       |
| Surrogate Standard       |                                                                |                      |                       |
| MS/MSD Standard          |                                                                |                      |                       |
| LCS Standard             |                                                                |                      |                       |

| Sr# | SampleID    | Data File Name | Date-Time         | Operator | Status   |
|-----|-------------|----------------|-------------------|----------|----------|
| 1   | DFTPP       | BF136022.D     | 30 Oct 2023 11:02 | CG\JU    | Ok       |
| 2   | SSTDICC2.5  | BF136023.D     | 30 Oct 2023 12:02 | CG\JU    | Ok       |
| 3   | SSTDICC005  | BF136024.D     | 30 Oct 2023 12:32 | CG\JU    | Ok,M     |
| 4   | SSTDICC010  | BF136025.D     | 30 Oct 2023 13:02 | CG\JU    | Ok       |
| 5   | SSTDICC020  | BF136026.D     | 30 Oct 2023 13:33 | CG\JU    | Ok,M     |
| 6   | SSTDICCC040 | BF136027.D     | 30 Oct 2023 14:04 | CG\JU    | Ok,M     |
| 7   | SSTDICC050  | BF136028.D     | 30 Oct 2023 14:49 | CG\JU    | Ok,M     |
| 8   | SSTDICC060  | BF136029.D     | 30 Oct 2023 15:20 | CG\JU    | Ok,M     |
| 9   | SSTDICC080  | BF136030.D     | 30 Oct 2023 15:51 | CG\JU    | Ok,M     |
| 10  | SSTDICV040  | BF136031.D     | 30 Oct 2023 16:24 | CG\JU    | Ok,M     |
| 11  | PB156520BL  | BF136032.D     | 30 Oct 2023 17:26 | CG\JU    | Ok       |
| 12  | PB156392BL  | BF136033.D     | 30 Oct 2023 17:56 | CG\JU    | Ok       |
| 13  | PB156520BS  | BF136034.D     | 30 Oct 2023 18:27 | CG\JU    | Ok,M     |
| 14  | O5027-01    | BF136035.D     | 30 Oct 2023 19:01 | CG\JU    | Not Ok   |
| 15  | O5090-01    | BF136036.D     | 30 Oct 2023 19:32 | CG\JU    | Ok,M     |
| 16  | O5062-01    | BF136037.D     | 30 Oct 2023 20:02 | CG\JU    | Ok,M     |
| 17  | O5073-01    | BF136038.D     | 30 Oct 2023 20:33 | CG\JU    | Dilution |
| 18  | O5078-01    | BF136039.D     | 30 Oct 2023 21:03 | CG\JU    | Ok,M     |
| 19  | O4907-01RE  | BF136040.D     | 30 Oct 2023 21:33 | CG\JU    | Confirms |
| 20  | O4704-02DL  | BF136041.D     | 30 Oct 2023 22:04 | CG\JU    | Ok,M     |
| 21  | O4704-04DL  | BF136042.D     | 30 Oct 2023 22:34 | CG\JU    | Ok,M     |

M : Manual Integration

## Daily Analysis Runlog For Sequence/QC Batch ID # BF110623

|                          |                                                                |                      |                      |
|--------------------------|----------------------------------------------------------------|----------------------|----------------------|
| Review By                | yogesh                                                         | Review On            | 11/6/2023 4:02:34 PM |
| Supervise By             | mohammad                                                       | Supervise On         | 11/8/2023 1:02:43 AM |
| SubDirectory             | BF110623                                                       | HP Acquire Method    | BNA_F                |
|                          |                                                                | HP Processing Method | BF103023             |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                               |                      |                      |
| Tune/Reschk              | SP6271                                                         |                      |                      |
| Initial Calibration Stds | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                      |                      |
| CCC                      | SP6232                                                         |                      |                      |
| Internal Standard/PEM    | S11510 10ul/1000ul sample                                      |                      |                      |
| ICV/I.BLK                | SP6324                                                         |                      |                      |
| Surrogate Standard       |                                                                |                      |                      |
| MS/MSD Standard          |                                                                |                      |                      |
| LCS Standard             |                                                                |                      |                      |

| Sr# | SampleID    | Data File Name | Date-Time         | Operator | Status   |
|-----|-------------|----------------|-------------------|----------|----------|
| 1   | DFTPP       | BF136148.D     | 06 Nov 2023 11:31 | CG\JU    | Ok       |
| 2   | SSTDCCC040  | BF136149.D     | 06 Nov 2023 12:01 | CG\JU    | Ok,M     |
| 3   | PB156895BL  | BF136150.D     | 06 Nov 2023 12:31 | CG\JU    | Ok       |
| 4   | O5237-01    | BF136151.D     | 06 Nov 2023 13:26 | CG\JU    | Ok,M     |
| 5   | O5243-03    | BF136152.D     | 06 Nov 2023 13:56 | CG\JU    | Ok       |
| 6   | O5234-01    | BF136153.D     | 06 Nov 2023 14:26 | CG\JU    | Ok       |
| 7   | O5257-09    | BF136154.D     | 06 Nov 2023 14:56 | CG\JU    | Ok       |
| 8   | O5256-09    | BF136155.D     | 06 Nov 2023 15:27 | CG\JU    | Ok,M     |
| 9   | O5257-05    | BF136156.D     | 06 Nov 2023 15:57 | CG\JU    | Ok,M     |
| 10  | O5256-01    | BF136157.D     | 06 Nov 2023 16:28 | CG\JU    | Ok,M     |
| 11  | O5253-01    | BF136158.D     | 06 Nov 2023 16:57 | CG\JU    | Ok,M     |
| 12  | O5253-02    | BF136159.D     | 06 Nov 2023 17:28 | CG\JU    | Dilution |
| 13  | O5256-05    | BF136160.D     | 06 Nov 2023 17:59 | CG\JU    | Dilution |
| 14  | O5257-01    | BF136161.D     | 06 Nov 2023 18:29 | CG\JU    | Dilution |
| 15  | O5257-05MS  | BF136162.D     | 06 Nov 2023 18:59 | CG\JU    | Ok,M     |
| 16  | O5257-05MSD | BF136163.D     | 06 Nov 2023 19:29 | CG\JU    | Ok,M     |
| 17  | O5253-02DL  | BF136164.D     | 06 Nov 2023 20:00 | CG\JU    | Ok,M     |
| 18  | SSTDCCC040  | BF136165.D     | 06 Nov 2023 21:01 | CG\JU    | Ok,M     |

M : Manual Integration



## Daily Analysis Runlog For Sequence/QC Batch ID # BF110723

|                          |                                                         |                      |                      |
|--------------------------|---------------------------------------------------------|----------------------|----------------------|
| Review By                | yogesh                                                  | Review On            | 11/7/2023 4:17:42 PM |
| Supervise By             | mohammad                                                | Supervise On         | 11/9/2023 3:24:19 AM |
| SubDirectory             | BF110723                                                | HP Acquire Method    | BNA_F                |
|                          |                                                         | HP Processing Method | BF110723             |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                        |                      |                      |
| Tune/Reschk              | SP6271                                                  |                      |                      |
| Initial Calibration Stds | SP6330,SP6331,SP6332,SP6333,SP6334,SP6335,SP6336,SP6337 |                      |                      |
| CCC                      | SP6333                                                  |                      |                      |
| Internal Standard/PEM    | S11510 10ul/1000ul sample                               |                      |                      |
| ICV/I.BLK                | SP6324                                                  |                      |                      |
| Surrogate Standard       |                                                         |                      |                      |
| MS/MSD Standard          |                                                         |                      |                      |
| LCS Standard             |                                                         |                      |                      |

| Sr# | SampleID    | Data File Name | Date-Time         | Operator | Status |
|-----|-------------|----------------|-------------------|----------|--------|
| 1   | DFTPP       | BF136166.D     | 07 Nov 2023 09:28 | CG\JU    | Ok     |
| 2   | SSTDCCC040  | BF136167.D     | 07 Nov 2023 09:58 | CG\JU    | Not Ok |
| 3   | SSTDICC2.5  | BF136168.D     | 07 Nov 2023 10:30 | CG\JU    | Ok     |
| 4   | SSTDICC005  | BF136169.D     | 07 Nov 2023 11:01 | CG\JU    | Ok,M   |
| 5   | SSTDICC010  | BF136170.D     | 07 Nov 2023 11:31 | CG\JU    | Ok,M   |
| 6   | SSTDICC020  | BF136171.D     | 07 Nov 2023 12:01 | CG\JU    | Ok     |
| 7   | SSTDICCC040 | BF136172.D     | 07 Nov 2023 12:31 | CG\JU    | Ok,M   |
| 8   | SSTDICC050  | BF136173.D     | 07 Nov 2023 13:02 | CG\JU    | Ok,M   |
| 9   | SSTDICC060  | BF136174.D     | 07 Nov 2023 13:33 | CG\JU    | Ok,M   |
| 10  | SSTDICC080  | BF136175.D     | 07 Nov 2023 14:03 | CG\JU    | Ok,M   |
| 11  | SSTDICV040  | BF136176.D     | 07 Nov 2023 15:17 | CG\JU    | Ok,M   |
| 12  | PB156921BL  | BF136177.D     | 07 Nov 2023 15:47 | CG\JU    | Ok     |
| 13  | PB156921BS  | BF136178.D     | 07 Nov 2023 16:18 | CG\JU    | Ok,M   |

M : Manual Integration

## Daily Analysis Runlog For Sequence/QC Batch ID # BM103023

|                          |                                                                |                      |                       |
|--------------------------|----------------------------------------------------------------|----------------------|-----------------------|
| Review By                | yogesh                                                         | Review On            | 10/31/2023 4:29:12 AM |
| Supervise By             | mohammad                                                       | Supervise On         | 10/31/2023 4:55:39 AM |
| SubDirectory             | BM103023                                                       | HP Acquire Method    | BNA_M                 |
|                          |                                                                | HP Processing Method | BM103023              |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                               |                      |                       |
| Tune/Reschk              | SP6271                                                         |                      |                       |
| Initial Calibration Stds | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                      |                       |
| CCC                      | SP6232                                                         |                      |                       |
| Internal Standard/PEM    | S11507 10ul/1000ul sample                                      |                      |                       |
| ICV/I.BLK                | SP6324                                                         |                      |                       |
| Surrogate Standard       |                                                                |                      |                       |
| MS/MSD Standard          |                                                                |                      |                       |
| LCS Standard             |                                                                |                      |                       |

| Sr# | SampleID    | Data File Name | Date-Time         | Operator | Status   |
|-----|-------------|----------------|-------------------|----------|----------|
| 1   | DFTPP       | BM042487.D     | 30 Oct 2023 09:52 | MA/JU    | Ok       |
| 2   | SSTDICC2.5  | BM042488.D     | 30 Oct 2023 11:04 | MA/JU    | Ok       |
| 3   | SSTDICC005  | BM042489.D     | 30 Oct 2023 11:40 | MA/JU    | Ok,M     |
| 4   | SSTDICC010  | BM042490.D     | 30 Oct 2023 12:16 | MA/JU    | Ok,M     |
| 5   | SSTDICC020  | BM042491.D     | 30 Oct 2023 12:52 | MA/JU    | Ok,M     |
| 6   | SSTDICCC040 | BM042492.D     | 30 Oct 2023 13:29 | MA/JU    | Ok,M     |
| 7   | SSTDICC050  | BM042493.D     | 30 Oct 2023 14:05 | MA/JU    | Ok,M     |
| 8   | SSTDICC060  | BM042494.D     | 30 Oct 2023 14:41 | MA/JU    | Ok,M     |
| 9   | SSTDICC080  | BM042495.D     | 30 Oct 2023 15:18 | MA/JU    | Ok,M     |
| 10  | SSTDICV040  | BM042496.D     | 30 Oct 2023 16:23 | MA/JU    | Ok,M     |
| 11  | PB156597TB  | BM042497.D     | 30 Oct 2023 17:00 | MA/JU    | Ok       |
| 12  | PB156526BS  | BM042498.D     | 30 Oct 2023 17:36 | MA/JU    | Ok,M     |
| 13  | PB156526BSD | BM042499.D     | 30 Oct 2023 18:13 | MA/JU    | Ok,M     |
| 14  | PB156526BL  | BM042500.D     | 30 Oct 2023 18:49 | MA/JU    | Ok       |
| 15  | O4909-01RE  | BM042501.D     | 30 Oct 2023 19:31 | MA/JU    | Confirms |
| 16  | O4958-02RE  | BM042502.D     | 30 Oct 2023 20:07 | MA/JU    | Confirms |
| 17  | O5011-01DL  | BM042503.D     | 30 Oct 2023 20:43 | MA/JU    | Ok       |

M : Manual Integration

## Daily Analysis Runlog For Sequence/QC Batch ID # BM111023

|                          |                                                                |                      |                       |
|--------------------------|----------------------------------------------------------------|----------------------|-----------------------|
| Review By                | yogesh                                                         | Review On            | 11/10/2023 2:59:37 PM |
| Supervise By             | mohammad                                                       | Supervise On         | 11/16/2023 1:32:18 AM |
| SubDirectory             | BM111023                                                       | HP Acquire Method    | BNA_M                 |
|                          |                                                                | HP Processing Method | BM103023              |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                               |                      |                       |
| Tune/Reschk              | SP6271                                                         |                      |                       |
| Initial Calibration Stds | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                      |                       |
| CCC                      | SP6232                                                         |                      |                       |
| Internal Standard/PEM    | S11528 10ul/1000ul sample                                      |                      |                       |
| ICV/I.BLK                | SP6324                                                         |                      |                       |
| Surrogate Standard       |                                                                |                      |                       |
| MS/MSD Standard          |                                                                |                      |                       |
| LCS Standard             |                                                                |                      |                       |

| Sr# | SampleID   | Data File Name | Date-Time         | Operator | Status   |
|-----|------------|----------------|-------------------|----------|----------|
| 1   | DFTPP      | BM042684.D     | 10 Nov 2023 10:10 | MA/JU    | Ok       |
| 2   | SSTDCCC040 | BM042685.D     | 10 Nov 2023 11:22 | MA/JU    | Ok,M     |
| 3   | PB156988BL | BM042686.D     | 10 Nov 2023 11:58 | MA/JU    | Not Ok   |
| 4   | O5279-04   | BM042687.D     | 10 Nov 2023 12:34 | MA/JU    | Ok       |
| 5   | O5279-08   | BM042688.D     | 10 Nov 2023 13:10 | MA/JU    | ReRun    |
| 6   | O5295-04   | BM042689.D     | 10 Nov 2023 13:46 | MA/JU    | ReRun    |
| 7   | O5311-03   | BM042690.D     | 10 Nov 2023 14:22 | MA/JU    | ReRun    |
| 8   | O5280-02   | BM042691.D     | 10 Nov 2023 14:58 | MA/JU    | ReRun    |
| 9   | O5317-03   | BM042692.D     | 10 Nov 2023 15:34 | MA/JU    | Dilution |
| 10  | O5279-01   | BM042693.D     | 10 Nov 2023 16:09 | MA/JU    | Ok,M     |
| 11  | O5279-05   | BM042694.D     | 10 Nov 2023 16:46 | MA/JU    | Ok,M     |
| 12  | O5317-01   | BM042695.D     | 10 Nov 2023 17:22 | MA/JU    | Ok,M     |
| 13  | O5292-01   | BM042696.D     | 10 Nov 2023 17:58 | MA/JU    | Ok,M     |
| 14  | O5291-01   | BM042697.D     | 10 Nov 2023 18:34 | MA/JU    | Ok,M     |
| 15  | O5252-01   | BM042698.D     | 10 Nov 2023 19:10 | MA/JU    | Ok       |
| 16  | O5253-03   | BM042699.D     | 10 Nov 2023 19:46 | MA/JU    | Dilution |
| 17  | O5253-04   | BM042700.D     | 10 Nov 2023 20:22 | MA/JU    | Dilution |
| 18  | O5257-01DL | BM042701.D     | 10 Nov 2023 20:58 | MA/JU    | Ok,M     |
| 19  | O5256-05DL | BM042702.D     | 10 Nov 2023 21:35 | MA/JU    | Ok,M     |

M : Manual Integration

Instrument ID: BNA\_F

### Daily Analysis Runlog For Sequence/QC Batch ID # BF103023

|                          |          |                                                                |                       |                      |          |  |  |
|--------------------------|----------|----------------------------------------------------------------|-----------------------|----------------------|----------|--|--|
| Review By                | yogesh   | Review On                                                      | 10/31/2023 4:29:34 AM |                      |          |  |  |
| Supervise By             | mohammad | Supervise On                                                   | 10/31/2023 4:54:30 AM |                      |          |  |  |
| SubDirectory             | BF103023 | HP Acquire Method                                              | BNA_F                 | HP Processing Method | BF103023 |  |  |
| STD. NAME                |          | STD REF.#                                                      |                       |                      |          |  |  |
| Tune/Reschk              |          | SP6271                                                         |                       |                      |          |  |  |
| Initial Calibration Stds |          | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                       |                      |          |  |  |
| CCC                      |          | SP6232                                                         |                       |                      |          |  |  |
| Internal Standard/PEM    |          | S11507 10ul/1000ul sample                                      |                       |                      |          |  |  |
| ICV/I.BLK                |          | SP6324                                                         |                       |                      |          |  |  |
| Surrogate Standard       |          |                                                                |                       |                      |          |  |  |
| MS/MSD Standard          |          |                                                                |                       |                      |          |  |  |
| LCS Standard             |          |                                                                |                       |                      |          |  |  |

| Sr# | SampleId    | ClientID     | Data File Name | Date-Time         | Comment                                                       | Operator | Status   |
|-----|-------------|--------------|----------------|-------------------|---------------------------------------------------------------|----------|----------|
| 1   | DFTPP       | DFTPP        | BF136022.D     | 30 Oct 2023 11:02 |                                                               | CG\JU    | Ok       |
| 2   | SSTDICC2.5  | SSTDICC2.5   | BF136023.D     | 30 Oct 2023 12:02 |                                                               | CG\JU    | Ok       |
| 3   | SSTDICC005  | SSTDICC005   | BF136024.D     | 30 Oct 2023 12:32 | Compound#32,54,65 removed from 5 ppm                          | CG\JU    | Ok,M     |
| 4   | SSTDICC010  | SSTDICC010   | BF136025.D     | 30 Oct 2023 13:02 | The CALibration is Good for Non-DOD and for 625.1.            | CG\JU    | Ok       |
| 5   | SSTDICC020  | SSTDICC020   | BF136026.D     | 30 Oct 2023 13:33 | Method is Good for DOD (Except Benzidine) and Good for 625.1. | CG\JU    | Ok,M     |
| 6   | SSTDICCC040 | SSTDICCC040  | BF136027.D     | 30 Oct 2023 14:04 | Compound #32,54,65,92 Kept on LR                              | CG\JU    | Ok,M     |
| 7   | SSTDICC050  | SSTDICC050   | BF136028.D     | 30 Oct 2023 14:49 |                                                               | CG\JU    | Ok,M     |
| 8   | SSTDICC060  | SSTDICC060   | BF136029.D     | 30 Oct 2023 15:20 |                                                               | CG\JU    | Ok,M     |
| 9   | SSTDICC080  | SSTDICC080   | BF136030.D     | 30 Oct 2023 15:51 |                                                               | CG\JU    | Ok,M     |
| 10  | SSTDICV040  | ICVBF103023  | BF136031.D     | 30 Oct 2023 16:24 |                                                               | CG\JU    | Ok,M     |
| 11  | PB156520BL  | PB156520BL   | BF136032.D     | 30 Oct 2023 17:26 |                                                               | CG\JU    | Ok       |
| 12  | PB156392BL  | PB156392BL   | BF136033.D     | 30 Oct 2023 17:56 |                                                               | CG\JU    | Ok       |
| 13  | PB156520BS  | PB156520BS   | BF136034.D     | 30 Oct 2023 18:27 |                                                               | CG\JU    | Ok,M     |
| 14  | O5027-01    | 214          | BF136035.D     | 30 Oct 2023 19:01 | Internal standard not added                                   | CG\JU    | Not Ok   |
| 15  | O5090-01    | WC-1         | BF136036.D     | 30 Oct 2023 19:32 |                                                               | CG\JU    | Ok,M     |
| 16  | O5062-01    | NB-07-102523 | BF136037.D     | 30 Oct 2023 20:02 |                                                               | CG\JU    | Ok,M     |
| 17  | O5073-01    | OR-02-102523 | BF136038.D     | 30 Oct 2023 20:33 | Need Further 5X                                               | CG\JU    | Dilution |

Instrument ID: BNA\_F

### Daily Analysis Runlog For Sequence/QC Batch ID # BF103023

|                          |          |                                                                |                       |                      |          |  |
|--------------------------|----------|----------------------------------------------------------------|-----------------------|----------------------|----------|--|
| Review By                | yogesh   | Review On                                                      | 10/31/2023 4:29:34 AM |                      |          |  |
| Supervise By             | mohammad | Supervise On                                                   | 10/31/2023 4:54:30 AM |                      |          |  |
| SubDirectory             | BF103023 | HP Acquire Method                                              | BNA_F                 | HP Processing Method | BF103023 |  |
| STD. NAME                |          | STD REF.#                                                      |                       |                      |          |  |
| Tune/Reschk              |          | SP6271                                                         |                       |                      |          |  |
| Initial Calibration Stds |          | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                       |                      |          |  |
| CCC                      |          | SP6232                                                         |                       |                      |          |  |
| Internal Standard/PEM    |          | S11507 10ul/1000ul sample                                      |                       |                      |          |  |
| ICV/I.BLK                |          | SP6324                                                         |                       |                      |          |  |
| Surrogate Standard       |          |                                                                |                       |                      |          |  |
| MS/MSD Standard          |          |                                                                |                       |                      |          |  |
| LCS Standard             |          |                                                                |                       |                      |          |  |

|    |            |                |            |                   |                      |       |          |
|----|------------|----------------|------------|-------------------|----------------------|-------|----------|
| 18 | O5078-01   | EO-03-102323   | BF136039.D | 30 Oct 2023 21:03 |                      | CG\JU | Ok,M     |
| 19 | O4907-01RE | OR-03-101623RE | BF136040.D | 30 Oct 2023 21:33 | Fax is already Given | CG\JU | Confirms |
| 20 | O4704-02DL | R-1(10-15)DL   | BF136041.D | 30 Oct 2023 22:04 |                      | CG\JU | Ok,M     |
| 21 | O4704-04DL | R-3(10-15)DL   | BF136042.D | 30 Oct 2023 22:34 |                      | CG\JU | Ok,M     |

M : Manual Integration

Instrument ID: BNA\_F

### Daily Analysis Runlog For Sequence/QC Batch ID # BF110623

|                          |          |                                                                |                      |                      |          |  |  |
|--------------------------|----------|----------------------------------------------------------------|----------------------|----------------------|----------|--|--|
| Review By                | yogesh   | Review On                                                      | 11/6/2023 4:02:34 PM |                      |          |  |  |
| Supervise By             | mohammad | Supervise On                                                   | 11/8/2023 1:02:43 AM |                      |          |  |  |
| SubDirectory             | BF110623 | HP Acquire Method                                              | BNA_F                | HP Processing Method | BF103023 |  |  |
| STD. NAME                |          | STD REF.#                                                      |                      |                      |          |  |  |
| Tune/Reschk              |          | SP6271                                                         |                      |                      |          |  |  |
| Initial Calibration Stds |          | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                      |                      |          |  |  |
| CCC                      |          | SP6232                                                         |                      |                      |          |  |  |
| Internal Standard/PEM    |          | S11510 10ul/1000ul sample                                      |                      |                      |          |  |  |
| ICV/I.BLK                |          | SP6324                                                         |                      |                      |          |  |  |
| Surrogate Standard       |          |                                                                |                      |                      |          |  |  |
| MS/MSD Standard          |          |                                                                |                      |                      |          |  |  |
| LCS Standard             |          |                                                                |                      |                      |          |  |  |

| Sr# | SampleId    | ClientID         | Data File Name | Date-Time         | Comment  | Operator | Status   |
|-----|-------------|------------------|----------------|-------------------|----------|----------|----------|
| 1   | DFTPP       | DFTPP            | BF136148.D     | 06 Nov 2023 11:31 |          | CG\JU    | Ok       |
| 2   | SSTDCCC040  | SSTDCCC040       | BF136149.D     | 06 Nov 2023 12:01 |          | CG\JU    | Ok,M     |
| 3   | PB156895BL  | PB156895BL       | BF136150.D     | 06 Nov 2023 12:31 |          | CG\JU    | Ok       |
| 4   | O5237-01    | 111TH-ST-1       | BF136151.D     | 06 Nov 2023 13:26 |          | CG\JU    | Ok,M     |
| 5   | O5243-03    | SB-11-AT-4.5-5.0 | BF136152.D     | 06 Nov 2023 13:56 |          | CG\JU    | Ok       |
| 6   | O5234-01    | SP-A             | BF136153.D     | 06 Nov 2023 14:26 |          | CG\JU    | Ok       |
| 7   | O5257-09    | WC-3             | BF136154.D     | 06 Nov 2023 14:56 |          | CG\JU    | Ok       |
| 8   | O5256-09    | WC-10            | BF136155.D     | 06 Nov 2023 15:27 |          | CG\JU    | Ok,M     |
| 9   | O5257-05    | WC-2             | BF136156.D     | 06 Nov 2023 15:57 |          | CG\JU    | Ok,M     |
| 10  | O5256-01    | WC-1             | BF136157.D     | 06 Nov 2023 16:28 |          | CG\JU    | Ok,M     |
| 11  | O5253-01    | L-1(65FT)(5-10)  | BF136158.D     | 06 Nov 2023 16:57 |          | CG\JU    | Ok,M     |
| 12  | O5253-02    | L-6(0-5)         | BF136159.D     | 06 Nov 2023 17:28 | Need 10X | CG\JU    | Dilution |
| 13  | O5256-05    | WC-11            | BF136160.D     | 06 Nov 2023 17:59 | Need 2X  | CG\JU    | Dilution |
| 14  | O5257-01    | WC-6             | BF136161.D     | 06 Nov 2023 18:29 | Need 2X  | CG\JU    | Dilution |
| 15  | O5257-05MS  | WC-2MS           | BF136162.D     | 06 Nov 2023 18:59 |          | CG\JU    | Ok,M     |
| 16  | O5257-05MSD | WC-2MSD          | BF136163.D     | 06 Nov 2023 19:29 |          | CG\JU    | Ok,M     |
| 17  | O5253-02DL  | L-6(0-5)DL       | BF136164.D     | 06 Nov 2023 20:00 |          | CG\JU    | Ok,M     |
| 18  | SSTDCCC040  | SSTDCCC040EC     | BF136165.D     | 06 Nov 2023 21:01 |          | CG\JU    | Ok,M     |

M : Manual Integration

Instrument ID: BNA\_F

### Daily Analysis Runlog For Sequence/QC Batch ID # BF110723

|              |          |                      |                      |
|--------------|----------|----------------------|----------------------|
| Review By    | yogesh   | Review On            | 11/7/2023 4:17:42 PM |
| Supervise By | mohammad | Supervise On         | 11/9/2023 3:24:19 AM |
| SubDirectory | BF110723 | HP Acquire Method    | BNA_F                |
|              |          | HP Processing Method | BF110723             |

| STD. NAME                | STD REF.#                                               |
|--------------------------|---------------------------------------------------------|
| Tune/Reschk              | SP6271                                                  |
| Initial Calibration Stds | SP6330,SP6331,SP6332,SP6333,SP6334,SP6335,SP6336,SP6337 |
| CCC                      | SP6333                                                  |
| Internal Standard/PEM    | S11510 10ul/1000ul sample                               |
| ICV/I.BLK                | SP6324                                                  |
| Surrogate Standard       |                                                         |
| MS/MSD Standard          |                                                         |
| LCS Standard             |                                                         |

| Sr# | SampleID    | ClientID    | Data File Name | Date-Time         | Comment                                                        | Operator | Status |
|-----|-------------|-------------|----------------|-------------------|----------------------------------------------------------------|----------|--------|
| 1   | DFTPP       | DFTPP       | BF136166.D     | 07 Nov 2023 09:28 |                                                                | CG\JU    | Ok     |
| 2   | SSTDCCC040  | SSTDCCC040  | BF136167.D     | 07 Nov 2023 09:58 | Need ICAL                                                      | CG\JU    | Not Ok |
| 3   | SSTDICC2.5  | SSTDICC2.5  | BF136168.D     | 07 Nov 2023 10:30 |                                                                | CG\JU    | Ok     |
| 4   | SSTDICC005  | SSTDICC005  | BF136169.D     | 07 Nov 2023 11:01 | Comopunds#32,54,65,77,85 removed from 5 ppm                    | CG\JU    | Ok,M   |
| 5   | SSTDICC010  | SSTDICC010  | BF136170.D     | 07 Nov 2023 11:31 | Method is Good For DOD except compound#77                      | CG\JU    | Ok,M   |
| 6   | SSTDICC020  | SSTDICC020  | BF136171.D     | 07 Nov 2023 12:01 | Compound #32,54,65 Kept on LR                                  | CG\JU    | Ok     |
| 7   | SSTDICCC040 | SSTDICCC040 | BF136172.D     | 07 Nov 2023 12:31 | Method is Good For DOD Except Com#77 and good for 625.1 Method | CG\JU    | Ok,M   |
| 8   | SSTDICC050  | SSTDICC050  | BF136173.D     | 07 Nov 2023 13:02 |                                                                | CG\JU    | Ok,M   |
| 9   | SSTDICC060  | SSTDICC060  | BF136174.D     | 07 Nov 2023 13:33 |                                                                | CG\JU    | Ok,M   |
| 10  | SSTDICC080  | SSTDICC080  | BF136175.D     | 07 Nov 2023 14:03 |                                                                | CG\JU    | Ok,M   |
| 11  | SSTDICV040  | ICVBF110723 | BF136176.D     | 07 Nov 2023 15:17 |                                                                | CG\JU    | Ok,M   |
| 12  | PB156921BL  | PB156921BL  | BF136177.D     | 07 Nov 2023 15:47 |                                                                | CG\JU    | Ok     |
| 13  | PB156921BS  | PB156921BS  | BF136178.D     | 07 Nov 2023 16:18 |                                                                | CG\JU    | Ok,M   |

M : Manual Integration

Instrument ID: BNA\_M

### Daily Analysis Runlog For Sequence/QC Batch ID # BM103023

Review By

yogesh

Review On

10/31/2023 4:29:12 AM

Supervise By

mohammad

Supervise On

10/31/2023 4:55:39 AM

SubDirectory

BM103023

HP Acquire Method

BNA\_M

HP Processing Method

BM103023

| STD. NAME                |  | STD REF.#                                                      |  |  |  |  |  |
|--------------------------|--|----------------------------------------------------------------|--|--|--|--|--|
| Tune/Reschk              |  | SP6271                                                         |  |  |  |  |  |
| Initial Calibration Stds |  | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |  |  |  |  |  |
| CCC                      |  | SP6232                                                         |  |  |  |  |  |
| Internal Standard/PEM    |  | S11507 10ul/1000ul sample                                      |  |  |  |  |  |
| ICV/I.BLK                |  | SP6324                                                         |  |  |  |  |  |
| Surrogate Standard       |  |                                                                |  |  |  |  |  |
| MS/MSD Standard          |  |                                                                |  |  |  |  |  |
| LCS Standard             |  |                                                                |  |  |  |  |  |

| Sr# | SampleId    | ClientID         | Data File Name | Date-Time         | Comment                                                                                              | Operator | Status   |
|-----|-------------|------------------|----------------|-------------------|------------------------------------------------------------------------------------------------------|----------|----------|
| 1   | DFTPP       | DFTPP            | BM042487.D     | 30 Oct 2023 09:52 |                                                                                                      | MA/JU    | Ok       |
| 2   | SSTDICC2.5  | SSTDICC2.5       | BM042488.D     | 30 Oct 2023 11:04 |                                                                                                      | MA/JU    | Ok       |
| 3   | SSTDICC005  | SSTDICC005       | BM042489.D     | 30 Oct 2023 11:40 | Comopunds#32,35,41,42,54,56,65,70 removed from 5 ppm                                                 | MA/JU    | Ok,M     |
| 4   | SSTDICC010  | SSTDICC010       | BM042490.D     | 30 Oct 2023 12:16 |                                                                                                      | MA/JU    | Ok,M     |
| 5   | SSTDICC020  | SSTDICC020       | BM042491.D     | 30 Oct 2023 12:52 | The Calibration is good for Methods 625.1, 8270 DOD & 8270 NON-DOD Except Benzidine as failed in ICV | MA/JU    | Ok,M     |
| 6   | SSTDICCC040 | SSTDICCC040      | BM042492.D     | 30 Oct 2023 13:29 | Compounds#26,32,41,48,53,54,56,57,62,65,91 kept on LR                                                | MA/JU    | Ok,M     |
| 7   | SSTDICC050  | SSTDICC050       | BM042493.D     | 30 Oct 2023 14:05 |                                                                                                      | MA/JU    | Ok,M     |
| 8   | SSTDICC060  | SSTDICC060       | BM042494.D     | 30 Oct 2023 14:41 |                                                                                                      | MA/JU    | Ok,M     |
| 9   | SSTDICC080  | SSTDICC080       | BM042495.D     | 30 Oct 2023 15:18 | Compounds#32,73 removed from 80 ppm                                                                  | MA/JU    | Ok,M     |
| 10  | SSTDICV040  | ICVBM103023      | BM042496.D     | 30 Oct 2023 16:23 |                                                                                                      | MA/JU    | Ok,M     |
| 11  | PB156597TB  | PB156597TB       | BM042497.D     | 30 Oct 2023 17:00 |                                                                                                      | MA/JU    | Ok       |
| 12  | PB156526BS  | PB156526BS       | BM042498.D     | 30 Oct 2023 17:36 |                                                                                                      | MA/JU    | Ok,M     |
| 13  | PB156526BSD | PB156526BSD      | BM042499.D     | 30 Oct 2023 18:13 |                                                                                                      | MA/JU    | Ok,M     |
| 14  | PB156526BL  | PB156526BL       | BM042500.D     | 30 Oct 2023 18:49 |                                                                                                      | MA/JU    | Ok       |
| 15  | O4909-01RE  | LCOL-12RE        | BM042501.D     | 30 Oct 2023 19:31 | Surrogate Fail                                                                                       | MA/JU    | Confirms |
| 16  | O4958-02RE  | EFF-WASTE-WATERR | BM042502.D     | 30 Oct 2023 20:07 | Surrogate Fail                                                                                       | MA/JU    | Confirms |
| 17  | O5011-01DL  | RBR-200027DL     | BM042503.D     | 30 Oct 2023 20:43 |                                                                                                      | MA/JU    | Ok       |





Instrument ID: BNA\_M

Daily Analysis Runlog For Sequence/QC Batch ID # BM103023

| Review By                | yogesh                                                         | Review On         | 10/31/2023 4:29:12 AM |                      |          |
|--------------------------|----------------------------------------------------------------|-------------------|-----------------------|----------------------|----------|
| Supervise By             | mohammad                                                       | Supervise On      | 10/31/2023 4:55:39 AM |                      |          |
| SubDirectory             | BM103023                                                       | HP Acquire Method | BNA_M                 | HP Processing Method | BM103023 |
| STD. NAME                | STD REF.#                                                      |                   |                       |                      |          |
| Tune/Reschk              | SP6271                                                         |                   |                       |                      |          |
| Initial Calibration Stds | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                   |                       |                      |          |
| CCC                      | SP6232                                                         |                   |                       |                      |          |
| Internal Standard/PEM    | S11507 10ul/1000ul sample                                      |                   |                       |                      |          |
| ICV/I.BLK                | SP6324                                                         |                   |                       |                      |          |
| Surrogate Standard       |                                                                |                   |                       |                      |          |
| MS/MSD Standard          |                                                                |                   |                       |                      |          |
| LCS Standard             |                                                                |                   |                       |                      |          |

M : Manual Integration

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K

Instrument ID: BNA\_M

### Daily Analysis Runlog For Sequence/QC Batch ID # BM111023

|                          |          |                                                                |                       |                      |          |  |  |
|--------------------------|----------|----------------------------------------------------------------|-----------------------|----------------------|----------|--|--|
| Review By                | yogesh   | Review On                                                      | 11/10/2023 2:59:37 PM |                      |          |  |  |
| Supervise By             | mohammad | Supervise On                                                   | 11/16/2023 1:32:18 AM |                      |          |  |  |
| SubDirectory             | BM111023 | HP Acquire Method                                              | BNA_M                 | HP Processing Method | BM103023 |  |  |
| STD. NAME                |          | STD REF.#                                                      |                       |                      |          |  |  |
| Tune/Reschk              |          | SP6271                                                         |                       |                      |          |  |  |
| Initial Calibration Stds |          | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                       |                      |          |  |  |
| CCC                      |          | SP6232                                                         |                       |                      |          |  |  |
| Internal Standard/PEM    |          | S11528 10ul/1000ul sample                                      |                       |                      |          |  |  |
| ICV/I.BLK                |          | SP6324                                                         |                       |                      |          |  |  |
| Surrogate Standard       |          |                                                                |                       |                      |          |  |  |
| MS/MSD Standard          |          |                                                                |                       |                      |          |  |  |
| LCS Standard             |          |                                                                |                       |                      |          |  |  |

| Sr# | SampleId   | ClientID        | Data File Name | Date-Time         | Comment                                                        | Operator | Status   |
|-----|------------|-----------------|----------------|-------------------|----------------------------------------------------------------|----------|----------|
| 1   | DFTPP      | DFTPP           | BM042684.D     | 10 Nov 2023 10:10 |                                                                | MA/JU    | Ok       |
| 2   | SSTDCCC040 | SSTDCCC040      | BM042685.D     | 10 Nov 2023 11:22 | CCC failed high for comp.<br>#04,15,19,34,41,42,61,67,68,77,79 | MA/JU    | Ok,M     |
| 3   | PB156988BL | PB156988BL      | BM042686.D     | 10 Nov 2023 11:58 | Surrogate Fail                                                 | MA/JU    | Not Ok   |
| 4   | O5279-04   | TP-1            | BM042687.D     | 10 Nov 2023 12:34 |                                                                | MA/JU    | Ok       |
| 5   | O5279-08   | MH-1            | BM042688.D     | 10 Nov 2023 13:10 | Internal Standard Fail                                         | MA/JU    | ReRun    |
| 6   | O5295-04   | TP-2            | BM042689.D     | 10 Nov 2023 13:46 | Internal Standard Fail                                         | MA/JU    | ReRun    |
| 7   | O5311-03   | TP-1            | BM042690.D     | 10 Nov 2023 14:22 | Internal Standard Fail                                         | MA/JU    | ReRun    |
| 8   | O5280-02   | MH-1-GW         | BM042691.D     | 10 Nov 2023 14:58 | Internal Standard Fail                                         | MA/JU    | ReRun    |
| 9   | O5317-03   | RB-21148        | BM042692.D     | 10 Nov 2023 15:34 | Need 5X                                                        | MA/JU    | Dilution |
| 10  | O5279-01   | TP-1            | BM042693.D     | 10 Nov 2023 16:09 |                                                                | MA/JU    | Ok,M     |
| 11  | O5279-05   | MH-1            | BM042694.D     | 10 Nov 2023 16:46 |                                                                | MA/JU    | Ok,M     |
| 12  | O5317-01   | 208             | BM042695.D     | 10 Nov 2023 17:22 |                                                                | MA/JU    | Ok,M     |
| 13  | O5292-01   | CORONA          | BM042696.D     | 10 Nov 2023 17:58 | Internal Standard Fail                                         | MA/JU    | Ok,M     |
| 14  | O5291-01   | QUEEN-PLAZA     | BM042697.D     | 10 Nov 2023 18:34 |                                                                | MA/JU    | Ok,M     |
| 15  | O5252-01   | WASTE           | BM042698.D     | 10 Nov 2023 19:10 |                                                                | MA/JU    | Ok       |
| 16  | O5253-03   | L-3(120FT)(0-5) | BM042699.D     | 10 Nov 2023 19:46 | Need Further 10X                                               | MA/JU    | Dilution |
| 17  | O5253-04   | L-3(195FT)(0-5) | BM042700.D     | 10 Nov 2023 20:22 | Need Further 5X                                                | MA/JU    | Dilution |
| 18  | O5257-01DL | WC-6DL          | BM042701.D     | 10 Nov 2023 20:58 |                                                                | MA/JU    | Ok,M     |



Instrument ID: BNA\_M

Daily Analysis Runlog For Sequence/QC Batch ID # BM111023

|                          |            |                                                                |                       |                      |          |       |      |  |
|--------------------------|------------|----------------------------------------------------------------|-----------------------|----------------------|----------|-------|------|--|
| Review By                | yogesh     | Review On                                                      | 11/10/2023 2:59:37 PM |                      |          |       |      |  |
| Supervise By             | mohammad   | Supervise On                                                   | 11/16/2023 1:32:18 AM |                      |          |       |      |  |
| SubDirectory             | BM111023   | HP Acquire Method                                              | BNA_M                 | HP Processing Method | BM103023 |       |      |  |
| STD. NAME                |            | STD REF.#                                                      |                       |                      |          |       |      |  |
| Tune/Reschk              |            | SP6271                                                         |                       |                      |          |       |      |  |
| Initial Calibration Stds |            | SP6228,SP6229,SP6230,SP6231,SP6232,SP6233,SP6234,SP6235,SP6236 |                       |                      |          |       |      |  |
| CCC                      |            | SP6232                                                         |                       |                      |          |       |      |  |
| Internal Standard/PEM    |            | S11528 10ul/1000ul sample                                      |                       |                      |          |       |      |  |
| ICV/I.BLK                |            | SP6324                                                         |                       |                      |          |       |      |  |
| Surrogate Standard       |            |                                                                |                       |                      |          |       |      |  |
| MS/MSD Standard          |            |                                                                |                       |                      |          |       |      |  |
| LCS Standard             |            |                                                                |                       |                      |          |       |      |  |
| 19                       | O5256-05DL | WC-11DL                                                        | BM042702.D            | 10 Nov 2023 21:35    |          | MA/JU | Ok,M |  |

M : Manual Integration

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K

SOP ID: M3541-ASE Extraction-14

Clean Up SOP #: N/A

Matrix: Solid

Weigh By: RJ

Balance check: RJ

Balance ID: EX-SC-2

pH Strip Lot#: N/A

Extraction By: RJ

Filter By: RJ

pH Meter ID: N/A

Hood ID: 3,7

Extraction Start Date: 11/06/2023

Extraction Start Time: 09:48

Extraction End Date: 11/06/2023

Extraction End Time: 13:30

Concentration By: RJ

Supervisor By: rajesh

Extraction Method: ☐ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

| Standard Name | MLS USED | Concentration ug/mL | STD REF. # FROM LOG |
|---------------|----------|---------------------|---------------------|
| Spike Sol 1   | 1.0ML    | 50/100 PPM          | SP6302              |
| Surrogate     | 1.0ML    | 100/150 PPM         | SP6274              |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |

| Chemical Used      | ML/SAMPLE USED | Lot Number |
|--------------------|----------------|------------|
| MeCl2/Acetone/1:1  | N/A            | EP2392     |
| Baked Na2SO4       | N/A            | EP2405     |
| Sand               | N/A            | E2865      |
| Methylene Chloride | N/A            | E3593      |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |

## Extraction Conformance/Non-Conformance Comments:

1.5 ML Vial lot# 2210678. O5252,5253 Added in batch at 09:50.

KD Bath ID: N/A

KD Bath Temperature: N/A

Envap ID: NE VAP-02

Envap Temperature: 40 °C

| Date / Time | Prepped Sample Relinquished By/Location | Received By/Location |
|-------------|-----------------------------------------|----------------------|
| 11/6/23     | RP (2nd 205)                            | Ju/goc -             |
| 13:35       | Preparation Group                       | Analysis Group       |

Analytical Method: M3541-ASE Extraction-14

Concentration Date: 11/06/2023

| Sample ID       | Client Sample ID | Test                | g / mL | PH  | Surr / Spike By: |            | Final Vol.<br>(mL) | JarID | Comments | Prep<br>Pos |
|-----------------|------------------|---------------------|--------|-----|------------------|------------|--------------------|-------|----------|-------------|
|                 |                  |                     |        |     | AddedBy          | VerifiedBy |                    |       |          |             |
| PB156921BL      | SBLK921          | SVOC-TCL BNA<br>-20 | 30.01  | N/A | ritesh           | RUPESH     | 1                  |       |          | U6-1        |
| PB156921BS      | SLCS921          | SVOC-TCL BNA<br>-20 | 30.03  | N/A | ritesh           | RUPESH     | 1                  |       |          | 2           |
| O5252-01        | WASTE            | SVOC-TCL BNA<br>-20 | 30.05  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 3           |
| O5253-01        | L-1(65FT)(5-10)  | SVOC-TCL BNA<br>-20 | 30.09  | N/A | ritesh           | RUPESH     | 1                  | E     |          | 4           |
| O5253-02        | L-6(0-5)         | SVOC-TCL BNA<br>-20 | 30.02  | N/A | ritesh           | RUPESH     | 1                  | E     |          | 5           |
| O5253-03        | L-3(120FT)(0-5)  | SVOC-TCL BNA<br>-20 | 30.07  | N/A | ritesh           | RUPESH     | 1                  | E     |          | 6           |
| O5253-04        | L-3(195FT)(0-5)  | SVOC-TCL BNA<br>-20 | 30.04  | N/A | ritesh           | RUPESH     | 1                  | E     |          | U7-1        |
| O5256-01        | WC-1             | SVOC-TCL BNA<br>-20 | 50.05  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 2           |
| O5256-05        | WC-11            | SVOC-TCL BNA<br>-20 | 50.03  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 3           |
| O5256-09        | WC-10            | SVOC-TCL BNA<br>-20 | 50.07  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 4           |
| O5257-01        | WC-6             | SVOC-TCL BNA<br>-20 | 50.09  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 5           |
| O5257-05        | WC-2             | SVOC-TCL BNA<br>-20 | 50.03  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 6           |
| O5257-05MS      | WC-2MS           | SVOC-TCL BNA<br>-20 | 50.08  | N/A | ritesh           | RUPESH     | 1                  | B     |          | U1-1        |
| O5257-05MS<br>D | WC-2MSD          | SVOC-TCL BNA<br>-20 | 50.06  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 2           |
| O5257-09        | WC-3             | SVOC-TCL BNA<br>-20 | 50.04  | N/A | ritesh           | RUPESH     | 1                  | B     |          | 3           |

\* Extracts relinquished on the same date as received.

11/6/23

# WORKLIST(Hardcopy Internal Chain)

Worklist Name : O5256S

Worklist ID : 175304

Department : Extraction

Date : 11-06-2023 08:43:52

| Sample   | Customer Sample | Matrix | Test             | Preservative | Customer | Raw Sample<br>Storage<br>Location | Collect Date | Method |
|----------|-----------------|--------|------------------|--------------|----------|-----------------------------------|--------------|--------|
| O5256-01 | WC-1            | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |
| O5256-05 | WC-11           | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |
| O5256-09 | WC-10           | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |
| O5257-01 | WC-6            | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |
| O5257-05 | WC-2            | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |
| O5257-09 | WC-3            | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | PSEG03   | L31                               | 11/03/2023   | 8270E  |

Date/Time

11/6/23 9:45

Raw Sample Received by:

RJ (Signature)

Raw Sample Relinquished by:

SH (Signature)

Date/Time

11/6/23

Raw Sample Received by:

SH (Signature)

Raw Sample Relinquished by:

RJ (Signature)

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : p5252

WorkList ID : 175312

Department : Extraction

Date : 11-06-2023 09:50:43

| Sample   | Customer Sample | Matrix | Test             | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|------------------|--------------|----------|-----------------------------|--------------|--------|
| O5252-01 | WASTE           | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | RMJE02   | I31                         | 11/03/2023   | 8270E  |
| O5253-01 | L-1(65FT)(5-10) | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | GEIC06   | L21                         | 11/02/2023   | 8270E  |
| O5253-02 | L-6(0-5)        | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | GEIC06   | L21                         | 11/03/2023   | 8270E  |
| O5253-03 | L-3(120FT)(0-5) | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | GEIC06   | L21                         | 11/03/2023   | 8270E  |
| O5253-04 | L-3(195FT)(0-5) | Solid  | SVOC-TCL BNA -20 | Cool 4 deg C | GEIC06   | L21                         | 11/03/2023   | 8270E  |

Date/Time 11/6/23 9:50

Raw Sample Received by: PJ (Set Rel)

Raw Sample Relinquished by: PJ SM

Date/Time 11/6/23 10:05

Raw Sample Received by: PJ (Set Rel)

Raw Sample Relinquished by: PJ (Set Rel)



284 Sheffield Street, Mountainside, New Jersey - 07092

Phone: (908) 789 8900 Fax: (908) 789 8922

LAB CHRONICLE

|          |                        |            |                      |
|----------|------------------------|------------|----------------------|
| OrderID: | O5252                  | OrderDate: | 11/3/2023 2:14:16 PM |
| Client:  | RMJ Environomics, Inc. | Project:   | 245 Greenwood Ave    |
| Contact: | Jonathan Pereira       | Location:  | I31,VOA Ref. #2 Soil |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|-------|----------|--------|------|--------|-------------|-----------|-----------|----------|
|-------|----------|--------|------|--------|-------------|-----------|-----------|----------|

|          |       |      |                  |       |          |          |          |          |
|----------|-------|------|------------------|-------|----------|----------|----------|----------|
| O5252-01 | WASTE | SOIL | SVOC-TCL BNA -20 | 8270E | 11/03/23 | 11/06/23 | 11/10/23 | 11/03/23 |
|----------|-------|------|------------------|-------|----------|----------|----------|----------|