



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P1187

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP

ID: 0.32 (mm)

Inst. Calib. Date(s): 01/11/2024

01/11/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
I.BLK	I.BLK	01/11/2024	14:11	PS025473.D	6.35	0.00
HSTDICC200	HSTDICC200	01/11/2024	14:35	PS025474.D	6.35	0.00
HSTDICC500	HSTDICC500	01/11/2024	15:11	PS025475.D	6.35	0.00
HSTDICC750	HSTDICC750	01/11/2024	15:35	PS025476.D	6.35	0.00
HSTDICC1000	HSTDICC1000	01/11/2024	15:59	PS025477.D	6.35	0.00
HSTDICC1500	HSTDICC1500	01/11/2024	16:23	PS025478.D	6.35	0.00
I.BLK	I.BLK	01/22/2024	19:10	PS025604.D	6.35	0.00
HSTDCCC750	HSTDCCC750	01/22/2024	19:58	PS025605.D	6.35	0.00
PB158539BL	PB158539BL	01/22/2024	20:22	PS025606.D	6.35	0.00
PB158539BS	PB158539BS	01/22/2024	20:46	PS025607.D	6.35	0.00
I.BLK	I.BLK	01/22/2024	22:46	PS025612.D	6.35	0.00
HSTDCCC750	HSTDCCC750	01/22/2024	23:10	PS025613.D	6.35	0.00
LOD-MDL-SOIL-01-QT1-2024	P1187-01	01/23/2024	00:23	PS025615.D	6.35	0.00
LOD-MDL-SOIL-01-QT1-2024	P1187-01	01/23/2024	00:47	PS025616.D	6.35	0.00
I.BLK	I.BLK	01/23/2024	02:47	PS025621.D	6.35	0.00
HSTDCCC750	HSTDCCC750	01/23/2024	03:11	PS025622.D	6.35	0.00



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P1187

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP2

ID: 0.32 (mm)

Inst. Calib. Date(s): 01/11/2024

01/11/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
I.BLK	I.BLK	01/11/2024	14:11	PS025473.D	6.76	0.00
HSTDICC200	HSTDICC200	01/11/2024	14:35	PS025474.D	6.76	0.00
HSTDICC500	HSTDICC500	01/11/2024	15:11	PS025475.D	6.76	0.00
HSTDICC750	HSTDICC750	01/11/2024	15:35	PS025476.D	6.76	0.00
HSTDICC1000	HSTDICC1000	01/11/2024	15:59	PS025477.D	6.76	0.00
HSTDICC1500	HSTDICC1500	01/11/2024	16:23	PS025478.D	6.76	0.00
I.BLK	I.BLK	01/22/2024	19:10	PS025604.D	6.76	0.00
HSTDCCC750	HSTDCCC750	01/22/2024	19:58	PS025605.D	6.76	0.00
PB158539BL	PB158539BL	01/22/2024	20:22	PS025606.D	6.76	0.00
PB158539BS	PB158539BS	01/22/2024	20:46	PS025607.D	6.76	0.00
I.BLK	I.BLK	01/22/2024	22:46	PS025612.D	6.76	0.00
HSTDCCC750	HSTDCCC750	01/22/2024	23:10	PS025613.D	6.76	0.00
LOD-MDL-SOIL-01-QT1-2024	P1187-01	01/23/2024	00:23	PS025615.D	6.76	0.00
LOD-MDL-SOIL-01-QT1-2024	P1187-01	01/23/2024	00:47	PS025616.D	6.76	0.00
I.BLK	I.BLK	01/23/2024	02:47	PS025621.D	6.76	0.00
HSTDCCC750	HSTDCCC750	01/23/2024	03:11	PS025622.D	6.76	0.00