

## Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	01/19/24	
Project:	LOD-LOQ Study		Date Received:	01/19/24	
Client Sample ID:	PIBLK-PR064985.D		SDG No.:	P1187	
Lab Sample ID:	I.BLK-PR064985.D		Matrix:	WATER	
Analytical Method:			% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	5030				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR064985.D	1		01/19/24	PR011924

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	0.50	U	0.15	0.50	ug/L
11104-28-2	Aroclor-1221	0.50	U	0.22	0.50	ug/L
11141-16-5	Aroclor-1232	0.50	U	0.18	0.50	ug/L
53469-21-9	Aroclor-1242	0.50	U	0.18	0.50	ug/L
12672-29-6	Aroclor-1248	0.50	U	0.15	0.50	ug/L
11097-69-1	Aroclor-1254	0.50	U	0.15	0.50	ug/L
11096-82-5	Aroclor-1260	0.50	U	0.16	0.50	ug/L
37324-23-5	Aroclor-1262	0.50	U	0.16	0.50	ug/L
11100-14-4	Aroclor-1268	0.50	U	0.13	0.50	ug/L
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	18.7		60 - 140	94%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.7		60 - 140	98%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit