



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	01/24/24		
Project:	LOD-LOQ Study	Date Received:	01/24/24		
Client Sample ID:	PIBLK-PD080863.D	SDG No.:	P1187		
Lab Sample ID:	I.BLK-PD080863.D	Matrix:	WATER		
Analytical Method:	SW8081	% Solid:	0	Decanted:	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000 uL
Soil Aliquot Vol:			uL	Test:	Pesticide-TCL
Extraction Type:				Injection Volume :	
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD080863.D	1		01/24/24	PD012424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.050	U	0.0078	0.050	ug/L
319-85-7	beta-BHC	0.050	U	0.014	0.050	ug/L
319-86-8	delta-BHC	0.050	U	0.012	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.050	U	0.0064	0.050	ug/L
76-44-8	Heptachlor	0.050	U	0.0073	0.050	ug/L
309-00-2	Aldrin	0.050	U	0.0071	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.050	U	0.010	0.050	ug/L
959-98-8	Endosulfan I	0.050	U	0.0059	0.050	ug/L
60-57-1	Dieldrin	0.050	U	0.0054	0.050	ug/L
72-55-9	4,4-DDE	0.050	U	0.0059	0.050	ug/L
72-20-8	Endrin	0.050	U	0.0043	0.050	ug/L
33213-65-9	Endosulfan II	0.050	U	0.0076	0.050	ug/L
72-54-8	4,4-DDD	0.050	U	0.0084	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.050	U	0.0051	0.050	ug/L
50-29-3	4,4-DDT	0.050	U	0.0065	0.050	ug/L
72-43-5	Methoxychlor	0.050	U	0.0066	0.050	ug/L
53494-70-5	Endrin ketone	0.050	U	0.0084	0.050	ug/L
7421-93-4	Endrin aldehyde	0.050	U	0.0070	0.050	ug/L
5103-71-9	alpha-Chlordane	0.050	U	0.0074	0.050	ug/L
5103-74-2	gamma-Chlordane	0.050	U	0.0065	0.050	ug/L
8001-35-2	Toxaphene	1.00	U	0.18	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.2		27 - 142	111%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.4		35 - 148	107%	SPK: 20



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	01/24/24			
Project:	LOD-LOQ Study	Date Received:	01/24/24			
Client Sample ID:	PIBLK-PD080863.D	SDG No.:	P1187			
Lab Sample ID:	I.BLK-PD080863.D	Matrix:	WATER			
Analytical Method:	SW8081	% Solid:	0	Decanted:		
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000	uL
Soil Aliquot Vol:			uL	Test:	Pesticide-TCL	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD080863.D	1		01/24/24	PD012424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit