

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P3390

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/12/2024 07/12/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
I.BLK	I.BLK	07/12/2024	10:07	PS027148.D	7.21	0.00
HSTDICC200	HSTDICC200	07/12/2024	10:31	PS027149.D	7.21	0.00
HSTDICC500	HSTDICC500	07/12/2024	10:55	PS027150.D	7.20	0.00
HSTDICC750	HSTDICC750	07/12/2024	11:20	PS027151.D	7.21	0.00
HSTDICC1000	HSTDICC1000	07/12/2024	11:44	PS027152.D	7.20	0.00
HSTDICC1500	HSTDICC1500	07/12/2024	12:08	PS027153.D	7.21	0.00
I.BLK	I.BLK	08/01/2024	08:59	PS027259.D	7.19	0.00
HSTDCCC750	HSTDCCC750	08/01/2024	09:23	PS027260.D	7.19	0.00
PB162415BL	PB162415BL	08/01/2024	09:48	PS027261.D	7.19	0.00
LOD-MDL-SOIL-01-QT3-2024	P3390-01	08/01/2024	11:03	PS027263.D	7.19	0.00
LOD-MDL-SOIL-01-QT3-2024	P3390-01	08/01/2024	11:51	PS027265.D	7.19	0.00
I.BLK	I.BLK	08/01/2024	13:29	PS027269.D	7.19	0.00
HSTDCCC750	HSTDCCC750	08/01/2024	13:53	PS027270.D	7.19	0.00

Analytical Sequence

Client: Chemtech Consulting Group

SDG No.: P3390

Project: LOD-LOQ Study

Instrument ID: ECD_S

GC Column: RTX-CLP2

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/12/2024 07/12/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	07/12/2024	10:07	PS027148.D	7.75	0.00
HSTDICC200	HSTDICC200	07/12/2024	10:31	PS027149.D	7.75	0.00
HSTDICC500	HSTDICC500	07/12/2024	10:55	PS027150.D	7.75	0.00
HSTDICC750	HSTDICC750	07/12/2024	11:20	PS027151.D	7.75	0.00
HSTDICC1000	HSTDICC1000	07/12/2024	11:44	PS027152.D	7.75	0.00
HSTDICC1500	HSTDICC1500	07/12/2024	12:08	PS027153.D	7.75	0.00
IBLK	IBLK	08/01/2024	08:59	PS027259.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/01/2024	09:23	PS027260.D	7.75	0.00
PB162415BL	PB162415BL	08/01/2024	09:48	PS027261.D	7.75	0.00
LOD-MDL-SOIL-01-QT3-2024	P3390-01	08/01/2024	11:03	PS027263.D	7.75	0.00
LOD-MDL-SOIL-01-QT3-2024	P3390-01	08/01/2024	11:51	PS027265.D	7.75	0.00
IBLK	IBLK	08/01/2024	13:29	PS027269.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/01/2024	13:53	PS027270.D	7.75	0.00