

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS
GENERAL CHEMISTRY
METALS
SEMI-VOLATILE ORGANICS

PROJECT NAME : FORMER SCHLUMBERGER SITE PRINCETON NJ

JACOBS ENGINEERING GROUP, INC.

**412 Mt. Kemble Ave
Downtown Building
Morristown, NJ - 07960
Phone No: 9732670555**

**ORDER ID : P3426
ATTENTION : Mary I. Murphy**



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) VOCMS Group6- Case Narrative	5
2.2) SVOCMS Group6- Case Narrative	7
2.3) SVOC-SIMGroup1- Case Narrative	10
2.4) Metals-AES- Case Narrative	12
2.5) Metals-MS- Case Narrative	13
2.6) Genchem- Case Narrative	15
3) Qualifier Page	16
4) QA Checklist	18
5) VOCMS Group6 Data	19
6) SVOCMS Group6 Data	26
7) SVOC-SIMGroup1 Data	33
8) Metals-AES Data	42
9) Metals-MS Data	47
10) Genchem Data	52
11) Shipping Document	56
11.1) CHAIN OF CUSTODY	57
11.2) Lab Certificate	58
11.3) Internal COC	59

1
2
3
4
5
6
7
8
9
10
11

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group Client : JACOBS Engineering Group, Inc.
 Project Location : Princeton, NJ Project Number : D3779922
 Laboratory Sample ID(s) : P3426 Sampling Date(s) : 7/31/2024
 List DKQP Methods Used (e.g., 8260,8270, et Cetra) **6020B,7196A,7470A,8260-Low,8270-Modified,8270E**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified handling, preservation, and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (4±2° C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : P3426

Project ID : Former Schlumberger Site Princeton NJ

Client : JACOBS Engineering Group, Inc.

Lab Sample Number

P3426-01
P3426-02

Client Sample Number

927-K1-WS-073124
927-K1-WS-073124-FD

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/28/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: VOCMS Group6

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Mercury, Metals Group4, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for VOCMS Group6.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column RXI-624SIL MS 30m 0.25mm 1.4 um. Cat#13868. The analysis of VOCMS Group6 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

E. Additional Comments:

This data package has been revised due to parameter list changed

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <15% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 15% for the Initial Calibration curve for SW-846 analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: SVOCMS Group6

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Mercury, Metals Group4, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for SVOCMS Group6.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um dfThe analysis of SVOCMS Group6 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for MLS-15-70-85MSD [2,4,6-Tribromophenol - 115%], PB162423BL [2,4 and6-Tribromophenol - 120%] these compounds did not meet the NJDKQP criteria but met the in-house criteria and 927-K1-WS-073124-FD [2-Fluorophenol - 12%] this compound did not meet the NJDKQP criteria but met the in-house criteria and [2-Fluorobiphenyl - 20%, Nitrobenzene-d5 - 20%, Phenol-d6 - 8%, Terphenyl-d14 - 25%] these compounds did not meet the NJDKQP criteria and in-house criteria due to limited volume received sample cannot be re-extracted and reanalyzed so this run is reported as final.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {P3415-04MS} with File ID: BF138909.D recoveries met the requirements for all compounds except for Benzaldehyde[0%] this compound did not meet the NJDKQP criteria and in-house criteria due to matrix interference and Benzo(k)fluoranthene[131%] this compound did not meet the NJDKQP criteria but met the in-house criteria.

The MSD {P3415-05MSD} with File ID: BF138910.D recoveries met the acceptable requirements except for 2,4-Dinitrotoluene[131%], Acenaphthylene[131%],

Anthracene[133%], Benzo(a)pyrene[133%], Benzo(k)fluoranthene[140%], Chrysene[132%], Di-n-butylphthalate[137%] these compounds did not meet the NJDKQP criteria but met the in-house criteria and Benzaldehyde[8%] this compound did not meet the NJDKQP criteria and in-house criteria due to matrix interference.

The RPD for {P3415-05MSD} with File ID: BF138910.D met criteria except for Benzaldehyde[200%] this compound did not meet the NJDKQP criteria and in-house criteria due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples .
The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements .

The Continuous Calibration File ID BF138834.D met the requirements except for Pentachlorophenol but no positive hit in associated samples therefore no corrective action taken.

The Continuous Calibration File ID BF138879.D met the requirements except for Benzaldehyde is failing marginally low therefore no corrective action taken.

The Tuning criteria met requirements.

E. Additional Comments:

This data package has been revised due to parameter list changed.

Less volume was taken for sample # 927-K1-WS-073124-FD at the extraction due to Limited volume received.

The Form 6 is not included in the data package because the Initial Calibration was performed using 8 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <15% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 15% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: SVOC-SIMGroup1

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Metals Group4, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for SVOC-SIMGroup1.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_N using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGAThe analysis of SVOC-SIMGroup1 was based on method 8270-Modified and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for 927-K1-WS-073124-FD [2-Methylnaphthalene-d10 - 16%, Fluoranthene-d10 - 22%] and 927-K1-WS-073124-FDRE [2-Methylnaphthalene-d10 - 17%, Fluoranthene-d10 - 22%] these compounds did not meet the NJDKQP criteria and in-house criteria, All the failure samples in surrogates were reanalyzed to confirm the results as per method and reported in the data and 927-K1-WS-073124-FD [2-Fluorobiphenyl - 21%, Nitrobenzene-d5 - 21%] and 927-K1-WS-073124-FDRE [2-Fluorobiphenyl - 20%, Nitrobenzene-d5 - 21%] these compounds did not meet the NJDKQP criteria but met the in-house criteria.

The Internal Standards Areas met the acceptable requirements except for 927-K1-WS-073124-FD, 927-K1-WS-073124-FDRE , All the failure samples in Internal Standard were reanalyzed to confirm the results as per method and reported in the data.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements .

The Continuous Calibration File ID BN033212.D met the requirements except for Benzo(b)fluoranthene is failing marginally low and 2,4,6-Tribromophenol and Phenol-d6 , failure surrogates are not associated with the client list, as per criteria affected surrogates were passing, therefore no corrective action was taken.

The Continuous Calibration File ID BN033228.D met the requirements except for Benzo(b)fluoranthene is failing marginally low and 2,4,6-Tribromophenol failure surrogate is not associated with the client list, as per criteria affected surrogates were passing, therefore no corrective action was taken.

The Tuning criteria met requirements.

E. Additional Comments:

Less volume was taken for sample # 927-K1-WS-073124-FD at the extraction due to Limited volume received.

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <15% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 15% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: Metals Group5

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Mercury, Metals Group4, Metals Group5, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for Metals Group5.

C. Analytical Techniques:

The analysis and digestion of Metals Group5 was based on method 200.7.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments: This Data Package has been Revised due to Metals Group5 test added as per Client Request.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: Metals Group4,Mercury

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Mercury, Metals Group4, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for Metals Group4,Mercury.

C. Analytical Techniques:

The analysis of Metals Group4 was based on method 6020B, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (923-K1-WS-080124MS) analysis met criteria for all samples except for Silver due to Chemical interference during Digestion Process.

The Matrix Spike Duplicate (923-K1-WS-080124MSD) analysis met criteria for all samples except for Silver due to Chemical interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

This Data Package has been revised due to Parameter List Change.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

JACOBS Engineering Group, Inc.

Project Name: Former Schlumberger Site Princeton NJ

Project # N/A

Chemtech Project # P3426

Test Name: Hexavalent Chromium

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/31/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Hexavalent Chromium, Metals Group4, SVOC-SIMGroup1, SVOCMS Group3, SVOCMS Group6, VOCMS Group3 and VOCMS Group6. This data package contains results for Hexavalent Chromium.

C. Analytical Techniques:

The analysis of Hexavalent Chromium was based on method 7196A.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P3426

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/28/2024

Hit Summary Sheet
SW-846

SDG No.: P3426
Client: JACOBS Engineering Group, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	927-K1-WS-073124							
P3426-01	927-K1-WS-073124	Water	Vinyl Chloride	10.9		0.34	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	1,1,2-Trichlorotrifluoroethane	6.10		0.25	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Acetone	7.80		1.40	5.00	ug/L
P3426-01	927-K1-WS-073124	Water	cis-1,2-Dichloroethene	19.7		0.25	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Trichloroethene	2.10		0.32	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Toluene	0.89	J	0.18	1.00	ug/L
			Total Voc :	47.5				
			Total Concentration:	47.5				
Client ID:	927-K1-WS-073124-FD							
P3426-02	927-K1-WS-073124	Water	Vinyl Chloride	9.60		0.34	1.00	ug/L
P3426-02	927-K1-WS-073124	Water	1,1,2-Trichlorotrifluoroethane	5.20		0.25	1.00	ug/L
P3426-02	927-K1-WS-073124	Water	Acetone	7.70		1.40	5.00	ug/L
P3426-02	927-K1-WS-073124	Water	cis-1,2-Dichloroethene	18.0		0.25	1.00	ug/L
P3426-02	927-K1-WS-073124	Water	Trichloroethene	1.70		0.32	1.00	ug/L
P3426-02	927-K1-WS-073124	Water	Toluene	0.92	J	0.18	1.00	ug/L
			Total Voc :	43.1				
			Total Concentration:	43.1				



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083242.D	1		08/12/24 17:00	VN081224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	10.9		0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	6.10		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	7.80		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.7		0.25	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	2.10		0.32	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-88-3	Toluene	0.89	J	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083242.D	1		08/12/24 17:00	VN081224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
1330-20-7	Total Xylenes	0.45	U	0.45	3.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.8		70 (74) - 130 (125)	114%	SPK: 50
1868-53-7	Dibromofluoromethane	52.6		70 (75) - 130 (124)	105%	SPK: 50
2037-26-5	Toluene-d8	53.5		70 (86) - 130 (113)	107%	SPK: 50
460-00-4	4-Bromofluorobenzene	56.8		70 (77) - 130 (121)	114%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	134000	8.224			
540-36-3	1,4-Difluorobenzene	260000	9.1			
3114-55-4	Chlorobenzene-d5	269000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	119000	13.794			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083243.D	1		08/12/24 17:24	VN081224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	9.60		0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.20		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	7.70		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	18.0		0.25	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	1.70		0.32	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-88-3	Toluene	0.92	J	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083243.D	1		08/12/24 17:24	VN081224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
1330-20-7	Total Xylenes	0.45	U	0.45	3.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		70 (74) - 130 (125)	113%	SPK: 50
1868-53-7	Dibromofluoromethane	53.2		70 (75) - 130 (124)	106%	SPK: 50
2037-26-5	Toluene-d8	53.4		70 (86) - 130 (113)	107%	SPK: 50
460-00-4	4-Bromofluorobenzene	56.3		70 (77) - 130 (121)	113%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	135000	8.224			
540-36-3	1,4-Difluorobenzene	259000	9.1			
3114-55-4	Chlorobenzene-d5	265000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	115000	13.794			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water	VOCMS Group6	8260-Low	07/31/24		08/12/24	07/31/24
P3426-02	927-K1-WS-073124-F D	Water	VOCMS Group6	8260-Low	07/31/24		08/12/24	07/31/24



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P3426
Client: JACOBS Engineering Group, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF138845.D	1	08/01/24 08:20	08/07/24 16:35	PB162423

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	1.60	U	1.60	5.30	ug/L
100-52-7	Benzaldehyde	4.20	U	4.20	10.5	ug/L
95-48-7	2-Methylphenol	1.20	U	1.20	5.30	ug/L
65794-96-9	3+4-Methylphenols	1.20	U	1.20	10.5	ug/L
67-72-1	Hexachloroethane	1.10	U	1.10	5.30	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.30	ug/L
91-20-3	Naphthalene	1.10	U	1.10	5.30	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.30	ug/L
91-57-6	2-Methylnaphthalene	1.20	U	1.20	5.30	ug/L
88-06-2	2,4,6-Trichlorophenol	0.94	U	0.94	5.30	ug/L
95-95-4	2,4,5-Trichlorophenol	1.10	U	1.10	5.30	ug/L
208-96-8	Acenaphthylene	1.10	U	1.10	5.30	ug/L
83-32-9	Acenaphthene	0.85	U	0.85	5.30	ug/L
132-64-9	Dibenzofuran	0.98	U	0.98	5.30	ug/L
121-14-2	2,4-Dinitrotoluene	1.60	U	1.60	5.30	ug/L
86-73-7	Fluorene	1.00	U	1.00	5.30	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.30	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.5	ug/L
85-01-8	Phenanthrene	0.94	U	0.94	5.30	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.30	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.30	ug/L
84-74-2	Di-n-butylphthalate	1.50	U	1.50	5.30	ug/L
206-44-0	Fluoranthene	1.40	U	1.40	5.30	ug/L
129-00-0	Pyrene	1.10	U	1.10	5.30	ug/L
56-55-3	Benzo(a)anthracene	0.99	U	0.99	5.30	ug/L
218-01-9	Chrysene	0.91	U	0.91	5.30	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	2.00	U	2.00	5.30	ug/L
205-99-2	Benzo(b)fluoranthene	1.20	U	1.20	5.30	ug/L
207-08-9	Benzo(k)fluoranthene	1.30	U	1.30	5.30	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF138845.D	1	08/01/24 08:20	08/07/24 16:35	PB162423

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
50-32-8	Benzo(a)pyrene	1.80	U	1.80	5.30	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.10	U	1.10	5.30	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	U	1.20	5.30	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.30	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.30	ug/L
90-12-0	1-Methylnaphthalene	0.91	U	0.91	5.30	ug/L

SURROGATES

367-12-4	2-Fluorophenol	57.6		15 (10) - 110 (139)	38%	SPK: 150
13127-88-3	Phenol-d6	35.8		15 (10) - 110 (134)	24%	SPK: 150
4165-60-0	Nitrobenzene-d5	94.7		30 (49) - 130 (133)	95%	SPK: 100
321-60-8	2-Fluorobiphenyl	98.9		30 (52) - 130 (132)	99%	SPK: 100
118-79-6	2,4,6-Tribromophenol	149		15 (32) - 110 (145)	99%	SPK: 150
1718-51-0	Terphenyl-d14	119		30 (36) - 130 (145)	119%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	42100	6.84
1146-65-2	Naphthalene-d8	170000	8.116
15067-26-2	Acenaphthene-d10	92800	9.869
1517-22-2	Phenanthrene-d10	152000	11.357
1719-03-5	Chrysene-d12	74700	13.998
1520-96-3	Perylene-d12	81700	15.457

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF138846.D	1	08/01/24 08:20	08/07/24 17:05	PB162423

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	1.60	U	1.60	5.00	ug/L
100-52-7	Benzaldehyde	4.00	U	4.00	10.0	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.20	U	1.20	10.0	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.00	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.00	ug/L
91-20-3	Naphthalene	1.00	U	1.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.00	ug/L
91-57-6	2-Methylnaphthalene	1.10	U	1.10	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	0.89	U	0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.00	ug/L
208-96-8	Acenaphthylene	1.00	U	1.00	5.00	ug/L
83-32-9	Acenaphthene	0.81	U	0.81	5.00	ug/L
132-64-9	Dibenzofuran	0.93	U	0.93	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
86-73-7	Fluorene	0.96	U	0.96	5.00	ug/L
118-74-1	Hexachlorobenzene	1.10	U	1.10	5.00	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.0	ug/L
85-01-8	Phenanthrene	0.89	U	0.89	5.00	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.00	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.50	U	1.50	5.00	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.00	ug/L
129-00-0	Pyrene	1.10	U	1.10	5.00	ug/L
56-55-3	Benzo(a)anthracene	0.94	U	0.94	5.00	ug/L
218-01-9	Chrysene	0.86	U	0.86	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	U	1.90	5.00	ug/L
205-99-2	Benzo(b)fluoranthene	1.10	U	1.10	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	1.20	U	1.20	5.00	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF138846.D	1	08/01/24 08:20	08/07/24 17:05	PB162423

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	U	1.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	U	1.20	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.00	ug/L
90-12-0	1-Methylnaphthalene	0.86	U	0.86	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	17.9	*	15 (10) - 110 (139)	12%	SPK: 150
13127-88-3	Phenol-d6	12.7	*	15 (10) - 110 (134)	8%	SPK: 150
4165-60-0	Nitrobenzene-d5	19.7	*	30 (49) - 130 (133)	20%	SPK: 100
321-60-8	2-Fluorobiphenyl	20.5	*	30 (52) - 130 (132)	20%	SPK: 100
118-79-6	2,4,6-Tribromophenol	30.5		15 (32) - 110 (145)	20%	SPK: 150
1718-51-0	Terphenyl-d14	24.6	*	30 (36) - 130 (145)	25%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	84700	6.84			
1146-65-2	Naphthalene-d8	335000	8.122			
15067-26-2	Acenaphthene-d10	183000	9.875			
1517-22-2	Phenanthrene-d10	294000	11.357			
1719-03-5	Chrysene-d12	144000	13.998			
1520-96-3	Perylene-d12	159000	15.457			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water			07/31/24			07/31/24
			SVOCMS Group6	8270E		08/01/24	08/07/24	
			SVOC-SIMGroup1	8270-Modified		08/01/24	08/03/24	
P3426-02	927-K1-WS-073124-F D	Water			07/31/24			07/31/24
			SVOCMS Group6	8270E		08/01/24	08/07/24	
			SVOC-SIMGroup1	8270-Modified		08/01/24	08/03/24	
P3426-02RE	927-K1-WS-073124-F DRE	Water			07/31/24			07/31/24
			SVOC-SIMGroup1	8270-Modified		08/01/24	08/03/24	

Hit Summary Sheet SW-846

SDG No.: P3426
Client: JACOBS Engineering Group, Inc.

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 927-K1-WS-073124							
P3426-01	927-K1-WS-073124	WATER	1,4-Dioxane	0.160	J 0.07	0.21	ug/L
			Total Svoc :		0.16		
			Total Concentration:		0.16		
Client ID : 927-K1-WS-073124-FD							
P3426-02	927-K1-WS-073124-FD	WATER	1,4-Dioxane	0.110	J 0.07	0.2	ug/L
			Total Svoc :		0.11		
			Total Concentration:		0.11		
Client ID : 927-K1-WS-073124-FDRE							
P3426-02RE	927-K1-WS-073124-FDR	WATER	1,4-Dioxane	0.110	J 0.07	0.2	ug/L
			Total Svoc :		0.11		
			Total Concentration:		0.11		



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033222.D	1	08/01/24 08:58	08/03/24 03:39	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.030	U	0.030	0.11	ug/L
91-57-6	2-Methylnaphthalene	0.030	U	0.030	0.11	ug/L
208-96-8	Acenaphthylene	0.020	U	0.020	0.11	ug/L
83-32-9	Acenaphthene	0.020	U	0.020	0.11	ug/L
86-73-7	Fluorene	0.020	U	0.020	0.11	ug/L
85-01-8	Phenanthrene	0.020	U	0.020	0.11	ug/L
120-12-7	Anthracene	0.030	U	0.030	0.11	ug/L
206-44-0	Fluoranthene	0.020	U	0.020	0.11	ug/L
129-00-0	Pyrene	0.020	U	0.020	0.11	ug/L
56-55-3	Benzo(a)anthracene	0.020	U	0.020	0.11	ug/L
218-01-9	Chrysene	0.030	U	0.030	0.11	ug/L
205-99-2	Benzo(b)fluoranthene	0.030	U	0.030	0.11	ug/L
207-08-9	Benzo(k)fluoranthene	0.040	U	0.040	0.11	ug/L
50-32-8	Benzo(a)pyrene	0.060	U	0.060	0.11	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.040	U	0.040	0.11	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.040	U	0.040	0.11	ug/L
191-24-2	Benzo(g,h,i)perylene	0.040	U	0.040	0.11	ug/L
123-91-1	1,4-Dioxane	0.16	J	0.070	0.21	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.25		30 (30) - 150 (150)	62%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.26		30 (30) - 150 (150)	64%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.30		30 (11) - 130 (175)	74%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.27		30 (10) - 130 (175)	68%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.39		30 (54) - 130 (171)	97%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	2710	7.561			
1146-65-2	Naphthalene-d8	9330	10.287			
15067-26-2	Acenaphthene-d10	5310	14.144			
1517-22-2	Phenanthrene-d10	11100	16.915			

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033222.D	1	08/01/24 08:58	08/03/24 03:39	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1719-03-5	Chrysene-d12	7180	21.131			
1520-96-3	Perylene-d12	7530	23.304			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033223.D	1	08/01/24 08:58	08/03/24 04:15	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.020	U	0.020	0.10	ug/L
91-57-6	2-Methylnaphthalene	0.030	U	0.030	0.10	ug/L
208-96-8	Acenaphthylene	0.020	U	0.020	0.10	ug/L
83-32-9	Acenaphthene	0.020	U	0.020	0.10	ug/L
86-73-7	Fluorene	0.020	U	0.020	0.10	ug/L
85-01-8	Phenanthrene	0.020	U	0.020	0.10	ug/L
120-12-7	Anthracene	0.020	U	0.020	0.10	ug/L
206-44-0	Fluoranthene	0.020	U	0.020	0.10	ug/L
129-00-0	Pyrene	0.020	U	0.020	0.10	ug/L
56-55-3	Benzo(a)anthracene	0.020	U	0.020	0.10	ug/L
218-01-9	Chrysene	0.030	U	0.030	0.10	ug/L
205-99-2	Benzo(b)fluoranthene	0.030	U	0.030	0.10	ug/L
207-08-9	Benzo(k)fluoranthene	0.030	U	0.030	0.10	ug/L
50-32-8	Benzo(a)pyrene	0.060	U	0.060	0.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.040	U	0.040	0.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.040	U	0.040	0.10	ug/L
191-24-2	Benzo(g,h,i)perylene	0.040	U	0.040	0.10	ug/L
123-91-1	1,4-Dioxane	0.11	J	0.070	0.20	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.065	*	30 (30) - 150 (150)	32%	SPK: 0.2
93951-69-0	Fluoranthene-d10	0.086	*	30 (30) - 150 (150)	43%	SPK: 0.2
4165-60-0	Nitrobenzene-d5	0.084	*	30 (11) - 130 (175)	42%	SPK: 0.2
321-60-8	2-Fluorobiphenyl	0.084	*	30 (10) - 130 (175)	42%	SPK: 0.2
1718-51-0	Terphenyl-d14	0.27		30 (54) - 130 (171)	137%	SPK: 0.2
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	4560	7.51			
1146-65-2	Naphthalene-d8	15600	10.266			
15067-26-2	Acenaphthene-d10	7690	14.137			
1517-22-2	Phenanthrene-d10	15100	16.908			

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033223.D	1	08/01/24 08:58	08/03/24 04:15	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1719-03-5	Chrysene-d12	13400	21.125			
1520-96-3	Perylene-d12	14300	23.3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FDRE	SDG No.:	P3426
Lab Sample ID:	P3426-02RE	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033237.D	1	08/01/24 08:58	08/03/24 14:00	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.020	U	0.020	0.10	ug/L
91-57-6	2-Methylnaphthalene	0.030	U	0.030	0.10	ug/L
208-96-8	Acenaphthylene	0.020	U	0.020	0.10	ug/L
83-32-9	Acenaphthene	0.020	U	0.020	0.10	ug/L
86-73-7	Fluorene	0.020	U	0.020	0.10	ug/L
85-01-8	Phenanthrene	0.020	U	0.020	0.10	ug/L
120-12-7	Anthracene	0.020	U	0.020	0.10	ug/L
206-44-0	Fluoranthene	0.020	U	0.020	0.10	ug/L
129-00-0	Pyrene	0.020	U	0.020	0.10	ug/L
56-55-3	Benzo(a)anthracene	0.020	U	0.020	0.10	ug/L
218-01-9	Chrysene	0.030	U	0.030	0.10	ug/L
205-99-2	Benzo(b)fluoranthene	0.030	U	0.030	0.10	ug/L
207-08-9	Benzo(k)fluoranthene	0.030	U	0.030	0.10	ug/L
50-32-8	Benzo(a)pyrene	0.060	U	0.060	0.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.040	U	0.040	0.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.040	U	0.040	0.10	ug/L
191-24-2	Benzo(g,h,i)perylene	0.040	U	0.040	0.10	ug/L
123-91-1	1,4-Dioxane	0.11	J	0.070	0.20	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.067	*	30 (30) - 150 (150)	33%	SPK: 0.2
93951-69-0	Fluoranthene-d10	0.089	*	30 (30) - 150 (150)	44%	SPK: 0.2
4165-60-0	Nitrobenzene-d5	0.083	*	30 (11) - 130 (175)	41%	SPK: 0.2
321-60-8	2-Fluorobiphenyl	0.081	*	30 (10) - 130 (175)	41%	SPK: 0.2
1718-51-0	Terphenyl-d14	0.33		30 (54) - 130 (171)	166%	SPK: 0.2
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	4570	7.517			
1146-65-2	Naphthalene-d8	16600	10.265			
15067-26-2	Acenaphthene-d10	9400	14.137			
1517-22-2	Phenanthrene-d10	19900	16.908			

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FDRE	SDG No.:	P3426
Lab Sample ID:	P3426-02RE	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	500 Units: mL	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033237.D	1	08/01/24 08:58	08/03/24 14:00	PB162424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1719-03-5	Chrysene-d12	14600	21.134			
1520-96-3	Perylene-d12	14900	23.306			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water	SVOC-SIMGroup1	8270-Modified	07/31/24	08/01/24	08/03/24	07/31/24
P3426-02	927-K1-WS-073124-FD	Water	SVOC-SIMGroup1	8270-Modified	07/31/24	08/01/24	08/03/24	07/31/24
P3426-02RE	927-K1-WS-073124-FDRE	Water	SVOC-SIMGroup1	8270-Modified	07/31/24	08/01/24	08/03/24	07/31/24

Hit Summary Sheet
SW-846

SDG No.:	P3426	Order ID:	P3426
Client:	JACOBS Engineering Group, Inc.	Project ID:	Former Schlumberger Site Princeton NJ

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	927-K1-WS-073124							
P3426-01	927-K1-WS-073124	Water	Dissolved Silica	7770		64.0	428	ug/L
Client ID :	927-K1-WS-073124-FD							
P3426-02	927-K1-WS-073124-FD	Water	Dissolved Silica	7550		64.0	428	ug/L



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
Dissolved Silica	Dissolved Silica	7770	1	64.0		428	ug/L	10/24/24 11:45	10/24/24 21:18	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group5			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
Dissolved Silica	Dissolved Silica	7550	1	64.0		428	ug/L	10/24/24 11:45	10/24/24 21:32	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group5			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	
			Metals Group5	200.7		10/24/24	10/24/24	
P3426-02	927-K1-WS-073124-F D	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	
			Metals Group5	200.7		10/24/24	10/24/24	

Hit Summary Sheet SW-846

SDG No.: P3426 **Order ID:** P3426
Client: JACOBS Engineering Group, Inc. **Project ID:** Former Schlumberger Site Princeton NJ

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 927-K1-WS-073124								
P3426-01	927-K1-WS-073124	Water	Aluminum	34.0		1.98	20.0	ug/L
P3426-01	927-K1-WS-073124	Water	Antimony	0.20	J	0.11	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Arsenic	1.94		0.090	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Barium	208		0.30	10.0	ug/L
P3426-01	927-K1-WS-073124	Water	Calcium	33100		62.5	500	ug/L
P3426-01	927-K1-WS-073124	Water	Chromium	3.08		0.40	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Cobalt	1.60		0.062	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Copper	1.12	J	0.40	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Iron	4640		9.60	50.0	ug/L
P3426-01	927-K1-WS-073124	Water	Lead	0.43	J	0.11	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Magnesium	11700		26.6	500	ug/L
P3426-01	927-K1-WS-073124	Water	Manganese	6820		0.24	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Nickel	2.62		0.18	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Potassium	5910		46.1	500	ug/L
P3426-01	927-K1-WS-073124	Water	Silver	0.080	J	0.077	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Sodium	175000		85.8	500	ug/L
P3426-01	927-K1-WS-073124	Water	Vanadium	0.43	J	0.072	5.00	ug/L
P3426-01	927-K1-WS-073124	Water	Zinc	13.0		0.56	5.00	ug/L
Client ID : 927-K1-WS-073124-FD								
P3426-02	927-K1-WS-073124-FD	Water	Aluminum	29.3		1.98	20.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Arsenic	1.72		0.090	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Barium	193		0.30	10.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Calcium	31400		62.5	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Cobalt	1.43		0.062	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Copper	0.43	J	0.40	2.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Iron	4080		9.60	50.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Lead	0.24	J	0.11	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Magnesium	10500		26.6	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Manganese	6070		0.24	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Nickel	1.00		0.18	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Potassium	5280		46.1	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Sodium	157000		85.8	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Vanadium	0.37	J	0.072	5.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Zinc	5.46		0.56	5.00	ug/L



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	34.0		1	1.98	20.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-36-0	Antimony	0.20	J	1	0.11	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-38-2	Arsenic	1.94		1	0.090	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-39-3	Barium	208		1	0.30	10.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-41-7	Beryllium	0.16	U	1	0.16	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-43-9	Cadmium	0.30	U	1	0.30	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-70-2	Calcium	33100		1	62.5	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-47-3	Chromium	3.08		1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-48-4	Cobalt	1.60		1	0.062	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-50-8	Copper	1.12	J	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-89-6	Iron	4640		1	9.60	50.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-92-1	Lead	0.43	J	1	0.11	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-95-4	Magnesium	11700		1	26.6	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-96-5	Manganese	6820		1	0.24	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	08/12/24 16:13	08/13/24 10:12	SW7470A	
7440-02-0	Nickel	2.62		1	0.18	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-09-7	Potassium	5910		1	46.1	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7782-49-2	Selenium	1.38	U	1	1.38	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-22-4	Silver	0.080	JN	1	0.077	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-23-5	Sodium	175000		1	85.8	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-28-0	Thallium	0.085	U	1	0.085	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-62-2	Vanadium	0.43	J	1	0.072	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-66-6	Zinc	13.0		1	0.56	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:	Medium
Color After:	Colorless	Clarity After:	N/A	Artifacts:	N/A
Comments:	Mercury				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	29.3		1	1.98	20.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-36-0	Antimony	0.11	U	1	0.11	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-38-2	Arsenic	1.72		1	0.090	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-39-3	Barium	193		1	0.30	10.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-41-7	Beryllium	0.16	U	1	0.16	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-43-9	Cadmium	0.30	U	1	0.30	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-70-2	Calcium	31400		1	62.5	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-47-3	Chromium	0.40	U	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-48-4	Cobalt	1.43		1	0.062	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-50-8	Copper	0.43	J	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-89-6	Iron	4080		1	9.60	50.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-92-1	Lead	0.24	J	1	0.11	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-95-4	Magnesium	10500		1	26.6	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-96-5	Manganese	6070		1	0.24	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	08/12/24 16:13	08/13/24 10:14	SW7470A	
7440-02-0	Nickel	1.00		1	0.18	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-09-7	Potassium	5280		1	46.1	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7782-49-2	Selenium	1.38	U	1	1.38	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-22-4	Silver	0.077	UN	1	0.077	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-23-5	Sodium	157000		1	85.8	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-28-0	Thallium	0.085	U	1	0.085	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-62-2	Vanadium	0.37	J	1	0.072	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-66-6	Zinc	5.46		1	0.56	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:	Medium
Color After:	Colorless	Clarity After:	N/A	Artifacts:	N/A
Comments:	Mercury				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	
P3426-02	927-K1-WS-073124-F D	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	



SAMPLE DATA

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24 10:50
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Dissolved Hexavalent Chromium	0.0030	U	1	0.0030	0.010	mg/L		07/31/24 15:46	7196A

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24 10:55
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Dissolved Hexavalent Chromium	0.0030	U	1	0.0030	0.010	mg/L		07/31/24 15:50	7196A

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	WATER	Hexavalent Chromium	7196A	07/31/24 10:50		07/31/24 15:46	07/31/24
P3426-02	927-K1-WS-073124-FD	WATER	Hexavalent Chromium	7196A	07/31/24 10:55		07/31/24 15:50	07/31/24



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO. **P3426**
QUOTE NO. **11**
COC Number **2041303** **11.1**

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Jacobs
ADDRESS: 412 Mt Kemble Ave Suite #100
CITY: Morrisstown STATE: NJ ZIP: 07960
ATTENTION: John Yankie
PHONE: _____ FAX: _____

CLIENT PROJECT INFORMATION

PROJECT NAME: STC PTC
PROJECT NO.: D3779922 LOCATION: Prince bn Junction
PROJECT MANAGER: Mary Murphy
e-mail: Mary.Murphy@Jacobs.com
PHONE: _____ FAX: _____

CLIENT BILLING INFORMATION

BILL TO: Mary Murphy PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) Standard TAT DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*

*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☒ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

Handwritten notes:
VOCs 82600
SWS + H2S 8210E
Metals 8200B, 14
7410B
Gr 8211 7410A

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		A/E	E	B/E	E						
1.	927-KI-WS-073121	WS		X	7/31/24	1050	6	2	2	1	1						See attached table for analysis
2.	927-KI-WS-073121-FD	WS		X	7/31/24	1055	5	2	1	1	1						
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: 7/31/24 1220	RECEIVED BY: 1. <u>[Signature]</u> 7-31-24 1220	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>3.0</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: 2. <u>[Signature]</u>	Comments: <u>if preservation is HNO3</u> <u>See attached table for required analytes list of ECO-VOCs, ECO-SVOCs, and ECO Metals</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: 1430 7-31-24	RECEIVED BY: 3. <u>[Signature]</u>	Page <u>1</u> of <u>1</u> CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other _____ CHEMTECH: <input type="checkbox"/> Picked Up <input type="checkbox"/> Field Sampling Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (L-A-B)	L2219
Maine	2024021
Maryland	296
New Hampshire	255423
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488


LOGIN REPORT/SAMPLE TRANSFER

Order ID : P3426	JACO05	Order Date : 7/31/2024 2:33:00 PM	Project Mgr :
Client Name : JACOBS Engineering Grou		Project Name : Former Schlumberger Site I	Report Type : Level 4
Client Contact : Mary I. Murphy		Receive DateTime : 7/31/2024 2:30:00 PM	EDD Type : CH2MHILL
Invoice Name : JACOBS Engineering Grou		Purchase Order :	Hard Copy Date :
Invoice Contact : Mary I. Murphy			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P3426-01	927-K1-WS- 072124 073124	Water	07/31/2024	10:50					
					VOCMS Group6		8260-Low		5 Bus. Days
									10Bus
P3426-02	927-K1-WS- 072124 -FD 073124	Water	07/31/2024	10:55					
					VOCMS Group6		8260-Low		5 Bus. Days
									10


Relinquished By :

Date / Time :


7-31-24 1500

Received By :

Date / Time :


7/31/24 15:00 Ng 4

Storage Area : VOA Refridgerator Room