

Hit Summary Sheet SW-846

SDG No.: P3426 **Order ID:** P3426
Client: JACOBS Engineering Group, Inc. **Project ID:** Former Schlumberger Site Princeton NJ

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 927-K1-WS-073124								
P3426-01	927-K1-WS-073124	Water	Aluminum	34.0		1.98	20.0	ug/L
P3426-01	927-K1-WS-073124	Water	Antimony	0.20	J	0.11	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Arsenic	1.94		0.090	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Barium	208		0.30	10.0	ug/L
P3426-01	927-K1-WS-073124	Water	Calcium	33100		62.5	500	ug/L
P3426-01	927-K1-WS-073124	Water	Chromium	3.08		0.40	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Cobalt	1.60		0.062	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Copper	1.12	J	0.40	2.00	ug/L
P3426-01	927-K1-WS-073124	Water	Iron	4640		9.60	50.0	ug/L
P3426-01	927-K1-WS-073124	Water	Lead	0.43	J	0.11	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Magnesium	11700		26.6	500	ug/L
P3426-01	927-K1-WS-073124	Water	Manganese	6820		0.24	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Nickel	2.62		0.18	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Potassium	5910		46.1	500	ug/L
P3426-01	927-K1-WS-073124	Water	Silver	0.080	J	0.077	1.00	ug/L
P3426-01	927-K1-WS-073124	Water	Sodium	175000		85.8	500	ug/L
P3426-01	927-K1-WS-073124	Water	Vanadium	0.43	J	0.072	5.00	ug/L
P3426-01	927-K1-WS-073124	Water	Zinc	13.0		0.56	5.00	ug/L
Client ID : 927-K1-WS-073124-FD								
P3426-02	927-K1-WS-073124-FD	Water	Aluminum	29.3		1.98	20.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Arsenic	1.72		0.090	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Barium	193		0.30	10.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Calcium	31400		62.5	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Cobalt	1.43		0.062	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Copper	0.43	J	0.40	2.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Iron	4080		9.60	50.0	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Lead	0.24	J	0.11	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Magnesium	10500		26.6	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Manganese	6070		0.24	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Nickel	1.00		0.18	1.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Potassium	5280		46.1	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Sodium	157000		85.8	500	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Vanadium	0.37	J	0.072	5.00	ug/L
P3426-02	927-K1-WS-073124-FD	Water	Zinc	5.46		0.56	5.00	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124	SDG No.:	P3426
Lab Sample ID:	P3426-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	34.0		1	1.98	20.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-36-0	Antimony	0.20	J	1	0.11	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-38-2	Arsenic	1.94		1	0.090	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-39-3	Barium	208		1	0.30	10.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-41-7	Beryllium	0.16	U	1	0.16	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-43-9	Cadmium	0.30	U	1	0.30	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-70-2	Calcium	33100		1	62.5	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-47-3	Chromium	3.08		1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-48-4	Cobalt	1.60		1	0.062	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-50-8	Copper	1.12	J	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-89-6	Iron	4640		1	9.60	50.0	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-92-1	Lead	0.43	J	1	0.11	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-95-4	Magnesium	11700		1	26.6	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-96-5	Manganese	6820		1	0.24	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	08/12/24 16:13	08/13/24 10:12	SW7470A	
7440-02-0	Nickel	2.62		1	0.18	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-09-7	Potassium	5910		1	46.1	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7782-49-2	Selenium	1.38	U	1	1.38	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-22-4	Silver	0.080	JN	1	0.077	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-23-5	Sodium	175000		1	85.8	500	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-28-0	Thallium	0.085	U	1	0.085	1.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-62-2	Vanadium	0.43	J	1	0.072	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A
7440-66-6	Zinc	13.0		1	0.56	5.00	ug/L	08/23/24 15:00	08/25/24 17:41	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:	Medium
Color After:	Colorless	Clarity After:	N/A	Artifacts:	N/A
Comments:	Mercury				

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	927-K1-WS-073124-FD	SDG No.:	P3426
Lab Sample ID:	P3426-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	29.3		1	1.98	20.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-36-0	Antimony	0.11	U	1	0.11	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-38-2	Arsenic	1.72		1	0.090	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-39-3	Barium	193		1	0.30	10.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-41-7	Beryllium	0.16	U	1	0.16	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-43-9	Cadmium	0.30	U	1	0.30	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-70-2	Calcium	31400		1	62.5	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-47-3	Chromium	0.40	U	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-48-4	Cobalt	1.43		1	0.062	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-50-8	Copper	0.43	J	1	0.40	2.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-89-6	Iron	4080		1	9.60	50.0	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-92-1	Lead	0.24	J	1	0.11	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-95-4	Magnesium	10500		1	26.6	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-96-5	Manganese	6070		1	0.24	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	08/12/24 16:13	08/13/24 10:14	SW7470A	
7440-02-0	Nickel	1.00		1	0.18	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-09-7	Potassium	5280		1	46.1	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7782-49-2	Selenium	1.38	U	1	1.38	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-22-4	Silver	0.077	UN	1	0.077	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-23-5	Sodium	157000		1	85.8	500	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-28-0	Thallium	0.085	U	1	0.085	1.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-62-2	Vanadium	0.37	J	1	0.072	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A
7440-66-6	Zinc	5.46		1	0.56	5.00	ug/L	08/23/24 15:00	08/25/24 17:44	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:	Medium
Color After:	Colorless	Clarity After:	N/A	Artifacts:	N/A
Comments:	Mercury				

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P3426	OrderDate:	7/31/2024 2:33:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	E21,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3426-01	927-K1-WS-073124	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	
P3426-02	927-K1-WS-073124-F D	Water			07/31/24			07/31/24
			Mercury	7470A		08/12/24	08/13/24	
			Metals Group4	6020B		08/23/24	08/25/24	