

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P3426

Client: JACOBS Engineering Group, Inc.

Analytical Method: SW8260-Low

Datafile : VN083228.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN0812WBS01	Dichlorodifluoromethane	20	16.4	ug/L	82			40 (69)	160 (116)	
	Chloromethane	20	16.4	ug/L	82			40 (65)	160 (116)	
	Vinyl chloride	20	17.1	ug/L	86			70 (65)	130 (117)	
	Bromomethane	20	17.4	ug/L	87			40 (58)	160 (125)	
	Chloroethane	20	17.1	ug/L	86			40 (56)	160 (128)	
	1,1,2-Trichlorotrifluoroethane	20	16.8	ug/L	84			70 (80)	130 (112)	
	1,1-Dichloroethene	20	16.3	ug/L	81			70 (74)	130 (110)	
	Acetone	100	83.8	ug/L	84			40 (60)	160 (125)	
	Carbon disulfide	20	14.5	ug/L	73			40 (64)	160 (112)	
	Methyl tert-butyl Ether	20	16.8	ug/L	84			70 (78)	130 (114)	
	Methylene Chloride	20	15.9	ug/L	79			70 (72)	130 (114)	
	trans-1,2-Dichloroethene	20	16.5	ug/L	83			70 (75)	130 (108)	
	1,1-Dichloroethane	20	17.2	ug/L	86			70 (78)	130 (112)	
	Cyclohexane	20	16.3	ug/L	81			70 (75)	130 (110)	
	2-Butanone	100	81.0	ug/L	81			40 (65)	160 (122)	
	Carbon Tetrachloride	20	17.2	ug/L	86			70 (77)	130 (113)	
	cis-1,2-Dichloroethene	20	16.5	ug/L	83			70 (77)	130 (110)	
	Chloroform	20	17.5	ug/L	88			70 (79)	130 (113)	
	1,1,1-Trichloroethane	20	17.3	ug/L	86			70 (80)	130 (108)	
	Methylcyclohexane	20	16.2	ug/L	81			70 (72)	130 (115)	
	Benzene	20	17.1	ug/L	86			70 (82)	130 (109)	
	1,2-Dichloroethane	20	18.3	ug/L	92			70 (80)	130 (115)	
	Trichloroethene	20	17.2	ug/L	86			70 (77)	130 (113)	
	Bromodichloromethane	20	16.9	ug/L	85			70 (83)	130 (110)	
	Toluene	20	17.2	ug/L	86			70 (82)	130 (110)	
	1,1,2-Trichloroethane	20	17.6	ug/L	88			70 (83)	130 (112)	
	Dibromochloromethane	20	17.3	ug/L	86			70 (82)	130 (110)	
	Tetrachloroethene	20	17.3	ug/L	86			70 (67)	130 (123)	
	Chlorobenzene	20	17.1	ug/L	86			70 (82)	130 (109)	
	Ethyl Benzene	20	16.9	ug/L	85			70 (83)	130 (109)	
	m/p-Xylenes	40	33.9	ug/L	85			70 (82)	130 (110)	
	o-Xylene	20	17.0	ug/L	85			70 (83)	130 (109)	
	Isopropylbenzene	20	17.2	ug/L	86			70 (83)	130 (112)	
	1,4-Dichlorobenzene	20	16.6	ug/L	83			70 (82)	130 (107)	
	1,2-Dichlorobenzene	20	16.9	ug/L	85			70 (82)	130 (109)	