



Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	925-K1-WS-073124DL	SDG No.:	P3429
Lab Sample ID:	P3429-03DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083299.D	20		08/14/24 14:27	VN081424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	4.20	UD	4.20	20.0	ug/L
74-87-3	Chloromethane	7.00	UD	7.00	20.0	ug/L
75-01-4	Vinyl Chloride	220	D	6.80	20.0	ug/L
74-83-9	Bromomethane	27.2	UD	27.2	100	ug/L
75-00-3	Chloroethane	11.2	UD	11.2	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	62.2	D	5.00	20.0	ug/L
75-35-4	1,1-Dichloroethene	5.20	UD	5.20	20.0	ug/L
67-64-1	Acetone	27.8	UD	27.8	100	ug/L
75-15-0	Carbon Disulfide	6.40	UD	6.40	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	3.20	UD	3.20	20.0	ug/L
75-09-2	Methylene Chloride	6.40	UD	6.40	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	5.00	UD	5.00	20.0	ug/L
75-34-3	1,1-Dichloroethane	4.60	UD	4.60	20.0	ug/L
110-82-7	Cyclohexane	32.4	UD	32.4	100	ug/L
78-93-3	2-Butanone	26.0	UD	26.0	100	ug/L
56-23-5	Carbon Tetrachloride	5.00	UD	5.00	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	1100	D	5.00	20.0	ug/L
67-66-3	Chloroform	5.20	UD	5.20	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	3.80	UD	3.80	20.0	ug/L
108-87-2	Methylcyclohexane	3.80	UD	3.80	20.0	ug/L
71-43-2	Benzene	3.20	UD	3.20	20.0	ug/L
107-06-2	1,2-Dichloroethane	4.80	UD	4.80	20.0	ug/L
79-01-6	Trichloroethene	10.1	JD	6.40	20.0	ug/L
75-27-4	Bromodichloromethane	4.80	UD	4.80	20.0	ug/L
108-88-3	Toluene	3.60	UD	3.60	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	4.20	UD	4.20	20.0	ug/L
124-48-1	Dibromochloromethane	3.60	UD	3.60	20.0	ug/L
127-18-4	Tetrachloroethene	5.00	UD	5.00	20.0	ug/L
108-90-7	Chlorobenzene	2.60	UD	2.60	20.0	ug/L
100-41-4	Ethyl Benzene	3.20	UD	3.20	20.0	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	07/31/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	07/31/24
Client Sample ID:	925-K1-WS-073124DL	SDG No.:	P3429
Lab Sample ID:	P3429-03DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group6
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN083299.D	20		08/14/24 14:27	VN081424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
179601-23-1	m/p-Xylenes	6.20	UD	6.20	40.0	ug/L
1330-20-7	Total Xylenes	9.00	UD	9.00	60.0	ug/L
95-47-6	o-Xylene	2.80	UD	2.80	20.0	ug/L
98-82-8	Isopropylbenzene	2.60	UD	2.60	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.40	UD	5.40	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	3.80	UD	3.80	20.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		70 (74) - 130 (125)	113%	SPK: 50
1868-53-7	Dibromofluoromethane	52.7		70 (75) - 130 (124)	105%	SPK: 50
2037-26-5	Toluene-d8	53.1		70 (86) - 130 (113)	106%	SPK: 50
460-00-4	4-Bromofluorobenzene	57.4		70 (77) - 130 (121)	115%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	130000	8.224			
540-36-3	1,4-Difluorobenzene	253000	9.1			
3114-55-4	Chlorobenzene-d5	260000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	115000	13.794			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products