

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	08/01/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	08/01/24
Client Sample ID:	922-K1-WS-080124	SDG No.:	P3440
Lab Sample ID:	P3440-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	45.7	J	1	28.3	50.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-39-3	Barium	82.2		1	6.28	50.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-42-8	Boron	58.2		1	9.95	50.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-70-2	Calcium	35100		1	33.0	1000	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-48-4	Cobalt	4.73	J	1	0.50	15.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-50-8	Copper	7.07	U	1	7.07	10.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7439-89-6	Iron	4080		1	18.5	50.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7439-95-4	Magnesium	8070		1	39.4	1000	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7439-96-5	Manganese	1020		1	1.46	10.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	08/12/24 16:13	08/13/24 10:39	SW7470A	
7439-98-7	Molybdenum	3.67	U	1	3.67	100	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-02-0	Nickel	0.95	J	1	0.85	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-09-7	Potassium	6330		1	685	1000	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-23-5	Sodium	187000		1	237	1000	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-24-6	Strontium	243	N	1	2.32	10.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-31-5	Tin	1.89	U	1	1.89	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-32-6	Titanium	2.35	U	1	2.35	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-62-2	Vanadium	3.06	U	1	3.06	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010
7440-66-6	Zinc	22.7		1	1.75	20.0	ug/L	08/05/24 09:15	08/07/24 18:38	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits