

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: JACO05
Lab Code: CHEM Case No.: P3467 SAS No.: P3467 SDG No.: P3467
Instrument ID: BNA_F Calibration Date(s): 07/30/2024 07/30/2024
Calibration Time(s): 12:54 16:29

LAB FILE ID:		RRF2.5 = BF138680.D			RRF005 = BF138681.D		RRF010 = BF138682.D	
		RRF020 = BF138683.D			RRF040 = BF138684.D		RRF050 = BF138685.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Pyridine		1.373	1.365	1.453	1.381	1.380	1.374	3.1
2-Fluorophenol		1.404	1.367	1.341	1.274	1.244	1.296	6.0
Benzaldehyde		1.230	1.119	1.099	0.904	0.862	1.043	14.8
Phenol-d6		1.938	1.816	1.828	1.681	1.654	1.740	7.2
2-Methylphenol		1.192	1.154	1.183	1.103	1.072	1.126	4.9
Acetophenone		0.538	0.510	0.508	0.482	0.457	0.490	6.1
3+4-Methylphenols		1.661	1.554	1.558	1.367	1.328	1.444	10.0
Nitrobenzene-d5		0.426	0.416	0.424	0.407	0.393	0.409	3.3
Nitrobenzene		0.431	0.423	0.433	0.417	0.400	0.416	3.3
2,4-Dichlorophenol		0.279	0.276	0.293	0.276	0.264	0.275	3.6
Naphthalene		1.124	1.102	1.110	1.044	1.000	1.053	5.6
Hexachlorobutadiene		0.205	0.197	0.200	0.190	0.187	0.192	4.4
2-Methylnaphthalene		0.723	0.699	0.709	0.649	0.619	0.665	6.7
2,4,6-Trichlorophenol		0.338	0.338	0.353	0.336	0.330	0.339	2.1
2-Fluorobiphenyl		1.512	1.424	1.402	1.306	1.260	1.331	9.0
2,4,5-Trichlorophenol		0.368	0.379	0.387	0.368	0.361	0.370	2.6
Acenaphthylene		1.796	1.744	1.743	1.637	1.573	1.652	6.8
Acenaphthene		1.217	1.173	1.169	1.082	1.049	1.111	6.8
Dibenzofuran		1.729	1.680	1.666	1.515	1.484	1.568	7.8
Fluorene		1.374	1.326	1.351	1.206	1.166	1.249	8.0
2,4,6-Tribromophenol		0.168	0.164	0.176	0.159	0.156	0.164	4.2
Hexachlorobenzene		0.231	0.231	0.234	0.220	0.214	0.224	3.7
Pentachlorophenol			0.077	0.097	0.102	0.104	0.101	12.9
Phenanthrene		1.112	1.109	1.087	1.021	0.970	1.030	7.0
Carbazole		0.970	0.938	0.940	0.870	0.810	0.875	8.6
Di-n-butylphthalate		0.991	0.990	1.040	0.991	0.944	0.984	3.4
Fluoranthene		1.068	1.045	1.039	0.965	0.899	0.961	9.7
Pyrene		1.978	1.958	2.140	1.750	1.694	1.883	8.6
Terphenyl-d14		1.264	1.265	1.362	1.106	1.072	1.195	9.3
Benzo (a) anthracene		1.401	1.438	1.410	1.395	1.351	1.377	3.5
Chrysene		1.342	1.228	1.260	1.222	1.203	1.243	3.8
Bis (2-ethylhexyl) phthalate		0.876	0.838	0.861	0.948	0.945	0.883	5.1
Benzo (b) fluoranthene		1.287	1.361	1.287	1.229	1.181	1.240	6.2
Benzo (k) fluoranthene		1.202	1.043	1.098	1.002	1.060	1.073	6.8

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: JAC005
Lab Code: CHEM Case No.: P3467 SAS No.: P3467 SDG No.: P3467
Instrument ID: BNA_F Calibration Date(s): 07/30/2024 07/30/2024
Calibration Time(s): 12:54 16:29

LAB FILE ID:		RRF2.5 = BF138680.D			RRF005 = BF138681.D		RRF010 = BF138682.D	
		RRF020 = BF138683.D			RRF040 = BF138684.D		RRF050 = BF138685.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Benzo(a)pyrene		1.084	1.047	1.071	1.023	1.026	1.043	2.5
Indeno(1,2,3-cd)pyrene		1.469	1.464	1.517	1.395	1.406	1.433	3.5
Dibenzo(a,h)anthracene		1.226	1.231	1.253	1.134	1.140	1.177	4.9
Benzo(g,h,i)perylene		1.261	1.234	1.289	1.199	1.196	1.221	3.5
1,4-Dioxane		0.597	0.555	0.581	0.576	0.557	0.567	3.2
1-Methylnaphthalene		0.713	0.685	0.692	0.636	0.606	0.652	6.9