

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081924\
 Data File : BM047256.D
 Acq On : 19 Aug 2024 17:28
 Operator : RC/JU
 Sample : P3609-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 915-J-WS-081424

Quant Time: Aug 19 18:03:21 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Aug 11 23:47:58 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.363	152	196935	20.000	ng	-0.01
21) Naphthalene-d8	10.122	136	740406	20.000	ng	-0.01
39) Acenaphthene-d10	14.027	164	509042	20.000	ng	0.00
64) Phenanthrene-d10	16.786	188	1167962	20.000	ng	0.00
76) Chrysene-d12	21.027	240	1274470	20.000	ng	0.00
86) Perylene-d12	23.733	264	1251147	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.016	112	611708	55.502	ng	0.00
7) Phenol-d6	6.575	99	527665	34.746	ng	-0.01
23) Nitrobenzene-d5	8.510	82	999874	67.999	ng	-0.01
42) 2,4,6-Tribromophenol	15.533	330	916245	155.232	ng	0.00
45) 2-Fluorobiphenyl	12.633	172	2319353	70.282	ng	-0.01
79) Terphenyl-d14	19.456	244	5138867	86.400	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081924\
Data File : BM047256.D
Acq On : 19 Aug 2024 17:28
Operator : RC/JU
Sample : P3609-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424


Quant Time: Aug 19 18:03:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Aug 11 23:47:58 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081924\
Data File : BM047256.D
Acq On : 19 Aug 2024 17:28
Operator : RC/JU
Sample : P3609-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424

Quant Time: Aug 19 18:03:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Aug 11 23:47:58 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.363 min Scan# 70
Delta R.T. -0.012 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28




Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424

Tgt Ion:152 Resp: 196935
Ion Ratio Lower Upper
152 100
150 157.0 120.5 180.7
115 54.6 45.5 68.3



#5
2-Fluorophenol
Concen: 55.502 ng
RT: 5.016 min Scan# 362
Delta R.T. -0.006 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28

Tgt Ion:112 Resp: 611708
Ion Ratio Lower Upper
112 100
64 56.4 46.7 70.1
63 30.0 24.8 37.2









#7
Phenol-d6
Concen: 34.746 ng
RT: 6.575 min Scan# 61
Delta R.T. -0.012 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28




Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424

Tgt Ion: 99 Resp: 527665
Ion Ratio Lower Upper
99 100
42 16.7 14.1 21.1
71 34.5 28.5 42.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.122 min Scan# 1230
Delta R.T. -0.012 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28

Tgt Ion: 136 Resp: 740406
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 7.0 6.0 9.0
68 5.7 4.8 7.2








#23
Nitrobenzene-d5
Concen: 67.999 ng
RT: 8.510 min Scan# 91
Delta R.T. -0.012 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28




Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424


Tgt Ion: 82 Resp: 999874
Ion Ratio Lower Upper
82 100
128 42.4 32.3 48.5
54 43.6 37.4 56.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.027 min Scan# 1894
Delta R.T. -0.006 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28

Tgt Ion: 164 Resp: 509042
Ion Ratio Lower Upper
164 100
162 99.0 80.7 121.1
160 44.0 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 155.232 ng
RT: 15.533 min Scan# 2151
Delta R.T. -0.006 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28




Instrument :
BNA_M
ClientSampleId :
915-J-WS-081424


Tgt Ion:330 Resp: 916245
Ion Ratio Lower Upper
330 100
332 95.9 77.4 116.2
141 35.4 31.6 47.4



#45
2-Fluorobiphenyl
Concen: 70.282 ng
RT: 12.633 min Scan# 1657
Delta R.T. -0.012 min
Lab File: BM047256.D
Acq: 19 Aug 2024 17:28

Tgt Ion:172 Resp: 2319353
Ion Ratio Lower Upper
172 100
171 34.4 27.8 41.6
170 23.0 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.786 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM047256.D

Acq: 19 Aug 2024 17:28

Instrument :

BNA_M

ClientSampleId :

915-J-WS-081424





Tgt Ion:188 Resp: 1167962

Ion Ratio Lower Upper

188 100

94 8.2 7.0 10.6

80 9.2 8.0 12.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.027 min Scan# 3084

Delta R.T. -0.006 min

Lab File: BM047256.D

Acq: 19 Aug 2024 17:28




Tgt Ion:240 Resp: 1274470


Ion Ratio Lower Upper

240 100

120 10.4 8.2 12.2


236 26.1 20.6 30.8








#79
 Terphenyl-d14
 Concen: 86.400 ng
 RT: 19.456 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM047256.D
 Acq: 19 Aug 2024 17:28

Instrument :
 BNA_M
 ClientSampleId :
 915-J-WS-081424



Tgt Ion:244 Resp: 5138867

Ion	Ratio	Lower	Upper
244	100		
212	7.5	6.2	9.4
122	8.9	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.733 min Scan# 3544
 Delta R.T. 0.006 min
 Lab File: BM047256.D
 Acq: 19 Aug 2024 17:28

Tgt Ion:264 Resp: 1251147

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.5	27.7
265	22.6	17.3	25.9

