

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082124\
 Data File : BP021594.D
 Acq On : 21 Aug 2024 12:19
 Operator : RC/JU
 Sample : PB162788BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB162788BS

Quant Time: Aug 21 13:23:24 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 14 00:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.805	152	422633	20.000	ng	0.00
21) Naphthalene-d8	10.593	136	1649511	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	1043036	20.000	ng	0.00
64) Phenanthrene-d10	17.263	188	2218669	20.000	ng	0.01
76) Chrysene-d12	21.727	240	2116508	20.000	ng	0.03
86) Perylene-d12	25.168	264	2397430	20.000	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	3711897	130.412	ng	0.00
7) Phenol-d6	6.975	99	4978922	119.914	ng	0.01
23) Nitrobenzene-d5	8.952	82	2927311	91.599	ng	0.00
42) 2,4,6-Tribromophenol	15.975	330	1689654	145.552	ng	0.00
45) 2-Fluorobiphenyl	13.063	172	5382091	78.750	ng	0.00
79) Terphenyl-d14	19.992	244	8790997	80.692	ng	0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.317	88	389024	28.825	ng	98
3) Pyridine	3.711	79	1047068	27.792	ng	95
4) n-Nitrosodimethylamine	3.617	42	472561	41.730	ng	# 89
6) Aniline	7.128	93	1026376	24.727	ng	98
8) 2-Chlorophenol	7.369	128	1284376	48.830	ng	94
9) Benzaldehyde	6.940	77	466398	17.544	ng	92
10) Phenol	6.999	94	1902178	44.241	ng	98
11) bis(2-Chloroethyl)ether	7.222	93	1424451	39.153	ng	96
12) 1,3-Dichlorobenzene	7.693	146	1294567	41.435	ng	97
13) 1,4-Dichlorobenzene	7.840	146	1331196	42.195	ng	98
14) 1,2-Dichlorobenzene	8.157	146	1274671	41.926	ng	99
15) Benzyl Alcohol	8.034	79	1300063	43.639	ng	96
16) 2,2'-oxybis(1-Chloropr...	8.322	45	1331506	39.742	ng	97
17) 2-Methylphenol	8.240	107	1205418	44.347	ng	97
18) Hexachloroethane	8.881	117	539177	42.619	ng	99
19) n-Nitroso-di-n-propyla...	8.605	70	993736	34.647	ng	# 95
20) 3+4-Methylphenols	8.563	107	1660934	45.318	ng	97
22) Acetophenone	8.616	105	1946063	38.403	ng	99
24) Nitrobenzene	8.993	77	1524677	43.927	ng	92
25) Isophorone	9.522	82	2885146	38.214	ng	97
26) 2-Nitrophenol	9.704	139	637241	62.745	ng	93
27) 2,4-Dimethylphenol	9.769	122	937536	50.318	ng	96
28) bis(2-Chloroethoxy)met...	10.004	93	1844016	40.013	ng	100
29) 2,4-Dichlorophenol	10.234	162	1147538	52.126	ng	97
30) 1,2,4-Trichlorobenzene	10.457	180	1195360	42.353	ng	98
31) Naphthalene	10.640	128	3693973	42.868	ng	99
32) Benzoic acid	9.904	122	910002	65.023	ng	93
33) 4-Chloroaniline	10.746	127	869140	26.851	ng	96
34) Hexachlorobutadiene	10.934	225	714754	40.221	ng	99
35) Caprolactam	11.522	113	422702	46.130	ng	92
36) 4-Chloro-3-methylphenol	11.875	107	1491263	48.834	ng	97
37) 2-Methylnaphthalene	12.257	142	2475344	42.090	ng	99
38) 1-Methylnaphthalene	12.475	142	2307433	39.781	ng	100
40) 1,2,4,5-Tetrachloroben...	12.628	216	1222750	40.010	ng	99
41) Hexachlorocyclopentadiene	12.610	237	1099174	113.481	ng	98
43) 2,4,6-Trichlorophenol	12.863	196	925882	54.540	ng	99


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082124\
 Data File : BP021594.D
 Acq On : 21 Aug 2024 12:19
 Operator : RC/JU
 Sample : PB162788BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB162788BS

Quant Time: Aug 21 13:23:24 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 14 00:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.940	196	994761	52.741	ng	96
46) 1,1'-Biphenyl	13.275	154	2959960	40.110	ng	98
47) 2-Chloronaphthalene	13.316	162	2490365	43.346	ng	99
48) 2-Nitroaniline	13.510	65	855860	52.599	ng	# 83
49) Acenaphthylene	14.169	152	4032452	47.745	ng	100
50) Dimethylphthalate	13.898	163	3178935	45.510	ng	99
51) 2,6-Dinitrotoluene	14.022	165	709105	50.126	ng	88
52) Acenaphthene	14.522	154	2361026	42.605	ng	100
53) 3-Nitroaniline	14.351	138	594258	43.317	ng	# 91
54) 2,4-Dinitrophenol	14.557	184	779718	123.232	ng	# 86
55) Dibenzofuran	14.863	168	3740786	43.881	ng	99
56) 4-Nitrophenol	14.663	139	1313936	111.298	ng	# 86
57) 2,4-Dinitrotoluene	14.816	165	991437	54.550	ng	90
58) Fluorene	15.528	166	2941757	42.005	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.098	232	882335	55.114	ng	99
60) Diethylphthalate	15.292	149	3180838	44.382	ng	99
61) 4-Chlorophenyl-phenyle...	15.528	204	1472517	40.677	ng	99
62) 4-Nitroaniline	15.539	138	721717	50.517	ng	95
63) Azobenzene	15.828	77	3446771	39.124	ng	95
65) 4,6-Dinitro-2-methylph...	15.598	198	546435	69.816	ng	98
66) n-Nitrosodiphenylamine	15.739	169	2656717	44.683	ng	100
67) 4-Bromophenyl-phenylether	16.439	248	994655	42.359	ng	99
68) Hexachlorobenzene	16.557	284	1165677	42.007	ng	97
69) Atrazine	16.728	200	820800	40.209	ng	99
70) Pentachlorophenol	16.910	266	1556069	102.740	ng	99
71) Phenanthrene	17.304	178	4806563	45.047	ng	99
72) Anthracene	17.404	178	4873321	46.571	ng	100
73) Carbazole	17.681	167	4641445	46.024	ng	99
74) Di-n-butylphthalate	18.275	149	5581934	45.069	ng	100
75) Fluoranthene	19.404	202	5852072	44.700	ng	99
77) Benzidine	19.586	184	1065275	22.247	ng	100
78) Pyrene	19.775	202	6204857	44.853	ng	100
80) Butylbenzylphthalate	20.722	149	2581686	49.083	ng	96
81) Benzo(a)anthracene	21.710	228	6137975	46.197	ng	100
82) 3,3'-Dichlorobenzidine	21.627	252	1787315	41.956	ng	99
83) Chrysene	21.774	228	5826621	46.448	ng	99
84) Bis(2-ethylhexyl)phtha...	21.669	149	3731470	47.517	ng	100
85) Di-n-octyl phthalate	22.986	149	6703781	48.537	ng	97
87) Indeno(1,2,3-cd)pyrene	29.092	276	6912784	44.483	ng	93
88) Benzo(b)fluoranthene	24.092	252	6684972	48.551	ng	100
89) Benzo(k)fluoranthene	24.163	252	6422116	47.813	ng	99
90) Benzo(a)pyrene	25.015	252	6192957	51.829	ng	99
91) Dibenzo(a,h)anthracene	29.174	278	6599130	51.107	ng	100
92) Benzo(g,h,i)perylene	30.303	276	6405985	49.498	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.805 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:152 Resp: 422633
Ion Ratio Lower Upper
152 100
150 156.9 122.4 183.6
115 68.4 54.7 82.1



#2
1,4-Dioxane
Concen: 28.825 ng
RT: 3.317 min Scan# 56
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 88 Resp: 389024
Ion Ratio Lower Upper
88 100
58 62.6 48.7 73.1
43 20.0 15.4 23.2









#3
Pyridine
Concen: 27.792 ng
RT: 3.711 min Scan# 122
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 79 Resp: 1047068
Ion Ratio Lower Upper
79 100
52 52.8 39.0 58.6
51 25.7 19.2 28.8



#4
n-Nitrosodimethylamine
Concen: 41.730 ng
RT: 3.617 min Scan# 107
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 42 Resp: 472561
Ion Ratio Lower Upper
42 100
74 176.4 154.3 231.5
44 6.2 6.2 9.4#









#5
2-Fluorophenol
Concen: 130.412 ng
RT: 5.399 min Scan# 411
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:112 Resp: 3711897
Ion Ratio Lower Upper
112 100
64 55.3 49.0 73.6
63 28.3 24.6 36.8



#6
Aniline
Concen: 24.727 ng
RT: 7.128 min Scan# 704
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 93 Resp: 1026376
Ion Ratio Lower Upper
93 100
66 35.9 30.2 45.2
65 18.2 14.7 22.1









#7
Phenol-d6
Concen: 119.914 ng
RT: 6.975 min Scan# 61
Delta R.T. 0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 99 Resp: 4978922
Ion Ratio Lower Upper
99 100
42 12.5 10.2 15.4
71 30.3 25.8 38.8



#8
2-Chlorophenol
Concen: 48.830 ng
RT: 7.369 min Scan# 745
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:128 Resp: 1284376
Ion Ratio Lower Upper
128 100
130 32.3 11.6 51.6
64 48.9 35.3 75.3









#9
Benzaldehyde
Concen: 17.544 ng
RT: 6.940 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 77 Resp: 466398
Ion Ratio Lower Upper
77 100
105 100.1 72.1 112.1
106 95.7 67.9 107.9



#10
Phenol
Concen: 44.241 ng
RT: 6.999 min Scan# 682
Delta R.T. 0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 94 Resp: 1902178
Ion Ratio Lower Upper
94 100
65 25.3 6.5 46.5
66 33.5 14.7 54.7









#11
bis(2-Chloroethyl)ether
Concen: 39.153 ng
RT: 7.222 min Scan# 71
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 93 Resp: 1424451
Ion Ratio Lower Upper
93 100
63 66.3 51.0 91.0
95 31.9 12.9 52.9



#12
1,3-Dichlorobenzene
Concen: 41.435 ng
RT: 7.693 min Scan# 800
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:146 Resp: 1294567
Ion Ratio Lower Upper
146 100
148 64.7 51.8 77.6
75 34.9 31.3 46.9









#13
1,4-Dichlorobenzene
Concen: 42.195 ng
RT: 7.840 min Scan# 81
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:146 Resp: 1331196
Ion Ratio Lower Upper
146 100
148 64.6 51.5 77.3
111 48.1 40.3 60.5



#14
1,2-Dichlorobenzene
Concen: 41.926 ng
RT: 8.157 min Scan# 879
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:146 Resp: 1274671
Ion Ratio Lower Upper
146 100
148 64.4 51.5 77.3
111 49.4 41.1 61.7









#15
Benzyl Alcohol
Concen: 43.639 ng
RT: 8.034 min Scan# 80
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 79 Resp: 1300063
Ion Ratio Lower Upper
79 100
108 76.4 57.9 86.9
77 62.3 51.8 77.8



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.742 ng
RT: 8.322 min Scan# 907
Delta R.T. -0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19


Tgt Ion: 45 Resp: 1331506
Ion Ratio Lower Upper
45 100
77 20.4 1.9 41.9
79 14.9 0.0 36.6








#17
2-Methylphenol
Concen: 44.347 ng
RT: 8.240 min Scan# 892
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Instrument :
BNA_P
ClientSampleId :
PB162788BS







Tgt Ion:107 Resp: 1205418
Ion Ratio Lower Upper
107 100
108 109.3 88.8 133.2
77 45.0 38.7 58.1
79 44.4 37.4 56.2



#18
Hexachloroethane
Concen: 42.619 ng
RT: 8.881 min Scan# 1002
Delta R.T. -0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:117 Resp: 539177
Ion Ratio Lower Upper
117 100
119 94.3 73.9 110.9
201 93.6 74.9 112.3





#19

n-Nitroso-di-n-propylamine

Concen: 34.647 ng

RT: 8.605 min Scan# 993

Delta R.T. -0.000 min

Lab File: BP021594.D


Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS



Tgt Ion: 70 Resp: 993736




Ion Ratio Lower Upper

70 100

42 43.8 33.1 49.7

101 10.9 7.4 11.2

130 20.1 13.3 19.9#



#20

3+4-Methylphenols

Concen: 45.318 ng

RT: 8.563 min Scan# 948

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Tgt Ion:107 Resp: 1660934




Ion Ratio Lower Upper


107 100

108 85.6 67.6 107.6

77 31.6 15.0 55.0

79 26.5 8.9 48.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.593 min Scan# 1293
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:136 Resp: 1649511
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 7.8 6.3 9.5
68 6.9 6.8 10.2



#22
Acetophenone
Concen: 38.403 ng
RT: 8.616 min Scan# 957
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:105 Resp: 1946063
Ion Ratio Lower Upper
105 100
71 5.0 4.6 7.0
51 19.5 16.3 24.5
120 19.9 16.2 24.2





#23

Nitrobenzene-d5

Concen: 91.599 ng

RT: 8.952 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion: 82 Resp: 2927311

Ion Ratio Lower Upper

82 100

128 38.2 26.5 39.7

54 39.5 30.3 45.5



#24

Nitrobenzene

Concen: 43.927 ng

RT: 8.993 min Scan# 1021

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion: 77 Resp: 1524677


Ion Ratio Lower Upper

77 100

123 43.4 29.5 44.3

65 12.5 9.9 14.9









#25
Isophorone
Concen: 38.214 ng
RT: 9.522 min Scan# 1111
Delta R.T. 0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion: 82 Resp: 2885146
Ion Ratio Lower Upper
82 100
95 7.2 5.4 8.2
138 14.9 10.6 16.0



#26
2-Nitrophenol
Concen: 62.745 ng
RT: 9.704 min Scan# 1142
Delta R.T. 0.005 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:139 Resp: 637241
Ion Ratio Lower Upper
139 100
109 33.0 28.9 43.3
65 54.8 49.0 73.6









#27
2,4-Dimethylphenol
Concen: 50.318 ng
RT: 9.769 min Scan# 1151
Delta R.T. 0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:122 Resp: 937536
Ion Ratio Lower Upper
122 100
107 127.3 106.2 159.4
121 59.7 48.8 73.2



#28
bis(2-Chloroethoxy)methane
Concen: 40.013 ng
RT: 10.004 min Scan# 1193
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 93 Resp: 1844016
Ion Ratio Lower Upper
93 100
95 32.8 26.2 39.4
123 10.1 7.6 11.4





#29

2,4-Dichlorophenol

Concen: 52.126 ng

RT: 10.234 min Scan# 11

Delta R.T. -0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:162 Resp: 1147538

Ion Ratio Lower Upper

162 100

164 63.8 45.9 85.9

98 44.3 26.3 66.3



#30

1,2,4-Trichlorobenzene

Concen: 42.353 ng

RT: 10.457 min Scan# 1270

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:180 Resp: 1195360


Ion Ratio Lower Upper

180 100

182 95.6 78.3 117.5

145 29.8 24.0 36.0









#31
Naphthalene
Concen: 42.868 ng
RT: 10.640 min Scan# 1176
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:128 Resp: 3693973
Ion Ratio Lower Upper
128 100
129 10.9 8.6 12.8
127 13.0 10.6 15.8



#32
Benzoic acid
Concen: 65.023 ng
RT: 9.904 min Scan# 1176
Delta R.T. 0.029 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:122 Resp: 910002
Ion Ratio Lower Upper
122 100
105 140.5 124.6 164.6
77 103.0 96.2 136.2





#33

4-Chloroaniline

Concen: 26.851 ng

RT: 10.746 min Scan# 1318

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS

Tgt Ion:127 Resp: 869140





Ion Ratio Lower Upper

127 100

129 31.4 24.5 36.7

65 32.1 28.9 43.3

92 22.3 19.3 28.9



#34

Hexachlorobutadiene

Concen: 40.221 ng

RT: 10.934 min Scan# 1351

Delta R.T. -0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:225 Resp: 714754


Ion Ratio Lower Upper

225 100

223 61.9 49.6 74.4

227 64.2 50.1 75.1





#35

Caprolactam

Concen: 46.130 ng

RT: 11.522 min Scan# 1447

Delta R.T. 0.023 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:113 Resp: 422702

Ion Ratio Lower Upper

113 100

55 138.8 130.6 170.6

56 108.1 94.6 134.6



#36

4-Chloro-3-methylphenol

Concen: 48.834 ng

RT: 11.875 min Scan# 1511

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:107 Resp: 1491263


Ion Ratio Lower Upper

107 100

144 21.7 16.6 24.8

142 66.3 51.0 76.4









#37
2-Methylnaphthalene
Concen: 42.090 ng
RT: 12.257 min Scan# 1576
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:142 Resp: 2475344
Ion Ratio Lower Upper
142 100
141 90.2 71.7 107.5
115 38.9 31.4 47.2



#38
1-Methylnaphthalene
Concen: 39.781 ng
RT: 12.475 min Scan# 1613
Delta R.T. -0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:142 Resp: 2307433
Ion Ratio Lower Upper
142 100
141 91.9 73.5 110.3
116 4.4 3.4 5.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.457 min Scan# 1950

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:164 Resp: 1043036

Ion Ratio Lower Upper

164 100

162 101.3 81.5 122.3

160 44.0 35.2 52.8



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.010 ng

RT: 12.628 min Scan# 1639

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Tgt Ion:216 Resp: 1222750




Ion Ratio Lower Upper


216 100

214 78.6 62.5 93.7

179 20.8 16.4 24.6

108 22.1 16.7 25.1





#41

Hexachlorocyclopentadiene

Concen: 113.481 ng

RT: 12.610 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:237 Resp: 1099174

Ion Ratio Lower Upper

237 100

235 62.2 43.9 83.9

272 13.1 0.0 33.3



#42

2,4,6-Tribromophenol

Concen: 145.552 ng

RT: 15.975 min Scan# 2208

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:330 Resp: 1689654


Ion Ratio Lower Upper

330 100

332 96.9 77.4 116.0

141 30.6 24.5 36.7





#43

2,4,6-Trichlorophenol

Concen: 54.540 ng

RT: 12.863 min Scan# 1680

Delta R.T. -0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:196 Resp: 925882

Ion Ratio Lower Upper

196 100

198 97.1 76.6 114.8

200 31.5 24.5 36.7



#44

2,4,5-Trichlorophenol

Concen: 52.741 ng

RT: 12.940 min Scan# 1692

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Tgt Ion:196 Resp: 994761




Ion Ratio Lower Upper


196 100

198 96.0 78.9 118.3

97 56.2 49.4 74.0

132 27.9 21.1 31.7





#45

2-Fluorobiphenyl

Concen: 78.750 ng

RT: 13.063 min Scan# 1

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:172 Resp: 5382091

Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.4

170 23.5 18.4 27.6



#46

1,1'-Biphenyl

Concen: 40.110 ng

RT: 13.275 min Scan# 1749

Delta R.T. -0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:154 Resp: 2959960


Ion Ratio Lower Upper

154 100

153 40.0 20.7 60.7

76 15.3 0.0 37.7





#47

2-Chloronaphthalene

Concen: 43.346 ng

RT: 13.316 min Scan# 1756

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:162 Resp: 2490365

Ion Ratio Lower Upper

162 100

127 40.0 31.9 47.9

164 32.4 26.8 40.2



#48

2-Nitroaniline

Concen: 52.599 ng

RT: 13.510 min Scan# 1789

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion: 65 Resp: 855860


Ion Ratio Lower Upper

65 100

92 80.5 58.1 87.1

138 103.5 65.5 98.3#





#49

Acenaphthylene

Concen: 47.745 ng

RT: 14.169 min Scan# 1901

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:152 Resp: 4032452

Ion Ratio Lower Upper

152 100

151 19.9 15.9 23.9

153 13.3 10.6 16.0



#50

Dimethylphthalate

Concen: 45.510 ng

RT: 13.898 min Scan# 1855

Delta R.T. -0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:163 Resp: 3178935


Ion Ratio Lower Upper

163 100

194 4.2 3.3 4.9

164 10.1 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 50.126 ng
RT: 14.022 min Scan# 1876
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:165 Resp: 709105
Ion Ratio Lower Upper
165 100
63 54.4 51.5 77.3
89 62.5 57.8 86.8



#52
Acenaphthene
Concen: 42.605 ng
RT: 14.522 min Scan# 1961
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:154 Resp: 2361026
Ion Ratio Lower Upper
154 100
153 114.4 91.1 136.7
152 53.8 43.0 64.4









#53
3-Nitroaniline
Concen: 43.317 ng
RT: 14.351 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:138 Resp: 594258
Ion Ratio Lower Upper
138 100
108 12.9 16.2 24.4#
92 142.7 122.2 183.4



#54
2,4-Dinitrophenol
Concen: 123.232 ng
RT: 14.557 min Scan# 1967
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:184 Resp: 779718
Ion Ratio Lower Upper
184 100
63 62.8 64.9 97.3#
154 59.7 52.1 78.1





#55

Dibenzofuran

Concen: 43.881 ng

RT: 14.863 min Scan# 2018

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:168 Resp: 3740786

Ion Ratio Lower Upper

168 100

139 36.5 28.6 43.0

169 13.2 10.6 16.0



#56

4-Nitrophenol

Concen: 111.298 ng

RT: 14.663 min Scan# 1985

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:139 Resp: 1313936


Ion Ratio Lower Upper

139 100

109 83.8 70.2 110.2

65 101.0 101.8 141.8#





#57

2,4-Dinitrotoluene

Concen: 54.550 ng

RT: 14.816 min Scan# 2010

Delta R.T. 0.006 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS

Tgt Ion:165 Resp: 991437





Ion Ratio Lower Upper

165 100

63 46.2 42.5 63.7

89 85.6 77.1 115.7

182 2.8 2.0 3.0



#58

Fluorene

Concen: 42.005 ng

RT: 15.528 min Scan# 2132

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:166 Resp: 2941757


Ion Ratio Lower Upper

166 100

165 98.0 78.1 117.1

167 13.4 11.0 16.4









#59
2,3,4,6-Tetrachlorophenol
Concen: 55.114 ng
RT: 15.098 min Scan# 2059
Delta R.T. 0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:	232	Resp:	882335
Ion	Ratio	Lower	Upper
232	100		
131	41.8	33.1	49.7
130	2.2	1.7	2.5
166	30.2	23.0	34.4



#60
Diethylphthalate
Concen: 44.382 ng
RT: 15.292 min Scan# 2092
Delta R.T. -0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:	149	Resp:	3180838
Ion	Ratio	Lower	Upper
149	100		
177	22.8	17.8	26.8
150	12.4	10.1	15.1









#61
4-Chlorophenyl-phenylether
Concen: 40.677 ng
RT: 15.528 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:204 Resp: 1472517
Ion Ratio Lower Upper
204 100
206 33.2 26.4 39.6
141 57.0 46.1 69.1



#62
4-Nitroaniline
Concen: 50.517 ng
RT: 15.539 min Scan# 2134
Delta R.T. 0.011 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:138 Resp: 721717
Ion Ratio Lower Upper
138 100
92 61.9 46.4 86.4
108 88.2 73.2 113.2









#63
Azobenzene
Concen: 39.124 ng
RT: 15.828 min Scan# 2183
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Instrument :
BNA_P
ClientSampleId :
PB162788BS

Tgt Ion: 77 Resp: 3446771




Ion	Ratio	Lower	Upper
77	100		
182	23.3	0.0	39.9
105	22.9	0.9	40.9
51	22.4	1.4	41.4




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion: 188 Resp: 2218669

Ion	Ratio	Lower	Upper
188	100		
94	12.2	10.2	15.4
80	12.9	11.6	17.4









#65
4,6-Dinitro-2-methylphenol
Concen: 69.816 ng
RT: 15.598 min Scan# 2144
Delta R.T. 0.011 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:198 Resp: 546435
Ion Ratio Lower Upper
198 100
51 39.9 21.5 61.5
105 51.3 32.9 72.9



#66
n-Nitrosodiphenylamine
Concen: 44.683 ng
RT: 15.739 min Scan# 2168
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:169 Resp: 2656717
Ion Ratio Lower Upper
169 100
168 66.4 53.4 80.2
167 36.0 28.7 43.1









#67
4-Bromophenyl-phenylether
Concen: 42.359 ng
RT: 16.439 min Scan# 2287
Delta R.T. -0.000 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:248 Resp: 994655
Ion Ratio Lower Upper
248 100
250 97.2 78.6 117.8
141 69.0 53.9 80.9



#68
Hexachlorobenzene
Concen: 42.007 ng
RT: 16.557 min Scan# 2307
Delta R.T. 0.006 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:284 Resp: 1165677
Ion Ratio Lower Upper
284 100
142 32.5 23.4 35.2
249 30.3 24.1 36.1





#69

Atrazine

Concen: 40.209 ng

RT: 16.728 min Scan# 2336

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:200 Resp: 820800

Ion Ratio Lower Upper

200 100

173 26.9 6.2 46.2

215 49.4 28.4 68.4



#70

Pentachlorophenol

Concen: 102.740 ng

RT: 16.910 min Scan# 2367

Delta R.T. 0.018 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:266 Resp: 1556069


Ion Ratio Lower Upper

266 100

268 63.8 51.8 77.6

264 63.0 50.5 75.7









#71
 Phenanthrene
 Concen: 45.047 ng
 RT: 17.304 min Scan# 2434
 Delta R.T. 0.006 min
 Lab File: BP021594.D
 Acq: 21 Aug 2024 12:19

Instrument :
 BNA_P
 ClientSampleId :
 PB162788BS

Tgt Ion:178 Resp: 4806563




Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.4	23.2
179	16.0	12.4	18.6




#72
 Anthracene
 Concen: 46.571 ng
 RT: 17.404 min Scan# 2451
 Delta R.T. 0.006 min
 Lab File: BP021594.D
 Acq: 21 Aug 2024 12:19

Tgt Ion:178 Resp: 4873321

Ion	Ratio	Lower	Upper
178	100		
176	18.7	14.9	22.3
179	15.7	12.5	18.7





#73

Carbazole

Concen: 46.024 ng

RT: 17.681 min Scan# 2498

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:167 Resp: 4641445

Ion Ratio Lower Upper

167 100

166 21.3 17.0 25.4

139 13.0 9.9 14.9



#74

Di-n-butylphthalate

Concen: 45.069 ng

RT: 18.275 min Scan# 2599

Delta R.T. -0.000 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:149 Resp: 5581934


Ion Ratio Lower Upper

149 100

150 9.4 7.5 11.3

104 5.9 4.9 7.3









#75
Fluoranthene
Concen: 44.700 ng
RT: 19.404 min Scan# 21
Delta R.T. 0.023 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:202 Resp: 5852072
Ion Ratio Lower Upper
202 100
101 13.5 0.0 34.0
203 17.8 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.727 min Scan# 3186
Delta R.T. 0.029 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:240 Resp: 2116508
Ion Ratio Lower Upper
240 100
120 12.4 9.9 14.9
236 25.8 20.6 30.8





#77

Benzidine

Concen: 22.247 ng

RT: 19.586 min Scan# 2822

Delta R.T. 0.011 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:184 Resp: 1065275

Ion Ratio Lower Upper

184 100

185 13.9 11.4 17.0

183 11.7 9.3 13.9



#78

Pyrene

Concen: 44.853 ng

RT: 19.775 min Scan# 2854

Delta R.T. 0.023 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:202 Resp: 6204857


Ion Ratio Lower Upper

202 100

200 20.9 16.7 25.1

203 17.8 14.1 21.1





#79

Terphenyl-d14

Concen: 80.692 ng

RT: 19.992 min Scan# 2891

Delta R.T. 0.017 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:244 Resp: 8790997

Ion Ratio Lower Upper

244 100

212 7.2 5.6 8.4

122 11.2 9.4 14.2



#80

Butylbenzylphthalate

Concen: 49.083 ng

RT: 20.722 min Scan# 3015

Delta R.T. 0.012 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:149 Resp: 2581686


Ion Ratio Lower Upper

149 100

91 86.9 73.3 109.9

206 21.3 17.1 25.7





#81

Benzo(a)anthracene

Concen: 46.197 ng

RT: 21.710 min Scan# 3183

Delta R.T. 0.029 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:228 Resp: 6137975

Ion Ratio Lower Upper

228 100

226 26.9 21.4 32.2

229 19.6 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 41.956 ng

RT: 21.627 min Scan# 3169

Delta R.T. 0.018 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:252 Resp: 1787315


Ion Ratio Lower Upper

252 100

254 64.8 51.7 77.5

126 11.8 8.7 13.1





#83

Chrysene

Concen: 46.448 ng

RT: 21.774 min Scan# 3194

Delta R.T. 0.023 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:228 Resp: 5826621

Ion Ratio Lower Upper

228 100

226 30.5 23.9 35.9

229 20.0 15.8 23.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 47.517 ng

RT: 21.669 min Scan# 3176

Delta R.T. 0.023 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:149 Resp: 3731470


Ion Ratio Lower Upper

149 100

167 27.6 22.3 33.5

279 4.7 3.8 5.6









#85
Di-n-octyl phthalate
Concen: 48.537 ng
RT: 22.986 min Scan# 3400
Delta R.T. 0.023 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19




Instrument :
BNA_P
ClientSampleId :
PB162788BS


Tgt Ion:149 Resp: 6703781
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.9 7.3 10.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.168 min Scan# 3771
Delta R.T. 0.065 min
Lab File: BP021594.D
Acq: 21 Aug 2024 12:19

Tgt Ion:264 Resp: 2397430
Ion Ratio Lower Upper
264 100
260 23.8 18.6 28.0
265 22.0 17.1 25.7





#87

Indeno(1,2,3-cd)pyrene

Concen: 44.483 ng

RT: 29.092 min Scan# 4421

Delta R.T. 0.100 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:276 Resp: 6912784

Ion Ratio Lower Upper

276 100

138 18.7 12.8 19.2

277 24.4 16.5 24.7



#88

Benzo(b)fluoranthene

Concen: 48.551 ng

RT: 24.092 min Scan# 3588

Delta R.T. 0.065 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:252 Resp: 6684972


Ion Ratio Lower Upper

252 100

253 22.0 17.6 26.4

125 10.5 8.6 13.0





#89

Benzo(k)fluoranthene

Concen: 47.813 ng

RT: 24.163 min Scan# 3

Delta R.T. 0.053 min

Lab File: BP021594.D


Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS






Tgt Ion:252 Resp: 6422116

Ion Ratio Lower Upper

252 100

253 22.2 17.5 26.3

125 10.6 7.8 11.8



#90

Benzo(a)pyrene

Concen: 51.829 ng

RT: 25.015 min Scan# 3745

Delta R.T. 0.065 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19




Tgt Ion:252 Resp: 6192957


Ion Ratio Lower Upper

252 100

253 22.0 17.7 26.5

125 11.8 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 51.107 ng

RT: 29.174 min Scan# 4437

Delta R.T. 0.088 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Instrument :

BNA_P

ClientSampleId :

PB162788BS





Tgt Ion:278 Resp: 6599130

Ion Ratio Lower Upper

278 100

139 15.4 12.2 18.4

279 24.0 19.1 28.7



#92

Benzo(g,h,i)perylene

Concen: 49.498 ng

RT: 30.303 min Scan# 4644

Delta R.T. 0.129 min

Lab File: BP021594.D

Acq: 21 Aug 2024 12:19

Tgt Ion:276 Resp: 6405985

Ion Ratio Lower Upper

276 100

277 23.5 19.0 28.6

138 21.3 16.0 24.0

