



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet SW-846

SDG No.: P3657
Client: JACOBS Engineering Group, Inc.

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	917-J-WS-081624						
P3657-01	917-J-WS-081624	WATER Fluorene	0.070	J	0.02	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Phenanthrene	0.050	J	0.02	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Fluoranthene	0.090	J	0.02	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Pyrene	0.060	J	0.02	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Benzo(a)anthracene	0.050	J	0.02	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Chrysene	0.080	J	0.03	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Benzo(b)fluoranthene	0.070	J	0.03	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Benzo(k)fluoranthene	0.050	J	0.04	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Indeno(1,2,3-cd)pyrene	0.050	J	0.04	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Dibenzo(a,h)anthracene	0.040	J	0.04	0.1	ug/L
P3657-01	917-J-WS-081624	WATER Benzo(g,h,i)perylene	0.050	J	0.04	0.1	ug/L
Total Svoc :					0.66		
Total Concentration:					0.66		



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	08/16/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	08/16/24
Client Sample ID:	917-J-WS-081624	SDG No.:	P3657
Lab Sample ID:	P3657-01	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	960 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group3
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033501.D	1	08/19/24 09:50	08/20/24 12:11	PB162821

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.030	U	0.030	0.10	ug/L
91-57-6	2-Methylnaphthalene	0.030	U	0.030	0.10	ug/L
208-96-8	Acenaphthylene	0.020	U	0.020	0.10	ug/L
83-32-9	Acenaphthene	0.020	U	0.020	0.10	ug/L
86-73-7	Fluorene	0.070	J	0.020	0.10	ug/L
85-01-8	Phenanthrene	0.050	J	0.020	0.10	ug/L
120-12-7	Anthracene	0.030	U	0.030	0.10	ug/L
206-44-0	Fluoranthene	0.090	J	0.020	0.10	ug/L
129-00-0	Pyrene	0.060	J	0.020	0.10	ug/L
56-55-3	Benzo(a)anthracene	0.050	J	0.020	0.10	ug/L
218-01-9	Chrysene	0.080	J	0.030	0.10	ug/L
205-99-2	Benzo(b)fluoranthene	0.070	J	0.030	0.10	ug/L
207-08-9	Benzo(k)fluoranthene	0.050	J	0.040	0.10	ug/L
50-32-8	Benzo(a)pyrene	0.060	U	0.060	0.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.050	J	0.040	0.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.040	J	0.040	0.10	ug/L
191-24-2	Benzo(g,h,i)perylene	0.050	J	0.040	0.10	ug/L
123-91-1	1,4-Dioxane	0.070	U	0.070	0.21	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.31		30 (20) - 150 (139)	77%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.37		30 (30) - 150 (150)	93%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.29		30 (27) - 130 (123)	73%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.31		30 (34) - 130 (132)	78%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.46		30 (35) - 130 (157)	115%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	7400	7.552			
1146-65-2	Naphthalene-d8	19900	10.314			
15067-26-2	Acenaphthene-d10	10400	14.189			
1517-22-2	Phenanthrene-d10	21000	16.942			

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	08/16/24
Project:	Former Schlumberger Site Princeton NJ	Date Received:	08/16/24
Client Sample ID:	917-J-WS-081624	SDG No.:	P3657
Lab Sample ID:	P3657-01	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	960 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group3
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN033501.D	1	08/19/24 09:50	08/20/24 12:11	PB162821

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1719-03-5	Chrysene-d12	13100	21.148			
1520-96-3	Perylene-d12	12700	23.323			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

OrderID:	P3657	OrderDate:	8/16/2024 2:45:00 PM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger Site Princeton NJ
Contact:	Mary I. Murphy	Location:	G11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P3657-01	917-J-WS-081624	Water			08/16/24			08/16/24
			SVOCMS Group3	8270-Modified		08/19/24	08/20/24	
			SVOCMS Group6	8270E		08/19/24	08/21/24	