

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082324\
 Data File : BN033613.D
 Acq On : 24 Aug 2024 05:57
 Operator : MA/JU
 Sample : P3671-07DL 10X
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 S-905-KJ-SO-0-0.5-081924-FDDL

Quant Time: Aug 24 06:23:48 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 23 00:22:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.545	152	9368	0.400	ng	0.00
7) Naphthalene-d8	10.304	136	22518	0.400	ng	# 0.00
13) Acenaphthene-d10	14.178	164	10375	0.400	ng	0.00
19) Phenanthrene-d10	16.929	188	19734	0.400	ng	0.00
29) Chrysene-d12	21.130	240	16882	0.400	ng	0.00
35) Perylene-d12	23.297	264	18150	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.176	112	621	0.021	ng	0.00
5) Phenol-d6	6.736	99	676	0.019	ng	0.00
8) Nitrobenzene-d5	8.670	82	461	0.025	ng	-0.01
11) 2-Methylnaphthalene-d10	11.900	152	518	0.016	ng	0.00
14) 2,4,6-Tribromophenol	15.676	330	110	0.020	ng	0.00
15) 2-Fluorobiphenyl	12.799	172	654	0.015	ng	0.00
27) Fluoranthene-d10	18.970	212	588	0.012	ng	0.00
31) Terphenyl-d14	19.583	244	431	0.011	ng	0.00
Target Compounds						
						Qvalue
3) n-Nitrosodimethylamine	3.407	42	1226	0.098	ng	# 1
17) Acenaphthene	14.242	154	1716	0.054	ng	97
18) Fluorene	15.236	166	1952	0.048	ng	99
25) Phenanthrene	16.967	178	46598	0.849	ng	100
26) Anthracene	17.053	178	12522	0.258	ng	97
28) Fluoranthene	18.998	202	161055	2.655	ng	99
30) Pyrene	19.360	202	140751	1.868	ng	# 94
32) Benzo(a)anthracene	21.121	228	106829	1.750	ng	99
33) Chrysene	21.166	228	91115	1.502	ng	97
34) Bis(2-ethylhexyl)phtha...	21.077	149	2111	0.055	ng	# 1
36) Indeno(1,2,3-cd)pyrene	25.443	276	48539	0.644	ng	# 94
37) Benzo(b)fluoranthene	22.657	252	125342	1.849	ng	# 96
38) Benzo(k)fluoranthene	22.657	252	125342	1.879	ng	# 93
39) Benzo(a)pyrene	23.116	252	54102	0.965	ng	98
40) Dibenzo(a,h)anthracene	25.452	278	12902	0.214	ng	# 90
41) Benzo(g,h,i)perylene	26.098	276	43198	0.670	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082324\
Data File : BN033613.D
Acq On : 24 Aug 2024 05:57
Operator : MA/JU
Sample : P3671-07DL 10X
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Quant Time: Aug 24 06:23:48 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 23 00:22:18 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.545 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL







Tgt Ion:152 Resp: 9368
Ion Ratio Lower Upper
152 100
150 150.9 122.2 183.2
115 60.3 47.2 70.8



#3
n-Nitrosodimethylamine
Concen: 0.098 ng
RT: 3.407 min Scan# 59
Delta R.T. -0.072 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion: 42 Resp: 1226
Ion Ratio Lower Upper
42 100
74 1.9 100.2 150.2#
44 158.7 5.3 7.9#









#4
2-Fluorophenol
Concen: 0.021 ng
RT: 5.176 min Scan# 304
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:112 Resp: 621
Ion Ratio Lower Upper
112 100
64 57.0 47.1 70.7
63 31.2 24.9 37.3



#5
Phenol-d6
Concen: 0.019 ng
RT: 6.736 min Scan# 520
Delta R.T. 0.007 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion: 99 Resp: 676
Ion Ratio Lower Upper
99 100
42 26.3 16.6 24.8#
71 41.6 26.2 39.4#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.304 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:136	Resp:	22518
Ion Ratio	Lower	Upper
136	100	
137	11.4	9.0 13.6
54	7.8	8.3 12.5
68	6.0	5.9 8.9



#8
Nitrobenzene-d5
Concen: 0.025 ng
RT: 8.670 min Scan# 772
Delta R.T. -0.011 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion: 82	Resp:	461
Ion Ratio	Lower	Upper
82	100	
128	53.6	36.0 54.0
54	71.9	42.0 63.0









#11
2-Methylnaphthalene-d10
Concen: 0.016 ng
RT: 11.900 min Scan# 1145
Delta R.T. -0.004 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:152 Resp: 518
Ion Ratio Lower Upper
152 100
151 23.9 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.178 min Scan# 1475
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:164 Resp: 10375
Ion Ratio Lower Upper
164 100
162 104.3 83.5 125.3
160 48.2 40.2 60.4









#14
2,4,6-Tribromophenol
Concen: 0.020 ng
RT: 15.676 min Scan# 1
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:330 Resp: 110
Ion Ratio Lower Upper
330 100
332 90.9 77.5 116.3
141 48.2 33.9 50.9



#15
2-Fluorobiphenyl
Concen: 0.015 ng
RT: 12.799 min Scan# 1346
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:172 Resp: 654
Ion Ratio Lower Upper
172 100
171 44.2 27.7 41.5#
170 30.1 18.3 27.5#









#17
Acenaphthene
Concen: 0.054 ng
RT: 14.242 min Scan# 1481
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:154 Resp: 1716
Ion Ratio Lower Upper
154 100
153 114.5 89.0 133.6
152 58.3 45.2 67.8



#18
Fluorene
Concen: 0.048 ng
RT: 15.236 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:166 Resp: 1952
Ion Ratio Lower Upper
166 100
165 98.0 78.2 117.4
167 15.7 10.6 16.0









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.929 min Scan# 1714
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:188 Resp: 19734
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.7 7.8 11.8



#25
Phenanthrene
Concen: 0.849 ng
RT: 16.967 min Scan# 1717
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:178 Resp: 46598
Ion Ratio Lower Upper
178 100
176 19.0 15.3 22.9
179 15.3 12.3 18.5









#26
 Anthracene
 Concen: 0.258 ng
 RT: 17.053 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57




Instrument : BNA_N
 ClientSampleId : S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:178	Resp:	12522
Ion Ratio	Lower	Upper
178	100	
176	19.1	15.0 22.6
179	17.6	12.4 18.6



#27
 Fluoranthene-d10
 Concen: 0.012 ng
 RT: 18.970 min Scan# 1941
 Delta R.T. -0.000 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57

Tgt Ion:212	Resp:	588
Ion Ratio	Lower	Upper
212	100	
106	17.3	12.3 18.5
104	10.0	7.0 10.4









#28
Fluoranthene
Concen: 2.655 ng
RT: 18.998 min Scan# 1950
Delta R.T. -0.005 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:202 Resp: 161055
Ion Ratio Lower Upper
202 100
101 11.6 9.5 14.3
203 17.3 13.8 20.6



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.130 min Scan# 2393
Delta R.T. -0.009 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:240 Resp: 16882
Ion Ratio Lower Upper
240 100
120 17.9 12.4 18.6
236 29.5 23.0 34.6









#30
Pyrene
Concen: 1.868 ng
RT: 19.360 min Scan# 2028
Delta R.T. -0.005 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:202 Resp: 140751
Ion Ratio Lower Upper
202 100
200 21.1 16.6 24.8
203 22.7 14.2 21.4#



#31
Terphenyl-d14
Concen: 0.011 ng
RT: 19.583 min Scan# 2073
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:244 Resp: 431
Ion Ratio Lower Upper
244 100
212 29.0 7.8 11.6#
122 44.7 13.3 19.9#









#32
Benzo(a)anthracene
Concen: 1.750 ng
RT: 21.121 min Scan# 21121
Delta R.T. -0.000 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57




Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:228 Resp: 106829
Ion Ratio Lower Upper
228 100
226 27.5 21.8 32.6
229 20.7 15.8 23.6



#33
Chrysene
Concen: 1.502 ng
RT: 21.166 min Scan# 2397
Delta R.T. -0.009 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:228 Resp: 91115
Ion Ratio Lower Upper
228 100
226 30.7 23.8 35.8
229 21.8 15.6 23.4









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.055 ng
 RT: 21.077 min Scan# 2111
 Delta R.T. -0.009 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57




Instrument :
 BNA_N
 ClientSampleId :
 S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:149 Resp: 2111
 Ion Ratio Lower Upper
 149 100
 167 93.8 21.5 32.3#
 279 60.8 2.2 3.2#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.297 min Scan# 2839
 Delta R.T. -0.006 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57

Tgt Ion:264 Resp: 18150
 Ion Ratio Lower Upper
 264 100
 260 26.3 20.8 31.2
 265 64.8 52.2 78.2









#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.644 ng
 RT: 25.443 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57




Instrument : BNA_N
 ClientSampleId : S-905-KJ-SO-0-0.5-081924-FDDL


Tgt Ion:	276	Resp:	48539
Ion Ratio	Lower	Upper	
276	100		
138	24.4	24.4	36.6#
277	24.6	19.8	29.6



#37
 Benzo(b)fluoranthene
 Concen: 1.849 ng
 RT: 22.657 min Scan# 2620
 Delta R.T. -0.003 min
 Lab File: BN033613.D
 Acq: 24 Aug 2024 05:57


Tgt Ion:	252	Resp:	125342
Ion Ratio	Lower	Upper	
252	100		
253	24.0	19.8	29.8
125	13.8	13.9	20.9#








#38
Benzo(k)fluoranthene
Concen: 1.879 ng
RT: 22.657 min Scan# 21
Delta R.T. -0.047 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL







Tgt Ion:252 Resp: 125342
Ion Ratio Lower Upper
252 100
253 24.0 19.8 29.8
125 13.8 15.8 23.8#



#39
Benzo(a)pyrene
Concen: 0.965 ng
RT: 23.116 min Scan# 2777
Delta R.T. -0.094 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:252 Resp: 54102
Ion Ratio Lower Upper
252 100
253 26.2 21.5 32.3
125 19.6 17.0 25.4









#40
Dibenzo(a,h)anthracene
Concen: 0.214 ng
RT: 25.452 min Scan# 31
Delta R.T. -0.018 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Instrument :
BNA_N
ClientSampleId :
S-905-KJ-SO-0-0.5-081924-FDDL

Tgt Ion:278 Resp: 12902
Ion Ratio Lower Upper
278 100
139 27.1 19.1 28.7
279 33.4 21.0 31.4#



#41
Benzo(g,h,i)perylene
Concen: 0.670 ng
RT: 26.098 min Scan# 3797
Delta R.T. -0.006 min
Lab File: BN033613.D
Acq: 24 Aug 2024 05:57

Tgt Ion:276 Resp: 43198
Ion Ratio Lower Upper
276 100
277 24.5 19.7 29.5
138 26.1 21.8 32.6

