

Prep Standard - Chemical Standard Summary

Order ID : P3671

Test : SVOCMS Group5

Prepbatch ID : PB162876,

Sequence ID/Qc Batch ID: BF082224,BF082624,bm082224,BP082224,

Standard ID :

EP2521,EP2527,SP6524,SP6549,SP6550,SP6551,SP6552,SP6553,SP6554,SP6555,SP6556,SP6557,SP6558,SP6559,SP6573,SP6587,SP6588,SP6589,SP6590,SP6591,SP6592,SP6593,SP6594,SP6595,SP6604,

Chemical ID :

10ul/1000ul

sample,E2865,E3551,E3744,E3746,E3768,E3780,E3786,E3787,E3788,S10102,S10103,S10247,S10398,S10583,S10972,S10973,S10974,S10975,S10976,S10977,S10996,S10997,S10998,S10999,S11000,S11001,S11002,S11003,S11012,S11084,S11092,S11093,S11096,S11097,S11102,S11103,S11138,S11141,S11148,S11434,S11494,S11555,S11561,S11566,S11567,S11766,S11767,S11768,S11769,S11770,S12033,S12039,S12041,S12076,S12077,S12097,S12098,S12099,S12100,S12101,S12102,S12103,S12104,S12105,S12112,S12117,S12118,S12119,S12120,S12121,S12122,S12123,S12124,S12125,S12126,S12449,S12450,S12451,S12452,S12453,



| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|--|----------------------|------------------------|------------------|------------------------|--------------------|-------------------------------------|------------------|-----------------------------------|
| 3923 | Baked Sodium Sulfate | EP2521 | 08/10/2024 | 01/03/2025 | Rajesh Parikh | Extraction_SC ALE_2 (EX-SC-2) | None | RUPESHKUMAR SHAH 08/10/2024 |
| <u>FROM</u> 4000.00000gram of E3551 = Final Quantity: 4000.000 gram | | | | | | | | |

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|---|--------------------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|--------------------------------|
| 2017 | 1:1 ACETONE/METHYLENE CHLORIDE | EP2527 | 08/14/2024 | 02/13/2025 | Rajesh Parikh | None | None | RUPESHKUMAR SHAH 08/14/2024 |
| <u>FROM</u> 4000.00000ml of E3787 + 4000.00000ml of E3788 = Final Quantity: 16000.000 ml | | | | | | | | |



| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 19 | 8270/CLP Surrogate Solution, 100 PPM BN/150 PPM ACID | SP6524 | 05/31/2024 | 11/29/2024 | Jagrut Upadhyay | None | None | Yogesh Patel 06/13/2024 |
| <u>FROM</u> | 1930.00000ml of E3744 + 2.90000ml of S11003 + 3.00000ml of S10977 + 5.30000ml of S10996 + 5.30000ml of S10997 + 5.30000ml of S10998 + 5.30000ml of S10999 + 5.30000ml of S11000 + 5.30000ml of S11001 + 5.30000ml of S11002 + 5.40000ml of S10972 + 5.40000ml of S10973 + 5.40000ml of S10974 + 5.40000ml of S10975 + 5.40000ml of S10976 = Final Quantity: 2000.000 ml | | | | | | | |

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|---|--------------------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|------------------------------|
| 3764 | 8270/625 Stock solution 100 ng | SP6549 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed 07/09/2024 |
| <u>FROM</u> 0.26700ml of S10102 + 0.40000ml of S11434 + 0.50000ml of S12112 + 1.00000ml of S11092 + 1.00000ml of S11096 + 1.00000ml of S11102 + 1.00000ml of S11148 + 1.00000ml of S12076 + 3.83300ml of E3746 = Final Quantity: 10.000 ml | | | | | | | | |

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 413 | 80 ng BNA ICC, 80 PPM | SP6550 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.20000ml of E3746 + 0.80000ml of SP6549 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 412 | 60 ng BNA ICC, 60 PPM | SP6551 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.40000ml of E3746 + 0.60000ml of SP6549 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 411 | 50 ng BNA ICC, 50 PPM | SP6552 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.50000ml of E3746 + 0.50000ml of SP6549 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 410 | 40 ng BNA ICC, 40 PPM | SP6553 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.60000ml of E3746 + 0.40000ml of SP6549 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3678 | 20 ng BNA ICC, 20 PPM | SP6554 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.80000ml of E3746 + 0.20000ml of SP6549 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 408 | 10 ng BNA ICC, 10 PPM | SP6555 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.90000ml of E3746 + 0.10000ml of SP6549 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 407 | 5 ng BNA ICC, 5 PPM | SP6556 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.95000ml of E3746 + 0.05000ml of SP6549 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 175 | 2.5 ng BNA ICC, 2.5 PPM | SP6557 | 07/09/2024 | 08/26/2024 | Jagrut Upadhyay | None | None | mohammad ahmed |
| | | | | | | | | 07/09/2024 |

FROM 0.01000ml of S12033 + 0.50000ml of E3746 + 0.50000ml of SP6556 = Final Quantity: 1.010 ml

[illegible]

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---|------------------------|------------------|------------------------|--------------------|----------------|------------------|------------------------------|
| 416 | 40 ng BNA ICV, 40 PPM | SP6559 | 07/09/2024 | 11/30/2024 | Jagrut Upadhyay | None | None | mohammad ahmed 07/11/2024 |
| <u>FROM</u> | 0.01000ml of S12033 + 0.60000ml of E3768 + 0.40000ml of SP6558 = Final Quantity: 1.010 ml | | | | | | | |

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3895 | 50 ug/ml DFTPP 8270E | SP6573 | 07/15/2024 | 01/08/2025 | Rahul Chavli | None | None | Yogesh Patel |
| | | | | | | | | 07/17/2024 |

FROM 1.00000ml of S10247 + 19.00000ml of E3768 = Final Quantity: 20.000 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3764 | 8270/625 Stock solution 100 ng | SP6587 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.26700ml of S10103 + 0.40000ml of S11494 + 0.50000ml of S12112 + 1.00000ml of S11084 + 1.00000ml of S11093 + 1.00000ml of S11097 + 1.00000ml of S11103 + 1.00000ml of S12077 + 3.83300ml of E3786 = Final Quantity: 10.000 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 413 | 80 ng BNA ICC, 80 PPM | SP6588 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.20000ml of E3786 + 0.80000ml of SP6587 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 412 | 60 ng BNA ICC, 60 PPM | SP6589 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.40000ml of E3786 + 0.60000ml of SP6587 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 411 | 50 ng BNA ICC, 50 PPM | SP6590 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.50000ml of E3786 + 0.50000ml of SP6587 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 410 | 40 ng BNA ICC, 40 PPM | SP6591 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.60000ml of E3786 + 0.40000ml of SP6587 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3678 | 20 ng BNA ICC, 20 PPM | SP6592 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.80000ml of E3786 + 0.20000ml of SP6587 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 408 | 10 ng BNA ICC, 10 PPM | SP6593 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.90000ml of E3786 + 0.10000ml of SP6587 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 407 | 5 ng BNA ICC, 5 PPM | SP6594 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.95000ml of E3786 + 0.05000ml of SP6587 = Final Quantity: 1.010 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u> | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 175 | 2.5 ng BNA ICC, 2.5 PPM | SP6595 | 08/08/2024 | 01/09/2025 | Jagrut Upadhyay | None | None | Yogesh Patel |
| | | | | | | | | 08/17/2024 |

FROM 0.01000ml of S12039 + 0.50000ml of E3786 + 0.50000ml of SP6594 = Final Quantity: 1.010 ml

[illegible]

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-3382-05 / Sand, Purified (cs/4x2.5kg) | 0000243821 | 06/30/2025 | 04/30/2020 / RAJESH | 04/28/2020 / RAJESH | E2865 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1 | 313201 | 07/01/2025 | 01/03/2024 / Rajesh | 07/20/2023 / Rajesh | E3551 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--|-------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 23H14626005 | 11/29/2024 | 05/29/2024 / Rajesh | 05/23/2024 / Rajesh | E3744 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L) | 24C0162011 | 11/25/2024 | 05/25/2024 / Rajesh | 05/08/2024 / Rajesh | E3746 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L) | 24E2462004 | 01/08/2025 | 07/08/2024 / Rajesh | 06/21/2024 / Rajesh | E3768 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 23H1462005 | 02/10/2025 | 08/10/2024 / Rajesh | 07/24/2024 / Rajesh | E3780 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L) | 24F1062004 | 02/01/2025 | 08/01/2024 / Rajesh | 07/16/2024 / Rajesh | E3786 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L) | 24G0862022 | 02/13/2025 | 08/13/2024 / Rajesh | 08/07/2024 / Rajesh | E3787 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 23H1462005 | 04/23/2025 | 08/13/2024 / Rajesh | 08/13/2024 / Rajesh | E3788 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-112090-04 / CLP Acid Surrogate Solution, 7500 mg/L, 1ml | 440246 | 09/29/2024 | 03/29/2024 / Jagrut | 12/09/2021 / Christian | S10102 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-112090-04 / CLP Acid Surrogate Solution, 7500 mg/L, 1ml | 440246 | 02/08/2025 | 08/08/2024 / Jagrut | 12/09/2021 / Christian | S10103 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31615 / SV Mixture, GC/MS Tuning Mixture, CH2Cl2, 1mL, | A0182667 | 01/15/2025 | 07/15/2024 / Rahul | 03/18/2022 / Christian | S10247 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555871 / Custom Standard, 4-nitrophenol Std [CS 5238-4] | A0185300 | 10/26/2024 | 04/26/2024 / Rahul | 05/18/2022 / Christian | S10398 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555868 / Custom Standard, Benzidine Std [CS 5328-1] | A0186373 | 02/12/2025 | 08/12/2024 / Rahul | 07/05/2022 / Christian | S10583 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 08/31/2030 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10972 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10973 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10974 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10975 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10976 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul | A0188108 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10977 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 08/31/2028 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10996 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10997 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10998 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S10999 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S11000 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S11001 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S11002 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml | A0189418 | 11/30/2024 | 05/31/2024 / Jagrut | 12/28/2022 / Christian | S11003 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555872 / Custom Standard, pentachlorophenol Std [CS 5328-5] | A0193449 | 10/26/2024 | 04/26/2024 / Rahul | 01/13/2023 / Christian | S11012 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-010074-07 / 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 ml, (Maximum Expiration: 180 days) | 406703 | 02/08/2025 | 08/08/2024 / Jagrut | 02/07/2023 / Christian | S11084 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110817-01 / Custom 8270 Mix, 4-55, 1000 mg/L, 1 ml, (Maximum Expiration: 90 Days) | 414125 | 01/09/2025 | 07/09/2024 / Jagrut | 02/07/2023 / Christian | S11092 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110817-01 / Custom 8270 Mix, 4-55, 1000 mg/L, 1 ml, (Maximum Expiration: 90 Days) | 414125 | 02/08/2025 | 08/08/2024 / Jagrut | 02/07/2023 / Christian | S11093 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | z-110381-01 / 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1ml | 495831 | 01/09/2025 | 07/09/2024 / Jagrut | 02/07/2023 / Christian | S11096 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | z-110381-01 / 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1ml | 495831 | 02/08/2025 | 08/08/2024 / Jagrut | 02/07/2023 / Christian | S11097 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days) | 495833 | 01/09/2025 | 07/09/2024 / Jagrut | 02/07/2023 / Christian | S11102 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days) | 495833 | 02/08/2025 | 08/08/2024 / Jagrut | 02/07/2023 / Christian | S11103 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555870 / Custom Standard, 2,4-dinitrophenol Std [CS 5328-3] | A0194698 | 02/12/2025 | 08/12/2024 / Rahul | 02/20/2023 / Christian | S11138 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555869 / Custom Standard, hexachlorocyclopentadiene Std [CS 5328-2] | A0194702 | 02/12/2025 | 08/12/2024 / Rahul | 02/20/2023 / Christian | S11141 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-010074-07 / 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 ml, (Maximum Expiration: 180 days) | 406703 | 01/09/2025 | 07/09/2024 / Jagrut | 03/06/2023 / Christian | S11148 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110094-02 / CLP Base/Neutral Surrogate Solution, 5000 mg/L, 1ml | 503442 | 08/26/2024 | 07/09/2024 / Jagrut | 07/26/2023 / yogesh | S11434 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110094-02 / CLP Base/Neutral Surrogate Solution, 5000 mg/L, 1ml | 506889 | 02/08/2025 | 08/08/2024 / Jagrut | 08/11/2023 / Yogesh | S11494 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] [CS 4978-1] | A0201940 | 02/12/2025 | 08/12/2024 / Rahul | 09/18/2023 / Kiran | S11555 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0201940 | 02/12/2025 | 08/12/2024 / Rahul | 09/18/2023 / Kiran | S11561 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0201940 | 12/05/2024 | 06/05/2024 / Rahul | 09/18/2023 / Kiran | S11566 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0201940 | 02/12/2025 | 08/12/2024 / Rahul | 09/18/2023 / Kiran | S11567 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride | A0196453 | 12/14/2024 | 06/14/2024 / Rahul | 11/21/2023 / Rahul | S11766 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride | A0196453 | 01/12/2025 | 07/12/2024 / Rahul | 11/21/2023 / Rahul | S11767 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride | A0196453 | 02/12/2025 | 08/12/2024 / Rahul | 11/21/2023 / Rahul | S11768 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride | A0196453 | 02/12/2025 | 08/12/2024 / Rahul | 11/21/2023 / Rahul | S11769 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride | A0196453 | 02/12/2025 | 08/12/2024 / Rahul | 11/21/2023 / Rahul | S11770 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL | A0201320 | 01/01/2025 | 07/01/2024 / Rahul | 12/21/2023 / Rahul | S12033 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL | A0201320 | 02/07/2025 | 08/07/2024 / anahy | 12/21/2023 / Rahul | S12039 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL | A0201320 | 02/13/2025 | 08/13/2024 / anahy | 12/21/2023 / Rahul | S12041 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110816-01 / Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL, (Maximum Expiration: 180 Days) | 414127 | 01/09/2025 | 07/09/2024 / Jagrut | 01/31/2024 / Rahul | S12076 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|--|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | Z-110816-01 / Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL, (Maximum Expiration: 180 Days) | 414127 | 02/08/2025 | 08/08/2024 / Jagrut | 01/31/2024 / Rahul | S12077 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 01/09/2025 | 07/09/2024 / Jagrut | 02/05/2024 / Rahul | S12097 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12098 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12099 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12100 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12101 |

[CS 4978-2]

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12102 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12103 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12104 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request] | A0207706 | 02/12/2025 | 08/12/2024 / Rahul | 02/05/2024 / Rahul | S12105 |

[CS 4978-2]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| CPI International | z-010223-01 / 1,4-Dioxane Solution, 2,000mg/L, 1ml | 454157 | 01/09/2025 | 07/09/2024 / Jagrut | 03/08/2024 / Rahul | S12112 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 12/05/2024 | 06/05/2024 / Rahul | 03/15/2024 / Rahul | S12117 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 04/30/2025 | 01/10/2025 / Jagrut | 03/15/2024 / Rahul | S12118 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12119 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12120 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12121 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12122 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12123 |

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12124 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12125 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂] | A0203726 | 02/12/2025 | 08/12/2024 / Rahul | 03/15/2024 / Rahul | S12126 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0214021 | 02/12/2025 | 08/12/2024 / Rahul | 07/23/2024 / RAHUL | S12449 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0214021 | 02/12/2025 | 08/12/2024 / Rahul | 07/23/2024 / RAHUL | S12450 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0214021 | 02/12/2025 | 08/12/2024 / Rahul | 07/23/2024 / RAHUL | S12451 |

[CS 4978-1]

CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0214021 | 02/12/2025 | 08/12/2024 / Rahul | 07/23/2024 / RAHUL | S12452 |

[CS 4978-1]

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek | 555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] | A0214021 | 02/12/2025 | 08/12/2024 / Rahul | 07/23/2024 / RAHUL | S12453 |

[CS 4978-1]



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|--------------|----------|----------|--------------------|------------|---|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-010074-07 | 406703 | ≤ -10 °C | Methylene Chloride | 3/30/2025 | 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|------------------------|---------|------------|------------------|---------------------|
| 3,3'-dichlorobenzidine | 91-94-1 | 99.5 | 74.3.26P | 989 ± 7.53 |

Received on
02/07/23
by
CG
S11084
to
S11088

*Not a certified value

Certified By: _____

Jacob Mulloy
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|--------------|----------|----------|--------------------|------------|---|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-010074-07 | 406703 | ≤ -10 °C | Methylene Chloride | 3/30/2025 | 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|------------------------|---------|------------|------------------|---------------------|
| 3,3'-dichlorobenzidine | 91-94-1 | 99.5 | 74.3.26P | 989 ± 7.53 |

Received on
02/07/23
by
CG
S11084
to
S11088

*Not a certified value

Certified By: _____

Jacob Mulloy
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|--|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-110817-01 | 414125 | ≤ -10 °C | Methylene Chloride | 6/21/2025 | Custom 8270 Mix, 4-55, 1000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|----------------------------|---------|------------|------------------|---------------------|
| acetophenone | 98-86-2 | 99.2 | 85.8.1P | 998 ± 11.5 |
| benzoic acid | 65-85-0 | 100 | 123.7.1P | 1010 ± 5.88 |
| biphenyl | 92-52-4 | 99.9 | 366.29.1P | 999 ± 5.82 |
| 1,2,4,5-tetrachlorobenzene | 95-94-3 | 99.7 | 53.7.2P | 993 ± 5.79 |

Received on
02/07/23
by
CG
S11089
to
S11093

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____

Shane Overcash
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|--|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-110817-01 | 414125 | ≤ -10 °C | Methylene Chloride | 6/21/2025 | Custom 8270 Mix, 4-55, 1000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|----------------------------|---------|------------|------------------|---------------------|
| acetophenone | 98-86-2 | 99.2 | 85.8.1P | 998 ± 11.5 |
| benzoic acid | 65-85-0 | 100 | 123.7.1P | 1010 ± 5.88 |
| biphenyl | 92-52-4 | 99.9 | 366.29.1P | 999 ± 5.82 |
| 1,2,4,5-tetrachlorobenzene | 95-94-3 | 99.7 | 53.7.2P | 993 ± 5.79 |

Received on
02/07/23
by
CG
S11089
to
S11093

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____

Shane Overcash
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.: Lot No.: **Storage:** **Solvent:** **Exp. Date:** **Description:**
Z-112090 440246 $\leq -10^{\circ}\text{C}$ Methylene Chloride 2/16/2026 CLP Acid Surrogate Solution, 7,500 mg/L, 1 mL
-04

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-------------------------------|------------|------------|------------------|---------------------|
| 2-chlorophenol-d ₄ | 93951-73-6 | 99.3 | 248.12.7P | 7487 \pm 17.2 |
| 2-fluorophenol | 367-12-4 | 99.8 | 10.7.3.3P | 7513 \pm 17.26 |
| phenol-d ₆ | 13127-88-3 | 99.9 | 949.120.8P | 7481 \pm 17.19 |
| 2,4,6-tribromophenol | 118-79-6 | 99.8 | 12.1.6P | 7469 \pm 17.17 |

Received on

02/25/21

by
CG

S9236
to

S9240

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certified By: _____

Erica Castiglione
Chemist



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|---|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-112090 | 440246 | ≤ -10 °C | Methylene Chloride | 2/16/2026 | CLP Acid Surrogate Solution, 7,500 mg/L, 1 mL |
| -04 | | | | | |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-------------------------------|------------|------------|------------------|---------------------|
| 2-chlorophenol-d ₄ | 93951-73-6 | 99.3 | 248.12.7P | 7487 ± 17.2 |
| 2-fluorophenol | 367-12-4 | 99.8 | 10.7.3.3P | 7513 ± 17.26 |
| phenol-d ₆ | 13127-88-3 | 99.9 | 949.120.8P | 7481 ± 17.19 |
| 2,4,6-tribromophenol | 118-79-6 | 99.8 | 12.1.6P | 7469 ± 17.17 |

Received on

02/25/21

by
CG

S9236
to

S9240

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certified By: _____

Erica Castiglione
Chemist



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Receivalon
02/07/23 by CG

Sheet S11096
to
S11099

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 4

| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
|--------------|----------|----------|--------------------|------------|--|
| Z-110381-01 | 495831 | ≤ -10 °C | Methylene Chloride | 10/30/2027 | Method 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-----------------------------------|----------|------------|------------------|---------------------|
| acenaphthene | 83-32-9 | 99.9 | 13.1.5P | 1003 ± 17.27 |
| acenaphthylene | 208-96-8 | 97.6 | 14.290.1P | 999.8 ± 17.22 |
| aniline | 62-53-3 | 99.9 | 64.7.1P | 995 ± 17.13 |
| anthracene | 120-12-7 | 99.5 | 15.7.1P | 1001 ± 17.24 |
| azobenzene | 103-33-3 | 98.1 | 252.7.2P | 999.1 ± 17.21 |
| benzo[a]anthracene | 56-55-3 | 100 | 16.7.3P | 1001 ± 17.24 |
| benzo[b]fluoranthene | 205-99-2 | 99.8 | 17.421.3P | 1001 ± 19.91 |
| benzo[k]fluoranthene | 207-08-9 | 98.9 | 18.421.4P | 1001 ± 17.92 |
| benzo[ghi]perylene | 191-24-2 | 93 | 19.286.4P | 999.6 ± 19.88 |
| benzo[a]pyrene | 50-32-8 | 97 | 20.286.2P | 999.1 ± 26.35 |
| benzyl alcohol | 100-51-6 | 99.9 | 65.18.1P | 1001 ± 17.24 |
| bis(2-chloroethoxy)methane | 111-91-1 | 99.1 | 31.3.15P | 999.7 ± 17.89 |
| bis(2-chloroethyl)ether | 111-44-4 | 99.8 | 32.7.1P | 1001 ± 17.23 |
| bis(2-chloro-1-methylethyl) ether | 108-60-1 | 99.5 | 34.3.13P | 999.5 ± 17.89 |
| bis(2-ethylhexyl)adipate | 103-23-1 | 99.5 | 874.7.1P | 999.5 ± 17.21 |
| bis(2-ethylhexyl)phthalate | 117-81-7 | 99.4 | 33.29.1P | 998.8 ± 19.86 |
| 4-bromophenyl phenyl ether | 101-55-3 | 99.4 | 35.7.1P | 999.1 ± 17.2 |
| butyl benzyl phthalate | 85-68-7 | 98.4 | 36.1.6P | 984.7 ± 19.58 |
| carbazole | 86-74-8 | 99.4 | 239.7.2P | 1000 ± 17.22 |

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Brianna Smith

Certified By: _____

Brianna Smith
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certificate of Analysis

Page 4 of 4

Catalog No.: Z-110381-01

Lot No.: 495831

Expiration Date: 10/30/2027

| <u>Compound</u> | <u>CAS No.</u> | <u>Purity (%)</u> | <u>Compound Lot No.</u> | <u>Concentration, mg/L</u> |
|------------------------|----------------|-------------------|-------------------------|----------------------------|
| 1,2,4-trichlorobenzene | 120-82-1 | 99.6 | 54.29.1P | 1000 ± 17.22 |
| 2,4,5-trichlorophenol | 95-95-4 | 96.5 | 121.7.1.1P | 1000 ± 17.22 |
| 2,4,6-trichlorophenol | 88-06-2 | 99.6 | 113.7.1P | 1002 ± 17.25 |

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By:



Briana Smith
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Receivalon
02/07/23 by CG

Shelf S11096
to
S11099

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 4

| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
|--------------|----------|----------|--------------------|------------|--|
| Z-110381-01 | 495831 | ≤ -10 °C | Methylene Chloride | 10/30/2027 | Method 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-----------------------------------|----------|------------|------------------|---------------------|
| acenaphthene | 83-32-9 | 99.9 | 13.1.5P | 1003 ± 17.27 |
| acenaphthylene | 208-96-8 | 97.6 | 14.290.1P | 999.8 ± 17.22 |
| aniline | 62-53-3 | 99.9 | 64.7.1P | 995 ± 17.13 |
| anthracene | 120-12-7 | 99.5 | 15.7.1P | 1001 ± 17.24 |
| azobenzene | 103-33-3 | 98.1 | 252.7.2P | 999.1 ± 17.21 |
| benzo[a]anthracene | 56-55-3 | 100 | 16.7.3P | 1001 ± 17.24 |
| benzo[b]fluoranthene | 205-99-2 | 99.8 | 17.421.3P | 1001 ± 19.91 |
| benzo[k]fluoranthene | 207-08-9 | 98.9 | 18.421.4P | 1001 ± 17.92 |
| benzo[ghi]perylene | 191-24-2 | 93 | 19.286.4P | 999.6 ± 19.88 |
| benzo[a]pyrene | 50-32-8 | 97 | 20.286.2P | 999.1 ± 26.35 |
| benzyl alcohol | 100-51-6 | 99.9 | 65.18.1P | 1001 ± 17.24 |
| bis(2-chloroethoxy)methane | 111-91-1 | 99.1 | 31.3.15P | 999.7 ± 17.89 |
| bis(2-chloroethyl)ether | 111-44-4 | 99.8 | 32.7.1P | 1001 ± 17.23 |
| bis(2-chloro-1-methylethyl) ether | 108-60-1 | 99.5 | 34.3.13P | 999.5 ± 17.89 |
| bis(2-ethylhexyl)adipate | 103-23-1 | 99.5 | 874.7.1P | 999.5 ± 17.21 |
| bis(2-ethylhexyl)phthalate | 117-81-7 | 99.4 | 33.29.1P | 998.8 ± 19.86 |
| 4-bromophenyl phenyl ether | 101-55-3 | 99.4 | 35.7.1P | 999.1 ± 17.2 |
| butyl benzyl phthalate | 85-68-7 | 98.4 | 36.1.6P | 984.7 ± 19.58 |
| carbazole | 86-74-8 | 99.4 | 239.7.2P | 1000 ± 17.22 |

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Brianna Smith

Certified By: _____

Brianna Smith
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certificate of Analysis

Page 4 of 4

Catalog No.: Z-110381-01

Lot No.: 495831

Expiration Date: 10/30/2027

| <u>Compound</u> | <u>CAS No.</u> | <u>Purity (%)</u> | <u>Compound Lot No.</u> | <u>Concentration, mg/L</u> |
|------------------------|----------------|-------------------|-------------------------|----------------------------|
| 1,2,4-trichlorobenzene | 120-82-1 | 99.6 | 54.29.1P | 1000 ± 17.22 |
| 2,4,5-trichlorophenol | 95-95-4 | 96.5 | 121.7.1.1P | 1000 ± 17.22 |
| 2,4,6-trichlorophenol | 88-06-2 | 99.6 | 113.7.1P | 1002 ± 17.25 |

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____



Briana Smith
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|--|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-010442-07 | 495833 | ≤ -10 °C | Methylene Chloride | 1/16/2028 | Benzaldehyde Solution, 1000 mg/L, 1.3 mL |

| <u>Compound</u> | <u>CAS No.</u> | <u>Purity (%)</u> | <u>Compound Lot No.</u> | <u>Concentration, mg/L</u> |
|-----------------|----------------|-------------------|-------------------------|----------------------------|
| benzaldehyde | 100-52-7 | 98.3 | 442.421.1P | 996.8 ± 11.49 |

Received on
02/07/23
by CG

S11101
to
S11103

*Not a certified value

Certified By: _____

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|--|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-010442-07 | 495833 | ≤ -10 °C | Methylene Chloride | 1/16/2028 | Benzaldehyde Solution, 1000 mg/L, 1.3 mL |

| <u>Compound</u> | <u>CAS No.</u> | <u>Purity (%)</u> | <u>Compound Lot No.</u> | <u>Concentration, mg/L</u> |
|-----------------|----------------|-------------------|-------------------------|----------------------------|
| benzaldehyde | 100-52-7 | 98.3 | 442.421.1P | 996.8 ± 11.49 |

Received on
02/07/23
by CG

S11101
to
S11103

*Not a certified value

Certified By: _____

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received on
03/10/22
by
CG
S10242
to
S10247

Catalog No. : 31615 **Lot No.:** A0182667
Description : GC/MS Tuning Mixture
GC/MS Tuning Mixture 1,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2025 **Storage:** 10°C or colder
Handling: Contains carcinogen/reproductive toxin. **Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|-----------------|--|-----------------------------|--|---------------------------------------|
| 1 | Pentachlorophenol CAS # 87-86-5 (Lot 211229RSR) Purity 99% | 1,003.6 µg/mL | +/- 5.8897 µg/mL +/- 45.7132 µg/mL +/- 66.0037 µg/mL | Gravimetric Unstressed Stressed |
| 2 | DFTPP (Decafluorotriphenylphosphine) CAS # 5074-71-5 (Lot Q117-147) Purity 95% | 1,006.6 µg/mL | +/- 5.9074 µg/mL +/- 45.8508 µg/mL +/- 66.2023 µg/mL | Gravimetric Unstressed Stressed |
| 3 | Benzidine CAS # 92-87-5 (Lot 211228JLM) Purity 99% | 1,008.4 µg/mL | +/- 5.9179 µg/mL +/- 45.9318 µg/mL +/- 66.3193 µg/mL | Gravimetric Unstressed Stressed |
| 4 | 4,4'-DDT CAS # 50-29-3 (Lot 210916JLM) Purity 99% | 1,007.6 µg/mL | +/- 5.9132 µg/mL +/- 45.8954 µg/mL +/- 66.2667 µg/mL | Gravimetric Unstressed Stressed |
| Solvent: | Methylene chloride CAS # 75-09-2 Purity 99% | | | |

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Morgan Craighead - Mix Technician

Date Mixed: 08-Mar-2022

Balance: B345965662

Marlene Cowan - Operations Tech I

Date Passed: 10-Mar-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Gravimetric Certificate



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555871 **Lot No.:** A0185300
Description : Custom 4-Nitrophenol Standard
Custom 4-Nitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : May 31, 2025 **Storage:** 10°C or colder
Ship: Ambient

Received by
CG on
05/18/22
S10393
+0
S10402

CERTIFIED VALUES

| Component # | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|-------------|---|-----------------------------|--|
| 1 | 4-Nitrophenol CAS # 100-02-7 Purity 99% (Lot MKCN1089) | 25,060.0 µg/mL | +/- 231.9100 µg/mL Gravimetric +/- 753.2622 µg/mL Unstressed +/- 905.6020 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Katelyn McGinnis - Operations Tech I

Date Mixed: 16-May-2022 Balance: 1128342314

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---------------------|-------------------------|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer) -20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Gravimetric Certificate



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received by
CG
on
07/05/22
S 10583
to
S 10592

Catalog No.: 555868 Lot No.: A0186373
Description: Custom Benzidine Standard
Custom Benzidine Standard 25,000µg/mL, Methanol, 1mL/ampul
Container Size: 2 mL Pkg Amt: > 1 mL
Expiration Date: June 30, 2025 Storage: 10°C or colder
Handling: Contains carcinogen/reproductive toxin. Ship: Ambient

CERTIFIED VALUES

| Component # | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|-------------|-------------------------------|-----------------------------|--------------------------------------|
| 1 | Benzidine | 25,200.0 µg/mL | +/- 233.2055 µg/mL Gravimetric |
| | CAS # 92-87-5 (Lot 220511RSR) | | +/- 351.6606 µg/mL Unstressed |
| | Purity 99% | | +/- 512.6054 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Tom Suckal - Mix Technician

Date Mixed: 16-Jun-2022 Balance: 1122030677

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---------------------|-------------------------|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer) -20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108
Description : Acid Surrogate Mix (4/89 SOW)
Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2030 **Storage:** 10°C or colder
Ship: Ambient

Received by
CG on
12/28/22
S10951
to
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022 Balance: 1127510105


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108

Description : Acid Surrogate Mix (4/89 SOW)

Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul

Container Size : 5 mL **Pkg Amt:** > 5 mL

Expiration Date : August 31, 2030 **Storage:** 10°C or colder

Ship: Ambient

Received by
CG on
12/28/22
S10951
FO
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022

Balance: 1127510105

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108
Description : Acid Surrogate Mix (4/89 SOW)
Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2030 **Storage:** 10°C or colder
Ship: Ambient

Received by
CG on
12/28/22
S10951
to
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022

Balance: 1127510105

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108
Description : Acid Surrogate Mix (4/89 SOW)
Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2030 **Storage:** 10°C or colder
Ship: Ambient

Received by
CG on
12/28/22
S10951
to
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022 Balance: 1127510105


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108

Description : Acid Surrogate Mix (4/89 SOW)

Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul

Container Size : 5 mL **Pkg Amt:** > 5 mL

Expiration Date : August 31, 2030 **Storage:** 10°C or colder

Ship: Ambient

Received by
CG on
12/28/22
S10951
FO
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022

Balance: 1127510105

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01



ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0188108
Description : Acid Surrogate Mix (4/89 SOW)
Acid Surrogate 10,000µg/mL, Methanol, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2030 **Storage:** 10°C or colder
Ship: Ambient

Received by
CG on
12/28/22
S10951
to
S10980

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | 2-Fluorophenol CAS # 367-12-4 Purity 99% (Lot STBF3761V) | 10,088.5 µg/mL | +/- 58.6554 µg/mL Gravimetric +/- 294.4162 µg/mL Unstressed +/- 357.2628 µg/mL Stressed |
| 2 | Phenol-d6 CAS # 13127-88-3 Purity 99% (Lot PR-31262) | 10,043.3 µg/mL | +/- 58.3923 µg/mL Gravimetric +/- 293.0957 µg/mL Unstressed +/- 355.6603 µg/mL Stressed |
| 3 | 2,4,6-Tribromophenol CAS # 118-79-6 Purity 99% (Lot MKCJ7664) | 10,010.0 µg/mL | +/- 58.1990 µg/mL Gravimetric +/- 292.1253 µg/mL Unstressed +/- 354.4829 µg/mL Stressed |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Morgan Craighead - Mix Technician

Date Mixed: 02-Aug-2022 Balance: 1127510105


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

Received by
CG on
12/28/22
\$10981
to
S11010

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received by
CG on
12/28/22
\$10981
to
S11010

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:


330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received by
CG on
12/28/22
\$10981
to
S11010

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:


330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

Received by
CG on
12/28/22
\$10981
to
S11010

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:


330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

Received by
CG on
12/28/22
\$10981
to
S11010

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received by
CG on
12/28/22
\$10981
to
S11010

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:


330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

Received by
CG on
12/28/22
\$10981
to
S11010

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:


330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received by
CG on
12/28/22
\$10981
to
S11010

Catalog No. : 31086 **Lot No.:** A0189418
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : August 31, 2028 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) |
|---------------|--|-----------------------------|---|
| 1 | Nitrobenzene-d5 CAS # 4165-60-0 (Lot PR-29940A) Purity 99% | 5,009.8 µg/mL | +/- 29.1271 µg/mL Gravimetric +/- 225.6421 µg/mL Unstressed +/- 250.3778 µg/mL Stressed |
| 2 | 2-Fluorobiphenyl CAS # 321-60-8 (Lot 00021384) Purity 99% | 5,026.6 µg/mL | +/- 29.2250 µg/mL Gravimetric +/- 226.4003 µg/mL Unstressed +/- 251.2191 µg/mL Stressed |
| 3 | p-Terphenyl-d14 CAS # 1718-51-0 (Lot PR-30504) Purity 99% | 5,027.3 µg/mL | +/- 29.2289 µg/mL Gravimetric +/- 226.4304 µg/mL Unstressed +/- 251.2524 µg/mL Stressed |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


John Friedline - Operations Technician I

Date Mixed: 09-Sep-2022

Balance: 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 13-Sep-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555872 **Lot No.:** A0193449
Description : Custom Pentachlorophenol Standard
Custom Pentachlorophenol Standard 25,000µg/mL, Methanol,
1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : January 31, 2026 **Storage:** 10°C or colder
Ship: Ambient

Received on
01/13/23
by
CG
S11011
+0
S11015

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|-------------------|---------|----------|--------|-----------------------------|--|
| 1 | Pentachlorophenol | 87-86-5 | RP221012 | 99% | 25,050.0 µg/mL | +/- 778.6378 |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Russ Bookhamer

Russ Bookhamer - Operations Technician I

Date Mixed: 11-Jan-2023

Balance: B442140311

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555870 Lot No.: A0194698
Description : Custom 2,4-Dinitrophenol Standard
Custom 2,4-Dinitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul
Container Size : 2 mL Pkg Amt: > 1 mL
Expiration Date : February 28, 2026 Storage: 10°C or colder
Ship: Ambient

CERTIFIED

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) |
|-------------|-------------------|---------|-------------|--------|-----------------------------|
| 1 | 2,4-Dinitrophenol | 51-28-5 | DR221221RSR | 99% | 25,195.0 µg/mL |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Russ Bookhamer - Operations Technician I

Date Mixed: 15-Feb-2023

Balance: B442140311

Manufactured under Restek®
Registered Quality
Certificate #FM 8

tified Reference Material Notes

es:

n date valid for unopened ampul stored in compliance with the recommended conditions.
nty, concentration, and expiration of the CRM are based on the unopened product being stored according to the
ended condition found in the storage field.

d/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD,
LC/MS, RI, and/or melting point.

nds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A
n factor is used to calculate the amount of compound necessary to achieve the desired concentration of the
mpound in solution.

isomeric compounds is reported as the sum of the isomers.

lues are rounded to the nearest whole number.

rtainty Value Notes:

rtainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded
ty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability
ty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

erage factor of 2, which gives a level of confidence of approximately 95%.

ged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure
imum packaged amount can be sufficiently transferred.

Notes:

tion is based upon gravimetric preparation using either a balance whose calibration has been verified daily
Γ traceable weights, and/or dilutions with Class A glassware.

:

the unopened product, when stored in compliance with the recommended conditions, is guaranteed through
ion displayed on the product label and certificate. Contact Restek for additional opened product stability
n, with the knowledge/understanding that open product stability is subject to the specific handling and
ntal conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with
tards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom
rm. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861,
ides complete instructions.

ssolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555869 **Lot No.:** A0194702

Description : Custom Hexachlorocyclopentadiene Standard

Custom Hexachlorocyclopentadiene Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

CERTIFIED

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) |
|-------------|---------------------------|---------|---------|--------|-----------------------------|
| 1 | Hexachlorocyclopentadiene | 77-47-4 | 0012019 | 99% | 25,008.0 µg/mL |

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Russ Bookhamer - Operations Technician I

Date Mixed: 15-Feb-2023

Balance: B442140311

Manufactured under Restek
Registered Quality
Certificate #FM1

ified Reference Material Notes

es:

n date valid for unopened ampul stored in compliance with the recommended conditions.
ty, concentration, and expiration of the CRM are based on the unopened product being stored according to the
ended condition found in the storage field.

d/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD,
LC/MS, RI, and/or melting point.
nds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A
n factor is used to calculate the amount of compound necessary to achieve the desired concentration of the
mpound in solution.
isomeric compounds is reported as the sum of the isomers.
ues are rounded to the nearest whole number.

rtainty Value Notes:

rtainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded
ty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability
ty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

age factor of 2, which gives a level of confidence of approximately 95%.
ged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure
nimum packaged amount can be sufficiently transferred.

Notes:

tion is based upon gravimetric preparation using either a balance whose calibration has been verified daily
traceable weights, and/or dilutions with Class A glassware.

;
the unopened product, when stored in compliance with the recommended conditions, is guaranteed through
ion displayed on the product label and certificate. Contact Restek for additional opened product stability
i, with the knowledge/understanding that open product stability is subject to the specific handling and
ntal conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with
ards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom
m. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861,
des complete instructions.
solved material is visible inside the ampul, sonicate the unopened ampul until the material is completely

Sand
Purified
Washed and Ignited



Material No.: 3382-05
Batch No.: 0000243821
Manufactured Date: 2018/04/09
Retest Date: 2025/04/07
Revision No: 1

Certificate of Analysis

| Test | Specification | Result |
|---------------------------|---------------|--------|
| Substances Soluble in HCl | $\leq 0.16\%$ | 0.01 |

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC

E 2865


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700



**PRODUCTOS
QUÍMICOS
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MEXICO
CP 64070
TEL +52 81 13 52 57 57
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

| | | | |
|------------------------|-----------------------------------|---------------|---------------------------------|
| PRODUCT : | SODIUM SULFATE CRYSTALS ANHYDROUS | | |
| QUALITY : | ACS (CODE RMB3375) | FORMULA : | Na ₂ SO ₄ |
| SPECIFICATION NUMBER : | 6399 | RELEASE DATE: | ABR/21/2023 |
| LOT NUMBER : | 313201 | | |

| TEST | SPECIFICATIONS | LOT VALUES |
|--|----------------|-------------|
| Assay (Na ₂ SO ₄) | Min. 99.0% | 99.7 % |
| pH of a 5% solution at 25°C | 5.2 - 9.2 | 6.1 |
| Insoluble matter | Max. 0.01% | 0.005 % |
| Loss on ignition | Max. 0.5% | 0.1 % |
| Chloride (Cl) | Max. 0.001% | <0.001 % |
| Nitrogen compounds (as N) | Max. 5 ppm | <5 ppm |
| Phosphate (PO ₄) | Max. 0.001% | <0.001 % |
| Heavy metals (as Pb) | Max. 5 ppm | <5 ppm |
| Iron (Fe) | Max. 0.001% | <0.001 % |
| Calcium (Ca) | Max. 0.01% | 0.002 % |
| Magnesium (Mg) | Max. 0.005% | 0.001 % |
| Potassium (K) | Max. 0.008% | 0.003 % |
| Extraction-concentration suitability | Passes test | Passes test |
| Appearance | Passes test | Passes test |
| Identification | Passes test | Passes test |
| Solubility and foreign matter | Passes test | Passes test |
| Retained on US Standard No. 10 sieve | Max. 1% | 0.1 % |
| Retained on US Standard No. 60 sieve | Min. 94% | 97.3 % |
| Through US Standard No. 60 sieve | Max. 5% | 2.5 % |
| Through US Standard No. 100 sieve | Max. 10% | 0.1 % |

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by R3 on 7/24/23 E 3551

RC-02-01, Ed. 3

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03
Batch No.: 23H1462005
Manufactured Date: 2023-07-26
Expiration Date: 2026-07-25
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|---|---------------|-------------|
| Assay ((CH ₃) ₂ CO) (by GC, corrected for water) | ≥ 99.4 % | 99.7 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | ≤ 1.0 ppm | 0.3 ppm |
| Substances Reducing Permanganate | Passes Test | Passes Test |
| Titration Acid (μeq/g) | ≤ 0.3 | 0.1 |
| Titration Base (μeq/g) | ≤ 0.6 | < 0.1 |
| Water (H ₂ O) | ≤ 0.5 % | 0.3 % |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | < 1 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 1 |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Revised by RP on 5/23/24

E 3744

Ken Koehnlein
Sr. Manager, Quality Assurance

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 24C0162011
Manufactured Date: 2024-01-04
Expiration Date: 2025-04-04
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|--|------------------------|----------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | < 1 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 2 |
| Assay (CH ₂ Cl ₂) (by GC, exclusive of preservative, corrected for water) | $\geq 99.8 \%$ | 100.0 % |
| Color (APHA) | ≤ 10 | 10 |
| Residue after Evaporation | $\leq 1.0 \text{ ppm}$ | 0.2 ppm |
| Titration Acid ($\mu\text{eq/g}$) | ≤ 0.3 | < 0.1 |
| Chloride (Cl) | $\leq 10 \text{ ppm}$ | < 5 ppm |
| Water (by KF, coulometric) | $\leq 0.02 \%$ | < 0.01 % |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC
Manufacturer source batch: MG24A04224

E 3746

Ken Koehnlein
Sr. Manager, Quality Assurance

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 24E2462004
Manufactured Date: 2024-04-10
Expiration Date: 2025-07-10
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|--|------------------------|----------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | 3 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 3 |
| Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water) | $\geq 99.8 \%$ | 100.0 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | $\leq 1.0 \text{ ppm}$ | 0.1 ppm |
| Titration Acid ($\mu\text{eq/g}$) | ≤ 0.3 | < 0.1 |
| Chloride (Cl) | $\leq 10 \text{ ppm}$ | 5 ppm |
| Water (by KF, coulometric) | $\leq 0.02 \%$ | < 0.01 % |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC
Manufacturer source batch: MG24D10725

E 3768

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087, U.S.A. Phone 610.386.1700

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03
Batch No.: 23H1462005
Manufactured Date: 2023-07-26
Expiration Date: 2026-07-25
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|---|---------------|-------------|
| Assay ((CH ₃) ₂ CO) (by GC, corrected for water) | ≥ 99.4 % | 99.7 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | ≤ 1.0 ppm | 0.3 ppm |
| Substances Reducing Permanganate | Passes Test | Passes Test |
| Titration Acid (μeq/g) | ≤ 0.3 | 0.1 |
| Titration Base (μeq/g) | ≤ 0.6 | < 0.1 |
| Water (H ₂ O) | ≤ 0.5 % | 0.3 % |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | < 1 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 1 |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 7/24/24

E 3780

Ken Koehnlein
Sr. Manager, Quality Assurance

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 24F1062004
Manufactured Date: 2024-04-15
Expiration Date: 2025-07-15
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|--|----------------|----------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | < 1 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 7 |
| Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water) | $\geq 99.8\%$ | 100.0 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | ≤ 1.0 ppm | 0.1 ppm |
| Titration Acid ($\mu\text{eq/g}$) | ≤ 0.3 | < 0.1 |
| Chloride (Cl) | ≤ 10 ppm | < 5 ppm |
| Water (by KF, coulometric) | $\leq 0.02\%$ | < 0.01 % |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC
Manufacturer source batch: MG24D15750

E 3786

Jamie Croak
Director Quality Operations, Bioscience Production

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 24G0862022
Manufactured Date: 2024-06-05
Expiration Date: 2025-09-04
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|--|----------------|----------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | 3 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 4 |
| Assay (CH ₂ Cl ₂) (by GC, exclusive of preservative, corrected for water) | $\geq 99.8 \%$ | 100.0 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | ≤ 1.0 ppm | 0.3 ppm |
| Titration Acid (μ eq/g) | ≤ 0.3 | < 0.1 |
| Chloride (Cl) | ≤ 10 ppm | < 5 ppm |
| Water (by KF, coulometric) | $\leq 0.02 \%$ | < 0.01 % |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC
Manufacturer source batch: MG24F05012

E 3787

Jamie Croak
Director Quality Operations, Bioscience Production

Acetone

BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

Avantor™



Material No.: 9254-03
Batch No.: 23H1462005
Manufactured Date: 2023-07-26
Expiration Date: 2026-07-25
Revision No.: 0

Certificate of Analysis

| Test | Specification | Result |
|---|---------------|-------------|
| Assay ((CH ₃) ₂ CO) (by GC, corrected for water) | ≥ 99.4 % | 99.7 % |
| Color (APHA) | ≤ 10 | 5 |
| Residue after Evaporation | ≤ 1.0 ppm | 0.3 ppm |
| Substances Reducing Permanganate | Passes Test | Passes Test |
| Titration Acid (μeq/g) | ≤ 0.3 | 0.1 |
| Titration Base (μeq/g) | ≤ 0.6 | < 0.1 |
| Water (H ₂ O) | ≤ 0.5 % | 0.3 % |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL) | ≤ 5 | < 1 |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL) | ≤ 10 | 1 |

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 8/13/24

E 3788

Ken Koehnlein
Sr. Manager, Quality Assurance



5580 Skyline Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Page 1 of 1

Catalog No.: Lot No.:
Z-110094-02 503442

Solvent: Storage:
Methylene Chloride $\leq -10^{\circ}\text{C}$

Exp. Date:
8/26/2024

Description:
CLP Base/Neutral Surrogate Solution, 5,000 mg/L, 1 ml

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|----------------------------|-----------|------------|------------------|---------------------|
| 1,2-dichlorobenzene- d_4 | 2199-69-1 | 99.7 | 247.29.3P | 5052 \pm 122.61 |
| 2-fluorobiphenyl | 321-60-8 | 99.7 | 8.7.1.1P | 5005 \pm 121.47 |
| nitrobenzene- d_4 | 4165-60-0 | 100 | 7.9.2P | 5040 \pm 122.21 |
| p-terphenyl- d_{14} | 1718-51-0 | 99.6 | 9.12.9P | 5027 \pm 122 |

*Not a certified value

Certified By: _____

Joanna Radu

Joanna Radu
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Page 1 of 1

| Catalog No.: Lot No.: | Storage: | Solvent: | Exp. Date: | Rev | Description: |
|------------------------------------|----------|--------------------|------------|------------------|---|
| Z-110094-02 506889 | ≤ -10 °C | Methylene Chloride | 7/25/2028 | 0 | CLP Base/Neutral Surrogate Solution, 5,000 mg/L, 1 ml |
| Compound | | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
| 1,2-dichlorobenzene-d ₄ | | 2199-69-1 | 99.7 | 247.29.3P | 5035 ± 28.02 |
| 2-fluorobiphenyl | | 321-60-8 | 99.69 | 8.286.1.1P | 4999 ± 103.66 |
| nitrobenzene-d5 | | 4165-60-0 | 99.67 | 7.9.3P | 4988 ± 27.32 |
| p-terphenyl-d14 | | 1718-51-0 | 99.3 | 9.120.8P | 5005 ± 27.85 |

511494 } Y.P.
↓ 08/11/2023
511498

*Not a certified value

Certified By: _____
Clint Tipton
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.: 555223 Lot No.: A0201940
Description: Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride,
1mL/ampul
Container Size: 2 mL Pkg Amt: > 1 mL
Expiration Date: September 30, 2025 Storage: 10°C or colder
Handling: This product is photosensitive. Ship: Ambient

511539
↓
51568
} 7.P.
09/19/

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S230321RSR | 99% | 1,001.0 µg/mL | +/- 22.9799 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,010.0 µg/mL | +/- 23.1865 |
| 3 | Benzidine | 92-87-5 | S221205RSR | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| 4 | epsilon-Caprolactam | 105-60-2 | I16X016 | 99% | 1,008.0 µg/mL | +/- 23.1406 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

REVIEWED

By Jennifer Pollino at 7:10 am, Sep 13, 2023

Sam Moodler - Operations Tech I

Date Mixed: 13-Sep-2023

Balance: B345965662

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.: 555223 Lot No.: A0201940
Description: Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride,
1mL/ampul
Container Size: 2 mL Pkg Amt: > 1 mL
Expiration Date: September 30, 2025 Storage: 10°C or colder
Handling: This product is photosensitive. Ship: Ambient

511539
↓
51568
} 7.P.
09/19/

| CERTIFIED VALUES | | | | | | |
|-----------------------------|------------------------|-----------|------------|--------|-----------------------------|--|
| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S230321RSR | 99% | 1,001.0 µg/mL | +/- 22.9799 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,010.0 µg/mL | +/- 23.1865 |
| 3 | Benzidine | 92-87-5 | S221205RSR | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| 4 | epsilon-Caprolactam | 105-60-2 | I16X016 | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| Solvent: Methylene chloride | | | | | | |
| CAS # 75-09-2 | | | | | | |
| Purity 99% | | | | | | |

REVIEWED

By Jennifer Pollino at 7:10 am, Sep 13, 2023

Sam Moodler - Operations Tech I

Date Mixed: 13-Sep-2023

Balance: B345965662

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.: 555223 Lot No.: A0201940
Description: Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size: 2 mL
Expiration Date: September 30, 2025
Handling: This product is photosensitive.
Pkg Amt: > 1 mL
Storage: 10°C or colder
Ship: Ambient

511539
↓
51568
} 7.P.
09/19/

| CERTIFIED VALUES | | | | | | |
|-----------------------------|------------------------|-----------|------------|--------|-----------------------------|--|
| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S230321RSR | 99% | 1,001.0 µg/mL | +/- 22.9799 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,010.0 µg/mL | +/- 23.1865 |
| 3 | Benzidine | 92-87-5 | S221205RSR | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| 4 | epsilon-Caprolactam | 105-60-2 | I16X016 | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| Solvent: Methylene chloride | | | | | | |
| CAS # 75-09-2 | | | | | | |
| Purity 99% | | | | | | |

REVIEWED

By Jennifer Pollino at 7:10 am, Sep 13, 2023

Sam Moodler - Operations Tech I

Date Mixed: 13-Sep-2023

Balance: B345965662

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.: 555223 Lot No.: A0201940
Description: Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride,
1mL/ampul
Container Size: 2 mL Pkg Amt: > 1 mL
Expiration Date: September 30, 2025 Storage: 10°C or colder
Handling: This product is photosensitive. Ship: Ambient

511539
↓
51568
} 7.P.
09/19/

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S230321RSR | 99% | 1,001.0 µg/mL | +/- 22.9799 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,010.0 µg/mL | +/- 23.1865 |
| 3 | Benzidine | 92-87-5 | S221205RSR | 99% | 1,008.0 µg/mL | +/- 23.1406 |
| 4 | epsilon-Caprolactam | 105-60-2 | I16X016 | 99% | 1,008.0 µg/mL | +/- 23.1406 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

REVIEWED

By Jennifer Pollino at 7:10 am, Sep 13, 2023

Sam Moodler - Operations Tech I

Date Mixed: 13-Sep-2023

Balance: B345965662

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11749
↓
S11794 } RC / 11/30/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|-------------|----------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dioxane | 123-91-1 | SHBN3770 | 99% | 2,013.0 µg/mL | +/- 25.0521 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:

FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023 Balance Serial # B707717271

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11749
↓
S11794 } RC / 11/30/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|-------------|----------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dioxane | 123-91-1 | SHBN3770 | 99% | 2,013.0 µg/mL | +/- 25.0521 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:

FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023 Balance Serial # B707717271

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11749
↓
S11794 } RC / 11/30/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|-------------|----------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dioxane | 123-91-1 | SHBN3770 | 99% | 2,013.0 µg/mL | +/- 25.0521 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:

FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023

Balance Serial # B707717271

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11749
↓
S11794 } RC / 11/30/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|-------------|----------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dioxane | 123-91-1 | SHBN3770 | 99% | 2,013.0 µg/mL | +/- 25.0521 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:

FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023

Balance Serial # B707717271

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : March 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11749
↓
S11794 } RC / 11/30/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|-------------|----------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dioxane | 123-91-1 | SHBN3770 | 99% | 2,013.0 µg/mL | +/- 25.0521 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:

FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler
Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023

Balance Serial # B707717271

Jennifer Pollino
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0201320

Description : SV Internal Standard Mix 2mg/ml
SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2029 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S12013
↓
S12042 } RC
12/26/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------|------------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dichlorobenzene-d4 | 3855-82-1 | PR-30447 | 99% | 2,017.0 µg/mL | +/- 90.8469 |
| 2 | Naphthalene-d8 | 1146-65-2 | M-2180 | 99% | 2,011.3 µg/mL | +/- 90.5917 |
| 3 | Acenaphthene-d10 | 15067-26-2 | PR-33507 | 99% | 2,008.6 µg/mL | +/- 90.4685 |
| 4 | Phenanthrene-d10 | 1517-22-2 | PR-32303 | 99% | 2,019.4 µg/mL | +/- 90.9550 |
| 5 | Chrysene-d12 | 1719-03-5 | PR-32210 | 99% | 2,013.7 µg/mL | +/- 90.6968 |
| 6 | Perylene-d12 | 1520-96-3 | PR-33205 | 99% | 2,012.7 µg/mL | +/- 90.6517 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:


FID

Split Vent:

10 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Peter Robbins - Operations Technician I

Date Mixed: 23-Aug-2023

Balance Serial # B345965662

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 25-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0201320

Description : SV Internal Standard Mix 2mg/ml
SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2029 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S12013
↓
S12042 } RC
12/26/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------|------------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dichlorobenzene-d4 | 3855-82-1 | PR-30447 | 99% | 2,017.0 µg/mL | +/- 90.8469 |
| 2 | Naphthalene-d8 | 1146-65-2 | M-2180 | 99% | 2,011.3 µg/mL | +/- 90.5917 |
| 3 | Acenaphthene-d10 | 15067-26-2 | PR-33507 | 99% | 2,008.6 µg/mL | +/- 90.4685 |
| 4 | Phenanthrene-d10 | 1517-22-2 | PR-32303 | 99% | 2,019.4 µg/mL | +/- 90.9550 |
| 5 | Chrysene-d12 | 1719-03-5 | PR-32210 | 99% | 2,013.7 µg/mL | +/- 90.6968 |
| 6 | Perylene-d12 | 1520-96-3 | PR-33205 | 99% | 2,012.7 µg/mL | +/- 90.6517 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:


FID

Split Vent:

10 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Peter Robbins - Operations Technician I

Date Mixed: 23-Aug-2023

Balance Serial # B345965662

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 25-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0201320

Description : SV Internal Standard Mix 2mg/ml
SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2029 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S12013
↓
S12042 } RC
12/26/23

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------|------------|----------|--------|-----------------------------|--|
| 1 | 1,4-Dichlorobenzene-d4 | 3855-82-1 | PR-30447 | 99% | 2,017.0 µg/mL | +/- 90.8469 |
| 2 | Naphthalene-d8 | 1146-65-2 | M-2180 | 99% | 2,011.3 µg/mL | +/- 90.5917 |
| 3 | Acenaphthene-d10 | 15067-26-2 | PR-33507 | 99% | 2,008.6 µg/mL | +/- 90.4685 |
| 4 | Phenanthrene-d10 | 1517-22-2 | PR-32303 | 99% | 2,019.4 µg/mL | +/- 90.9550 |
| 5 | Chrysene-d12 | 1719-03-5 | PR-32210 | 99% | 2,013.7 µg/mL | +/- 90.6968 |
| 6 | Perylene-d12 | 1520-96-3 | PR-33205 | 99% | 2,012.7 µg/mL | +/- 90.6517 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:


FID

Split Vent:

10 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Peter Robbins - Operations Technician I

Date Mixed: 23-Aug-2023

Balance Serial # B345965662

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 25-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|---|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-110816-01 | 414127 | ≤ -10 °C | Methylene Chloride | 6/21/2025 | Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-------------|-----------|------------|------------------|---------------------|
| atrazine | 1912-24-9 | 99.5 | 337.7.3P | 997 ± 5.81 |
| benzidine | 92-87-5 | 99.9 | 124.18.6.2P | 991.8 ± 5.77 |
| caprolactam | 105-60-2 | 99.9 | 271.1.6P | 999 ± 5.82 |

912075 } RC
↓
912079 } 02/01/24

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____

Shane Overcash
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| | | | | | |
|---------------------|-----------------|-----------------|--------------------|-------------------|---|
| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: |
| Z-110816-01 | 414127 | ≤ -10 °C | Methylene Chloride | 6/21/2025 | Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL |

| Compound | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
|-------------|-----------|------------|------------------|---------------------|
| atrazine | 1912-24-9 | 99.5 | 337.7.3P | 997 ± 5.81 |
| benzidine | 92-87-5 | 99.9 | 124.18.6.2P | 991.8 ± 5.77 |
| caprolactam | 105-60-2 | 99.9 | 271.1.6P | 999 ± 5.82 |

912075 }
↓ RC
912079 } 02/01/24

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____

Shane Overcash
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0207706

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 10°C or colder

Ship: Ambient

512082 } RC/
↓
512111 } 02/22/24

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|----------------------------|----------|--------------|--------|-----------------------------|--|
| 1 | 1,2,4,5-Tetrachlorobenzene | 95-94-3 | MKCT9480 | 99% | 1,001.0 µg/mL | +/- 29.424320 |
| 2 | Acetophenone | 98-86-2 | STBH8205 | 99% | 1,004.0 µg/mL | +/- 29.512504 |
| 3 | Benzaldehyde | 100-52-7 | RD231129RSRA | 99% | 1,005.0 µg/mL | +/- 29.541899 |
| 4 | Benzoic acid | 65-85-0 | MKCR2694 | 99% | 1,003.0 µg/mL | +/- 29.483110 |
| 5 | Biphenyl | 92-52-4 | MKCL6515 | 99% | 1,006.0 µg/mL | +/- 29.571294 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

John Friedline - Operations Technician I

Date Mixed: 12-Feb-2024

Balance: B345965662



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

| Catalog No.: | Lot No.: | Storage: | Solvent: | Exp. Date: | Description: | |
|--------------|----------|----------|--------------|------------|--|---------------------|
| Z-020223-01 | 454157 | ≤ -10 °C | P/T Methanol | 6/10/2026 | 1,4-Dioxane Solution, 2000 mg/L, 1 mL | |
| Compound | | | CAS No. | Purity (%) | Compound Lot No. | Concentration, mg/L |
| 1,4-dioxane | | | 123-91-1 | 100 | 223.1.3P | 1997 ± 57.08 |

512112 } RC/
↓
912116 } 03/08/24

*Not a certified value

Certified By: _____

Melissa Workoff

Melissa Workoff
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0203726

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

512117 } RC/
↓ 03/18/24
512146 }

CERTIFIED VALUES

| Elution Order | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|----------|-------------|--------|-----------------------------|--|
| 1 | Pyridine | 110-86-1 | SHBP6240 | 99% | 1,001.6 µg/mL | +/- 36.4412 |
| 2 | N-Nitrosodimethylamine | 62-75-9 | 230209JLM | 99% | 1,005.9 µg/mL | +/- 36.5968 |
| 3 | Phenol | 108-95-2 | MKCK1120 | 99% | 1,003.3 µg/mL | +/- 36.5038 |
| 4 | Aniline | 62-53-3 | X22F726 | 99% | 1,005.8 µg/mL | +/- 36.5928 |
| 5 | Bis(2-chloroethyl)ether | 111-44-4 | SHBL6942 | 99% | 1,008.1 µg/mL | +/- 36.6776 |
| 6 | 2-Chlorophenol | 95-57-8 | STBJ3909 | 99% | 1,001.8 µg/mL | +/- 36.4492 |
| 7 | 1,3-Dichlorobenzene | 541-73-1 | BCCD5315 | 99% | 1,002.3 µg/mL | +/- 36.4654 |
| 8 | 1,4-Dichlorobenzene | 106-46-7 | MKBS7929V | 99% | 1,003.7 µg/mL | +/- 36.5159 |
| 9 | Benzyl alcohol | 100-51-6 | SHBK5469 | 99% | 1,008.7 µg/mL | +/- 36.6979 |
| 10 | 1,2-Dichlorobenzene | 95-50-1 | SHBN3835 | 99% | 1,000.3 µg/mL | +/- 36.3926 |
| 11 | 2-Methylphenol (o-cresol) | 95-48-7 | SHBN7598 | 99% | 1,003.5 µg/mL | +/- 36.5099 |
| 12 | 2,2'-oxybis(1-chloropropane) | 108-60-1 | 29-MAR-45-5 | 99% | 1,007.3 µg/mL | +/- 36.6493 |
| 13 | 3-Methylphenol (m-cresol) | 108-39-4 | STBJ0710 | 99% | 504.3 µg/mL | +/- 18.3500 |
| 14 | 4-Methylphenol (p-cresol) | 106-44-5 | SHBN3411 | 99% | 503.6 µg/mL | +/- 18.3237 |
| 15 | N-Nitroso-di-n-propylamine | 621-64-7 | N63MG | 99% | 1,008.3 µg/mL | +/- 36.6857 |
| 16 | Hexachloroethane | 67-72-1 | QTORH | 99% | 1,007.5 µg/mL | +/- 36.6554 |
| 17 | Nitrobenzene | 98-95-3 | 10224044 | 99% | 1,008.6 µg/mL | +/- 36.6938 |

| | | | | | | | |
|----|---|-----------|-------------|-----|---------|-------|-------------|
| 18 | Isophorone | 78-59-1 | MKCC9506 | 99% | 1,005.9 | µg/mL | +/- 36.5988 |
| 19 | 2-Nitrophenol | 88-75-5 | RP230710 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 20 | 2,4-Dimethylphenol | 105-67-9 | XW5GK | 99% | 1,003.8 | µg/mL | +/- 36.5200 |
| 21 | Bis(2-chloroethoxy)methane | 111-91-1 | 13670200 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 22 | 2,4-Dichlorophenol | 120-83-2 | BCBZ6787 | 99% | 1,003.7 | µg/mL | +/- 36.5180 |
| 23 | 1,2,4-Trichlorobenzene | 120-82-1 | SHBP5900 | 99% | 1,007.6 | µg/mL | +/- 36.6574 |
| 24 | Naphthalene | 91-20-3 | STBL1057 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 25 | 4-Chloroaniline | 106-47-8 | BCCJ3217 | 99% | 1,001.3 | µg/mL | +/- 36.4290 |
| 26 | Hexachlorobutadiene | 87-68-3 | RP230823RSR | 98% | 1,008.3 | µg/mL | +/- 36.6829 |
| 27 | 4-Chloro-3-methylphenol | 59-50-7 | BCCD4461 | 99% | 1,003.1 | µg/mL | +/- 36.4937 |
| 28 | 2-Methylnaphthalene | 91-57-6 | STBK0259 | 96% | 1,001.9 | µg/mL | +/- 36.4505 |
| 29 | 1-Methylnaphthalene | 90-12-0 | 5234.00-8 | 98% | 1,000.0 | µg/mL | +/- 36.3838 |
| 30 | Hexachlorocyclopentadiene | 77-47-4 | 099063I14L | 98% | 1,008.5 | µg/mL | +/- 36.6909 |
| 31 | 2,4,6-Trichlorophenol | 88-06-2 | STBJ5914 | 99% | 1,004.4 | µg/mL | +/- 36.5442 |
| 32 | 2,4,5-Trichlorophenol | 95-95-4 | FHN01 | 98% | 1,001.9 | µg/mL | +/- 36.4512 |
| 33 | 2-Chloronaphthalene | 91-58-7 | RPN7O | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 34 | 2-Nitroaniline | 88-74-4 | RP230531 | 99% | 1,002.9 | µg/mL | +/- 36.4876 |
| 35 | 1,4-Dinitrobenzene | 100-25-4 | RP230816 | 99% | 1,005.7 | µg/mL | +/- 36.5887 |
| 36 | Acenaphthylene | 208-96-8 | p06V | 98% | 1,009.5 | µg/mL | +/- 36.7265 |
| 37 | 1,3-Dinitrobenzene | 99-65-0 | 1-DXX-24-1 | 99% | 1,004.4 | µg/mL | +/- 36.5422 |
| 38 | Dimethylphthalate | 131-11-3 | 358221L17K | 99% | 1,005.9 | µg/mL | +/- 36.5968 |
| 39 | 2,6-Dinitrotoluene | 606-20-2 | BCCG1833 | 99% | 1,003.2 | µg/mL | +/- 36.4998 |
| 40 | 1,2-Dinitrobenzene | 528-29-0 | RP230428 | 99% | 1,002.2 | µg/mL | +/- 36.4634 |
| 41 | Acenaphthene | 83-32-9 | MKCR7169 | 99% | 1,009.3 | µg/mL | +/- 36.7221 |
| 42 | 3-Nitroaniline | 99-09-2 | RP230822RSR | 99% | 1,003.9 | µg/mL | +/- 36.5240 |
| 43 | 2,4-Dinitrophenol | 51-28-5 | DR230417RSR | 99% | 1,002.0 | µg/mL | +/- 36.4553 |
| 44 | Dibenzofuran | 132-64-9 | MKCD9952 | 99% | 1,006.7 | µg/mL | +/- 36.6251 |
| 45 | 2,4-Dinitrotoluene | 121-14-2 | MKAA0690V | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 46 | 4-Nitrophenol | 100-02-7 | RP230627 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 47 | 2,3,4,6-Tetrachlorophenol | 58-90-2 | PR-30126 | 99% | 1,008.7 | µg/mL | +/- 36.6979 |
| 48 | 2,3,5,6-Tetrachlorophenol | 935-95-5 | RP230919 | 99% | 1,006.3 | µg/mL | +/- 36.6130 |
| 49 | Fluorene | 86-73-7 | 10241100 | 99% | 1,008.3 | µg/mL | +/- 36.6857 |
| 50 | 4-Chlorophenyl phenyl ether | 7005-72-3 | MKCT7248 | 99% | 1,003.8 | µg/mL | +/- 36.5220 |
| 51 | Diethylphthalate | 84-66-2 | MKCD2547 | 99% | 1,008.6 | µg/mL | +/- 36.6958 |
| 52 | 4-Nitroaniline | 100-01-6 | RP230111 | 99% | 1,001.1 | µg/mL | +/- 36.4230 |
| 53 | 4,6-Dinitro-2-methylphenol (Dinitro-o-cresol) | 534-52-1 | 230718JLM | 99% | 1,002.0 | µg/mL | +/- 36.4553 |

| | | | | | | | |
|----|----------------------------|----------|---------------|-----|---------|-------|-------------|
| 54 | Diphenylamine | 122-39-4 | MKCH1042 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 55 | Azobenzene | 103-33-3 | BCKK0887 | 99% | 1,005.8 | µg/mL | +/- 36.5928 |
| 56 | 4-Bromophenyl phenyl ether | 101-55-3 | STBH6361 | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 57 | Hexachlorobenzene | 118-74-1 | 14821700 | 99% | 1,007.5 | µg/mL | +/- 36.6554 |
| 58 | Pentachlorophenol | 87-86-5 | RP230530RSR | 99% | 1,008.8 | µg/mL | +/- 36.7019 |
| 59 | Phenanthrene | 85-01-8 | MKCQ8876 | 99% | 1,008.4 | µg/mL | +/- 36.6877 |
| 60 | Anthracene | 120-12-7 | MKCR0570 | 99% | 1,009.0 | µg/mL | +/- 36.7100 |
| 61 | Carbazole | 86-74-8 | 14351100 | 99% | 1,000.9 | µg/mL | +/- 36.4149 |
| 62 | Di-n-butylphthalate | 84-74-2 | MKCN4337 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 63 | Fluoranthene | 206-44-0 | MKCQ4728 | 99% | 1,009.6 | µg/mL | +/- 36.7302 |
| 64 | Pyrene | 129-00-0 | BCCG8479 | 98% | 1,007.2 | µg/mL | +/- 36.6453 |
| 65 | Benzyl butyl phthalate | 85-68-7 | X12I018 | 99% | 1,002.1 | µg/mL | +/- 36.4573 |
| 66 | Bis(2-ethylhexyl)adipate | 103-23-1 | MKCM1988 | 99% | 1,005.2 | µg/mL | +/- 36.5705 |
| 67 | Benz(a)anthracene | 56-55-3 | I220012022BAA | 99% | 1,002.2 | µg/mL | +/- 36.4614 |
| 68 | Chrysene | 218-01-9 | RP230601 | 99% | 1,008.3 | µg/mL | +/- 36.6837 |
| 69 | Bis(2-ethylhexyl)phthalate | 117-81-7 | MKCQ3468 | 99% | 1,001.8 | µg/mL | +/- 36.4472 |
| 70 | Di-n-octyl phthalate | 117-84-0 | 14382700 | 99% | 1,006.0 | µg/mL | +/- 36.6008 |
| 71 | Benzo(b)fluoranthene | 205-99-2 | 012013B | 99% | 1,002.8 | µg/mL | +/- 36.4836 |
| 72 | Benzo(k)fluoranthene | 207-08-9 | 012022K | 99% | 1,003.0 | µg/mL | +/- 36.4917 |
| 73 | Benzo(a)pyrene | 50-32-8 | P54915-0703 | 99% | 1,002.3 | µg/mL | +/- 36.4674 |
| 74 | Indeno(1,2,3-cd)pyrene | 193-39-5 | 12-JKL-118-9 | 97% | 1,009.4 | µg/mL | +/- 36.7243 |
| 75 | Dibenz(a,h)anthracene | 53-70-3 | 2-ASA-59-1 | 99% | 1,007.6 | µg/mL | +/- 36.6595 |
| 76 | Benzo(g,h,i)perylene | 191-24-2 | RP231003RSR | 99% | 1,002.9 | µg/mL | +/- 36.4876 |

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1

Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S240326RSR | 99% | 1,004.0 µg/mL | +/- 23.0487 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,005.0 µg/mL | +/- 23.0717 |
| 3 | Benzidine | 92-87-5 | S240430RSR | 99% | 1,006.0 µg/mL | +/- 23.0947 |
| 4 | epsilon-Caprolactam | 105-60-2 | Y16H012 | 99% | 1,000.0 µg/mL | +/- 22.9569 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1

Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S240326RSR | 99% | 1,004.0 µg/mL | +/- 23.0487 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,005.0 µg/mL | +/- 23.0717 |
| 3 | Benzidine | 92-87-5 | S240430RSR | 99% | 1,006.0 µg/mL | +/- 23.0947 |
| 4 | epsilon-Caprolactam | 105-60-2 | Y16H012 | 99% | 1,000.0 µg/mL | +/- 22.9569 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1

Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S240326RSR | 99% | 1,004.0 µg/mL | +/- 23.0487 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,005.0 µg/mL | +/- 23.0717 |
| 3 | Benzidine | 92-87-5 | S240430RSR | 99% | 1,006.0 µg/mL | +/- 23.0947 |
| 4 | epsilon-Caprolactam | 105-60-2 | Y16H012 | 99% | 1,000.0 µg/mL | +/- 22.9569 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1

Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S240326RSR | 99% | 1,004.0 µg/mL | +/- 23.0487 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,005.0 µg/mL | +/- 23.0717 |
| 3 | Benzidine | 92-87-5 | S240430RSR | 99% | 1,006.0 µg/mL | +/- 23.0947 |
| 4 | epsilon-Caprolactam | 105-60-2 | Y16H012 | 99% | 1,000.0 µg/mL | +/- 22.9569 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1

Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

| Component # | Compound | CAS # | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|-------------|------------------------|-----------|------------|--------|-----------------------------|--|
| 1 | 3,3'-Dichlorobenzidine | 91-94-1 | S240326RSR | 99% | 1,004.0 µg/mL | +/- 23.0487 |
| 2 | Atrazine | 1912-24-9 | 5FYWL | 99% | 1,005.0 µg/mL | +/- 23.0717 |
| 3 | Benzidine | 92-87-5 | S240430RSR | 99% | 1,006.0 µg/mL | +/- 23.0947 |
| 4 | epsilon-Caprolactam | 105-60-2 | Y16H012 | 99% | 1,000.0 µg/mL | +/- 22.9569 |

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.