

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082224\
 Data File : VY019224.D
 Acq On : 22 Aug 2024 16:45
 Operator : SY/MD
 Sample : P3671-04RE
 Misc : 4.73g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 S-911-K1-SO-0.5-1-081924RE

Quant Time: Aug 23 01:54:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081524S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 05:10:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	107787	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	145889	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	119363	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	25907	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	39635	36.683	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	73.360%
35) Dibromofluoromethane	7.628	113	50955	53.417	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.840%
50) Toluene-d8	10.103	98	185552	54.053	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	108.100%
62) 4-Bromofluorobenzene	12.408	95	35428	30.274	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	60.540%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082224\
Data File : VY019224.D
Acq On : 22 Aug 2024 16:45
Operator : SY/MD
Sample : P3671-04RE
Misc : 4.73g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
S-911-K1-SO-0.5-1-081924RE

Quant Time: Aug 23 01:54:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081524S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 16 05:10:30 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 981
Delta R.T. 0.006 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45




Instrument :
MSVOA_Y
ClientSampleId :
S-911-K1-SO-0.5-1-081924RE


Tgt Ion:168 Resp: 107787
Ion Ratio Lower Upper
168 100
99 55.0 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 36.683 ug/l
RT: 8.055 min Scan# 1039
Delta R.T. 0.006 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45

Tgt Ion: 65 Resp: 39635
Ion Ratio Lower Upper
65 100
67 51.4 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.609 min Scan# 1129

Delta R.T. 0.006 min

Lab File: VY019224.D

Acq: 22 Aug 2024 16:45

Instrument :

MSVOA_Y

ClientSampleId :

S-911-K1-SO-0.5-1-081924RE





Tgt Ion:114 Resp: 145889

Ion Ratio Lower Upper

114 100

63 16.5 0.0 35.0

88 14.6 0.0 27.2



#35

Dibromofluoromethane

Concen: 53.417 ug/l

RT: 7.628 min Scan# 969

Delta R.T. 0.006 min

Lab File: VY019224.D

Acq: 22 Aug 2024 16:45




Tgt Ion:113 Resp: 50955


Ion Ratio Lower Upper

113 100

111 103.2 82.2 123.4

192 19.5 15.9 23.9









#50
Toluene-d8
Concen: 54.053 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45




Instrument :
MSVOA_Y
ClientSampleId :
S-911-K1-SO-0.5-1-081924RE


Tgt Ion: 98 Resp: 185552
Ion Ratio Lower Upper
98 100
100 67.5 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 30.274 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45

Tgt Ion: 95 Resp: 35428
Ion Ratio Lower Upper
95 100
174 86.7 0.0 175.6
176 82.2 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45

Instrument :
MSVOA_Y
ClientSampleId :
S-911-K1-SO-0.5-1-081924RE

Tgt Ion:117 Resp: 119363
Ion Ratio Lower Upper
117 100
82 57.5 42.4 63.6
119 32.2 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. 0.000 min
Lab File: VY019224.D
Acq: 22 Aug 2024 16:45

Tgt Ion:152 Resp: 25907
Ion Ratio Lower Upper
152 100
115 55.6 28.2 84.7
150 157.7 0.0 345.6

