

284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

CHEMTECH PROJECT NUMBER: P3845	MATRIX: Water

METHOD: 608.3,8081B/3510

1.	Chromatograms Labeled/Compounds Identified.	NA	NO	YES
	·			V
2.	Standard Summary Submitted.			\checkmark
3.	Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis, 12 HOURS IF 8000 SERIES METHOD.			✓
	The Initial Calibration met the requirements .			
	The Continuous Calibration met the requirements .			
4.	Blank Contamination - If yes, list compounds and concentrations in each blank:		\checkmark	
5.	Surrogate Recoveries Meet Criteria		\checkmark	
	If not met, list those compounds and their recoveries which fall outside the acceptable ranges.			
	The Surrogate recoveries met the acceptable criteria except for PT-PEST-WP [Tetrachloro-m-xylene(1) - 169%], PT-PEST-WPDL [Tetrachloro-m-xylene(1) - 168%] and PT-PEST-WPDL2 [Tetrachloro-m-xylene(1) - 178%], AS per method one surrogate allowed to fail to meet the criteria per column, No further corrective action was taken.			
6.	Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria			\checkmark
	If not met, list those compounds and their recoveries which fall outside the acceptable range.			
	The Blank Spike met requirements for all samples .			
	The Blank Spike Duplicate met requirements for all samples .			
	The RPD met criteria .			
7.	Retention Time Shift Meet Criteria (if applicable)			\checkmark
	Comments:			
8.	Extraction Holding Time Met			\checkmark
	If not met, list number of days exceeded for each sample:			



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY (CONTINUED)

NA NO YES

9.	Analysis Holding Time Met	,	/		
	If not met, list those compounds and their recoveries which fall outside trange.	he acceptable			
ADDITI	ONAL COMMENTS:				
Samples PT-PEST-WP, PT-PEST-WPDL were diluted due to high concentrations.					
QA REV	VIEW	Date			