

RETENTION TIMES OF INITIAL CALIBRATION

Contract: CHEM02

Lab Code: CHEM Case No.: P3845 SAS No.: P3845 SDG NO.: P3845

Instrument ID: ECD_L Calibration Date(s): 09/09/2024 09/09/2024

Calibration Times: 15:31 16:25

GC Column: ZB-MR2 ID: 0.32 (mm)

LAB FILE ID:	RT 100 = <u>PL091571.D</u>	RT 075 = <u>PL091572.D</u>
RT 050 = <u>PL091573.D</u>	RT 025 = <u>PL091574.D</u>	RT 005 = <u>PL091575.D</u>

COMPOUND	RT 100	RT 075	RT 050	RT 025	RT 005	MEAN RT	RT WINDOW	
							FROM	TO
4,4'-DDD	6.71	6.71	6.71	6.71	6.71	6.71	6.61	6.81
4,4'-DDE	6.20	6.20	6.20	6.20	6.20	6.20	6.10	6.30
4,4'-DDT	7.03	7.03	7.03	7.03	7.03	7.03	6.93	7.13
Aldrin	5.26	5.26	5.26	5.26	5.26	5.26	5.16	5.36
alpha-BHC	4.00	4.00	4.00	4.00	4.00	4.00	3.90	4.10
alpha-Chlordane	6.02	6.02	6.02	6.02	6.02	6.02	5.92	6.12
beta-BHC	4.53	4.53	4.53	4.53	4.53	4.53	4.43	4.63
Decachlorobiphenyl	9.06	9.06	9.06	9.06	9.06	9.06	8.96	9.16
delta-BHC	4.78	4.78	4.78	4.78	4.78	4.78	4.68	4.88
Dieldrin	6.35	6.35	6.35	6.35	6.35	6.35	6.25	6.45
Endosulfan I	6.07	6.07	6.07	6.08	6.07	6.07	5.97	6.17
Endosulfan II	6.80	6.80	6.80	6.80	6.80	6.80	6.70	6.90
Endosulfan sulfate	7.16	7.16	7.16	7.16	7.16	7.16	7.06	7.26
Endrin	6.58	6.58	6.58	6.58	6.58	6.58	6.48	6.68
Endrin aldehyde	6.93	6.93	6.93	6.93	6.93	6.93	6.83	7.03
Endrin ketone	7.65	7.65	7.65	7.65	7.65	7.65	7.55	7.75
gamma-BHC (Lindane)	4.33	4.33	4.33	4.33	4.33	4.33	4.23	4.43
gamma-Chlordane	5.95	5.94	5.95	5.95	5.94	5.94	5.84	6.04
Heptachlor	4.92	4.92	4.92	4.92	4.92	4.92	4.82	5.02
Heptachlor epoxide	5.69	5.69	5.69	5.69	5.69	5.69	5.59	5.79
Methoxychlor	7.50	7.50	7.50	7.50	7.50	7.50	7.40	7.60
Tetrachloro-m-xylene	3.54	3.54	3.54	3.55	3.54	3.54	3.44	3.64



Contract:	<u>CHEM02</u>						
Lab Code:	<u>CHEM</u>	Case No.:	<u>P3845</u>	SAS No.:	<u>P3845</u>	SDG NO.:	<u>P3845</u>
Instrument ID:	<u>ECD_L</u>	Calibration Date(s):		<u>09/09/2024</u>	<u>09/09/2024</u>		
		Calibration Times:		<u>15:31</u>	<u>16:25</u>		

LAB FILE ID:		RT 100 =	<u>PL091571.D</u>	RT 075 =	<u>PL091572.D</u>
RT 050 =	PL091573.D	RT 025 =	<u>PL091574.D</u>	RT 005 =	<u>PL091575.D</u>

[illegible]