

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091024\
 Data File : PL091606.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Sep 2024 11:24
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 11 05:30:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	80054556	101.8E6	51.363	54.438
28)	SA Decachlor...	9.056	7.921	58586381	93994687	48.206	50.903
Target Compounds							
2)	A alpha-BHC	3.997	3.284	111.9E6	146.3E6	51.796	55.020
3)	MA gamma-BHC...	4.330	3.614	108.0E6	132.7E6	52.551	53.959
4)	MA Heptachlor	4.919	3.953	99614893	133.3E6	53.184	55.332
5)	MB Aldrin	5.261	4.234	95758181	128.9E6	51.412	56.510
6)	B beta-BHC	4.527	3.913	48583758	57010583	53.388	52.185
7)	B delta-BHC	4.774	4.143	93810121	128.0E6	48.830	55.644
8)	B Heptachlo...	5.687	4.737	82743985	116.4E6	49.585	55.204
9)	A Endosulfan I	6.072	5.106	79506093	106.2E6	51.027	55.032
10)	B gamma-Chl...	5.942	4.987	84150350	120.2E6	50.366	54.483
11)	B alpha-Chl...	6.021	5.050	84386013	115.6E6	52.354	55.872
12)	B 4,4'-DDE	6.195	5.240	75867910	108.2E6	52.012	57.059
13)	MA Dieldrin	6.347	5.371	84344962	114.2E6	51.690	55.537
14)	MA Endrin	6.577	5.646	68981181	103.8E6	51.878	55.008
15)	B Endosulfa...	6.796	5.941	81019852	96130488	52.271	54.344
16)	A 4,4'-DDD	6.711	5.794	63860334	91080875	50.381	54.352
17)	MA 4,4'-DDT	7.025	6.045	67122566	90625147	51.170	56.402
18)	B Endrin al...	6.925	6.120	59223350	73688510	49.846	53.904
19)	B Endosulfa...	7.160	6.343	69042452	91293036	49.443	53.198
20)	A Methoxychlor	7.501	6.619	35429713	48536467	52.375	54.796
21)	B Endrin ke...	7.644	6.848	76213040	104.0E6	49.287	51.689
22)	Mirex	8.118	7.029	59315076	84691469	49.535	47.761
23)	Chlordane-1	0.000	3.774	0	38193	N.D.	0.549 #
24)	Chlordane-2	5.261f	4.371	95758181	237407	1245.519	3.167 #
25)	Chlordane-3	5.942	4.987	84150350	120.2E6	327.562	515.445 #
26)	Chlordane-4	6.021	5.050	84386013	115.6E6	284.937	554.345 #
27)	Chlordane-5	0.000	5.941	0	96130488	N.D.	1341.469 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091024\
Data File : PL091606.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 11:24
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 05:30:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 80054556
Conc: 51.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.002 min
Response: 101816190
Conc: 54.44 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: -0.002 min
Response: 111874708
Conc: 51.80 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 146329542
Conc: 55.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 108029493
Conc: 52.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 132710872
Conc: 53.96 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 99614893
Conc: 53.18 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: -0.002 min
Response: 133255952
Conc: 55.33 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.002 min
Response: 95758181
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.234 min
Delta R.T.: -0.002 min
Response: 128928273
Conc: 56.51 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: -0.002 min
Response: 48583758
Conc: 53.39 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 57010583
Conc: 52.19 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: -0.002 min
Response: 93810121
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 128021039
Conc: 55.64 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 82743985
Conc: 49.59 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.003 min
Response: 116354134
Conc: 55.20 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 79506093
Conc: 51.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.106 min
Delta R.T.: -0.003 min
Response: 106176221
Conc: 55.03 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 84150350
Conc: 50.37 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: -0.003 min
Response: 120171501
Conc: 54.48 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.002 min
Response: 84386013
Conc: 52.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.050 min
Delta R.T.: -0.003 min
Response: 115599209
Conc: 55.87 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: -0.002 min
Response: 75867910
Conc: 52.01 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 108224442
Conc: 57.06 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 84344962
Conc: 51.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.003 min
Response: 114152408
Conc: 55.54 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.002 min
Response: 68981181
Conc: 51.88 ng/ml



#14 Endrin


R.T.: 5.646 min
Delta R.T.: -0.003 min
Response: 103810159
Conc: 55.01 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 81019852
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.003 min
Response: 96130488
Conc: 54.34 ng/ml




#16 4,4'-DDD

R.T.: 6.711 min
Delta R.T.: -0.003 min
Response: 63860334
Conc: 50.38 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: -0.003 min
Response: 91080875
Conc: 54.35 ng/ml



#17 4,4'-DDT


R.T.: 7.025 min
Delta R.T.: -0.003 min
Response: 67122566
Conc: 51.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.045 min
Delta R.T.: -0.003 min
Response: 90625147
Conc: 56.40 ng/ml




#18 Endrin aldehyde

R.T.: 6.925 min
Delta R.T.: -0.003 min
Response: 59223350
Conc: 49.85 ng/ml



#18 Endrin aldehyde


R.T.: 6.120 min
Delta R.T.: -0.003 min
Response: 73688510
Conc: 53.90 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: -0.003 min
Response: 69042452
Conc: 49.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.343 min
Delta R.T.: -0.003 min
Response: 91293036
Conc: 53.20 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: -0.003 min
Response: 35429713
Conc: 52.37 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.004 min
Response: 48536467
Conc: 54.80 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: -0.003 min
Response: 76213040
Conc: 49.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.003 min
Response: 103968363
Conc: 51.69 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: -0.003 min
Response: 59315076
Conc: 49.53 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.003 min
Response: 84691469
Conc: 47.76 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.774 min
Delta R.T.: -0.007 min
Response: 38193
Conc: 0.55 ng/ml




#24 Chlordane-2

R.T.: 5.261 min
Delta R.T.: 0.025 min
Response: 95758181
Conc: 1245.52 ng/ml



#24 Chlordane-2


R.T.: 4.371 min
Delta R.T.: 0.012 min
Response: 237407
Conc: 3.17 ng/ml



#25 Chlordane-3


R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 84150350
Conc: 327.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.987 min
Delta R.T.: -0.003 min
Response: 120171501
Conc: 515.45 ng/ml




#26 Chlordane-4

R.T.: 6.021 min
Delta R.T.: -0.006 min
Response: 84386013
Conc: 284.94 ng/ml



#26 Chlordane-4


R.T.: 5.050 min
Delta R.T.: -0.002 min
Response: 115599209
Conc: 554.35 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.941 min
Delta R.T.: -0.008 min
Response: 96130488
Conc: 1341.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: -0.005 min
Response: 58586381
Conc: 48.21 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: -0.003 min
Response: 93994687
Conc: 50.90 ng/ml