

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091424\
 Data File : BM047528.D
 Acq On : 14 Sep 2024 17:53
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ICVBM091424

Quant Time: Sep 15 08:58:50 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Sep 15 08:56:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.851	152	433518	20.000	ng	0.00
21) Naphthalene-d8	10.645	136	1934458	20.000	ng	0.00
39) Acenaphthene-d10	14.480	164	1155790	20.000	ng	0.00
64) Phenanthrene-d10	17.215	188	2184120	20.000	ng	0.00
76) Chrysene-d12	21.439	240	2018814	20.000	ng	0.00
86) Perylene-d12	24.468	264	1739593	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	2153145	79.080	ng	0.00
7) Phenol-d6	7.010	99	3115031	81.240	ng	0.00
23) Nitrobenzene-d5	9.004	82	3054251	79.016	ng	0.00
42) 2,4,6-Tribromophenol	15.963	330	968206	86.666	ng	0.00
45) 2-Fluorobiphenyl	13.110	172	6760498	80.575	ng	0.00
79) Terphenyl-d14	19.833	244	9440273	83.794	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.322	88	436365	37.418	ng	98
3) Pyridine	3.716	79	1101373	31.728	ng	97
4) n-Nitrosodimethylamine	3.628	42	591123	37.531	ng	97
6) Aniline	7.175	93	1362320	40.075	ng	100
8) 2-Chlorophenol	7.416	128	1213673	40.435	ng	98
9) Benzaldehyde	6.987	77	776761	42.604	ng	99
10) Phenol	7.034	94	1538335	40.068	ng	98
11) bis(2-Chloroethyl)ether	7.269	93	1225620	39.763	ng	99
12) 1,3-Dichlorobenzene	7.740	146	1291907	39.323	ng	100
13) 1,4-Dichlorobenzene	7.887	146	1312526	39.224	ng	100
14) 1,2-Dichlorobenzene	8.204	146	1296593	39.373	ng	98
15) Benzyl Alcohol	8.087	79	1073257	41.322	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.381	45	1688390	38.940	ng	99
17) 2-Methylphenol	8.287	107	1004306	40.947	ng	98
18) Hexachloroethane	8.934	117	521681	39.026	ng	99
19) n-Nitroso-di-n-propyla...	8.657	70	1067626	41.297	ng	99
20) 3+4-Methylphenols	8.616	107	1406257	41.091	ng	100
22) Acetophenone	8.669	105	2006112	39.445	ng	99
24) Nitrobenzene	9.045	77	1557585	39.215	ng	99
25) Isophorone	9.575	82	2743005	40.365	ng	99
26) 2-Nitrophenol	9.757	139	606239	44.791	ng	96
27) 2,4-Dimethylphenol	9.816	122	827489	40.331	ng	99
28) bis(2-Chloroethoxy)met...	10.057	93	1684233	39.457	ng	99
29) 2,4-Dichlorophenol	10.292	162	1082009	41.509	ng	99
30) 1,2,4-Trichlorobenzene	10.510	180	1183219	39.627	ng	98
31) Naphthalene	10.698	128	4109028	39.330	ng	100
32) Benzoic acid	9.957	122	819547	41.565	ng	98
33) 4-Chloroaniline	10.798	127	1516874	40.157	ng	99
34) Hexachlorobutadiene	10.992	225	650005	39.303	ng	99
35) Caprolactam	11.580	113	381738	44.462	ng	92
36) 4-Chloro-3-methylphenol	11.922	107	1239823	41.503	ng	100
37) 2-Methylnaphthalene	12.310	142	2801320	40.287	ng	99
38) 1-Methylnaphthalene	12.527	142	2789337	40.366	ng	99
40) 1,2,4,5-Tetrachloroben...	12.674	216	1232956	39.423	ng	99
41) Hexachlorocyclopentadiene	12.663	237	391885	38.330	ng	99
43) 2,4,6-Trichlorophenol	12.910	196	819111	41.805	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091424\
 Data File : BM047528.D
 Acq On : 14 Sep 2024 17:53
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ICVBM091424

Quant Time: Sep 15 08:58:50 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Sep 15 08:56:37 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.980	196	920532	41.595	ng	99
46) 1,1'-Biphenyl	13.316	154	3562522	39.616	ng	99
47) 2-Chloronaphthalene	13.357	162	2778294	39.789	ng	100
48) 2-Nitroaniline	13.551	65	862825	42.070	ng	99
49) Acenaphthylene	14.204	152	4062122	40.313	ng	100
50) Dimethylphthalate	13.939	163	3130077	39.733	ng	99
51) 2,6-Dinitrotoluene	14.051	165	692880	41.664	ng	97
52) Acenaphthene	14.545	154	2855304	40.442	ng	99
53) 3-Nitroaniline	14.374	138	780701	42.236	ng	97
54) 2,4-Dinitrophenol	14.580	184	303273	41.320	ng	91
55) Dibenzofuran	14.880	168	3929087	39.603	ng	100
56) 4-Nitrophenol	14.674	139	666432	43.814	ng	96
57) 2,4-Dinitrotoluene	14.833	165	944153	42.569	ng	100
58) Fluorene	15.527	166	3652975	40.896	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.104	232	714256	41.395	ng	100
60) Diethylphthalate	15.304	149	3394013	40.482	ng	99
61) 4-Chlorophenyl-phenyle...	15.521	204	1650317	40.407	ng	99
62) 4-Nitroaniline	15.533	138	943457	43.422	ng	99
63) Azobenzene	15.815	77	3638400	39.412	ng	98
65) 4,6-Dinitro-2-methylph...	15.598	198	426927	39.815	ng	88
66) n-Nitrosodiphenylamine	15.733	169	2709417	40.550	ng	100
67) 4-Bromophenyl-phenylether	16.415	248	867359	40.870	ng	94
68) Hexachlorobenzene	16.527	284	970735	40.377	ng	99
69) Atrazine	16.680	200	770740	41.735	ng	99
70) Pentachlorophenol	16.862	266	622891	44.695	ng	99
71) Phenanthrene	17.257	178	4802982	39.903	ng	100
72) Anthracene	17.351	178	4737394	40.965	ng	100
73) Carbazole	17.615	167	4733275	41.301	ng	100
74) Di-n-butylphthalate	18.186	149	5807192	42.350	ng	100
75) Fluoranthene	19.268	202	5531833	42.122	ng	99
77) Benzidine	19.445	184	1045554	36.773	ng	99
78) Pyrene	19.627	202	5859728	39.792	ng	99
80) Butylbenzylphthalate	20.521	149	2448871	43.200	ng	98
81) Benzo(a)anthracene	21.421	228	5336342	40.554	ng	100
82) 3,3'-Dichlorobenzidine	21.345	252	1561668	44.615	ng	99
83) Chrysene	21.486	228	5016069	40.301	ng	100
84) Bis(2-ethylhexyl)phtha...	21.356	149	3908511	44.013	ng	99
85) Di-n-octyl phthalate	22.503	149	5845092	46.533	ng	99
87) Indeno(1,2,3-cd)pyrene	27.897	276	4045117	38.856	ng	# 90
88) Benzo(b)fluoranthene	23.515	252	4654837	41.356	ng	99
89) Benzo(k)fluoranthene	23.580	252	4639524	41.592	ng	99
90) Benzo(a)pyrene	24.327	252	3794215	41.129	ng	99
91) Dibenzo(a,h)anthracene	27.962	278	3421259	39.061	ng	99
92) Benzo(g,h,i)perylene	28.968	276	3226301	37.708	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091424\
 Data File : BM047528.D
 Acq On : 14 Sep 2024 17:53
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ICVBM091424


Quant Time: Sep 15 08:58:50 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Sep 15 08:56:37 2024
 Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091424\
Data File : BM047528.D
Acq On : 14 Sep 2024 17:53
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ICVBM091424

Quant Time: Sep 15 08:58:50 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Sep 15 08:56:37 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.851 min Scan# 810
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:152 Resp: 433518
Ion Ratio Lower Upper
152 100
150 156.8 126.8 190.2
115 59.1 47.8 71.8



#2
1,4-Dioxane
Concen: 37.418 ng
RT: 3.322 min Scan# 40
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 88 Resp: 436365
Ion Ratio Lower Upper
88 100
58 72.4 59.0 88.6
43 29.9 25.0 37.4









#3
Pyridine
Concen: 31.728 ng
RT: 3.716 min Scan# 107
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion: 79 Resp: 1101373
Ion Ratio Lower Upper
79 100
52 65.7 55.4 83.0
51 34.0 27.9 41.9



#4
n-Nitrosodimethylamine
Concen: 37.531 ng
RT: 3.628 min Scan# 92
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 42 Resp: 591123
Ion Ratio Lower Upper
42 100
74 129.9 100.5 150.7
44 8.6 6.9 10.3









#5
2-Fluorophenol
Concen: 79.080 ng
RT: 5.422 min Scan# 397
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:112 Resp: 2153145
Ion Ratio Lower Upper
112 100
64 57.2 48.2 72.4
63 31.3 26.0 39.0



#6
Aniline
Concen: 40.075 ng
RT: 7.175 min Scan# 695
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 93 Resp: 1362320
Ion Ratio Lower Upper
93 100
66 38.9 31.4 47.0
65 20.6 16.3 24.5





#7

Phenol-d6

Concen: 81.240 ng

RT: 7.010 min Scan# 667

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion: 99 Resp: 3115031

Ion Ratio Lower Upper

99 100

42 18.6 15.8 23.8

71 33.8 27.6 41.4



#8

2-Chlorophenol

Concen: 40.435 ng

RT: 7.416 min Scan# 736

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion: 128 Resp: 1213673


Ion Ratio Lower Upper

128 100

130 32.3 11.8 51.8

64 45.6 27.6 67.6









#9
Benzaldehyde
Concen: 42.604 ng
RT: 6.987 min Scan# 663
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion: 77 Resp: 776761
Ion Ratio Lower Upper
77 100
105 92.8 71.8 111.8
106 90.1 69.7 109.7



#10
Phenol
Concen: 40.068 ng
RT: 7.034 min Scan# 671
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 94 Resp: 1538335
Ion Ratio Lower Upper
94 100
65 29.7 10.8 50.8
66 38.0 19.2 59.2









#11
bis(2-Chloroethyl)ether
Concen: 39.763 ng
RT: 7.269 min Scan# 712
Delta R.T. -0.006 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion: 93 Resp: 1225620
Ion Ratio Lower Upper
93 100
63 77.6 58.2 98.2
95 32.6 12.8 52.8



#12
1,3-Dichlorobenzene
Concen: 39.323 ng
RT: 7.740 min Scan# 791
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:146 Resp: 1291907
Ion Ratio Lower Upper
146 100
148 62.8 50.2 75.4
75 34.1 27.4 41.0









#13
1,4-Dichlorobenzene
Concen: 39.224 ng
RT: 7.887 min Scan# 816
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:146 Resp: 1312526
Ion Ratio Lower Upper
146 100
148 64.2 51.3 76.9
111 40.8 32.9 49.3



#14
1,2-Dichlorobenzene
Concen: 39.373 ng
RT: 8.204 min Scan# 870
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:146 Resp: 1296593
Ion Ratio Lower Upper
146 100
148 62.8 51.1 76.7
111 42.2 34.7 52.1









#15
Benzyl Alcohol
Concen: 41.322 ng
RT: 8.087 min Scan# 81
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion: 79 Resp: 1073257
Ion Ratio Lower Upper
79 100
108 77.1 60.6 91.0
77 68.0 55.0 82.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.940 ng
RT: 8.381 min Scan# 900
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 45 Resp: 1688390
Ion Ratio Lower Upper
45 100
77 13.9 0.0 33.7
79 10.7 0.0 30.3





#17

2-Methylphenol

Concen: 40.947 ng

RT: 8.287 min Scan# 81

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424

Tgt Ion:107 Resp: 1004306





Ion Ratio Lower Upper

107 100

108 114.5 88.9 133.3

77 49.8 39.8 59.8

79 46.9 37.0 55.6



#18

Hexachloroethane

Concen: 39.026 ng

RT: 8.934 min Scan# 994

Delta R.T. -0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:117 Resp: 521681


Ion Ratio Lower Upper

117 100

119 97.2 77.0 115.4

201 82.2 66.8 100.2









#19
n-Nitroso-di-n-propylamine
Concen: 41.297 ng
RT: 8.657 min Scan# 947
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion: 70 Resp: 1067626
Ion Ratio Lower Upper
70 100
42 59.9 48.2 72.2
101 9.5 7.0 10.4
130 20.4 15.3 22.9



#20
3+4-Methylphenols
Concen: 41.091 ng
RT: 8.616 min Scan# 940
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 107 Resp: 1406257
Ion Ratio Lower Upper
107 100
108 88.9 68.9 108.9
77 35.1 15.5 55.5
79 29.9 10.0 50.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.645 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:136 Resp: 1934458
Ion Ratio Lower Upper
136 100
137 11.0 9.0 13.6
54 8.0 6.6 9.8
68 6.0 4.9 7.3



#22
Acetophenone
Concen: 39.445 ng
RT: 8.669 min Scan# 949
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:105 Resp: 2006112
Ion Ratio Lower Upper
105 100
71 5.4 4.3 6.5
51 26.2 21.5 32.3
120 23.3 18.6 28.0





#23

Nitrobenzene-d5

Concen: 79.016 ng

RT: 9.004 min Scan# 1006

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion: 82 Resp: 3054251

Ion Ratio Lower Upper

82 100

128 43.0 33.0 49.4

54 48.8 39.3 58.9



#24

Nitrobenzene

Concen: 39.215 ng

RT: 9.045 min Scan# 1013

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion: 77 Resp: 1557585


Ion Ratio Lower Upper

77 100

123 43.9 34.5 51.7

65 13.4 10.7 16.1





#25

Isophorone

Concen: 40.365 ng

RT: 9.575 min Scan# 1103

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion: 82 Resp: 2743005

Ion Ratio Lower Upper

82 100

95 6.7 5.4 8.0

138 16.6 12.9 19.3



#26

2-Nitrophenol

Concen: 44.791 ng

RT: 9.757 min Scan# 1134

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion: 139 Resp: 606239


Ion Ratio Lower Upper

139 100

109 31.9 26.0 39.0

65 53.4 46.2 69.4









#27
2,4-Dimethylphenol
Concen: 40.331 ng
RT: 9.816 min Scan# 1144
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:122 Resp: 827489
Ion Ratio Lower Upper
122 100
107 114.1 92.4 138.6
121 57.2 46.2 69.4



#28
bis(2-Chloroethoxy)methane
Concen: 39.457 ng
RT: 10.057 min Scan# 1185
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 93 Resp: 1684233
Ion Ratio Lower Upper
93 100
95 32.1 26.2 39.2
123 11.5 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 41.509 ng

RT: 10.292 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:162 Resp: 1082009

Ion Ratio Lower Upper

162 100

164 64.7 43.5 83.5

98 37.8 17.6 57.6



#30

1,2,4-Trichlorobenzene

Concen: 39.627 ng

RT: 10.510 min Scan# 1262

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:180 Resp: 1183219


Ion Ratio Lower Upper

180 100

182 95.0 77.6 116.4

145 31.7 25.4 38.0









#31
Naphthalene
Concen: 39.330 ng
RT: 10.698 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:128 Resp: 4109028
Ion Ratio Lower Upper
128 100
129 10.8 8.7 13.1
127 13.3 10.5 15.7



#32
Benzoic acid
Concen: 41.565 ng
RT: 9.957 min Scan# 1168
Delta R.T. 0.006 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:122 Resp: 819547
Ion Ratio Lower Upper
122 100
105 124.0 104.7 144.7
77 100.5 83.4 123.4





#33

4-Chloroaniline

Concen: 40.157 ng

RT: 10.798 min Scan# 1311

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424

Tgt Ion:127 Resp: 1516874





Ion Ratio Lower Upper

127 100

129 32.3 25.4 38.0

65 31.1 25.5 38.3

92 18.3 14.8 22.2



#34

Hexachlorobutadiene

Concen: 39.303 ng

RT: 10.992 min Scan# 1344

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:225 Resp: 650005


Ion Ratio Lower Upper

225 100

223 63.4 49.8 74.6

227 64.1 51.0 76.4









#35
Caprolactam
Concen: 44.462 ng
RT: 11.580 min Scan# 1443
Delta R.T. 0.006 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:113 Resp: 381738
Ion Ratio Lower Upper
113 100
55 168.7 162.5 202.5
56 128.5 116.5 156.5



#36
4-Chloro-3-methylphenol
Concen: 41.503 ng
RT: 11.922 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:107 Resp: 1239823
Ion Ratio Lower Upper
107 100
144 25.9 20.5 30.7
142 81.5 65.0 97.4





#37

2-Methylnaphthalene

Concen: 40.287 ng

RT: 12.310 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:142 Resp: 2801320

Ion Ratio Lower Upper

142 100

141 89.7 72.2 108.4

115 35.7 29.1 43.7



#38

1-Methylnaphthalene

Concen: 40.366 ng

RT: 12.527 min Scan# 1605

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:142 Resp: 2789337


Ion Ratio Lower Upper

142 100

141 92.4 74.7 112.1

116 3.9 3.2 4.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.480 min Scan# 1937

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:164 Resp: 1155790

Ion Ratio Lower Upper

164 100

162 100.6 82.2 123.2

160 46.0 38.2 57.2



#40

1,2,4,5-Tetrachlorobenzene

Concen: 39.423 ng

RT: 12.674 min Scan# 1630

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Tgt Ion:216 Resp: 1232956




Ion Ratio Lower Upper


216 100

214 79.2 63.0 94.6

179 21.9 17.5 26.3

108 22.7 18.6 28.0









#41
Hexachlorocyclopentadiene
Concen: 38.330 ng
RT: 12.663 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:237 Resp: 391885
Ion Ratio Lower Upper
237 100
235 62.7 42.0 82.0
272 12.0 0.0 31.5



#42
2,4,6-Tribromophenol
Concen: 86.666 ng
RT: 15.963 min Scan# 2189
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:330 Resp: 968206
Ion Ratio Lower Upper
330 100
332 96.8 76.9 115.3
141 48.9 42.2 63.2





#43

2,4,6-Trichlorophenol

Concen: 41.805 ng

RT: 12.910 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM047528.D


Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424






Tgt Ion:196 Resp: 819111

Ion Ratio Lower Upper

196 100

198 95.7 76.9 115.3

200 31.5 24.3 36.5



#44

2,4,5-Trichlorophenol

Concen: 41.595 ng

RT: 12.980 min Scan# 1682

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Tgt Ion:196 Resp: 920532




Ion Ratio Lower Upper


196 100

198 96.8 77.4 116.2

97 59.3 49.8 74.8

132 30.8 24.5 36.7





#45

2-Fluorobiphenyl

Concen: 80.575 ng

RT: 13.110 min Scan# 1704

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:172 Resp: 6760498

Ion Ratio Lower Upper

172 100

171 35.3 28.2 42.2

170 24.0 19.4 29.0



#46

1,1'-Biphenyl

Concen: 39.616 ng

RT: 13.316 min Scan# 1739

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:154 Resp: 3562522


Ion Ratio Lower Upper

154 100

153 40.3 20.6 60.6

76 13.2 0.0 33.9









#47
2-Chloronaphthalene
Concen: 39.789 ng
RT: 13.357 min Scan# 1746
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:162 Resp: 2778294
Ion Ratio Lower Upper
162 100
127 40.6 32.2 48.4
164 32.8 26.3 39.5



#48
2-Nitroaniline
Concen: 42.070 ng
RT: 13.551 min Scan# 1779
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion: 65 Resp: 862825
Ion Ratio Lower Upper
65 100
92 65.8 51.9 77.9
138 98.8 78.5 117.7





#49

Acenaphthylene

Concen: 40.313 ng

RT: 14.204 min Scan# 1890

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:152 Resp: 4062122

Ion Ratio Lower Upper

152 100

151 20.5 16.5 24.7

153 13.1 10.4 15.6



#50

Dimethylphthalate

Concen: 39.733 ng

RT: 13.939 min Scan# 1845

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:163 Resp: 3130077


Ion Ratio Lower Upper

163 100

194 3.7 2.9 4.3

164 10.3 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 41.664 ng
RT: 14.051 min Scan# 1864
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:165 Resp: 692880
Ion Ratio Lower Upper
165 100
63 65.5 54.2 81.2
89 67.4 56.4 84.6



#52
Acenaphthene
Concen: 40.442 ng
RT: 14.545 min Scan# 1948
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:154 Resp: 2855304
Ion Ratio Lower Upper
154 100
153 114.1 92.2 138.2
152 55.8 45.4 68.0









#53
3-Nitroaniline
Concen: 42.236 ng
RT: 14.374 min Scan# 1919
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:138 Resp: 780701
Ion Ratio Lower Upper
138 100
108 10.0 8.0 12.0
92 117.9 97.4 146.0



#54
2,4-Dinitrophenol
Concen: 41.320 ng
RT: 14.580 min Scan# 1954
Delta R.T. 0.006 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:184 Resp: 303273
Ion Ratio Lower Upper
184 100
63 76.9 69.4 104.0
154 68.7 60.4 90.6









#55
Dibenzofuran
Concen: 39.603 ng
RT: 14.880 min Scan# 2005
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:168 Resp: 3929087
Ion Ratio Lower Upper
168 100
139 39.7 31.9 47.9
169 13.5 10.5 15.7



#56
4-Nitrophenol
Concen: 43.814 ng
RT: 14.674 min Scan# 1970
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:139 Resp: 666432
Ion Ratio Lower Upper
139 100
109 78.6 62.0 102.0
65 102.7 87.0 127.0









#57
2,4-Dinitrotoluene
Concen: 42.569 ng
RT: 14.833 min Scan# 1997
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:165 Resp: 944153
Ion Ratio Lower Upper
165 100
63 52.7 42.4 63.6
89 88.3 70.5 105.7
182 2.4 1.8 2.6



#58
Fluorene
Concen: 40.896 ng
RT: 15.527 min Scan# 2115
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:166 Resp: 3652975
Ion Ratio Lower Upper
166 100
165 97.1 78.6 117.8
167 13.2 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 41.395 ng
RT: 15.104 min Scan# 2043
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:232 Resp: 714256
Ion Ratio Lower Upper
232 100
131 58.1 47.0 70.4
130 3.2 2.6 3.8
166 34.4 27.5 41.3



#60
Diethylphthalate
Concen: 40.482 ng
RT: 15.304 min Scan# 2077
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:149 Resp: 3394013
Ion Ratio Lower Upper
149 100
177 20.1 15.8 23.8
150 12.3 9.7 14.5









#61
4-Chlorophenyl-phenylether
Concen: 40.407 ng
RT: 15.521 min Scan# 2114
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:204 Resp: 1650317
Ion Ratio Lower Upper
204 100
206 32.4 26.5 39.7
141 63.8 52.1 78.1



#62
4-Nitroaniline
Concen: 43.422 ng
RT: 15.533 min Scan# 2116
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:138 Resp: 943457
Ion Ratio Lower Upper
138 100
92 49.6 30.0 70.0
108 80.0 61.7 101.7





#63

Azobenzene

Concen: 39.412 ng

RT: 15.815 min Scan# 2164

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424

Tgt Ion: 77 Resp: 3638400





Ion Ratio Lower Upper

77 100

182 22.2 1.2 41.2

105 20.0 0.0 39.4

51 26.8 7.9 47.9



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.215 min Scan# 2402

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:188 Resp: 2184120


Ion Ratio Lower Upper

188 100

94 9.9 8.4 12.6

80 11.4 9.1 13.7









#65
4,6-Dinitro-2-methylphenol
Concen: 39.815 ng
RT: 15.598 min Scan# 2126
Delta R.T. 0.006 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53




Instrument :
BNA_M
ClientSampleId :
ICVBM091424


Tgt Ion:198 Resp: 426927
Ion Ratio Lower Upper
198 100
51 49.6 41.5 81.5
105 50.1 36.4 76.4



#66
n-Nitrosodiphenylamine
Concen: 40.550 ng
RT: 15.733 min Scan# 2150
Delta R.T. 0.000 min
Lab File: BM047528.D
Acq: 14 Sep 2024 17:53

Tgt Ion:169 Resp: 2709417
Ion Ratio Lower Upper
169 100
168 69.0 55.3 82.9
167 38.3 30.5 45.7





#67

4-Bromophenyl-phenylether

Concen: 40.870 ng

RT: 16.415 min Scan# 2266

Delta R.T. 0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:248 Resp: 867359

Ion Ratio Lower Upper

248 100

250 98.2 76.9 115.3

141 78.2 70.8 106.2



#68

Hexachlorobenzene

Concen: 40.377 ng

RT: 16.527 min Scan# 2285

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:284 Resp: 970735


Ion Ratio Lower Upper

284 100

142 45.9 37.3 55.9

249 31.8 24.5 36.7





#69

Atrazine

Concen: 41.735 ng

RT: 16.680 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:200 Resp: 770740

Ion Ratio Lower Upper

200 100

173 27.1 7.7 47.7

215 46.9 27.9 67.9



#70

Pentachlorophenol

Concen: 44.695 ng

RT: 16.862 min Scan# 2342

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:266 Resp: 622891


Ion Ratio Lower Upper

266 100

268 63.4 51.0 76.4

264 62.3 50.4 75.6





#71

Phenanthrene

Concen: 39.903 ng

RT: 17.257 min Scan# 2409

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:178 Resp: 4802982

Ion Ratio Lower Upper

178 100

176 19.9 16.0 24.0

179 15.4 12.4 18.6



#72

Anthracene

Concen: 40.965 ng

RT: 17.351 min Scan# 2425

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:178 Resp: 4737394


Ion Ratio Lower Upper

178 100

176 19.4 15.4 23.0

179 15.3 12.3 18.5





#73

Carbazole

Concen: 41.301 ng

RT: 17.615 min Scan# 24

Delta R.T. 0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:167 Resp: 4733275

Ion Ratio Lower Upper

167 100

166 22.1 17.8 26.8

139 13.6 11.0 16.6



#74

Di-n-butylphthalate

Concen: 42.350 ng

RT: 18.186 min Scan# 2567

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:149 Resp: 5807192


Ion Ratio Lower Upper

149 100

150 9.3 7.4 11.2

104 5.6 4.6 6.8





#75

Fluoranthene

Concen: 42.122 ng

RT: 19.268 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:202 Resp: 5531833

Ion Ratio Lower Upper

202 100

101 10.6 0.0 30.8

203 17.3 0.0 37.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.439 min Scan# 3120

Delta R.T. -0.005 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:240 Resp: 2018814


Ion Ratio Lower Upper

240 100

120 12.7 9.6 14.4

236 26.1 20.9 31.3





#77

Benzidine

Concen: 36.773 ng

RT: 19.445 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:184 Resp: 1045554

Ion Ratio Lower Upper

184 100

185 15.3 12.2 18.2

183 11.6 9.6 14.4



#78

Pyrene

Concen: 39.792 ng

RT: 19.627 min Scan# 2812

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:202 Resp: 5859728


Ion Ratio Lower Upper

202 100

200 21.8 17.2 25.8

203 17.7 14.0 21.0





#79

Terphenyl-d14

Concen: 83.794 ng

RT: 19.833 min Scan# 2

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:244 Resp: 9440273

Ion Ratio Lower Upper

244 100

212 7.7 6.2 9.2

122 11.7 9.6 14.4



#80

Butylbenzylphthalate

Concen: 43.200 ng

RT: 20.521 min Scan# 2964

Delta R.T. -0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:149 Resp: 2448871


Ion Ratio Lower Upper

149 100

91 79.1 62.0 93.0

206 16.8 13.8 20.8





#81

Benzo(a)anthracene

Concen: 40.554 ng

RT: 21.421 min Scan# 3117

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:228 Resp: 5336342

Ion Ratio Lower Upper

228 100

226 28.1 22.4 33.6

229 20.1 16.0 24.0



#82

3,3'-Dichlorobenzidine

Concen: 44.615 ng

RT: 21.345 min Scan# 3104

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:252 Resp: 1561668


Ion Ratio Lower Upper

252 100

254 63.8 51.5 77.3

126 12.5 10.3 15.5





#83

Chrysene

Concen: 40.301 ng

RT: 21.486 min Scan# 3128

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:228 Resp: 5016069

Ion Ratio Lower Upper

228 100

226 31.4 25.0 37.6

229 19.8 15.9 23.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 44.013 ng

RT: 21.356 min Scan# 3106

Delta R.T. -0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:149 Resp: 3908511


Ion Ratio Lower Upper

149 100

167 26.0 20.2 30.4

279 3.2 2.6 4.0





#85

Di-n-octyl phthalate

Concen: 46.533 ng

RT: 22.503 min Scan# 31

Delta R.T. -0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:149 Resp: 5845092

Ion Ratio Lower Upper

149 100

167 1.4 1.1 1.7

43 10.5 8.9 13.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.468 min Scan# 3635

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:264 Resp: 1739593


Ion Ratio Lower Upper

264 100

260 23.6 18.9 28.3

265 21.2 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 38.856 ng

RT: 27.897 min Scan# 4218

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:276 Resp: 4045117

Ion Ratio Lower Upper

276 100

138 21.1 25.0 37.6#

277 25.1 20.1 30.1



#88

Benzo(b)fluoranthene

Concen: 41.356 ng

RT: 23.515 min Scan# 3473

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:252 Resp: 4654837


Ion Ratio Lower Upper

252 100

253 22.0 17.8 26.8

125 11.5 9.5 14.3





#89

Benzo(k)fluoranthene

Concen: 41.592 ng

RT: 23.580 min Scan# 34

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:252 Resp: 4639524

Ion Ratio Lower Upper

252 100

253 22.2 17.8 26.6

125 11.4 9.5 14.3



#90

Benzo(a)pyrene

Concen: 41.129 ng

RT: 24.327 min Scan# 3611

Delta R.T. -0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53




Tgt Ion:252 Resp: 3794215


Ion Ratio Lower Upper

252 100

253 21.4 17.7 26.5

125 12.5 10.2 15.4





#91

Dibenzo(a,h)anthracene

Concen: 39.061 ng

RT: 27.962 min Scan# 4228

Delta R.T. 0.006 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Instrument :

BNA_M

ClientSampleId :

ICVBM091424





Tgt Ion:278 Resp: 3421259

Ion Ratio Lower Upper

278 100

139 19.1 15.9 23.9

279 24.0 19.3 28.9



#92

Benzo(g,h,i)perylene

Concen: 37.708 ng

RT: 28.968 min Scan# 4400

Delta R.T. 0.000 min

Lab File: BM047528.D

Acq: 14 Sep 2024 17:53

Tgt Ion:276 Resp: 3226301

Ion Ratio Lower Upper

276 100

277 23.3 18.6 28.0

138 25.8 21.5 32.3

