

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092024\
 Data File : BM047586.D
 Acq On : 20 Sep 2024 12:58
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
 Supervised By :mohammad ahmed 09/24/2024

Quant Time: Sep 20 16:22:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM092024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 20 14:56:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	278976	20.000	ng	0.00
21) Naphthalene-d8	10.645	136	1122344	20.000	ng	0.00
39) Acenaphthene-d10	14.474	164	611295	20.000	ng	0.00
64) Phenanthrene-d10	17.209	188	1172407	20.000	ng	0.00
76) Chrysene-d12	21.438	240	1068698	20.000	ng	0.00
86) Perylene-d12	24.468	264	1063033	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	1818729	99.905	ng	0.00
7) Phenol-d6	7.010	99	2436684	101.584	ng	0.00
23) Nitrobenzene-d5	8.998	82	2293080	101.707	ng	0.00
42) 2,4,6-Tribromophenol	15.956	330	594445	105.018	ng	0.00
45) 2-Fluorobiphenyl	13.104	172	4338663	100.427	ng	0.00
79) Terphenyl-d14	19.827	244	6469245	108.614	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.316	88	384704	48.535	ng	99
3) Pyridine	3.716	79	1091569m	49.649	ng	
4) n-Nitrosodimethylamine	3.622	42	462945	50.813	ng	97
6) Aniline	7.175	93	1028281	50.040	ng	99
8) 2-Chlorophenol	7.410	128	948594	49.773	ng	99
9) Benzaldehyde	6.981	77	567774	46.328	ng	99
10) Phenol	7.034	94	1205511	50.614	ng	97
11) bis(2-Chloroethyl)ether	7.269	93	941881	49.202	ng	98
12) 1,3-Dichlorobenzene	7.739	146	1036632	49.185	ng	99
13) 1,4-Dichlorobenzene	7.881	146	1049899	49.232	ng	98
14) 1,2-Dichlorobenzene	8.198	146	1014846	49.370	ng	99
15) Benzyl Alcohol	8.081	79	794417	51.330	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.375	45	1203122	49.306	ng	99
17) 2-Methylphenol	8.286	107	762647	50.947	ng	98
18) Hexachloroethane	8.933	117	429854	49.705	ng	98
19) n-Nitroso-di-n-propyla...	8.651	70	767971	52.268	ng	99
20) 3+4-Methylphenols	8.610	107	1045027	51.254	ng	96
22) Acetophenone	8.663	105	1458590	49.882	ng	# 99
24) Nitrobenzene	9.039	77	1169157	50.207	ng	99
25) Isophorone	9.569	82	1912560	50.760	ng	100
26) 2-Nitrophenol	9.751	139	428610	52.348	ng	97
27) 2,4-Dimethylphenol	9.816	122	578892	49.602	ng	99
28) bis(2-Chloroethoxy)met...	10.051	93	1205760	49.744	ng	99
29) 2,4-Dichlorophenol	10.286	162	753792	51.092	ng	99
30) 1,2,4-Trichlorobenzene	10.504	180	830417	49.383	ng	99
31) Naphthalene	10.692	128	2935847	49.443	ng	100
32) Benzoic acid	9.939	122	594861	54.610	ng	98
33) 4-Chloroaniline	10.798	127	1066117	50.927	ng	98
34) Hexachlorobutadiene	10.986	225	448499	49.010	ng	98
35) Caprolactam	11.569	113	278155	54.544	ng	99
36) 4-Chloro-3-methylphenol	11.916	107	883037	52.458	ng	97
37) 2-Methylnaphthalene	12.304	142	1881894	50.446	ng	99
38) 1-Methylnaphthalene	12.521	142	1865450	50.406	ng	99
40) 1,2,4,5-Tetrachloroben...	12.668	216	790689	49.015	ng	99
41) Hexachlorocyclopentadiene	12.657	237	260473	48.906	ng	98
43) 2,4,6-Trichlorophenol	12.910	196	538489	51.362	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092024\
 Data File : BM047586.D
 Acq On : 20 Sep 2024 12:58
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
 Supervised By :mohammad ahmed 09/24/2024

Quant Time: Sep 20 16:22:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM092024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 20 14:56:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.980	196	611244	51.868	ng	97
46) 1,1'-Biphenyl	13.315	154	2341539	49.599	ng	99
47) 2-Chloronaphthalene	13.351	162	1826375	49.443	ng	99
48) 2-Nitroaniline	13.545	65	599724	54.359	ng	98
49) Acenaphthylene	14.198	152	2696175	50.720	ng	100
50) Dimethylphthalate	13.933	163	2115016	50.111	ng	100
51) 2,6-Dinitrotoluene	14.045	165	474490	53.658	ng	98
52) Acenaphthene	14.539	154	1787917m	50.900	ng	
53) 3-Nitroaniline	14.368	138	555478	54.769	ng	96
54) 2,4-Dinitrophenol	14.574	184	216574	54.025	ng	99
55) Dibenzofuran	14.874	168	2574000	50.157	ng	99
56) 4-Nitrophenol	14.674	139	478642	55.075	ng	95
57) 2,4-Dinitrotoluene	14.827	165	647569	54.957	ng	96
58) Fluorene	15.521	166	2368284	52.142	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.098	232	465256	51.648	ng	100
60) Diethylphthalate	15.298	149	2320248	51.564	ng	99
61) 4-Chlorophenyl-phenyle...	15.521	204	1024159	51.606	ng	97
62) 4-Nitroaniline	15.527	138	650918	56.960	ng	99
63) Azobenzene	15.809	77	2557024	51.979	ng	99
65) 4,6-Dinitro-2-methylph...	15.592	198	295585	53.207	ng	97
66) n-Nitrosodiphenylamine	15.727	169	1771408	50.588	ng	100
67) 4-Bromophenyl-phenylether	16.409	248	533218	50.066	ng	94
68) Hexachlorobenzene	16.521	284	617382	49.587	ng	98
69) Atrazine	16.674	200	380272	45.110	ng	96
70) Pentachlorophenol	16.862	266	413092	52.862	ng	99
71) Phenanthrene	17.256	178	3209957	50.439	ng	100
72) Anthracene	17.345	178	3078214	51.052	ng	99
73) Carbazole	17.609	167	3211608	51.117	ng	99
74) Di-n-butylphthalate	18.180	149	3968901	52.228	ng	100
75) Fluoranthene	19.262	202	3628114	51.790	ng	99
77) Benzidine	19.439	184	540818	37.159	ng	99
78) Pyrene	19.621	202	3844686	51.400	ng	99
80) Butylbenzylphthalate	20.521	149	1731602	53.177	ng	99
81) Benzo(a)anthracene	21.421	228	3578241	50.921	ng	100
82) 3,3'-Dichlorobenzidine	21.344	252	1128735	51.723	ng	98
83) Chrysene	21.480	228	3398657	50.857	ng	100
84) Bis(2-ethylhexyl)phtha...	21.350	149	2792153	53.608	ng	99
85) Di-n-octyl phthalate	22.497	149	4246034	52.830	ng	100
87) Indeno(1,2,3-cd)pyrene	27.891	276	3726821	50.983	ng	# 90
88) Benzo(b)fluoranthene	23.509	252	3491548	52.259	ng	99
89) Benzo(k)fluoranthene	23.574	252	3353851	51.137	ng	99
90) Benzo(a)pyrene	24.327	252	2909678	51.366	ng	99
91) Dibenzo(a,h)anthracene	27.956	278	3112380	50.974	ng	100
92) Benzo(g,h,i)perylene	28.962	276	3092774	50.541	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092024\
Data File : BM047586.D
Acq On : 20 Sep 2024 12:58
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :


SSTDICC050

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024

Quant Time: Sep 20 16:22:51 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM092024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 20 14:56:16 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092024\
Data File : BM047586.D
Acq On : 20 Sep 2024 12:58
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024


Quant Time: Sep 20 16:22:51 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM092024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 20 14:56:16 2024
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. 0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:152 Resp: 278970
Ion Ratio Lower Upper
152 100
150 155.9 124.5 186.7
115 62.1 49.9 74.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#2
1,4-Dioxane
Concen: 48.535 ng
RT: 3.316 min Scan# 39
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion: 88 Resp: 384704
Ion Ratio Lower Upper
88 100
58 72.2 58.0 87.0
43 28.1 23.1 34.7





#3
Pyridine
Concen: 49.649 ng m
RT: 3.716 min Scan# 107
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion: 79 Resp: 109156
Ion Ratio Lower Upper
79 100
52 64.6 52.2 78.2
51 33.5 26.5 39.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#4
n-Nitrosodimethylamine
Concen: 50.813 ng
RT: 3.622 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion: 42 Resp: 462945
Ion Ratio Lower Upper
42 100
74 134.9 110.8 166.2
44 7.1 6.1 9.1





#5
2-Fluorophenol
Concen: 99.905 ng
RT: 5.422 min Scan# 397
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 112 Resp: 1818729
Ion Ratio Lower Upper
112 100
64 58.2 46.8 70.2
63 31.4 25.2 37.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#6
Aniline
Concen: 50.040 ng
RT: 7.175 min Scan# 695
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion: 93 Resp: 1028281
Ion Ratio Lower Upper
93 100
66 39.2 31.4 47.0
65 21.0 16.2 24.2





#7
Phenol-d6
Concen: 101.584 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 99 Resp: 2436684
Ion Ratio Lower Upper
99 100
42 18.3 15.3 22.9
71 34.2 27.8 41.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#8
2-Chlorophenol
Concen: 49.773 ng
RT: 7.410 min Scan# 735
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:128 Resp: 948594
Ion Ratio Lower Upper
128 100
130 32.2 12.6 52.6
64 48.2 27.6 67.6





#9
Benzaldehyde
Concen: 46.328 ng
RT: 6.981 min Scan# 662
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 77 Resp: 567774
Ion Ratio Lower Upper
77 100
105 91.9 73.0 113.0
106 88.7 70.3 110.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#10
Phenol
Concen: 50.614 ng
RT: 7.034 min Scan# 671
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion: 94 Resp: 1205511
Ion Ratio Lower Upper
94 100
65 30.5 9.1 49.1
66 38.2 16.5 56.5





#11
bis(2-Chloroethyl)ether
Concen: 49.202 ng
RT: 7.269 min Scan# 711
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion: 93 Resp: 94188
Ion Ratio Lower Upper
93 100
63 76.3 58.5 98.5
95 32.5 12.9 52.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#12
1,3-Dichlorobenzene
Concen: 49.185 ng
RT: 7.739 min Scan# 791
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:146 Resp: 1036632
Ion Ratio Lower Upper
146 100
148 64.1 51.4 77.2
75 34.2 28.4 42.6





#13
1,4-Dichlorobenzene
Concen: 49.232 ng
RT: 7.881 min Scan# 815
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:146 Resp: 1049899
Ion Ratio Lower Upper
146 100
148 63.9 49.8 74.6
111 42.3 33.3 49.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#14
1,2-Dichlorobenzene
Concen: 49.370 ng
RT: 8.198 min Scan# 869
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:146 Resp: 1014846
Ion Ratio Lower Upper
146 100
148 63.0 49.7 74.5
111 44.0 34.8 52.2





#15
Benzyl Alcohol
Concen: 51.330 ng
RT: 8.081 min Scan# 849
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion: 79 Resp: 79441
Ion Ratio Lower Upper
79 100
108 74.6 60.2 90.2
77 66.4 53.9 80.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#16
2,2'-oxybis(1-Chloropropane)
Concen: 49.306 ng
RT: 8.375 min Scan# 899
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion: 45 Resp: 1203122
Ion Ratio Lower Upper
45 100
77 14.7 0.0 35.5
79 11.4 0.0 31.6






#17
2-Methylphenol
Concen: 50.947 ng
RT: 8.286 min Scan# 884
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:107 Resp: 76264
Ion Ratio Lower Upper
107 100
108 113.4 87.8 131.6
77 49.2 39.6 59.4
79 47.0 37.2 55.8

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#18
Hexachloroethane
Concen: 49.705 ng
RT: 8.933 min Scan# 994
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Tgt Ion:117 Resp: 429854
Ion Ratio Lower Upper
117 100
119 94.9 77.2 115.8
201 76.4 62.3 93.5









#19
n-Nitroso-di-n-propylamine
Concen: 52.268 ng
RT: 8.651 min Scan# 946
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion: 70 Resp: 76797
Ion Ratio Lower Upper
70 100
42 56.1 44.2 66.2
101 8.8 7.0 10.4
130 19.0 14.7 22.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#20
3+4-Methylphenols
Concen: 51.254 ng
RT: 8.610 min Scan# 939
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:107 Resp: 1045027
Ion Ratio Lower Upper
107 100
108 87.7 71.8 111.8
77 35.0 16.1 56.1
79 29.8 11.5 51.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.645 min Scan# 11
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:136 Resp: 1122344
Ion Ratio Lower Upper
136 100
137 10.2 9.0 13.4
54 7.3 6.0 9.0
68 6.1 4.6 7.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#22
Acetophenone
Concen: 49.882 ng
RT: 8.663 min Scan# 948
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:105 Resp: 1458590
Ion Ratio Lower Upper
105 100
71 5.2 3.4 5.2#
51 26.4 21.4 32.2
120 22.7 18.2 27.2





#23
Nitrobenzene-d5
Concen: 101.707 ng
RT: 8.998 min Scan# 1005
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 82 Resp: 2293080
Ion Ratio Lower Upper
82 100
128 40.1 32.5 48.7
54 47.4 37.5 56.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#24
Nitrobenzene
Concen: 50.207 ng
RT: 9.039 min Scan# 1012
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion: 77 Resp: 1169157
Ion Ratio Lower Upper
77 100
123 42.1 34.1 51.1
65 13.1 10.7 16.1





#25
Isophorone
Concen: 50.760 ng
RT: 9.569 min Scan# 1102
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 82 Resp: 1912560
Ion Ratio Lower Upper
82 100
95 6.5 5.0 7.6
138 15.9 12.9 19.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#26
2-Nitrophenol
Concen: 52.348 ng
RT: 9.751 min Scan# 1133
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Tgt Ion:139 Resp: 428610
Ion Ratio Lower Upper
139 100
109 31.7 26.1 39.1
65 58.9 44.7 67.1





#27

2,4-Dimethylphenol

Concen: 49.602 ng

RT: 9.816 min Scan# 1144

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:	122	Resp:	57889
Ion	Ratio	Lower	Upper
122	100		
107	116.4	92.2	138.2
121	56.9	45.8	68.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#28

bis(2-Chloroethoxy)methane

Concen: 49.744 ng




RT: 10.051 min Scan# 1184


Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Tgt Ion:	93	Resp:	1205760
Ion	Ratio	Lower	Upper
93	100		
95	33.3	26.2	39.4
123	11.6	9.0	13.4









#29
2,4-Dichlorophenol
Concen: 51.092 ng
RT: 10.286 min Scan# 1224
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 753792
Ion Ratio Lower Upper
162 100
164 63.6 43.9 83.9
98 40.8 20.3 60.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#30
1,2,4-Trichlorobenzene
Concen: 49.383 ng
RT: 10.504 min Scan# 1261
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:180 Resp: 830417
Ion Ratio Lower Upper
180 100
182 96.3 76.6 115.0
145 31.8 26.2 39.2





#31
Naphthalene
Concen: 49.443 ng
RT: 10.692 min Scan# 1165
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:128 Resp: 293584
Ion Ratio Lower Upper
128 100
129 10.9 8.8 13.2
127 12.9 10.3 15.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#32
Benzoic acid
Concen: 54.610 ng
RT: 9.939 min Scan# 1165
Delta R.T. 0.018 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Tgt Ion:122 Resp: 594861
Ion Ratio Lower Upper
122 100
105 126.5 103.1 143.1
77 101.3 82.4 122.4






#33
4-Chloroaniline
Concen: 50.927 ng
RT: 10.798 min Scan# 1310
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:127 Resp: 106611
Ion Ratio Lower Upper
127 100
129 32.4 25.6 38.4
65 30.9 26.1 39.1
92 18.2 14.9 22.3


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#34
Hexachlorobutadiene
Concen: 49.010 ng
RT: 10.986 min Scan# 1343
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:225 Resp: 448499
Ion Ratio Lower Upper
225 100
223 61.7 51.4 77.0
227 64.5 52.1 78.1





#35
 Caprolactam
 Concen: 54.544 ng
 RT: 11.569 min Scan# 1442
 Delta R.T. 0.006 min
 Lab File: BM047586.D
 Acq: 20 Sep 2024 12:58




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050




Tgt Ion:113 Resp: 27815
 Ion Ratio Lower Upper
 113 100
 55 166.6 145.5 185.5
 56 124.5 103.9 143.9

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
 Supervised By :mohammad ahmed 09/24/2024




#36
 4-Chloro-3-methylphenol
 Concen: 52.458 ng
 RT: 11.916 min Scan# 1501
 Delta R.T. -0.000 min
 Lab File: BM047586.D
 Acq: 20 Sep 2024 12:58




Tgt Ion:107 Resp: 883037
 Ion Ratio Lower Upper
 107 100
 144 24.8 20.7 31.1
 142 77.5 63.9 95.9





#37
2-Methylnaphthalene
Concen: 50.446 ng
RT: 12.304 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:142 Resp: 1881894
Ion Ratio Lower Upper
142 100
141 87.7 71.7 107.5
115 36.9 29.5 44.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#38
1-Methylnaphthalene
Concen: 50.406 ng
RT: 12.521 min Scan# 1604
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Tgt Ion:142 Resp: 1865450
Ion Ratio Lower Upper
142 100
141 92.8 75.3 112.9
116 4.1 3.0 4.4






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.474 min Scan# 1936
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:164 Resp: 611298
Ion Ratio Lower Upper
164 100
162 102.5 82.6 123.8
160 47.6 37.8 56.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#40
1,2,4,5-Tetrachlorobenzene
Concen: 49.015 ng
RT: 12.668 min Scan# 1629
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion:216 Resp: 790689
Ion Ratio Lower Upper
216 100
214 78.8 62.8 94.2
179 22.6 18.5 27.7
108 25.2 19.8 29.8





#41

Hexachlorocyclopentadiene

Concen: 48.906 ng

RT: 12.657 min Scan# 1627

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :





SSTDICC050

Tgt Ion	Ratio	Lower	Upper
237	100		
235	63.3	41.2	81.2
272	12.3	0.0	32.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#42

2,4,6-Tribromophenol

Concen: 105.018 ng




RT: 15.956 min Scan# 2188


Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.0	115.4
141	56.9	45.9	68.9





#43
2,4,6-Trichlorophenol
Concen: 51.362 ng
RT: 12.910 min Scan# 1669
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:196 Resp: 538489
Ion Ratio Lower Upper
196 100
198 97.7 75.5 113.3
200 30.8 24.3 36.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#44
2,4,5-Trichlorophenol
Concen: 51.868 ng
RT: 12.980 min Scan# 1682
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion:196 Resp: 611244
Ion Ratio Lower Upper
196 100
198 93.7 75.5 113.3
97 61.1 53.5 80.3
132 31.2 25.7 38.5






#45
2-Fluorobiphenyl
Concen: 100.427 ng
RT: 13.104 min Scan# 1703
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:172 Resp: 433866
Ion Ratio Lower Upper
172 100
171 35.7 28.1 42.1
170 24.2 19.0 28.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#46
1,1'-Biphenyl
Concen: 49.599 ng
RT: 13.315 min Scan# 1739
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:154 Resp: 2341539
Ion Ratio Lower Upper
154 100
153 39.7 19.9 59.9
76 13.3 0.0 34.5





#47
2-Chloronaphthalene
Concen: 49.443 ng
RT: 13.351 min Scan# 1745
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion:162 Resp: 182637
Ion Ratio Lower Upper
162 100
127 42.3 33.8 50.6
164 32.2 26.2 39.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#48
2-Nitroaniline
Concen: 54.359 ng
RT: 13.545 min Scan# 1778
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Tgt Ion: 65 Resp: 599724
Ion Ratio Lower Upper
65 100
92 65.4 54.2 81.4
138 95.0 76.6 114.8





#49

Acenaphthylene

Concen: 50.720 ng

RT: 14.198 min Scan# 1889

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050



Tgt Ion:152 Resp: 269617

Ion Ratio Lower Upper

152 100

151 20.2 16.2 24.2




153 12.9 10.4 15.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024

Supervised By :mohammad ahmed 09/24/2024



#50

Dimethylphthalate

Concen: 50.111 ng

RT: 13.933 min Scan# 1844

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:163 Resp: 2115016


Ion Ratio Lower Upper

163 100

194 3.6 2.7 4.1

164 10.2 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 53.658 ng
RT: 14.045 min Scan# 1863
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :





SSTDICC050

Tgt Ion:165 Resp: 474490
Ion Ratio Lower Upper
165 100
63 68.6 53.0 79.6
89 70.9 56.4 84.6

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#52
Acenaphthene
Concen: 50.900 ng m
RT: 14.539 min Scan# 1947
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:154 Resp: 1787917
Ion Ratio Lower Upper
154 100
153 115.0 92.8 139.2
152 56.3 45.7 68.5





#53
3-Nitroaniline
Concen: 54.769 ng
RT: 14.368 min Scan# 1918
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:138 Resp: 555478
Ion Ratio Lower Upper
138 100
108 10.0 8.3 12.5
92 125.5 97.0 145.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#54
2,4-Dinitrophenol
Concen: 54.025 ng
RT: 14.574 min Scan# 1953
Delta R.T. 0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:184 Resp: 216574
Ion Ratio Lower Upper
184 100
63 87.2 69.0 103.6
154 75.3 59.7 89.5





#55
Dibenzofuran
Concen: 50.157 ng
RT: 14.874 min Scan# 2004
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:168 Resp: 2574000
Ion Ratio Lower Upper
168 100
139 42.3 33.4 50.2
169 13.4 10.4 15.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#56
4-Nitrophenol
Concen: 55.075 ng
RT: 14.674 min Scan# 1970
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:139 Resp: 478642
Ion Ratio Lower Upper
139 100
109 80.9 63.1 103.1
65 103.6 91.8 131.8





#57
2,4-Dinitrotoluene
Concen: 54.957 ng
RT: 14.827 min Scan# 1996
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:165 Resp: 647569
Ion Ratio Lower Upper
165 100
63 54.6 41.6 62.4
89 92.9 71.7 107.5
182 2.3 1.7 2.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#58
Fluorene
Concen: 52.142 ng
RT: 15.521 min Scan# 2114
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:166 Resp: 2368284
Ion Ratio Lower Upper
166 100
165 98.2 78.4 117.6
167 13.3 10.5 15.7





#59
2,3,4,6-Tetrachlorophenol
Concen: 51.648 ng
RT: 15.098 min Scan# 2042
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:232 Resp: 465250
Ion Ratio Lower Upper
232 100
131 62.5 50.3 75.5
130 3.5 3.0 4.4
166 36.8 29.4 44.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#60
Diethylphthalate
Concen: 51.564 ng
RT: 15.298 min Scan# 2076
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:149 Resp: 2320248
Ion Ratio Lower Upper
149 100
177 19.6 15.4 23.0
150 12.1 9.4 14.0





#61
4-Chlorophenyl-phenylether
Concen: 51.606 ng
RT: 15.521 min Scan# 2114
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:204 Resp: 102415
Ion Ratio Lower Upper
204 100
206 32.4 26.2 39.2
141 65.5 55.3 82.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#62
4-Nitroaniline
Concen: 56.960 ng
RT: 15.527 min Scan# 2115
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Tgt Ion:138 Resp: 650918
Ion Ratio Lower Upper
138 100
92 52.7 33.3 73.3
108 85.3 66.2 106.2





#63
Azobenzene
Concen: 51.979 ng
RT: 15.809 min Scan# 2163
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050



Tgt Ion: 77 Resp: 2557024
Ion Ratio Lower Upper
77 100
182 19.5 0.0 38.2
105 19.4 0.0 38.8
51 26.7 6.9 46.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.209 min Scan# 2401
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58


Tgt Ion:188 Resp: 1172407
Ion Ratio Lower Upper
188 100
94 10.9 8.6 13.0
80 12.1 9.9 14.9





#65
4,6-Dinitro-2-methylphenol
Concen: 53.207 ng
RT: 15.592 min Scan# 2126
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:198 Resp: 29558
Ion Ratio Lower Upper
198 100
51 54.9 38.2 78.2
105 57.2 38.0 78.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#66
n-Nitrosodiphenylamine
Concen: 50.588 ng
RT: 15.727 min Scan# 2149
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion:169 Resp: 1771408
Ion Ratio Lower Upper
169 100
168 69.3 55.8 83.8
167 38.5 30.7 46.1






#67
4-Bromophenyl-phenylether
Concen: 50.066 ng
RT: 16.409 min Scan# 2265
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:248 Resp: 533218
Ion Ratio Lower Upper
248 100
250 98.4 76.7 115.1
141 87.0 76.7 115.1


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#68
Hexachlorobenzene
Concen: 49.587 ng
RT: 16.521 min Scan# 2284
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion:284 Resp: 617382
Ion Ratio Lower Upper
284 100
142 51.1 42.5 63.7
249 31.6 25.0 37.6





#69

Atrazine

Concen: 45.110 ng

RT: 16.674 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion:200 Resp: 38027

Ion Ratio Lower Upper

200 100





173 28.7 7.4 47.4

215 47.7 24.5 64.5

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#70

Pentachlorophenol

Concen: 52.862 ng

RT: 16.862 min Scan# 2342

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:266 Resp: 413092


Ion Ratio Lower Upper

266 100

268 64.1 52.2 78.4

264 62.1 50.0 75.0





#71

Phenanthrene

Concen: 50.439 ng

RT: 17.256 min Scan# 2409

Delta R.T. 0.006 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:178 Resp: 320995

Ion	Ratio	Lower	Upper
178	100		
176	19.7	15.8	23.8
179	15.0	12.2	18.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#72

Anthracene

Concen: 51.052 ng

RT: 17.345 min Scan# 2424




Delta R.T. -0.000 min


Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Tgt Ion:178 Resp: 3078214

Ion	Ratio	Lower	Upper
178	100		
176	19.8	15.4	23.2
179	15.4	12.2	18.2





#73

Carbazole

Concen: 51.117 ng

RT: 17.609 min Scan# 2469

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050



Tgt Ion:167 Resp: 3211608

Ion Ratio Lower Upper

167 100




166 22.0 18.0 27.0

139 14.4 11.3 16.9

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#74

Di-n-butylphthalate

Concen: 52.228 ng

RT: 18.180 min Scan# 2566

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:149 Resp: 3968901


Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.0

104 5.8 4.7 7.1





#75

Fluoranthene

Concen: 51.790 ng

RT: 19.262 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050



Tgt Ion:202 Resp: 3628114

Ion Ratio Lower Upper

202 100

101 12.6 0.0 32.2




203 17.5 0.0 37.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024

Supervised By :mohammad ahmed 09/24/2024



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.438 min Scan# 3120

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:240 Resp: 1068698


Ion Ratio Lower Upper

240 100

120 13.7 10.8 16.2

236 26.2 20.8 31.2





#77

Benzidine

Concen: 37.159 ng

RT: 19.439 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :





SSTDICC050

Tgt Ion:184 Resp: 540818
 Ion Ratio Lower Upper
 184 100
 185 14.8 11.5 17.3
 183 11.4 8.7 13.1

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
 Supervised By :mohammad ahmed 09/24/2024



#78

Pyrene

Concen: 51.400 ng




RT: 19.621 min Scan# 2811


Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Tgt Ion:202 Resp: 3844686
 Ion Ratio Lower Upper
 202 100
 200 21.8 17.2 25.8
 203 17.6 13.8 20.8






#79
 Terphenyl-d14
 Concen: 108.614 ng
 RT: 19.827 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM047586.D
 Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050






Tgt Ion:244 Resp: 6469245
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.0 9.0
 122 12.6 10.0 15.0


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
 Supervised By :mohammad ahmed 09/24/2024




#80
 Butylbenzylphthalate
 Concen: 53.177 ng
 RT: 20.521 min Scan# 2964
 Delta R.T. -0.000 min
 Lab File: BM047586.D
 Acq: 20 Sep 2024 12:58



Tgt Ion:149 Resp: 1731602
 Ion Ratio Lower Upper
 149 100
 91 78.5 62.3 93.5
 206 16.4 13.0 19.6





#81

Benzo(a)anthracene

Concen: 50.921 ng

RT: 21.421 min Scan# 3117

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050



Tgt Ion:228 Resp: 357824

Ion Ratio Lower Upper

228 100




226 28.0 22.4 33.6

229 20.0 16.0 24.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#82

3,3'-Dichlorobenzidine

Concen: 51.723 ng

RT: 21.344 min Scan# 3104

Delta R.T. 0.006 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:252 Resp: 1128735


Ion Ratio Lower Upper

252 100

254 64.2 52.3 78.5

126 13.4 11.4 17.0





#83

Chrysene

Concen: 50.857 ng

RT: 21.480 min Scan# 3127

Delta R.T. -0.000 min

Lab File: BM047586.D


Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050



Tgt Ion:228 Resp: 339865

Ion Ratio Lower Upper

228 100




226 31.2 24.9 37.3

229 19.9 15.8 23.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 53.608 ng

RT: 21.350 min Scan# 3105

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:149 Resp: 2792153


Ion Ratio Lower Upper

149 100

167 24.9 19.5 29.3


279 3.0 2.3 3.5





#85
Di-n-octyl phthalate
Concen: 52.830 ng
RT: 22.497 min Scan# 31
Delta R.T. -0.000 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58




Instrument :
BNA_M
ClientSampleId :
SSTDICC050




Tgt Ion:149 Resp: 4246034
Ion Ratio Lower Upper
149 100
167 1.4 1.1 1.7
43 10.1 8.2 12.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024




#86
Perylene-d12
Concen: 20.000 ng
RT: 24.468 min Scan# 3635
Delta R.T. 0.006 min
Lab File: BM047586.D
Acq: 20 Sep 2024 12:58



Tgt Ion:264 Resp: 1063033
Ion Ratio Lower Upper
264 100
260 24.5 18.9 28.3
265 21.6 17.0 25.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 50.983 ng

RT: 27.891 min Scan# 4217

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion:276 Resp: 372682

Ion Ratio Lower Upper

276 100





138 32.4 18.1 27.1

277 25.0 20.0 30.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#88

Benzo(b)fluoranthene

Concen: 52.259 ng

RT: 23.509 min Scan# 3472

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:252 Resp: 3491548


Ion Ratio Lower Upper

252 100

253 22.0 17.4 26.0

125 12.4 10.2 15.2





#89

Benzo(k)fluoranthene

Concen: 51.137 ng

RT: 23.574 min Scan# 3483

Delta R.T. -0.000 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion:252 Resp: 335385

Ion Ratio Lower Upper

252 100





253 21.7 17.6 26.4

125 12.5 10.2 15.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#90

Benzo(a)pyrene

Concen: 51.366 ng

RT: 24.327 min Scan# 3611

Delta R.T. 0.006 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58




Tgt Ion:252 Resp: 2909678


Ion Ratio Lower Upper

252 100

253 21.9 17.4 26.0

125 14.1 11.5 17.3





#91

Dibenzo(a,h)anthracene

Concen: 50.974 ng

RT: 27.956 min Scan# 41

Delta R.T. 0.012 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Instrument :

BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion:278 Resp: 3112380

Ion Ratio Lower Upper

278 100





139 20.3 16.4 24.6

279 23.8 19.0 28.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/20/2024
Supervised By :mohammad ahmed 09/24/2024



#92

Benzo(g,h,i)perylene

Concen: 50.541 ng

RT: 28.962 min Scan# 4399

Delta R.T. 0.006 min

Lab File: BM047586.D

Acq: 20 Sep 2024 12:58

Tgt Ion:276 Resp: 3092774

Ion Ratio Lower Upper

276 100

277 23.6 18.3 27.5

138 27.1 22.3 33.5

