

Hit Summary Sheet
SW-846

SDG No.: P3846

Order ID: P3846

Client: Chemtech Consulting Group

Project ID: NJ Waste Water PT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PT-TM1-WP								
P3846-02	PT-TM1-WP	Water	Aluminum	2610		3.80	20.0	ug/L
P3846-02	PT-TM1-WP	Water	Antimony	806		0.15	2.00	ug/L
P3846-02	PT-TM1-WP	Water	Arsenic	550		0.16	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Barium	608		0.35	10.0	ug/L
P3846-02	PT-TM1-WP	Water	Beryllium	303		0.21	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Cadmium	409		0.21	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Calcium	88.1	J	60.1	500	ug/L
P3846-02	PT-TM1-WP	Water	Chromium	574		0.24	2.00	ug/L
P3846-02	PT-TM1-WP	Water	Cobalt	185		0.060	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Copper	672		0.79	2.00	ug/L
P3846-02	PT-TM1-WP	Water	Iron	1400		24.8	50.0	ug/L
P3846-02	PT-TM1-WP	Water	Lead	946		0.27	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Manganese	642		0.29	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Nickel	1630	D	0.32	2.00	ug/L
P3846-02	PT-TM1-WP	Water	Molybdenum	537		0.93	5.00	ug/L
P3846-02	PT-TM1-WP	Water	Selenium	497		1.95	5.00	ug/L
P3846-02	PT-TM1-WP	Water	Silver	603		0.42	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Sodium	101	J	71.7	500	ug/L
P3846-02	PT-TM1-WP	Water	Thallium	418		0.11	1.00	ug/L
P3846-02	PT-TM1-WP	Water	Vanadium	1050	D	0.22	10.0	ug/L
P3846-02	PT-TM1-WP	Water	Zinc	624		0.58	5.00	ug/L
Client ID : PT-SNTI-WP								
P3846-04	PT-SNTI-WP	Water	Tin	1310	D	0.70	10.0	ug/L
P3846-04	PT-SNTI-WP	Water	Titanium	97.9		0.19	5.00	ug/L
Client ID : PT-MIN2-WP								
P3846-06	PT-MIN2-WP	Water	Calcium	66400	D	120	1000	ug/L
P3846-06	PT-MIN2-WP	Water	Magnesium	26900	D	55.0	1000	ug/L
P3846-06	PT-MIN2-WP	Water	Potassium	21200	D	80.6	1000	ug/L
P3846-06	PT-MIN2-WP	Water	Sodium	82800	D	143	1000	ug/L