

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	0.35	U	0.35	2.00	ug/L
123-91-1	1,4-Dioxane	0.35	U	0.35	2.00	ug/L
100-52-7	Benzaldehyde	1.10	U	1.10	10.0	ug/L
100-52-7	Benzaldehyde	1.10	U	1.10	10.0	ug/L
108-95-2	Phenol	1.60	U	1.60	10.0	ug/L
108-95-2	Phenol	1.60	U	1.60	10.0	ug/L
111-44-4	Bis(2-Chloroethyl)ether	1.40	U	1.40	10.0	ug/L
111-44-4	Bis(2-Chloroethyl)ether	1.40	U	1.40	10.0	ug/L
95-57-8	2-Chlorophenol	0.91	U	0.91	5.00	ug/L
95-57-8	2-Chlorophenol	0.91	U	0.91	5.00	ug/L
95-48-7	2-Methylphenol	1.50	U	1.50	10.0	ug/L
95-48-7	2-Methylphenol	1.50	U	1.50	10.0	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.90	U	1.90	10.0	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.90	U	1.90	10.0	ug/L
98-86-2	Acetophenone	1.50	U	1.50	10.0	ug/L
98-86-2	Acetophenone	1.50	U	1.50	10.0	ug/L
106-44-5	4-Methylphenol	1.70	U	1.70	10.0	ug/L
106-44-5	4-Methylphenol	1.70	U	1.70	10.0	ug/L
621-64-7	N-Nitroso-di-n-propylamine	1.90	U	1.90	5.00	ug/L
621-64-7	N-Nitroso-di-n-propylamine	1.90	U	1.90	5.00	ug/L
67-72-1	Hexachloroethane	1.10	U	1.10	5.00	ug/L
67-72-1	Hexachloroethane	1.10	U	1.10	5.00	ug/L
98-95-3	Nitrobenzene	1.40	U	1.40	5.00	ug/L
98-95-3	Nitrobenzene	1.40	U	1.40	5.00	ug/L
78-59-1	Isophorone	2.20	J	1.70	5.00	ug/L
78-59-1	Isophorone	2.20	J	1.70	5.00	ug/L
88-75-5	2-Nitrophenol	1.20	U	1.20	5.00	ug/L
88-75-5	2-Nitrophenol	1.20	U	1.20	5.00	ug/L
105-67-9	2,4-Dimethylphenol	0.69	U	0.69	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
105-67-9	2,4-Dimethylphenol	0.69	U	0.69	5.00	ug/L
111-91-1	Bis(2-Chloroethoxy)methane	1.50	U	1.50	5.00	ug/L
111-91-1	Bis(2-Chloroethoxy)methane	1.50	U	1.50	5.00	ug/L
120-83-2	2,4-Dichlorophenol	1.10	U	1.10	5.00	ug/L
120-83-2	2,4-Dichlorophenol	1.10	U	1.10	5.00	ug/L
91-20-3	Naphthalene	31.0		0.94	5.00	ug/L
91-20-3	Naphthalene	31.0		0.94	5.00	ug/L
106-47-8	4-Chloroaniline	0.94	U	0.94	10.0	ug/L
106-47-8	4-Chloroaniline	0.94	U	0.94	10.0	ug/L
87-68-3	Hexachlorobutadiene	1.50	U	1.50	5.00	ug/L
87-68-3	Hexachlorobutadiene	1.50	U	1.50	5.00	ug/L
105-60-2	Caprolactam	2.60	U	2.60	10.0	ug/L
105-60-2	Caprolactam	2.60	U	2.60	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	1.60	U	1.60	5.00	ug/L
59-50-7	4-Chloro-3-methylphenol	1.60	U	1.60	5.00	ug/L
90-12-0	1-Methylnaphthalene	23.0		0.91	5.00	ug/L
90-12-0	1-Methylnaphthalene	23.0		0.91	5.00	ug/L
91-57-6	2-Methylnaphthalene	38.0		1.10	5.00	ug/L
91-57-6	2-Methylnaphthalene	38.0		1.10	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.10	U	3.10	10.0	ug/L
77-47-4	Hexachlorocyclopentadiene	3.10	U	3.10	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.20		2.00	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	5.20		2.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	2.00	J	1.60	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	2.00	J	1.60	5.00	ug/L
92-52-4	1,1-Biphenyl	3.00	J	1.10	5.00	ug/L
92-52-4	1,1-Biphenyl	3.00	J	1.10	5.00	ug/L
91-58-7	2-Chloronaphthalene	1.10	U	1.10	5.00	ug/L
91-58-7	2-Chloronaphthalene	1.10	U	1.10	5.00	ug/L
88-74-4	2-Nitroaniline	1.80	U	1.80	5.00	ug/L
88-74-4	2-Nitroaniline	1.80	U	1.80	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
131-11-3	Dimethylphthalate	1.10	U	1.10	5.00	ug/L
131-11-3	Dimethylphthalate	1.10	U	1.10	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	1.70	U	1.70	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	1.70	U	1.70	5.00	ug/L
208-96-8	Acenaphthylene	1.20	U	1.20	5.00	ug/L
208-96-8	Acenaphthylene	1.20	U	1.20	5.00	ug/L
99-09-2	3-Nitroaniline	1.60	U	1.60	10.0	ug/L
99-09-2	3-Nitroaniline	1.60	U	1.60	10.0	ug/L
83-32-9	Acenaphthene	1.40	J	0.96	5.00	ug/L
83-32-9	Acenaphthene	1.40	J	0.96	5.00	ug/L
51-28-5	2,4-Dinitrophenol	1.80	U	1.80	10.0	ug/L
51-28-5	2,4-Dinitrophenol	1.80	U	1.80	10.0	ug/L
100-02-7	4-Nitrophenol	1.40	U	1.40	10.0	ug/L
100-02-7	4-Nitrophenol	1.40	U	1.40	10.0	ug/L
132-64-9	Dibenzofuran	1.10	U	1.10	5.00	ug/L
132-64-9	Dibenzofuran	1.10	U	1.10	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
84-66-2	Diethylphthalate	1.30	U	1.30	5.00	ug/L
84-66-2	Diethylphthalate	1.30	U	1.30	5.00	ug/L
86-73-7	Fluorene	1.90	J	0.94	5.00	ug/L
86-73-7	Fluorene	1.90	J	0.94	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.10	U	1.10	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.10	U	1.10	5.00	ug/L
100-01-6	4-Nitroaniline	0.83	U	0.83	10.0	ug/L
100-01-6	4-Nitroaniline	0.83	U	0.83	10.0	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.40	U	2.40	10.0	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.40	U	2.40	10.0	ug/L
86-30-6	N-Nitrosodiphenylamine	1.30	U	1.30	5.00	ug/L
86-30-6	N-Nitrosodiphenylamine	1.30	U	1.30	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.40	U	1.40	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
95-94-3	1,2,4,5-Tetrachlorobenzene	1.40	U	1.40	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.95	U	0.95	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.95	U	0.95	5.00	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.00	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.00	ug/L
1912-24-9	Atrazine	1.80	U	1.80	10.0	ug/L
1912-24-9	Atrazine	1.80	U	1.80	10.0	ug/L
87-86-5	Pentachlorophenol	2300	E	1.90	10.0	ug/L
87-86-5	Pentachlorophenol	2300	E	1.90	10.0	ug/L
85-01-8	Phenanthrene	1.80	J	1.20	5.00	ug/L
85-01-8	Phenanthrene	1.80	J	1.20	5.00	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.00	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.00	ug/L
86-74-8	Carbazole	1.20	J	1.10	10.0	ug/L
86-74-8	Carbazole	1.20	J	1.10	10.0	ug/L
84-74-2	Di-n-butylphthalate	1.90	U	1.90	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.90	U	1.90	5.00	ug/L
206-44-0	Fluoranthene	1.90	U	1.90	5.00	ug/L
206-44-0	Fluoranthene	1.90	U	1.90	5.00	ug/L
129-00-0	Pyrene	1.80	U	1.80	5.00	ug/L
129-00-0	Pyrene	1.80	U	1.80	5.00	ug/L
85-68-7	Butylbenzylphthalate	2.70	U	2.70	5.00	ug/L
85-68-7	Butylbenzylphthalate	2.70	U	2.70	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	1.40	U	1.40	10.0	ug/L
91-94-1	3,3-Dichlorobenzidine	1.40	U	1.40	10.0	ug/L
56-55-3	Benzo(a)anthracene	1.10	U	1.10	5.00	ug/L
56-55-3	Benzo(a)anthracene	1.10	U	1.10	5.00	ug/L
218-01-9	Chrysene	1.10	U	1.10	5.00	ug/L
218-01-9	Chrysene	1.10	U	1.10	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	3.00	U	3.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	3.00	U	3.00	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
117-84-0	Di-n-octyl phthalate	2.40	U	2.40	10.0	ug/L
117-84-0	Di-n-octyl phthalate	2.40	U	2.40	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	1.40	U	1.40	5.00	ug/L
205-99-2	Benzo(b)fluoranthene	1.40	U	1.40	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	1.40	U	1.40	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	1.40	U	1.40	5.00	ug/L
50-32-8	Benzo(a)pyrene	1.10	U	1.10	5.00	ug/L
50-32-8	Benzo(a)pyrene	1.10	U	1.10	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.40	U	1.40	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.40	U	1.40	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.30	U	1.30	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.30	U	1.30	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	570	E	1.50	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	570	E	1.50	5.00	ug/L

SURROGATES

17647-74-4	1,4-Dioxane-d8	3.70		15 - 120	47%	SPK: 8
7291-22-7	Pyridine-d5	9.70		20 - 120	24%	SPK: 40
17647-74-4	1,4-Dioxane-d8	3.70		15 - 120	47%	SPK: 8
7291-22-7	Pyridine-d5	9.70		20 - 120	24%	SPK: 40
4165-62-2	Phenol-d5	8.50		10 - 130	21%	SPK: 40
4165-62-2	Phenol-d5	8.50		10 - 130	21%	SPK: 40
93952-02-4	Bis-(2-Chloroethyl)ether-d8	24.8		25 - 120	62%	SPK: 40
93952-02-4	Bis-(2-Chloroethyl)ether-d8	24.8		25 - 120	62%	SPK: 40
93951-73-6	2-Chlorophenol-d4	25.6		20 - 130	64%	SPK: 40
93951-73-6	2-Chlorophenol-d4	25.6		20 - 130	64%	SPK: 40
190780-66-6	4-Methylphenol-d8	18.3		25 - 125	46%	SPK: 40
190780-66-6	4-Methylphenol-d8	18.3		25 - 125	46%	SPK: 40
4165-60-0	Nitrobenzene-d5	27.9		20 - 125	70%	SPK: 40

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
4165-60-0	Nitrobenzene-d5	27.9		20 - 125	70%	SPK: 40
93951-78-1	2-Nitrophenol-d4	31.2		20 - 130	78%	SPK: 40
93951-78-1	2-Nitrophenol-d4	31.2		20 - 130	78%	SPK: 40
93951-74-7	2,4-Dichlorophenol-d3	27.2		20 - 120	68%	SPK: 40
93951-74-7	2,4-Dichlorophenol-d3	27.2		20 - 120	68%	SPK: 40
191656-33-4	4-Chloroaniline-d4	7.30		1 - 146	18%	SPK: 40
191656-33-4	4-Chloroaniline-d4	7.30		1 - 146	18%	SPK: 40
85448-30-2	Dimethylphthalate-d6	29.3		25 - 130	73%	SPK: 40
85448-30-2	Dimethylphthalate-d6	29.3		25 - 130	73%	SPK: 40
93951-97-4	Acenaphthylene-d8	28.7		10 - 130	72%	SPK: 40
93951-97-4	Acenaphthylene-d8	28.7		10 - 130	72%	SPK: 40
93951-79-2	4-Nitrophenol-d4	10.3		10 - 150	26%	SPK: 40
93951-79-2	4-Nitrophenol-d4	10.3		10 - 150	26%	SPK: 40
81103-79-9	Fluorene-d10	28.4		25 - 125	71%	SPK: 40
81103-79-9	Fluorene-d10	28.4		25 - 125	71%	SPK: 40
93951-76-9	4,6-Dinitro-2-methylphenol-d2	59.6	*	10 - 130	149%	SPK: 40
93951-76-9	4,6-Dinitro-2-methylphenol-d2	59.6	*	10 - 130	149%	SPK: 40
1719-06-8	Anthracene-d10	31.4		25 - 130	78%	SPK: 40
1719-06-8	Anthracene-d10	31.4		25 - 130	78%	SPK: 40
1718-52-1	Pyrene-d10	31.5		15 - 130	79%	SPK: 40
1718-52-1	Pyrene-d10	31.5		15 - 130	79%	SPK: 40
63466-71-7	Benzo(a)pyrene-d12	31.5		20 - 130	79%	SPK: 40
63466-71-7	Benzo(a)pyrene-d12	31.5		20 - 130	79%	SPK: 40

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	113000	7.699
3855-82-1	1,4-Dichlorobenzene-d4	113000	7.699
1146-65-2	Naphthalene-d8	451000	10.463
1146-65-2	Naphthalene-d8	451000	10.463
15067-26-2	Acenaphthene-d10	364000	14.304
15067-26-2	Acenaphthene-d10	364000	14.304

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1517-22-2	Phenanthrene-d10	845000	17.11			
1517-22-2	Phenanthrene-d10	845000	17.11			
1719-03-5	Chrysene-d12	965000	21.545			
1719-03-5	Chrysene-d12	965000	21.545			
1520-96-3	Perylene-d12	1150000	24.809			
1520-96-3	Perylene-d12	1150000	24.809			
TENTATIVE IDENTIFIED COMPOUNDS						
000611-14-3	Benzene, 1-ethyl-2-methyl-	7.70	J		6.81	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	7.70	J		6.81	ug/L
000108-67-8	Mesitylene	14.0	J		7.36	ug/L
000108-67-8	Mesitylene	14.0	J		7.36	ug/L
000104-76-7	1-Hexanol, 2-ethyl-	20.0	J		7.78	ug/L
000104-76-7	1-Hexanol, 2-ethyl-	20.0	J		7.78	ug/L
1000431-42-6	Hexanal ethyl trans-2-hexenyl acet	7.60	J		7.92	ug/L
1000431-42-6	Hexanal ethyl trans-2-hexenyl acet	7.60	J		7.92	ug/L
000504-20-1	Phorone	10.0	J		9.12	ug/L
000504-20-1	Phorone	10.0	J		9.12	ug/L
000144-19-4	1,3-Pentanediol, 2,2,4-trimethyl-	8.90	J		9.99	ug/L
000144-19-4	1,3-Pentanediol, 2,2,4-trimethyl-	8.90	J		9.99	ug/L
006413-83-8	2,4-Dipropyl-5-ethyl-1,3-dioxane	28.0	J		10.8	ug/L
006413-83-8	2,4-Dipropyl-5-ethyl-1,3-dioxane	28.0	J		10.8	ug/L
	unknown-01	6.30	J		11.5	ug/L
	unknown-01	6.30	J		11.5	ug/L
	unknown-02	20.0	J		11.7	ug/L
	unknown-02	20.0	J		11.7	ug/L
106251-09-6	1H-Pyrazole, 4,5-dihydro-5,5-dimet	18.0	J		12.9	ug/L
106251-09-6	1H-Pyrazole, 4,5-dihydro-5,5-dimet	18.0	J		12.9	ug/L
000109-21-7	Butanoic acid, butyl ester	25.0	J		13.1	ug/L
000109-21-7	Butanoic acid, butyl ester	25.0	J		13.1	ug/L
	unknown-03	13.0	J		13.3	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
	unknown-03	13.0	J		13.3	ug/L
000141-86-6	2,6-Pyridinediamine	18.0	J		13.4	ug/L
000141-86-6	2,6-Pyridinediamine	18.0	J		13.4	ug/L
000575-43-9	Naphthalene, 1,6-dimethyl-	30.0	J		13.5	ug/L
000575-43-9	Naphthalene, 1,6-dimethyl-	30.0	J		13.5	ug/L
000582-16-1	Naphthalene, 2,7-dimethyl-	23.0	J		13.6	ug/L
000582-16-1	Naphthalene, 2,7-dimethyl-	23.0	J		13.6	ug/L
000529-16-8	Bicyclo[2.2.1]hept-2-ene, 2,3-dime	91.0	J		13.7	ug/L
000529-16-8	Bicyclo[2.2.1]hept-2-ene, 2,3-dime	91.0	J		13.7	ug/L
	unknown-04	12.0	J		13.9	ug/L
	unknown-04	12.0	J		13.9	ug/L
	unknown-05	16.0	J		14.2	ug/L
	unknown-05	16.0	J		14.2	ug/L
035322-84-0	1H-Inden-1-one, 2,3-dihydro-3,4,7-	24.0	J		14.5	ug/L
035322-84-0	1H-Inden-1-one, 2,3-dihydro-3,4,7-	24.0	J		14.5	ug/L
	unknown-06	29.0	J		14.8	ug/L
	unknown-06	29.0	J		14.8	ug/L
000935-95-5	Phenol, 2,3,5,6-tetrachloro-	11.0	J		14.9	ug/L
000935-95-5	Phenol, 2,3,5,6-tetrachloro-	11.0	J		14.9	ug/L
000941-81-1	4,6,8-Trimethylazulene	18.0	J		15.1	ug/L
000941-81-1	4,6,8-Trimethylazulene	18.0	J		15.1	ug/L
	unknown-07	29.0	J		15.1	ug/L
	unknown-07	29.0	J		15.1	ug/L
014679-13-1	Benzene, 1,3,5-trimethyl-2-(1-meth	27.0	J		15.2	ug/L
014679-13-1	Benzene, 1,3,5-trimethyl-2-(1-meth	27.0	J		15.2	ug/L
000933-98-2	Benzene, 1-ethyl-2,3-dimethyl-	27.0	J		15.3	ug/L
000933-98-2	Benzene, 1-ethyl-2,3-dimethyl-	27.0	J		15.3	ug/L
000119-61-9	Benzophenone	23.0	J		15.7	ug/L
000119-61-9	Benzophenone	23.0	J		15.7	ug/L
	unknown-08	8.80	J		16.2	ug/L
	unknown-08	8.80	J		16.2	ug/L

Report of Analysis

Client:	USEPA CLP Organics	Date Collected:	09/09/24
Project:	51486	Date Received:	09/14/24
Client Sample ID:	DDC37	SDG No.:	P4022
Lab Sample ID:	P4022-01	Matrix:	Water
Analytical Method:	SFAM_SVOC	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022118.D	1	09/26/24 08:15	09/30/24 18:44	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
	unknown-09	8.00	J		16.6	ug/L
	unknown-09	8.00	J		16.6	ug/L
	unknown-10	10.0	J		16.6	ug/L
	unknown-10	10.0	J		16.6	ug/L
	unknown-11	7.20	J		17.4	ug/L
	unknown-11	7.20	J		17.4	ug/L
E966796	Total Alkanes	97.0			99.0	ug/L
E966796	Total Alkanes	97.0			99.0	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products