

Report of Analysis

Client:	USEPA CLP Organics		Date Collected:	
Project:	51486		Date Received:	
Client Sample ID:	PB163716BS		SDG No.:	P4022
Lab Sample ID:	PB163716BS		Matrix:	Water
Analytical Method:	SFAM_SVOC		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SPLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022195.D	1	09/26/24 08:15	10/03/24 14:28	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	7.40		0.35	2.00	ug/L
100-52-7	Benzaldehyde	24.0		1.10	10.0	ug/L
108-95-2	Phenol	24.0		1.60	10.0	ug/L
111-44-4	Bis(2-Chloroethyl)ether	24.0		1.40	10.0	ug/L
95-57-8	2-Chlorophenol	27.0		0.91	5.00	ug/L
95-48-7	2-Methylphenol	25.0		1.50	10.0	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	24.0		1.90	10.0	ug/L
98-86-2	Acetophenone	25.0		1.50	10.0	ug/L
106-44-5	4-Methylphenol	25.0		1.70	10.0	ug/L
621-64-7	N-Nitroso-di-n-propylamine	24.0		1.90	5.00	ug/L
67-72-1	Hexachloroethane	24.0		1.10	5.00	ug/L
98-95-3	Nitrobenzene	23.0		1.40	5.00	ug/L
78-59-1	Isophorone	25.0		1.70	5.00	ug/L
88-75-5	2-Nitrophenol	28.0		1.20	5.00	ug/L
105-67-9	2,4-Dimethylphenol	23.0		0.69	5.00	ug/L
111-91-1	Bis(2-Chloroethoxy)methane	24.0		1.50	5.00	ug/L
120-83-2	2,4-Dichlorophenol	27.0		1.10	5.00	ug/L
91-20-3	Naphthalene	26.0		0.94	5.00	ug/L
106-47-8	4-Chloroaniline	20.0		0.94	10.0	ug/L
87-68-3	Hexachlorobutadiene	25.0		1.50	5.00	ug/L
105-60-2	Caprolactam	24.0		2.60	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	26.0		1.60	5.00	ug/L
90-12-0	1-Methylnaphthalene	25.0		0.91	5.00	ug/L
91-57-6	2-Methylnaphthalene	25.0		1.10	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	20.0		3.10	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	27.0		2.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	27.0		1.60	5.00	ug/L
92-52-4	1,1-Biphenyl	26.0		1.10	5.00	ug/L
91-58-7	2-Chloronaphthalene	26.0		1.10	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics		Date Collected:	
Project:	51486		Date Received:	
Client Sample ID:	PB163716BS		SDG No.:	P4022
Lab Sample ID:	PB163716BS		Matrix:	Water
Analytical Method:	SFAM_SVOC		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SPLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022195.D	1	09/26/24 08:15	10/03/24 14:28	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
88-74-4	2-Nitroaniline	24.0		1.80	5.00	ug/L
131-11-3	Dimethylphthalate	25.0		1.10	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	27.0		1.70	5.00	ug/L
208-96-8	Acenaphthylene	26.0		1.20	5.00	ug/L
99-09-2	3-Nitroaniline	26.0		1.60	10.0	ug/L
83-32-9	Acenaphthene	25.0		0.96	5.00	ug/L
51-28-5	2,4-Dinitrophenol	19.0		1.80	10.0	ug/L
100-02-7	4-Nitrophenol	22.0		1.40	10.0	ug/L
132-64-9	Dibenzofuran	25.0		1.10	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	26.0		1.50	5.00	ug/L
84-66-2	Diethylphthalate	25.0		1.30	5.00	ug/L
86-73-7	Fluorene	25.0		0.94	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	25.0		1.10	5.00	ug/L
100-01-6	4-Nitroaniline	27.0		0.83	10.0	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	22.0		2.40	10.0	ug/L
86-30-6	N-Nitrosodiphenylamine	27.0		1.30	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	26.0		1.40	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	28.0		0.95	5.00	ug/L
118-74-1	Hexachlorobenzene	29.0		1.20	5.00	ug/L
1912-24-9	Atrazine	19.0		1.80	10.0	ug/L
87-86-5	Pentachlorophenol	25.0		1.90	10.0	ug/L
85-01-8	Phenanthrene	26.0		1.20	5.00	ug/L
120-12-7	Anthracene	26.0		1.10	5.00	ug/L
86-74-8	Carbazole	25.0		1.10	10.0	ug/L
84-74-2	Di-n-butylphthalate	26.0		1.90	5.00	ug/L
206-44-0	Fluoranthene	29.0		1.90	5.00	ug/L
129-00-0	Pyrene	28.0		1.80	5.00	ug/L
85-68-7	Butylbenzylphthalate	29.0		2.70	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	27.0		1.40	10.0	ug/L
56-55-3	Benzo(a)anthracene	26.0		1.10	5.00	ug/L
218-01-9	Chrysene	25.0		1.10	5.00	ug/L

Report of Analysis

Client:	USEPA CLP Organics		Date Collected:	
Project:	51486		Date Received:	
Client Sample ID:	PB163716BS		SDG No.:	P4022
Lab Sample ID:	PB163716BS		Matrix:	Water
Analytical Method:	SFAM_SVOC		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SPLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022195.D	1	09/26/24 08:15	10/03/24 14:28	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
117-81-7	Bis(2-ethylhexyl)phthalate	29.0		3.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	27.0		2.40	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	25.0		1.40	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	25.0		1.40	5.00	ug/L
50-32-8	Benzo(a)pyrene	24.0		1.10	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	26.0		1.40	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	26.0		1.30	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	26.0		1.20	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	25.0		1.50	5.00	ug/L
SURROGATES						
17647-74-4	1,4-Dioxane-d8	4.20		15 - 120	53%	SPK: 8
7291-22-7	Pyridine-d5	21.2		20 - 120	53%	SPK: 40
4165-62-2	Phenol-d5	24.7		10 - 130	62%	SPK: 40
93952-02-4	Bis-(2-Chloroethyl)ether-d8	22.8		25 - 120	57%	SPK: 40
93951-73-6	2-Chlorophenol-d4	27.3		20 - 130	68%	SPK: 40
190780-66-6	4-Methylphenol-d8	26.2		25 - 125	66%	SPK: 40
4165-60-0	Nitrobenzene-d5	26.5		20 - 125	66%	SPK: 40
93951-78-1	2-Nitrophenol-d4	29.0		20 - 130	72%	SPK: 40
93951-74-7	2,4-Dichlorophenol-d3	27.5		20 - 120	69%	SPK: 40
191656-33-4	4-Chloroaniline-d4	23.8		1 - 146	60%	SPK: 40
85448-30-2	Dimethylphthalate-d6	25.9		25 - 130	65%	SPK: 40
93951-97-4	Acenaphthylene-d8	26.7		10 - 130	67%	SPK: 40
93951-79-2	4-Nitrophenol-d4	23.6		10 - 150	59%	SPK: 40
81103-79-9	Fluorene-d10	25.2		25 - 125	63%	SPK: 40
93951-76-9	4,6-Dinitro-2-methylphenol-d2	22.0		10 - 130	55%	SPK: 40
1719-06-8	Anthracene-d10	26.2		25 - 130	66%	SPK: 40
1718-52-1	Pyrene-d10	29.0		15 - 130	73%	SPK: 40
63466-71-7	Benzo(a)pyrene-d12	26.4		20 - 130	66%	SPK: 40

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	131000	7.693
-----------	------------------------	--------	-------

Report of Analysis

Client:	USEPA CLP Organics		Date Collected:	
Project:	51486		Date Received:	
Client Sample ID:	PB163716BS		SDG No.:	P4022
Lab Sample ID:	PB163716BS		Matrix:	Water
Analytical Method:	SFAM_SVOC		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SPLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP022195.D	1	09/26/24 08:15	10/03/24 14:28	PB163716

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1146-65-2	Naphthalene-d8	505000	10.457			
15067-26-2	Acenaphthene-d10	387000	14.304			
1517-22-2	Phenanthrene-d10	887000	17.098			
1719-03-5	Chrysene-d12	861000	21.539			
1520-96-3	Perylene-d12	1010000	24.816			
TENTATIVE IDENTIFIED COMPOUNDS						
E966796	Total Alkanes	0			99.0	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products