

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 09/23/2024 Time : 08:50 Temp : N/A

Matrix : SOIL

End Digest Date: 09/23/2024 Time : 10:20 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

09/23/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
P4103-02	WC-22A	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-02DUP	WC-22ADUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-05	WC-14-5-7.5A	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-08	WC-14-5-7.5B	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-11	WC-14-7.5-10A	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-14	WC-14-7.5-10B	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4103-17	WC-23	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4119-01	TRANSFOMER-OIL	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4119-03	OILY-DEBRIS	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4120-14	RB24085	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4121-01	COMP-1	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4121-02	COMP-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4138-02	LIBERTY-AVE-TP-COMP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4140-01	MOO-23-00305	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
PB163550BL	PBS550	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A