

Hit Summary Sheet SW-846

SDG No.: P4103 **Order ID:** P4103
Client: ENTACT **Project ID:** North Point

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : WC-22A								
P4103-02	WC-22A	TCLP	Barium	1410		62.8	500	ug/L
P4103-02	WC-22A	TCLP	Cadmium	2.25	J	0.94	30.0	ug/L
P4103-02	WC-22A	TCLP	Lead	84.2		35.1	60.0	ug/L
P4103-02	WC-22A	TCLP	Nickel	36.4	J	8.50	200	ug/L
P4103-02	WC-22A	TCLP	Zinc	791		17.5	200	ug/L
Client ID : WC-14-5-7.5A								
P4103-05	WC-14-5-7.5A	TCLP	Barium	529		62.8	500	ug/L
P4103-05	WC-14-5-7.5A	TCLP	Nickel	9.09	J	8.50	200	ug/L
P4103-05	WC-14-5-7.5A	TCLP	Zinc	37.0	J	17.5	200	ug/L
Client ID : WC-14-5-7.5B								
P4103-08	WC-14-5-7.5B	TCLP	Barium	1600		62.8	500	ug/L
P4103-08	WC-14-5-7.5B	TCLP	Chromium	20.5	J	6.60	50.0	ug/L
P4103-08	WC-14-5-7.5B	TCLP	Iron	367	J	185	500	ug/L
P4103-08	WC-14-5-7.5B	TCLP	Nickel	48.0	J	8.50	200	ug/L
P4103-08	WC-14-5-7.5B	TCLP	Zinc	615		17.5	200	ug/L
Client ID : WC-14-7.5-10A								
P4103-11	WC-14-7.5-10A	TCLP	Barium	2780		62.8	500	ug/L
P4103-11	WC-14-7.5-10A	TCLP	Beryllium	2.50	J	1.30	30.0	ug/L
P4103-11	WC-14-7.5-10A	TCLP	Iron	48400		185	500	ug/L
P4103-11	WC-14-7.5-10A	TCLP	Nickel	99.0	J	8.50	200	ug/L
P4103-11	WC-14-7.5-10A	TCLP	Zinc	803		17.5	200	ug/L
Client ID : WC-14-7.5-10B								
P4103-14	WC-14-7.5-10B	TCLP	Aluminum	460	J	283	500	ug/L
P4103-14	WC-14-7.5-10B	TCLP	Barium	3070		62.8	500	ug/L
P4103-14	WC-14-7.5-10B	TCLP	Cadmium	2.15	J	0.94	30.0	ug/L
P4103-14	WC-14-7.5-10B	TCLP	Iron	3050		185	500	ug/L
P4103-14	WC-14-7.5-10B	TCLP	Nickel	36.7	J	8.50	200	ug/L
P4103-14	WC-14-7.5-10B	TCLP	Zinc	2370		17.5	200	ug/L
Client ID : WC-23								
P4103-17	WC-23	TCLP	Barium	2290		62.8	500	ug/L
P4103-17	WC-23	TCLP	Iron	10400		185	500	ug/L
P4103-17	WC-23	TCLP	Nickel	32.6	J	8.50	200	ug/L
P4103-17	WC-23	TCLP	Zinc	1030		17.5	200	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-22A	SDG No.:	P4103
Lab Sample ID:	P4103-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	283	U	1	283	500	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-39-3	Barium	1410		1	62.8	500	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-41-7	Beryllium	1.30	U	1	1.30	30.0	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-43-9	Cadmium	2.25	J	1	0.94	30.0	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7439-89-6	Iron	185	U	1	185	500	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7439-92-1	Lead	84.2		1	35.1	60.0	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:38	SW7470A	
7440-02-0	Nickel	36.4	J	1	8.50	200	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050
7440-66-6	Zinc	791		1	17.5	200	ug/L	09/20/24 13:30	09/23/24 15:53	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-14-5-7.5A	SDG No.:	P4103
Lab Sample ID:	P4103-05	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	283	U	1	283	500	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-39-3	Barium	529		1	62.8	500	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-41-7	Beryllium	1.30	U	1	1.30	30.0	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-43-9	Cadmium	0.94	U	1	0.94	30.0	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7439-89-6	Iron	185	U	1	185	500	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:40	SW7470A	
7440-02-0	Nickel	9.09	J	1	8.50	200	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050
7440-66-6	Zinc	37.0	J	1	17.5	200	ug/L	09/20/24 13:30	09/23/24 15:57	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-14-5-7.5B	SDG No.:	P4103
Lab Sample ID:	P4103-08	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	283	U	1	283	500	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-39-3	Barium	1600		1	62.8	500	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-41-7	Beryllium	1.30	U	1	1.30	30.0	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-43-9	Cadmium	0.94	U	1	0.94	30.0	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-47-3	Chromium	20.5	J	1	6.60	50.0	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7439-89-6	Iron	367	J	1	185	500	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:42	SW7470A	
7440-02-0	Nickel	48.0	J	1	8.50	200	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050
7440-66-6	Zinc	615		1	17.5	200	ug/L	09/20/24 13:30	09/23/24 16:01	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-14-7.5-10A	SDG No.:	P4103
Lab Sample ID:	P4103-11	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	283	U	1	283	500	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-39-3	Barium	2780		1	62.8	500	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-41-7	Beryllium	2.50	J	1	1.30	30.0	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-43-9	Cadmium	0.94	U	1	0.94	30.0	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7439-89-6	Iron	48400		1	185	500	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:45	SW7470A	
7440-02-0	Nickel	99.0	J	1	8.50	200	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050
7440-66-6	Zinc	803		1	17.5	200	ug/L	09/20/24 13:30	09/23/24 16:06	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-14-7.5-10B	SDG No.:	P4103
Lab Sample ID:	P4103-14	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	460	J	1	283	500	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-39-3	Barium	3070		1	62.8	500	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-41-7	Beryllium	1.30	U	1	1.30	30.0	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-43-9	Cadmium	2.15	J	1	0.94	30.0	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7439-89-6	Iron	3050		1	185	500	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:52	SW7470A	
7440-02-0	Nickel	36.7	J	1	8.50	200	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050
7440-66-6	Zinc	2370		1	17.5	200	ug/L	09/20/24 13:30	09/24/24 17:07	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-23	SDG No.:	P4103
Lab Sample ID:	P4103-17	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	283	U	1	283	500	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-39-3	Barium	2290		1	62.8	500	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-41-7	Beryllium	1.30	U	1	1.30	30.0	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-43-9	Cadmium	0.94	U	1	0.94	30.0	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-50-8	Copper	70.7	U	1	70.7	100	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7439-89-6	Iron	10400		1	185	500	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	09/20/24 13:00	09/21/24 21:54	SW7470A	
7440-02-0	Nickel	32.6	J	1	8.50	200	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050
7440-66-6	Zinc	1030		1	17.5	200	ug/L	09/20/24 13:30	09/23/24 16:15	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4103	OrderDate:	9/18/2024 3:16:00 PM
Client:	ENTACT	Project:	North Point
Contact:	Wyatt Seel	Location:	J11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4103-01	WC-22A	SOIL			09/17/24			09/18/24
			Mercury	7471B		09/20/24	09/20/24	
			Metals ICP-Group1	6010D		09/20/24	09/23/24	
P4103-02	WC-22A	TCLP			09/17/24			09/18/24
			TCLP Mercury	7470A		09/20/24	09/21/24	
			TCLPMetals Group2	6010D		09/20/24	09/23/24	
P4103-04	WC-14-5-7.5A	SOIL			09/17/24			09/18/24
			Mercury	7471B		09/20/24	09/20/24	
			Metals ICP-Group1	6010D		09/20/24	09/23/24	
P4103-05	WC-14-5-7.5A	TCLP			09/17/24			09/18/24
			TCLP Mercury	7470A		09/20/24	09/21/24	
			TCLPMetals Group2	6010D		09/20/24	09/23/24	
P4103-07	WC-14-5-7.5B	SOIL			09/17/24			09/18/24
			Mercury	7471B		09/20/24	09/20/24	
			Metals ICP-Group1	6010D		09/20/24	09/23/24	
P4103-08	WC-14-5-7.5B	TCLP			09/17/24			09/18/24
			TCLP Mercury	7470A		09/20/24	09/21/24	
			TCLPMetals Group2	6010D		09/20/24	09/23/24	
P4103-10	WC-14-7.5-10A	SOIL			09/17/24			09/18/24
			Mercury	7471B		09/20/24	09/20/24	
			Metals ICP-Group1	6010D		09/20/24	09/23/24	
P4103-11	WC-14-7.5-10A	TCLP			09/17/24			09/18/24
			TCLP Mercury	7470A		09/20/24	09/21/24	
			TCLPMetals Group2	6010D		09/20/24	09/23/24	
P4103-13	WC-14-7.5-10B	SOIL			09/17/24			09/18/24

LAB CHRONICLE

P4103-14	WC-14-7.5-10B	TCLP	Mercury	7471B	09/20/24	09/20/24	09/17/24	09/18/24
			Metals ICP-Group1	6010D	09/20/24	09/23/24		
P4103-16	WC-23	SOIL	TCLP Mercury	7470A	09/20/24	09/21/24	09/17/24	09/18/24
			TCLPMetals Group2	6010D	09/20/24	09/24/24		
P4103-17	WC-23	TCLP	Mercury	7471B	09/20/24	09/20/24	09/17/24	09/18/24
			Metals ICP-Group1	6010D	09/20/24	09/23/24		
			TCLP Mercury	7470A	09/20/24	09/21/24		
			TCLPMetals Group2	6010D	09/20/24	09/23/24		