

Report of Analysis

Client:	ENTACT	Date Collected:	09/17/24
Project:	North Point	Date Received:	09/18/24
Client Sample ID:	WC-14-5-7.5B	SDG No.:	P4103
Lab Sample ID:	P4103-07	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	90.1
Sample Wt/Vol:	30.07	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF014545.D	25	09/19/24 11:09	09/19/24 22:53	PB163522

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	242000		5120	46100	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.52		37 - 130	65%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit