

## Report of Analysis

Client:	ENTACT		Date Collected:	09/17/24	
Project:	North Point		Date Received:	09/18/24	
Client Sample ID:	WC-14-7.5-10B		SDG No.:	P4103	
Lab Sample ID:	P4103-13		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	88.1	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF014555.D	25	09/19/24 11:09	09/20/24 9:03	PB163522

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
DRO	DRO	90700		5240	47200	ug/kg
<b>SURROGATES</b>						
16416-32-3	Tetracosane-d50	0.50		37 - 130	62%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit