

nteres

Instrument :

FID_B

ClientSampleId :

WC-23MSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB09192
Data File : FB030951.D
Signal(s) : FID2B.CH
Acq On : 20 Sep 2024 5:09
Sample : P4103-16MSD 50X
Misc : 5.02G/5.00 ML ME0H
ALS Vial : 31 Sample Multiplier: 1

Reviewed By :Yogesh
Patel

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB082724.M
Title :

09/20/2024
Supervised By :Ankita
Jodhani

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max	% of total
1	4.701	4.520	4.849	BV	7132	469040	34.07%	3.259%
2	5.547	5.528	5.563	PV	29	299	0.02%	0.002%
3	5.689	5.563	5.711	VV	52	3149	0.23%	0.022%
4	5.966	5.711	6.162	VV	1800	163212	11.85%	1.134%
5	6.372	6.162	6.557	VV	608	46373	3.37%	0.322%
6	7.113	6.966	7.253	VV	4629	505805	36.74%	3.515%
7	7.412	7.253	7.587	VV	14375	1230740	89.39%	8.552%
8	7.743	7.587	7.819	VV	5734	373275	27.11%	2.594%
9	7.879	7.819	7.993	VV	4048	214594	15.59%	1.491%
10	8.544	8.338	8.669	VV	2830	330865	24.03%	2.299%
11	8.791	8.669	8.952	VV	4403	347535	25.24%	2.415%
12	9.160	8.952	9.256	VV	5202	430003	31.23%	2.988%
13	9.378	9.256	9.537	VV	10712	883535	64.17%	6.139%
14	9.641	9.537	9.927	VV	5502	561367	40.77%	3.901%
15	10.189	10.080	10.219	VV	1211	61613	4.47%	0.428%
16	10.300	10.219	10.406	VV	3818	236591	17.18%	1.644%
17	10.467	10.406	10.520	VV	1072	66984	4.86%	0.465%
18	10.614	10.520	10.736	VV	12495	632341	45.93%	4.394%
19	10.789	10.736	10.868	VV	1256	74145	5.38%	0.515%
20	10.954	10.868	11.071	VV	1410	110552	8.03%	0.768%
21	11.875	11.471	11.981	VV	7780	660482	47.97%	4.589%
22	12.091	11.981	12.240	VV	5740	334031	24.26%	2.321%
23	12.337	12.240	12.444	VV	987	62208	4.52%	0.432%
24	12.511	12.444	12.573	PV	41	2130	0.15%	0.015%
25	12.759	12.573	12.897	PV	4046	248144	18.02%	1.724%
26	13.049	12.897	13.107	VV	10789	543587	39.48%	3.777%
27	13.180	13.107	13.281	VV	25989	1167841	84.82%	8.115%
28	13.533	13.430	13.641	VV	2050	119925	8.71%	0.833%
29	13.910	13.641	13.998	VV	9606	487519	35.41%	3.387%
30	14.170	13.998	14.318	VV	4648	506962	36.82%	3.523%
31	14.420	14.318	14.481	VV	2640	138720	10.07%	0.964%
32	15.065	14.973	15.122	VV	2972	166424	12.09%	1.156%
33	15.218	15.122	15.310	VV	8966	494826	35.94%	3.438%
34	15.405	15.310	15.458	VV	13162	662366	48.11%	4.602%
35	15.496	15.458	15.631	VV	10209	459811	33.40%	3.195%
36	15.943	15.852	16.079	VV	4479	217961	15.83%	1.514%

37 16.185 16.079 16.309 PV 33750 1376885 100.00% 9.567%
Sum of corrected areas: 143

FB082724.M Fri Sep 20 06:34:04 2024

Instrument :
FID_B
ClientSampleId :
WC-23MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh
Patel

09/20/2024
Supervised By :Ankita
Jodhani

09/20/2024