

## Analytical Sequence

Client: ENTACT

SDG No.: P4103

Project: North Point

Instrument ID: ECD\_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/09/2024

09/09/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 09/09/2024       | 15:14            | PO106313.D | 10.20       | 4.45        |
| AR1660ICC1000     | AR1660ICC1000    | 09/09/2024       | 15:31            | PO106314.D | 10.20       | 4.45        |
| AR1660ICC750      | AR1660ICC750     | 09/09/2024       | 15:49            | PO106315.D | 10.20       | 4.45        |
| AR1660ICC500      | AR1660ICC500     | 09/09/2024       | 16:06            | PO106316.D | 10.20       | 4.45        |
| AR1660ICC250      | AR1660ICC250     | 09/09/2024       | 16:23            | PO106317.D | 10.20       | 4.45        |
| AR1660ICC050      | AR1660ICC050     | 09/09/2024       | 16:41            | PO106318.D | 10.20       | 4.45        |
| AR1221ICC500      | AR1221ICC500     | 09/09/2024       | 16:58            | PO106319.D | 10.20       | 4.45        |
| AR1232ICC500      | AR1232ICC500     | 09/09/2024       | 17:15            | PO106320.D | 10.20       | 4.45        |
| AR1242ICC1000     | AR1242ICC1000    | 09/09/2024       | 17:33            | PO106321.D | 10.20       | 4.45        |
| AR1242ICC750      | AR1242ICC750     | 09/09/2024       | 17:50            | PO106322.D | 10.20       | 4.45        |
| AR1242ICC500      | AR1242ICC500     | 09/09/2024       | 18:07            | PO106323.D | 10.20       | 4.45        |
| AR1242ICC250      | AR1242ICC250     | 09/09/2024       | 18:25            | PO106324.D | 10.20       | 4.45        |
| AR1242ICC050      | AR1242ICC050     | 09/09/2024       | 18:42            | PO106325.D | 10.20       | 4.45        |
| AR1248ICC1000     | AR1248ICC1000    | 09/09/2024       | 19:00            | PO106326.D | 10.20       | 4.45        |
| AR1248ICC750      | AR1248ICC750     | 09/09/2024       | 19:17            | PO106327.D | 10.20       | 4.45        |
| AR1248ICC500      | AR1248ICC500     | 09/09/2024       | 19:35            | PO106328.D | 10.20       | 4.45        |
| AR1248ICC250      | AR1248ICC250     | 09/09/2024       | 19:52            | PO106329.D | 10.20       | 4.45        |
| AR1248ICC050      | AR1248ICC050     | 09/09/2024       | 20:09            | PO106330.D | 10.20       | 4.45        |
| AR1254ICC1000     | AR1254ICC1000    | 09/09/2024       | 20:27            | PO106331.D | 10.20       | 4.45        |
| AR1254ICC750      | AR1254ICC750     | 09/09/2024       | 20:44            | PO106332.D | 10.20       | 4.45        |
| AR1254ICC500      | AR1254ICC500     | 09/09/2024       | 21:01            | PO106333.D | 10.19       | 4.45        |
| AR1254ICC250      | AR1254ICC250     | 09/09/2024       | 21:19            | PO106334.D | 10.19       | 4.45        |
| AR1254ICC050      | AR1254ICC050     | 09/09/2024       | 21:36            | PO106335.D | 10.19       | 4.45        |
| AR1262ICC500      | AR1262ICC500     | 09/09/2024       | 21:53            | PO106336.D | 10.20       | 4.45        |
| AR1268ICC1000     | AR1268ICC1000    | 09/09/2024       | 22:11            | PO106337.D | 10.19       | 4.45        |
| AR1268ICC750      | AR1268ICC750     | 09/09/2024       | 22:28            | PO106338.D | 10.19       | 4.45        |
| AR1268ICC500      | AR1268ICC500     | 09/09/2024       | 22:46            | PO106339.D | 10.19       | 4.45        |
| AR1268ICC250      | AR1268ICC250     | 09/09/2024       | 23:03            | PO106340.D | 10.19       | 4.45        |
| AR1268ICC050      | AR1268ICC050     | 09/09/2024       | 23:20            | PO106341.D | 10.19       | 4.45        |
| AR1660CCC500      | AR1660CCC500     | 09/19/2024       | 14:10            | PO106689.D | 10.20       | 4.45        |
| IBLK              | IBLK             | 09/19/2024       | 15:22            | PO106693.D | 10.19       | 4.45        |
| PB163523BL        | PB163523BL       | 09/19/2024       | 16:21            | PO106694.D | 10.20       | 4.45        |
| PB163523BS        | PB163523BS       | 09/19/2024       | 16:39            | PO106695.D | 10.20       | 4.45        |
| WC-22A            | P4103-01         | 09/19/2024       | 17:14            | PO106697.D | 10.20       | 4.45        |
| WC-14-5-7.5A      | P4103-04         | 09/19/2024       | 17:33            | PO106698.D | 10.20       | 4.45        |
| WC-14-5-7.5B      | P4103-07         | 09/19/2024       | 17:51            | PO106699.D | 10.20       | 4.45        |
| WC-14-5-7.5BMS    | P4103-07MS       | 09/19/2024       | 18:09            | PO106700.D | 10.20       | 4.45        |
| WC-14-5-7.5BMSD   | P4103-07MSD      | 09/19/2024       | 18:27            | PO106701.D | 10.20       | 4.45        |
| WC-14-7.5-10A     | P4103-10         | 09/19/2024       | 18:44            | PO106702.D | 10.20       | 4.45        |
| WC-14-7.5-10B     | P4103-13         | 09/19/2024       | 19:03            | PO106703.D | 10.20       | 4.45        |
| AR1660CCC500      | AR1660CCC500     | 09/19/2024       | 20:03            | PO106704.D | 10.20       | 4.45        |
| IBLK              | IBLK             | 09/19/2024       | 21:16            | PO106708.D | 10.20       | 4.45        |

### Analytical Sequence

|              |              |            |       |            |       |      |
|--------------|--------------|------------|-------|------------|-------|------|
| WC-23        | P4103-16     | 09/19/2024 | 21:35 | PO106709.D | 10.20 | 4.45 |
| AR1660CCC500 | AR1660CCC500 | 09/19/2024 | 22:54 | PO106711.D | 10.20 | 4.45 |
| LBLK         | LBLK         | 09/20/2024 | 00:06 | PO106715.D | 10.20 | 4.45 |

## Analytical Sequence

**Client:** ENTACT

**SDG No.:** P4103

**Project:** North Point

**Instrument ID:** ECD\_O

**GC Column:** ZB-MR2

**ID:** 0.32 (mm)

**Inst. Calib. Date(s):** 09/09/2024

09/09/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 09/09/2024       | 15:14            | PO106313.D | 8.75        | 3.72        |
| AR1660ICC1000     | AR1660ICC1000    | 09/09/2024       | 15:31            | PO106314.D | 8.75        | 3.72        |
| AR1660ICC750      | AR1660ICC750     | 09/09/2024       | 15:49            | PO106315.D | 8.75        | 3.72        |
| AR1660ICC500      | AR1660ICC500     | 09/09/2024       | 16:06            | PO106316.D | 8.75        | 3.72        |
| AR1660ICC250      | AR1660ICC250     | 09/09/2024       | 16:23            | PO106317.D | 8.75        | 3.72        |
| AR1660ICC050      | AR1660ICC050     | 09/09/2024       | 16:41            | PO106318.D | 8.75        | 3.72        |
| AR1221ICC500      | AR1221ICC500     | 09/09/2024       | 16:58            | PO106319.D | 8.75        | 3.72        |
| AR1232ICC500      | AR1232ICC500     | 09/09/2024       | 17:15            | PO106320.D | 8.75        | 3.72        |
| AR1242ICC1000     | AR1242ICC1000    | 09/09/2024       | 17:33            | PO106321.D | 8.75        | 3.72        |
| AR1242ICC750      | AR1242ICC750     | 09/09/2024       | 17:50            | PO106322.D | 8.75        | 3.72        |
| AR1242ICC500      | AR1242ICC500     | 09/09/2024       | 18:07            | PO106323.D | 8.75        | 3.72        |
| AR1242ICC250      | AR1242ICC250     | 09/09/2024       | 18:25            | PO106324.D | 8.75        | 3.72        |
| AR1242ICC050      | AR1242ICC050     | 09/09/2024       | 18:42            | PO106325.D | 8.74        | 3.72        |
| AR1248ICC1000     | AR1248ICC1000    | 09/09/2024       | 19:00            | PO106326.D | 8.75        | 3.72        |
| AR1248ICC750      | AR1248ICC750     | 09/09/2024       | 19:17            | PO106327.D | 8.74        | 3.72        |
| AR1248ICC500      | AR1248ICC500     | 09/09/2024       | 19:35            | PO106328.D | 8.74        | 3.72        |
| AR1248ICC250      | AR1248ICC250     | 09/09/2024       | 19:52            | PO106329.D | 8.74        | 3.72        |
| AR1248ICC050      | AR1248ICC050     | 09/09/2024       | 20:09            | PO106330.D | 8.74        | 3.72        |
| AR1254ICC1000     | AR1254ICC1000    | 09/09/2024       | 20:27            | PO106331.D | 8.74        | 3.72        |
| AR1254ICC750      | AR1254ICC750     | 09/09/2024       | 20:44            | PO106332.D | 8.74        | 3.72        |
| AR1254ICC500      | AR1254ICC500     | 09/09/2024       | 21:01            | PO106333.D | 8.74        | 3.72        |
| AR1254ICC250      | AR1254ICC250     | 09/09/2024       | 21:19            | PO106334.D | 8.74        | 3.72        |
| AR1254ICC050      | AR1254ICC050     | 09/09/2024       | 21:36            | PO106335.D | 8.74        | 3.72        |
| AR1262ICC500      | AR1262ICC500     | 09/09/2024       | 21:53            | PO106336.D | 8.74        | 3.72        |
| AR1268ICC1000     | AR1268ICC1000    | 09/09/2024       | 22:11            | PO106337.D | 8.74        | 3.72        |
| AR1268ICC750      | AR1268ICC750     | 09/09/2024       | 22:28            | PO106338.D | 8.74        | 3.72        |
| AR1268ICC500      | AR1268ICC500     | 09/09/2024       | 22:46            | PO106339.D | 8.74        | 3.72        |
| AR1268ICC250      | AR1268ICC250     | 09/09/2024       | 23:03            | PO106340.D | 8.74        | 3.72        |
| AR1268ICC050      | AR1268ICC050     | 09/09/2024       | 23:20            | PO106341.D | 8.74        | 3.72        |
| AR1660CCC500      | AR1660CCC500     | 09/19/2024       | 14:10            | PO106689.D | 8.74        | 3.71        |
| IBLK              | IBLK             | 09/19/2024       | 15:22            | PO106693.D | 8.74        | 3.71        |
| PB163523BL        | PB163523BL       | 09/19/2024       | 16:21            | PO106694.D | 8.74        | 3.71        |
| PB163523BS        | PB163523BS       | 09/19/2024       | 16:39            | PO106695.D | 8.74        | 3.71        |
| WC-22A            | P4103-01         | 09/19/2024       | 17:14            | PO106697.D | 8.74        | 3.71        |
| WC-14-5-7.5A      | P4103-04         | 09/19/2024       | 17:33            | PO106698.D | 8.74        | 3.71        |
| WC-14-5-7.5B      | P4103-07         | 09/19/2024       | 17:51            | PO106699.D | 8.74        | 3.71        |
| WC-14-5-7.5BMS    | P4103-07MS       | 09/19/2024       | 18:09            | PO106700.D | 8.74        | 3.71        |
| WC-14-5-7.5BMSD   | P4103-07MSD      | 09/19/2024       | 18:27            | PO106701.D | 8.74        | 3.71        |
| WC-14-7.5-10A     | P4103-10         | 09/19/2024       | 18:44            | PO106702.D | 8.74        | 3.71        |
| WC-14-7.5-10B     | P4103-13         | 09/19/2024       | 19:03            | PO106703.D | 8.74        | 3.71        |
| AR1660CCC500      | AR1660CCC500     | 09/19/2024       | 20:03            | PO106704.D | 8.74        | 3.71        |
| IBLK              | IBLK             | 09/19/2024       | 21:16            | PO106708.D | 8.74        | 3.71        |

### Analytical Sequence

|              |              |            |       |            |      |      |
|--------------|--------------|------------|-------|------------|------|------|
| WC-23        | P4103-16     | 09/19/2024 | 21:35 | PO106709.D | 8.74 | 3.71 |
| AR1660CCC500 | AR1660CCC500 | 09/19/2024 | 22:54 | PO106711.D | 8.74 | 3.71 |
| LBLK         | LBLK         | 09/20/2024 | 00:06 | PO106715.D | 8.74 | 3.71 |