

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789

8900, Fax: 908 789 8922

Prep Standard - Chemical Standard Summary

Order ID :	P4227
Test :	Mercury
Prepbatch ID :	PB164008,

Prepbatch ID: PB164008,
Sequence ID/Qc Batch ID: LB132850,
Standard ID: MP82651,MP82652,MP82653,MP82654,MP82732,MP82733,MP82734,MP82735,MP82736,MP82737,MP82738,MP827 39,MP82740,MP82741,MP82742,
Chemical ID: M4371,M4465,M4916,M5062,M5501,M5673,M5953,M6080,M6083,W3112,





Metals STANDARD PREPARATION LOG

Recipe ID	NAME.	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
3965	2:1 H2SO4 : HNO3	MP82651	09/30/2024	03/25/2025	Mohan Bera	None	None	10/04/2024
								10/04/2024

FROM 1600.00000ml of M5673 + 800.00000ml of M6080 = Final Quantity: 3200.000 ml

Recipe ID	NAME.	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
65	POTASSIUM PERMANGANATE SOLUTION 5 %	MP82652	09/30/2024	04/03/2025		METALS_SCA LE_3 (M SC-3)		10/04/2024

FROM 100.00000gram of M4916 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Sarabjit Jaswal
66	POTASSIUM PERSULFATE SOLUTION 5 %	MP82653	09/30/2024	04/03/2025		METALS_SCA LE_3 (M SC-3)		10/04/2024

FROM 100.00000ml of M4465 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
67	SODIUM CHLORIDE -	MP82654	09/30/2024	04/03/2025	Mohan Bera	METALS_SCA	None	
	HYDROXYL- CHLORIDE					LE_3 (M SC-3)		10/04/2024

FROM 2000.00000ml of W3112 + 240.00000gram of M4371 + 240.00000gram of M5501 = Final Quantity: 2000.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID 871		NO. MP82732	Prep Date 10/09/2024	Expiration Date 10/10/2024	Prepared By Mohan Bera	ScaleID None	PipetteID METALS_PIP				
FROM	250PPB WORKING STD. ETTE_3 (A) 10/10/2024 1.00000ml of M6083 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.000 ml										

FROM 1.00000ml of M6083 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.0	00 ml	
---	-------	--

Recipe ID	<u>NAME</u>	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
1340	Hg 0.00 PPB STD	MP82733	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	,

2.50000ml of M6083 + 247.50000ml of W3112 = Final Quantity: 250.000 ml **FROM**





dx . 900 709 0922

Metals STANDARD PREPARATION LOG

1341 Hg 0.2 PPB STD MP82734 10/09/2024 10/10/2024 Mohan Bera None METALS_PIP ETTE_3 (A) 10/10/2024	Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Sarabjit Jaswal
	1341	Hg 0.2 PPB STD	MP82734	10/09/2024	10/10/2024	Mohan Bera	None	_	

FROM 2.50000ml of M6083 + 247.30000ml of W3112 + 0.20000ml of MP82732 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
1342	Hg 2.5 PPB STD	MP82735	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	,

FROM 2.50000ml of M6083 + 245.00000ml of W3112 + 2.50000ml of MP82732 = Final Quantity: 250.000 ml





Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Sarabjit Jaswal
1343	Hg 5.0 PPB STD	MP82736	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	

FROM 2.50000ml of M6083 + 242.50000ml of W3112 + 5.00000ml of MP82732 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
1344	Hg 7.5 PPB STD	MP82737	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	,

FROM 2.50000ml of M6083 + 240.00000ml of W3112 + 7.50000ml of MP82732 = Final Quantity: 250.000 ml





Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Sarabjit Jaswal
1345	Hg 10.0 PPB STD	MP82738	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	10/10/2024

FROM	2.50000ml of M6083 + 237.50000ml of W3112 +	· 10.00000ml of MP82732 = Final Quantity: 250.000 ml
------	---	--

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Sarabjit Jaswal
1346	Hg ICV SOLUTION	MP82739	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	,

FROM 2.50000ml of M5953 + 2.50000ml of M6083 + 245.00000ml of W3112 = Final Quantity: 250.000 ml



 $284 \; Sheffield \; Street, \; Mountainside, \; New \; Jersey \; 07092, \; Phone: \; 908 \; 789 \; 8900, \\$

Fax: 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabiit Jaswal
1351	ICB (Hg 0.00 PPB SOLUTION)	MP82740	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	10/10/2024

FROM	2.50000ml of M6083 + 247.50000ml of W3112 = Final Quantity: 250.000 ml
------	--

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabjit Jaswal
1358	CCV (Hg 5.0 PPB SOLUTION)	MP82741	10/09/2024	10/10/2024	Mohan Bera	None	METALS_PIP ETTE_3 (A)	,

FROM 485.00000ml of W3112 + 5.00000ml of M6083 + 10.00000ml of MP82732 = Final Quantity: 500.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe <u>ID</u> 1352	NAME CCB (Hg 0.00 PPB SOLUTION)	NO. MP82742	Prep Date 10/09/2024	Expiration Date 10/10/2024	Prepared By Mohan Bera	<u>ScaleID</u> None	PipetteID METALS_PIP ETTE_3 (A)	
FROM	495.00000ml of W3112 + 5.00000ml	of M6083 =	Final Quantit	ty: 500.000 ml				



CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-2196-01 / Hydroxylamine Hydrochloride, Crystal (cs/4x500g)	0000215387	06/25/2025	07/01/2019 / RICHARD	06/07/2019 / RICHARD	M4371
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3238-05 / Potassium Persulfate (2.5kg)	0000234156	08/06/2025	07/23/2019 / jaswal	07/25/2019 / manojkumar	M4465
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3227-05 / Potassium Permanganate (2.5kg)	210800	03/31/2026	11/30/2022 / mohan	07/28/2021 / mohan	M4916
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Inorganic Ventures	MSHG-10PPM / MERCURY HCI 125mL 10ug/mL	S2-HG709270	09/22/2026	05/28/2022 / mohan	01/27/2022 / mohan	M5062
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened /	Received Date /	Chemtech Lot #
Supplier Seidler Chemical	ItemCode / ItemName BA-3624-05 / Sodium Chloride, Crystal (cs/4x2.5kg)	Lot # 0000281938	I -	-		
	BA-3624-05 / Sodium Chloride, Crystal		Date	Opened By 07/24/2023 /	Received By 04/14/2023 /	Lot #



CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	ICV-5 / ICV (HG)STOCK SOLN	ICV5-0415	01/01/2025	07/01/2024 / mohan	03/30/2023 / mohan	M5953

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	03/25/2025	10/02/2024 / Janvi	09/02/2024 / Janvi	M6080

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	03/25/2029	10/06/2024 / Janvi	09/02/2024 / Janvi	M6083

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

M4371

Hydroxylamine Hydrochloride, Crystal BAKER ANALYZED® A.C.S. Reagent

Suitable for Mercury Determination (hydroxylammonium chloride)

Rec - 06.07.12





Material No.: 2196-01

Batch No.: 0000215387

Manufactured Date: 2018/06/27 Retest Date: 2025/06/25

Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NH2OH·HCl) (by KMnO4 titrn)	>= 96.0 %	99.1
Clarity of Alcohol Solution	Passes Test	PT
Residue after Ignition	<= 0.050 %	0.017
Titrable Free Acid (meq/g)	<= 0.25	0.19
Ammonium (NH4)	Passes Test	PT
Sulfur Compounds (as SO ₄)	<= 0.005 %	< 0.003
Trace Impurities - ACS - Heavy Metals (as Pb)	<= 5 ppm	4
Trace Impurities - Iron (Fe)	<= 5 ppm	< 3
Trace Impurities - Mercury (Hg)	<= 0.050 ppm	< 0.005

For Laboratory, Research or Manufacturing Use

Country of Origin:

CN

Packaging Site:

Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2015, FSSC22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Gliwice, Poland 9001:2015, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2015, 17025:2005
Panoli, India 9001:2015

Jamie Ethier
Vice President Global Quality



M4913- 16



Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P279	Quality Test / Release Date	01/12/2021
Lot Number	210306		
Description	POTASSIUM PERMANGANATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Jan/2026

N/A				
Result Name	Units	Specifications	Test Value	
APPEARANCE		REPORT	Dark purple to purple green crystals	
ASSAY	%	>= 99	99.3	
CHLORIDE & CHLORATE	%	<= 0.005	<0.005	
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test	
INSOLUBLE MATTER	%	<= 0.2	<0.2	
MERCURY (Hg)	ppm	<= 0.05	<0.004	
SULFATE (SO4)	%	<= 0.02	<0.02	

Julian Burton

Julian Burton - Quality Control Manager - Fair Lawn



Certificate of Analysis

300 Technology Drive Christiansburg, VA 24073 USA inorganicventures.com M5062 M5063

P: 800-669-6799/540-585-3030 F: 540-585-3012 info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code:

Single Analyte Mass Spec Solution

Catalog Number:

MSHG-10PPM

Lot Number:

S2-HG709270

Matrix:

10% (v/v) HCI

Value / Analyte(s):

10 μg/mL ea:

Mercury

Starting Material:

Hg metal

Starting Material Lot#:

1959

Starting Material Purity:

99.9994%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value:

 $10.001 \pm 0.053 \,\mu g/mL$

Density:

1.020 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
Ha	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, X_{CRM/RM}, where two or more methods of characterization are used is the weighted mean of the results:

 $X_{CRM/RM} = \Sigma(w_i) (X_i)$

 $\mathbf{X_i}$ = mean of Assay Method i with standard uncertainty $\mathbf{u_{char}}$ i

w_i = the weighting factors for each method calculated using the inverse square of

the variance.

 $\mathbf{w_i} = (1/u_{chari})^2 / (\Sigma (1/(u_{chari})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{its}^2 + u_{ts}^2)^{1/2}$

k = coverage factor = 2

 $u_{char} = [\Sigma((w_i)^2 (u_{char})^2)]^{\frac{1}{2}}$ where u_{char} i are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

ults = long term stability standard uncertainty (storage)

uts = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

X_{CRM/RM} = (X_a) (u_{char a})

Xa = mean of Assay Method A with

uchar a = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = U_{CRM/RM} = k (u²char a + u²bb + u²lts + u²ts) 1/2

k = coverage factor = 2

u_{char a} = the errors from characterization

ubb = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

uts = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

```
O Ag
          0.000011 M Eu <
                            0.000201 O Na
                                              0.000004 M Se <
                                                               0.015915 O Zn <
                                                                                 0.001510
0
   Al
          0.000001 O Fe
                            0.000001 M Nb <
                                              0.000201 O Si
                                                                0.000005 M Zr <
                                                                                 0.000201
M
   As <
          0.000402 M Ga <
                            0.000201 M Nd <
                                              0.000201 M Sm <
                                                               0.000201
M
   Au <
          0.003631 M Gd <
                            0.000201 M Ni <
                                              0.000402 M
                                                        Sn <
                                                               0.001007
M
   B <
          0.001208 M
                    Ge <
                            0.000201 M Os <
                                              0.000605 M
                                                        Sr <
                                                               0.000201
M Ba <
          0.000201 M Hf <
                            0.000201 O P <
                                              0.032370 M
                                                        Ta <
                                                               0.000201
M
  Be <
          0.000201 s
                                   M Pb <
                    Hq <
                                              0.000201 M Tb <
                                                               0.000201
M Bi <
          0.000201 M
                    Ho <
                            0.000201 M Pd <
                                              0.000403 M
                                                        Te <
                                                               0.002216
0
  Ca
          0.000007 M In <
                            0.000201 M Pr <
                                              0.000201 M Th <
                                                               0.000201
M
  Cd <
          0.000201 M Ir
                            0.000201 M
                                      Pt <
                                              0.000402 M Ti <
                                                               0.000402
                                              0.000201 O TI <
M
  Ce <
          0.000201 O K
                            0.000020 M
                                      Rb <
                                                               0.016508
  Co <
M
          0.000201 M La <
                            0.000201 M
                                      Re <
                                              0.000201 M Tm <
                                                               0.000201
  Cr <
0
          0.003021 O Li <
                            0.000107 M
                                      Rh <
                                              0.000201 M U <
                                                               0.008058
M
  Cs <
          0.001208 M Lu <
                            0.000201 M Ru <
                                              0.000201 M V <
                                                               0.000201
M
  Cu <
          0.000402 O
                    Mg
                            0.000001 O
                                      S <
                                             0.053950 M W <
                                                               0.000604
M Dy <
          0.000201 M Mn <
                            0.000604 M Sb <
                                             0.001208 M Y <
                                                               0.000201
M Er <
          0.000201 M Mo
                           0.000009 M Sc <
                                             0.000201 M Yb <
                                                               0.000201
```

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° 24° C to minimize the effects of transpiration. Use at $20^{\circ} \pm 4^{\circ}$ C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.
- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 200.59 +2 4 Hg(OH)(aq) 1+ **Chemical Compatibility -** Stable in HNO3. Avoid basic media forming insoluble carbonate. The sulfide, basic carbonate, oxalate, phosphate, arsenite, arsenate and iodide are insoluble in water.

Stability - 2-100 ppb levels not stable in 1% HNO3 / LDPE container, stable in 10% HNO3 packaged in borosilicate glass. 1-100 ppm levels stable in 7% HNO3 packaged in borosilicate glass. 1000-10,000 ppm solutions are chemically stable for years in 5-10% HNO3 / LDPE container.

Hg Containing Samples (Preparation and Solution) - Metal (soluble in HNO3); Oxide (Soluble in HNO3); Ores and Organic based (The literature has more references to the preparation of Hg containing samples than any other element. Please consult the literature for your specific sample type, since such preparations are prone to error. Or e-mail our technical staff and we will contact you to discuss your particular sample preparation questions in further detail.).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 202 amu	9 ppt	n/a	186W16O
ICP-OES 184.950 nm	0.03 / 0.005 μg/mL	1	
ICP-OES 194.227 nm	0.03 / 0.005 µg/mL	1	V
ICP-OES 253.652 nm	0.1 / 0.03 µg/mL	1	Ta, Co, Th, Rh, Fe,
			U

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 22, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- September 22, 2026
- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

Sealed TCT	Bag	Open Date:		

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS Certificate Prepared By:

Uyen Truong
Supervisor, Product Documentation

Mya Truong


Certificate Approved By:

Michael Booth Director, Quality Control Michael 2 Booth

Certifying Officer:

Paul Gaines Chairman / Senior Technical Director Paul R Laines

Sodium Chloride, Crystal







Material No.: 3624-01

Batch No.: 0000281938

Manufactured Date: 2021-06-07

Retest Date: 2026-06-07

Revision No.: 2

Certificate of Analysis

Test	Specification	Result
Assay (NaCl) (by Ag titrn)	≥ 99.0 %	100.0 %
pH of 5% Solution at 25°C	5.0 - 9.0	6.3
Insoluble Matter	≤ 0.005 %	0.003 %
lodide (I)	≤ 0.002 %	< 0.002 %
Bromide (Br)	≤ 0.01 %	< 0.01 %
Chlorate and Nitrate (as NO₃)	≤ 0.003 %	< 0.001 %
ACS - Phosphate (PO ₄)	≤ 5 ppm	< 5 ppm
Sulfate (SO ₄)	≤ 0.004 %	< 0.004 %
Barium (Ba)	Passes Test	Passes Test
ACS - Heavy Metals (as Pb)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 2 ppm	< 1 ppm
Calcium (Ca)	≤ 0.002 %	< 0.001 %
Magnesium (Mg)	≤ 0.001 %	< 0.001 %
Potassium (K)	≤ 0.005 %	0.001 %

For Laboratory, Research, or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs Country of Origin: USA Packaging Site: Paris Mfg Ctr & DC




Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent

For Trace Metal Analysis

Low Selenium









Material No.: 9673-33 Batch No.: 23D2462010

Manufactured Date: 2023-03-22

Retest Date: 2028-03-20 Revision No.: 0

Certificate of Analysis

Test	Specification	Result	_
ACS – Assay (H ₂ SO ₄)	95.0 - 98.0 %	96.1 %	_
Appearance	Passes Test	Passes Test	
ACS – Color (APHA)	≤ 10	5	
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm	
ACS - Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm	
Ammonium (NH ₄)	≤ 1 ppm	1 ppm	
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm	
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm	
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm	
Trace Impurities - Aluminum (AI)	≤ 30.0 ppb	< 5.0 ppb	
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb	
Trace Impurities - Boron (B)	≤ 10.0 ppb	8.5 ppb	
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb	
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb	
Trace Impurities - Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb	
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb	
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb	
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb	
Trace Impurities - Iron (Fe)	≤ 50.0 ppb	1.3 ppb	
Trace Impurities - Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb	
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb	
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb	
Trace Impurities - Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb	
Trace Impurities - Nickel (Ni)	≤ 2.0 ppb	0.3 ppb	
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb	
Trace Impurities - Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb	
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	31.5 ppb	
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb	

>>> Continued on page 2 >>>

Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis Low Selenium





Material No.: 9673-33 Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities - Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities - Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY "An ISO 9001:2015 Certified Program"

Instructions for QATS Reference Material: Inorganic ICV Solutions

QATS LABORATORY INORGANIC REFERENCE MATERIAL INITIAL CALIBRATION VERIFICATION SOLUTIONS (ICV1, ICV5, AND ICV6)

These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION:

For use with the CLP SFAM01.0 SOW and revisions.

CAUTION:

Read instructions carefully before opening bottle(s) and proceeding with

the analyses.

Contains Metals in Dilute Acidic or Cyanide in Basic Aqueous Solutions HAZARDOUS MATERIAL

> Safety Data Sheets Available Upon Request

(A) SAMPLE DESCRIPTION

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.

(B) BREAKAGE OR MISSING ITEMS

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided

> QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY **APTIM Federal Services, LLC** 2700 Chandler Avenue - Building C Las Vegas, NV 89120

(C) ANALYSIS OF SAMPLES

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014

For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric

Page 1 of 2









QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY "An ISO 9001:2015 Certified Program"

Instructions for QATS Reference Material: Inorganic ICV Solutions

ICV1-1014

For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

ICV5-0415

For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) K₂Cr₂O₇ and 5% (v/v) nitric acid.

ICV6-0400

For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from K₃Fe(CN)₅, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

	ICV1-1014		
Element	Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L	
Al	2500	(after 50-fold dilution	
Sb	1000	500	
As	1000	200	
Ba	520	200	
Be	510	100	
Cd	510	100	
Ca	10000	100	
Cr	520	2000	
Co	520	100	
Cu	510	100	
Fe	10000	100	
Pb	1000	2000	
Mg	6000	200	
Mn		1200	
Ni	520	100	
K	530	110	
Se	9900	2000	
Ag	1000	200	
Na	250	50	
TI	10000	2000	
V	1000	210	
Zn	500	100	
	1000	200	

	ICV5-0415		ICV6-0400
Element	Concentration (µg/L) (after 100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution
Hg	4.0	CN-	99





R: 9/2/24,

Material No.: 9606-03 Batch No.: 24D1062002

Manufactured Date: 2024-03-26 Retest Date: 2029-03-25

Revision No.: 0

Certificate of Analysis

Test			
Specification	Result		
69.0 - 70.0 %	69.7 %		
Passes Test	Passes Test		
≤ 10	5		
≤ 2 ppm	1 ppm		
≤ 0.08 ppm	< 0.03 ppm		
≤ 0.10 ppm	< 0.03 ppm		
≤ 0.2 ppm	< 0.2 ppm		
≤ 40.0 ppb	< 1.0 ppb		
≤ 5.0 ppb	< 2.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 10.0 ppb		
≤ 10.0 ppb	< 5.0 ppb		
≤ 50 ppb	< 1 ppb		
≤ 50.0 ppb	2.3 ppb		
≤ 30.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20 ppb	< 10 ppb		
≤ 20 ppb	< 5 ppb		
≤ 100 ppb	100 ppb		
≤ 40.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 10.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20 ppb	< 1 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 5.0 ppb		
	Specification 69.0 - 70.0 % Passes Test ≤ 10 ≤ 2 ppm ≤ 0.08 ppm ≤ 0.10 ppm ≤ 0.2 ppm ≤ 40.0 ppb ≤ 5.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 50 ppb ≤ 10.0 ppb ≤ 50.0 ppb ≤ 50.0 ppb ≤ 30.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20 ppb	Specification Result 69.0 - 70.0 % 69.7 % Passes Test Passes Test ≤ 10 5 ≤ 2 ppm 1 ppm ≤ 0.08 ppm < 0.03 ppm	

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24D1062002

Specification	Result
	< 1.0 ppb
• •	16 ppb
	< 10 ppb
≤ 20.0 ppb	< 1.0 ppb
≤ 150.0 ppb	< 5.0 ppb
≤ 30.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 5.0 ppb
≤ 10.0 ppb	< 5.0 ppb
≤ 20.0 ppb	< 10.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 20.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 60 par/ml	10 par/ml
≤ 10 par/ml	3 par/ml
	≤ 150.0 ppb ≤ 30.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20.0 ppb ≤ 10.0 ppb ≤ 20.0 ppb ≤ 10.0 ppb

Nitric Acid 69% CMOS





Material No.: 9606-03 Batch No.: 24D1062002

Test Specification Result

For Microelectronic Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak

Director Quality Operations, Bioscience Production





R: 9/2/24,

Material No.: 9606-03 Batch No.: 24D1062002

Manufactured Date: 2024-03-26 Retest Date: 2029-03-25

Revision No.: 0

Certificate of Analysis

Test			
Specification	Result		
69.0 - 70.0 %	69.7 %		
Passes Test	Passes Test		
≤ 10	5		
≤ 2 ppm	1 ppm		
≤ 0.08 ppm	< 0.03 ppm		
≤ 0.10 ppm	< 0.03 ppm		
≤ 0.2 ppm	< 0.2 ppm		
≤ 40.0 ppb	< 1.0 ppb		
≤ 5.0 ppb	< 2.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 10.0 ppb		
≤ 10.0 ppb	< 5.0 ppb		
≤ 50 ppb	< 1 ppb		
≤ 50.0 ppb	2.3 ppb		
≤ 30.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20 ppb	< 10 ppb		
≤ 20 ppb	< 5 ppb		
≤ 100 ppb	100 ppb		
≤ 40.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 10.0 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20 ppb	< 1 ppb		
≤ 10.0 ppb	< 1.0 ppb		
≤ 20.0 ppb	< 5.0 ppb		
	Specification 69.0 - 70.0 % Passes Test ≤ 10 ≤ 2 ppm ≤ 0.08 ppm ≤ 0.10 ppm ≤ 0.2 ppm ≤ 40.0 ppb ≤ 5.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 50 ppb ≤ 10.0 ppb ≤ 50.0 ppb ≤ 50.0 ppb ≤ 30.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20 ppb	Specification Result 69.0 - 70.0 % 69.7 % Passes Test Passes Test ≤ 10 5 ≤ 2 ppm 1 ppm ≤ 0.08 ppm < 0.03 ppm	

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24D1062002

Specification	Result
	< 1.0 ppb
• •	16 ppb
	< 10 ppb
≤ 20.0 ppb	< 1.0 ppb
≤ 150.0 ppb	< 5.0 ppb
≤ 30.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 5.0 ppb
≤ 10.0 ppb	< 5.0 ppb
≤ 20.0 ppb	< 10.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 20.0 ppb	< 1.0 ppb
≤ 10.0 ppb	< 1.0 ppb
≤ 60 par/ml	10 par/ml
≤ 10 par/ml	3 par/ml
	≤ 150.0 ppb ≤ 30.0 ppb ≤ 10.0 ppb ≤ 10.0 ppb ≤ 20.0 ppb ≤ 10.0 ppb ≤ 20.0 ppb ≤ 10.0 ppb

Nitric Acid 69% CMOS





Material No.: 9606-03 Batch No.: 24D1062002

Test Specification Result

For Microelectronic Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak

Director Quality Operations, Bioscience Production