

Analytical Sequence

Client: Roman E&G Corp

SDG No.: P4258

Project: Perth Amboy

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/23/2024

09/23/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	09/23/2024	10:52	PL091953.D	9.06	3.54
PEM	PEM	09/23/2024	11:05	PL091954.D	9.06	3.54
RESCHK	RESCHK	09/23/2024	11:19	PL091955.D	9.06	3.54
PSTDICCC100	PSTDICCC100	09/23/2024	11:32	PL091956.D	9.06	3.54
PSTDICCC075	PSTDICCC075	09/23/2024	11:45	PL091957.D	9.06	3.54
PSTDICCC050	PSTDICCC050	09/23/2024	11:59	PL091958.D	9.06	3.54
PSTDICCC025	PSTDICCC025	09/23/2024	12:12	PL091959.D	9.06	3.54
PSTDICCC005	PSTDICCC005	09/23/2024	12:26	PL091960.D	9.06	3.54
PCHLORICC500	PCHLORICC500	09/23/2024	13:06	PL091963.D	9.06	3.54
PTOXICC500	PTOXICC500	09/23/2024	14:13	PL091968.D	9.06	3.54
PEM	PEM	10/03/2024	10:37	PL092208.D	9.06	3.54
IBLK	IBLK	10/03/2024	14:49	PL092220.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/03/2024	15:02	PL092221.D	9.06	3.54
PB163891BL	PB163891BL	10/03/2024	17:09	PL092222.D	9.07	3.55
PB163891BS	PB163891BS	10/03/2024	17:22	PL092223.D	9.06	3.54
PB163851TB	PB163851TB	10/03/2024	17:36	PL092224.D	9.06	3.54
Chamberlain Ave	P4258-04	10/03/2024	17:49	PL092225.D	9.06	3.54
Chamberlain AveMS	P4258-04MS	10/03/2024	18:02	PL092226.D	9.06	3.54
Chamberlain AveMSD	P4258-04MSD	10/03/2024	18:16	PL092227.D	9.06	3.54
IBLK	IBLK	10/03/2024	18:29	PL092228.D	9.06	3.54
PSTDCCC050	PSTDCCC050	10/03/2024	18:43	PL092229.D	9.06	3.54

Analytical Sequence

Client: Roman E&G Corp

SDG No.: P4258

Project: Perth Amboy

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/23/2024

09/23/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	09/23/2024	10:52	PL091953.D	7.92	2.78
PEM	PEM	09/23/2024	11:05	PL091954.D	7.92	2.78
RESCHK	RESCHK	09/23/2024	11:19	PL091955.D	7.92	2.78
PSTDICC100	PSTDICC100	09/23/2024	11:32	PL091956.D	7.92	2.78
PSTDICC075	PSTDICC075	09/23/2024	11:45	PL091957.D	7.92	2.78
PSTDICC050	PSTDICC050	09/23/2024	11:59	PL091958.D	7.92	2.78
PSTDICC025	PSTDICC025	09/23/2024	12:12	PL091959.D	7.92	2.78
PSTDICC005	PSTDICC005	09/23/2024	12:26	PL091960.D	7.92	2.78
PCHLORICC500	PCHLORICC500	09/23/2024	13:06	PL091963.D	7.92	2.78
PTOXICC500	PTOXICC500	09/23/2024	14:13	PL091968.D	7.92	2.78
PEM	PEM	10/03/2024	10:37	PL092208.D	7.92	2.78
IBLK	IBLK	10/03/2024	14:49	PL092220.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/03/2024	15:02	PL092221.D	7.92	2.78
PB163891BL	PB163891BL	10/03/2024	17:09	PL092222.D	7.92	2.78
PB163891BS	PB163891BS	10/03/2024	17:22	PL092223.D	7.92	2.78
PB163851TB	PB163851TB	10/03/2024	17:36	PL092224.D	7.92	2.78
Chamberlain Ave	P4258-04	10/03/2024	17:49	PL092225.D	7.92	2.78
Chamberlain AveMS	P4258-04MS	10/03/2024	18:02	PL092226.D	7.92	2.78
Chamberlain AveMSD	P4258-04MSD	10/03/2024	18:16	PL092227.D	7.92	2.78
IBLK	IBLK	10/03/2024	18:29	PL092228.D	7.92	2.78
PSTDCCC050	PSTDCCC050	10/03/2024	18:43	PL092229.D	7.92	2.78