

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4258

Client: Roman E&G Corp

Analytical Method: SW8260D

Datafile : VY019778.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1003SBS01	Dichlorodifluoromethane	20	20.3	ug/Kg	102			64	136	
	Chloromethane	20	17.2	ug/Kg	86			70	130	
	Vinyl chloride	20	18.8	ug/Kg	94			72	129	
	Bromomethane	20	21.7	ug/Kg	109			58	141	
	Chloroethane	20	21.0	ug/Kg	105			69	130	
	Trichlorofluoromethane	20	20.6	ug/Kg	103			69	134	
	1,1,2-Trichlorotrifluoroethane	20	21.4	ug/Kg	107			81	123	
	1,1-Dichloroethene	20	18.5	ug/Kg	93			79	121	
	Acetone	100	130	ug/Kg	130			60	131	
	Carbon disulfide	20	11.8	ug/Kg	59			45	154	
	Methyl tert-butyl Ether	20	21.1	ug/Kg	106			77	129	
	Methyl Acetate	20	18.0	ug/Kg	90			69	149	
	Methylene Chloride	20	19.9	ug/Kg	100			56	174	
	trans-1,2-Dichloroethene	20	18.4	ug/Kg	92			80	123	
	1,1-Dichloroethane	20	21.8	ug/Kg	109			82	123	
	Cyclohexane	20	17.4	ug/Kg	87			76	122	
	2-Butanone	100	110	ug/Kg	110			69	131	
	Carbon Tetrachloride	20	19.9	ug/Kg	100			76	129	
	cis-1,2-Dichloroethene	20	20.9	ug/Kg	104			82	123	
	Bromochloromethane	20	21.1	ug/Kg	106			80	127	
	Chloroform	20	22.8	ug/Kg	114			82	125	
	1,1,1-Trichloroethane	20	22.0	ug/Kg	110			80	126	
	Methylcyclohexane	20	16.9	ug/Kg	85			77	123	
	Benzene	20	20.1	ug/Kg	101			84	121	
	1,2-Dichloroethane	20	21.5	ug/Kg	108			81	126	
	Trichloroethene	20	19.3	ug/Kg	97			83	122	
	1,2-Dichloropropane	20	21.2	ug/Kg	106			83	122	
	Bromodichloromethane	20	21.8	ug/Kg	109			82	123	
	4-Methyl-2-Pentanone	100	96.9	ug/Kg	97			70	135	
	Toluene	20	19.7	ug/Kg	99			83	122	
	t-1,3-Dichloropropene	20	19.7	ug/Kg	99			78	124	
	cis-1,3-Dichloropropene	20	19.5	ug/Kg	98			81	122	
	1,1,2-Trichloroethane	20	21.4	ug/Kg	107			82	125	
	2-Hexanone	100	98.3	ug/Kg	98			66	138	
	Dibromochloromethane	20	20.6	ug/Kg	103			79	125	
	1,2-Dibromoethane	20	19.2	ug/Kg	96			80	125	
	Tetrachloroethene	20	18.8	ug/Kg	94			83	125	
	Chlorobenzene	20	21.1	ug/Kg	106			84	122	
	Ethyl Benzene	20	20.7	ug/Kg	104			82	124	
	m/p-Xylenes	40	40.4	ug/Kg	101			83	124	
	o-Xylene	20	20.6	ug/Kg	103			83	123	
	Styrene	20	20.4	ug/Kg	102			82	124	
	Bromoform	20	19.1	ug/Kg	96			75	127	
	Isopropylbenzene	20	22.1	ug/Kg	111			82	124	
	1,1,2,2-Tetrachloroethane	20	21.5	ug/Kg	108			77	127	
	1,3-Dichlorobenzene	20	21.7	ug/Kg	109			83	122	
	1,4-Dichlorobenzene	20	21.7	ug/Kg	109			84	121	
	1,2-Dichlorobenzene	20	21.6	ug/Kg	108			83	124	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4258

Client: Roman E&G Corp

Analytical Method: SW8260D

Datafile : VY019778.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VY1003SBS01	1,2-Dibromo-3-Chloropropane	20	19.8	ug/Kg	99			66	134	
	1,2,4-Trichlorobenzene	20	19.3	ug/Kg	97			78	127	
	1,2,3-Trichlorobenzene	20	18.8	ug/Kg	94			70	137	