

SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51772 MA No.: 3225.1,3226.1 SDG No.: MYD9Z9
 SOW No. : SFAM01.1

EPA Sample No.	Lab Sample Id	Analysis Method			
		ICP-AES	ICP-MS	Mercury	Cyanide
MYD9Z9	P4293-01	X	X		
MYDA00	P4293-02	X	X		
MYDA01	P4293-03	X	X		
MYDA02	P4293-04	X	X		
MYDA03	P4293-05	X	X		
MYDA04	P4293-06	X	X		
MYDA05	P4293-07	X	X		
MYDA05D	P4293-08	X	X		
MYDA05S	P4293-09	X	X		
MYDA06	P4293-10	X	X		
MYDA07	P4293-11	X	X		
MYDA08	P4293-12	X	X		
MYDA09	P4293-13	X	X		
MYDA10	P4293-14	X	X		
MYDA11	P4293-15	X	X		
MYDA12	P4293-16	X	X		
MYDA13	P4293-17	X	X		
MYDA14	P4293-18	X	X		
MYDA15	P4293-19	X	X		
MYDA16	P4293-20	X	X		
MYDA17	P4293-21	X	X		
MYDA18	P4293-22	X	X		

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____ Name: _____
 Date: _____ Title: _____

68HERH20D0011

SDG # MYD929

USEPA CLP COC (LAB COPY)

Date Shipped: 10/3/2024

Carrier Name: FedEx

Airbill No: 7790 0057 3804

CHAIN OF CUSTODY RECORD

Case #: 51772

Cooler #: 51772-072

No: 9-061924-140930-0072

Lab: Alliance Technical Group LLC

Lab Contact: Mohammad Ahmed

Lab Phone: 908-728-3151

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
90376-C-0007-01	MYD929	Soil/ REAC	Grab	ICP-AES 11(21)	9-4957 (None) (1)	90376-C-0007	06/18/2024 16:26	✓
90376-B-0004-01	MYDA00	Soil/ REAC	Grab	ICP-AES 11(21)	9-4958 (None) (1)	90376-B-0004	06/18/2024 16:30	✓
90376-B-0009-01	MYDA01	Soil/ REAC	Grab	ICP-AES 11(21)	9-4959 (None) (1)	90376-B-0009	06/18/2024 16:33	✓
90376-C-0005-01	MYDA02	Soil/ REAC	Grab	ICP-AES 11(21)	9-4960 (None) (1)	90376-C-0005	06/18/2024 16:35	✓
90376-B-0008-01	MYDA03	Soil/ REAC	Grab	ICP-AES 11(21)	9-4961 (None) (1)	90376-B-0008	06/18/2024 16:36	✓
90376-C-0004-01	MYDA04	Soil/ REAC	Grab	ICP-AES 11(21)	9-4962 (None) (1)	90376-C-0004	06/18/2024 16:12	✓
90376-B-0005-03	MYDA05	Soil/ REAC	Grab	ICP-AES 11(21)	9-4963 (None) (1)	90376-B-0005	06/18/2024 15:32	✓
90376-A-0002-01	MYDA06	Soil/ REAC	Grab	ICP-AES 11(21)	9-4964 (None) (1)	90376-A-0002	06/18/2024 15:21	✓
90376-A-0011-01	MYDA07	Soil/ REAC	Grab	ICP-AES 11(21)	9-4965 (None) (1)	90376-A-0011	06/18/2024 15:23	✓
90376-A-0011-02	MYDA08	Soil/ REAC	Grab	ICP-AES 11(21)	9-4966 (None) (1)	90376-A-0011	06/18/2024 15:24	✓
90376-E-0011-01	MYDA09	Soil/ REAC	Grab	ICP-AES 11(21)	9-4967 (None) (1)	90376-E-0011	06/18/2024 17:07	✓
90376-B-0006-01	MYDA10	Soil/ REAC	Grab	ICP-AES 11(21)	9-4968 (None) (1)	90376-B-0006	06/18/2024 15:48	✓
90376-C-0003-01	MYDA11	Soil/ REAC	Grab	ICP-AES 11(21)	9-4969 (None) (1)	90376-C-0003	06/18/2024 16:44	✓
90376-E-0006-01	MYDA12	Soil/ REAC	Grab	ICP-AES 11(21)	9-4970 (None) (1)	90376-E-0006	06/18/2024 16:45	✓
90376-C-0006-01	MYDA13	Soil/ REAC	Grab	ICP-AES 11(21)	9-4971 (None) (1)	90376-C-0006	06/18/2024 16:46	✓
90376-E-0005-01	MYDA14	Soil/ REAC	Grab	ICP-AES 11(21)	9-4972 (None) (1)	90376-E-0005	06/18/2024 16:47	✓
90376-E-0001-01	MYDA15	Soil/ REAC	Grab	ICP-AES 11(21)	9-4973 (None) (1)	90376-E-0001	06/18/2024 16:49	✓
90376-C-0002-01	MYDA16	Soil/ REAC	Grab	ICP-AES 11(21)	9-4974 (None) (1)	90376-C-0002	06/18/2024 16:41	✓
90376-F-0007-01	MYDA17	Soil/ REAC	Grab	ICP-AES 11(21)	9-4975 (None) (1)	90376-F-0007	06/18/2024 17:04	✓

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Sample(s) to be used for Lab QC: 90376-B-0005-03 Tag 9-4963 - Special Instructions: ICP-AES 11+Metals: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, Pb, Sb, Se, Ti, V, Zn ICP-MS 11+ Metals: Ag, As, Ba, Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, Ti, V, Zn

Analysis Key: ICP-AES 11=ICP-AES 11+Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
SHIP TO LMS	AFB Western	10/3/24 16:00	R. Melander	10/4/24 9:39 am	IRL Gun #1 2.2.1 ✓
					Custody seal intact
					NO Temp / NO ICE

USEPA CLP COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 9-061924-140930-0072

Date Shipped: 10/3/2024

Carrier Name: FedEx

Airbill No: 7790 0057 3804

Case #: 51772

Cooler #: 51772-072

Lab: Alliance Technical Group LLC

Lab Contact: Mohammad Ahmed

Lab Phone: 908-728-3151

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
90376-B-0003-01	MYDA18	Soil/ REAC	Grab	ICP-AES 11(21)	9-4976 (None) (1)	90376-B-0003	06/18/2024 16:39	✓
90376-E-0007-01	MYDA19	Soil/ REAC	Grab	ICP-AES 11(21)	9-4977 (None) (1)	90376-E-0007	06/18/2024 17:09	✓
90376-E-0010-01	MYDA20	Soil/ REAC	Grab	ICP-AES 11(21)	9-4978 (None) (1)	90376-E-0010	06/18/2024 17:10	✓
90376-E-0004-01	MYDA21	Soil/ REAC	Grab	ICP-AES 11(21)	9-4979 (None) (1)	90376-E-0004	06/18/2024 17:12	
90376-F-0002-01	MYDA22	Soil/ REAC	Grab	ICP-AES 11(21)	9-4980 (None) (1)	90376-F-0002	06/18/2024 14:17	
90376-F-0010-01	MYDA23	Soil/ REAC	Grab	ICP-AES 11(21)	9-4981 (None) (1)	90376-F-0010	06/18/2024 14:19	
90376-F-0006-01	MYDA24	Soil/ REAC	Grab	ICP-AES 11(21)	9-4982 (None) (1)	90376-F-0006	06/18/2024 14:20	
90376-F-0004-01	MYDA25	Soil/ REAC	Grab	ICP-AES 11(21)	9-4983 (None) (1)	90376-F-0004	06/18/2024 14:22	
90376-E-0009-01	MYDA26	Soil/ REAC	Grab	ICP-AES 11(21)	9-4984 (None) (1)	90376-E-0009	06/18/2024 16:50	
90376-C-0001-01	MYDA27	Soil/ REAC	Grab	ICP-AES 11(21)	9-4985 (None) (1)	90376-C-0001	06/18/2024 16:19	
90376-B-0011-01	MYDA28	Soil/ REAC	Grab	ICP-AES 11(21)	9-4986 (None) (1)	90376-B-0011	06/18/2024 15:50	
90376-B-0001-01	MYDA29	Soil/ REAC	Grab	ICP-AES 11(21)	9-4987 (None) (1)	90376-B-0001	06/18/2024 15:52	
90376-B-0007-01	MYDA30	Soil/ REAC	Grab	ICP-AES 11(21)	9-4988 (None) (1)	90376-B-0007	06/18/2024 15:52	
90376-C-0009-01	MYDA31	Soil/ REAC	Grab	ICP-AES 11(21)	9-4989 (None) (1)	90376-C-0009	06/18/2024 16:07	
90376-C-0009-02	MYDA32	Soil/ REAC	Grab	ICP-AES 11(21)	9-4990 (None) (1)	90376-C-0009	06/18/2024 16:08	
90376-C-0010-01	MYDA33	Soil/ REAC	Grab	ICP-AES 11(21)	9-4991 (None) (1)	90376-C-0010	06/18/2024 16:09	
90376-E-0002-01	MYDA34	Soil/ REAC	Grab	ICP-AES 11(21)	9-4992 (None) (1)	90376-E-0002	06/18/2024 16:43	
90376-C-0011-01	MYDA35	Soil/ REAC	Grab	ICP-AES 11(21)	9-4993 (None) (1)	90376-C-0011	06/18/2024 16:14	
90376-F-0001-01	MYDA36	Soil/ REAC	Grab	ICP-AES 11(21)	9-4994 (None) (1)	90376-F-0001	06/18/2024 14:28	

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Special Instructions: ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Ti,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, Ti, V, Zn

Analysis Key: ICP-AES 11=ICP-AES 11+Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
SNOW	[Signature]	10/3/24	R. Melander	10/4/24 9:39	IR Gun #1 22.6
					Custody Seal intact
					No Temp/no ICE

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC		Page <u>1</u> of <u>1</u>
Received By (Print Name) <u>Cassandra Perle</u>		Log-in Date 10/4/2024
Received By (Signature) <u>[Signature]</u>		
Case Number 51772	SDG No. MYD9Z9	MA No. N/A 3225.1, 3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	<u>n/a</u>
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	<u>779000573804</u> <u>1</u>
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	<u>22.1</u> Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	<u>10/04/2024</u>
12. Time Received	<u>09:39</u>

	EPA Sample #	Aqueous Water Sample pH	Corresponding		Remarks: Condition of Sample Shipment, etc.
			Sample Tag #	Assigned Lab #	
1	MYD9Z9	N/A	9-4957	P4293-01	Intact
2	MYDA00	N/A	9-4958	P4293-02	Intact
3	MYDA01	N/A	9-4959	P4293-03	Intact
4	MYDA02	N/A	9-4960	P4293-04	Intact
5	MYDA03	N/A	9-4961	P4293-05	Intact
6	MYDA04	N/A	9-4962	P4293-06	Intact
7	MYDA05	N/A	9-4963	P4293-07	Intact
8	MYDA05D	N/A	9-4963	P4293-08	Intact
9	MYDA05S	N/A	9-4963	P4293-09	Intact
10	MYDA06	N/A	9-4964	P4293-10	Intact
11	MYDA07	N/A	9-4965	P4293-11	Intact
12	MYDA08	N/A	9-4966	P4293-12	Intact
13	MYDA09	N/A	9-4967	P4293-13	Intact
14	MYDA10	N/A	9-4968	P4293-14	Intact
15	MYDA11	N/A	9-4969	P4293-15	Intact
16	MYDA12	N/A	9-4970	P4293-16	Intact
17	MYDA13	N/A	9-4971	P4293-17	Intact
18	MYDA14	N/A	9-4972	P4293-18	Intact
19	MYDA15	N/A	9-4973	P4293-19	Intact
20	MYDA16	N/A	9-4974	P4293-20	Intact
21	MYDA17	N/A	9-4975	P4293-21	Intact
22	MYDA18	N/A	9-4976	P4293-22	Intact
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>10/4/24</u>	Logbook Page No. N/A

FORM DC-2
COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical Group, LLC		
LAB CODE	ACE		
CONTRACT NO.	68HERH20D0011		
CASE NO.	51772	SDG NO.	MYD9Z9
MA NO.	3225.1, 3226.1	SOW NO.	SFAM01.1

All documents delivered in the Complete SDG File must be original documents where possible.
(Reference - Exhibit B Section 2.4)

	PAGE NOS:		CHECK	
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	4	✓	
4. CSF Inventory Sheet (DC-2)	5	7	✓	
5. SDG Narrative	8	17	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	18	20	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	21	40	✓	
9. Instrument raw data by instrument in analysis order	41	721	✓	
Other Data				
10. Standard and Reagent Preparation Logs	722	876	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	877	878	✓	
12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	879	896	✓	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
14. Extraction Logs for TCLP and SPLP	NA	NA	✓	
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	897	916	✓	
18. Instrument raw data by instrument in analysis order	917	1720	✓	
Other Data				
19. Standard and Reagent Preparation Logs	1721	1860	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	1861	1862	✓	
21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	1863	1879	✓	
22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

- 23 . Extraction Logs for TCLP and SPLP
- 24 . Raw GPC Data
- 25 . Raw Florisil Data

PAGE NOS:		CHECK	
FROM	TO	LAB	REGION
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Analysis Forms and Data (Mercury)

- 26 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 27 . Instrument raw data by instrument in analysis order

NA	NA	✓	
NA	NA	✓	

Other Data

- 28 . Standard and Reagent Preparation Logs
- 29 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 30 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 31 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 32 . Extraction Logs for TCLP and SPLP
- 33 . Raw GPC Data
- 34 . Raw Florisil Data

NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Analysis Forms and Data (Cyanide)

- 35 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 36 . Instrument raw data by instrument in analysis order

NA	NA	✓	
NA	NA	✓	

Other Data

- 37 . Standard and Reagent Preparation Logs
- 38 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 39 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 40 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 41 . Extraction Logs for TCLP and SPLP
- 42 . Raw GPC Data
- 43 . Raw Florisil Data

NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Additional

44. EPA Shipping/Receiving Documents

Airbill (No. of Shipments 1)

Sample Tags

Sample Log-In Sheet (Lab)

45. Misc. Shipping/Receiving Records (list all individual records)

46. Internal Lab Sample Transfer Records and Tracking Sheets
(describe or list)47. Other Records and related Communication Logs
(describe or list)

48. Comments:

Completed by:
(CLP Lab)Audited by:
(EPA)

Nimisha Pandya, Document Control Officer

(Signature)

(Print Name & Title)

(Date)

(Signature)

(Print Name & Title)

(Date)

PAGE NOs:		CHECK	
FROM	TO	LAB	REGION
1880	1880	✓	
NA	NA	✓	
1881	1883	✓	
NA	NA	✓	
1884	1887	✓	
NA	NA	✓	



**284 Sheffield Street
Mountainside, NJ 07092**

SDG NARRATIVE

USEPA

SDG # MYD9Z9

CASE # 51772

CONTRACT # 68HERH20D0011

SOW# SFAM01.1

LAB NAME: Alliance Technical Group, LLC

LAB CODE: ACE

LAB ORDER ID # P4293

MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

20 Soil samples were delivered to the laboratory intact on 10/04/2024.

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 22.1°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1 : A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



**284 Sheffield Street
Mountainside, NJ 07092**

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYD9Z9 For Arsenic:

If C = 0.2377417 ppm

Vf = 100 ml

W = 1.12g

S = 0.987(98.7/100)

DF = 2

$$\text{Concentration (mg/kg)} = 0.2377417 \times \frac{100}{1.12 \times 0.987} \times 2$$

$$= 43.0130 \text{ mg/kg}$$

$$= 43 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor



**284 Sheffield Street
Mountainside, NJ 07092**

Example Calculation For Sample MYD9Z9 For Antimony :

If C = 0.62 ppb

Vf = 500 ml

W = 1.12 g

S = 0.987(98.7/100)

DF = 1

$$\text{Concentration (mg/kg)} = 0.62 \times \frac{500}{1.12 \times 0.987} \times 1 / 1000$$

$$= 0.28043 \text{ mg/kg}$$

$$= 0.28 \text{ mg/kg (Reported Result with Signification)}$$

H. QA/ QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample did meet requirements except for Antimony, Arsenic, Lead, Selenium, Thallium. Duplicate sample did meet requirements except for Aluminum, Arsenic, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Nickel, Vanadium, Zinc. Serial Dilution did meet requirements except for Arsenic.

Chemical or physical interference effect was suspected and the data for all affected analytes in the sample received and associated with this serial dilution were flagged.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb



**284 Sheffield Street
Mountainside, NJ 07092**

Chromium	45Sc
Cobalt	45Sc
Copper	45Sc
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature_____

Name: Nimisha Pandya

Date _____

Title: Document Control Officer

Date: 09/04/2024	MA: 3225.0	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at three times the levels specified in the SOW. • Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW). • Post-Digestion Spike requirements apply to the 5x Matrix Spike only. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements

Not applicable

☐

The Laboratory shall:

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/04/2024	MA: 3226.0	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at two times the levels specified in the SOW. • Post-Digestion Spike requirements apply to the 2x Matrix Spike. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Verify that the dilution was adequate to reduce interferences to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst. • Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements	Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative. • Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW. • Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate". • Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package. 	

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit?
As 189.042 {479}	<input checked="" type="checkbox"/>	1	Fe	-0.000064	0.000000	No
Ti 190.856 {477}	<input checked="" type="checkbox"/>	5	Mo	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
			Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	<input checked="" type="checkbox"/>	6	Mo	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
			Cu	0.001400	0.000000	No
			Fe	0.000030	0.000000	No
			Mn	0.000340	0.000000	No
			Ni	0.000630	0.000000	No
Se 196.090 {472}	<input checked="" type="checkbox"/>	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Co	-0.000630	0.000000	No
Sb 206.833 {463}	<input checked="" type="checkbox"/>	4	Cr	0.010700	0.000000	No
			V	-0.001168	0.000000	No
			Mo	-0.002850	0.000000	No
			Ni	-0.000440	0.000000	No
Al 396.152 { 85}	<input checked="" type="checkbox"/>	1	Mo	0.037230	0.000000	No
Ba 493.409 { 68}	<input type="checkbox"/>	None				
Be 234.861 {144}	<input checked="" type="checkbox"/>	3	Mo	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
			Mn	-0.000047	0.000000	No
Cd 214.438 {457}	<input checked="" type="checkbox"/>	1	Fe	0.000040	0.000000	No
Ca 373.690 { 90}	<input type="checkbox"/>	None				
Cr 267.716 {126}	<input checked="" type="checkbox"/>	1	Mn	0.000160	0.000000	No
Co 228.616 {448}	<input checked="" type="checkbox"/>	2	Ti	0.001840	0.000000	No
			Mo	-0.001230	0.000000	No
Cu 324.754 {104}	<input checked="" type="checkbox"/>	4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
			Mn	0.000345	0.000000	No
			Ni	0.000895	0.000000	No
Fe 259.837 {130}	<input type="checkbox"/>	None				
Mn 257.610 {131}	<input checked="" type="checkbox"/>	1	Ni	0.000897	0.000000	No
Mg 279.079 {121}	<input type="checkbox"/>	None				
Ni 231.604 {446}	<input type="checkbox"/>	None				
Ag 328.068 {103}	<input checked="" type="checkbox"/>	3	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}	<input type="checkbox"/>	None				
V 292.402 {115}	<input checked="" type="checkbox"/>	2	Mo	-0.008480	0.000000	No
			Cr	-0.002220	0.000000	No
Zn 206.200 {464}	<input type="checkbox"/>	None				
Zn 213.856 {158}	<input checked="" type="checkbox"/>	1	Ni	0.007280	0.000000	No
K 769.896 { 44}	<input type="checkbox"/>	None				
P 177.495 {490}	<input checked="" type="checkbox"/>	2	Ni	0.001640	0.000000	No
			Cu	-0.012530	0.000000	No
B 249.678 {135}	<input checked="" type="checkbox"/>	3	Co	0.002880	0.000000	No
			V	-0.002000	0.000000	No
			Fe	-0.001360	0.000000	No
Mo 202.030 {467}	<input type="checkbox"/>	None				
S 182.034 {485}	<input checked="" type="checkbox"/>	2	Mo	-0.008000	0.000000	No
			Mn	0.002700	0.000000	No

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-In-fit?
Si 251.611 {134}	<input checked="" type="checkbox"/>	2	Mo	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478}	<input type="checkbox"/>	None				
Ti 336.121 {100}	<input checked="" type="checkbox"/>	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}	<input type="checkbox"/>	None				
Y 224.306 {450}*	<input type="checkbox"/>	None				
Y 360.073 { 94}*	<input type="checkbox"/>	None				
Y 371.030 { 91}*	<input type="checkbox"/>	None				
Y 224.306 {150}*	<input type="checkbox"/>	None				
In 230.606 {446}*	<input type="checkbox"/>	None				
Sr 407.771 { 83}	<input type="checkbox"/>	None				



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/7/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:10
In Date: 10/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 10/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132785

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4293-01	MYD9Z9	1	1.18	8.50	9.68	9.57	98.7	
P4293-02	MYDA00	2	1.18	8.34	9.52	9.38	98.3	
P4293-03	MYDA01	3	1.18	8.60	9.78	9.66	98.6	
P4293-04	MYDA02	4	1.18	8.50	9.68	9.62	99.3	
P4293-05	MYDA03	5	1.19	8.65	9.84	9.75	99.0	
P4293-06	MYDA04	6	1.16	8.50	9.66	9.48	97.9	
P4293-07	MYDA05	7	1.17	8.57	9.74	9.61	98.5	
P4293-08	MYDA05D	8	1.17	8.57	9.74	9.61	98.5	
P4293-09	MYDA05S	9	1.17	8.57	9.74	9.61	98.5	
P4293-10	MYDA06	10	1.18	8.54	9.72	9.63	98.9	
P4293-11	MYDA07	11	1.19	8.63	9.82	9.68	98.4	
P4293-12	MYDA08	12	1.19	8.51	9.7	9.58	98.6	
P4293-13	MYDA09	13	1.16	8.65	9.81	9.7	98.7	
P4293-14	MYDA10	14	1.18	8.50	9.68	9.62	99.3	
P4293-15	MYDA11	15	1.18	8.55	9.73	9.63	98.8	
P4293-16	MYDA12	16	1.17	8.55	9.72	9.68	99.5	
P4293-17	MYDA13	17	1.16	8.40	9.56	9.39	98.0	
P4293-18	MYDA14	18	1.17	8.65	9.82	9.69	98.5	
P4293-19	MYDA15	19	1.15	8.76	9.91	9.86	99.4	
P4293-20	MYDA16	20	1.15	8.79	9.94	9.77	98.1	
P4293-21	MYDA17	21	1.18	8.78	9.96	9.88	99.1	
P4293-22	MYDA18	22	1.18	8.52	9.7	9.59	98.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

132785

WorkList Name : %1-p4293

WorkList ID : 184154

Department : Wet-Chemistry

Date : 10-06-2024 08:37:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4293-01	MYD9Z9	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-02	MYDA00	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-03	MYDA01	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-04	MYDA02	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-05	MYDA03	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-06	MYDA04	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-07	MYDA05	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-08	MYDA05D	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-09	MYDA05S	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-10	MYDA06	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-11	MYDA07	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-12	MYDA08	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-13	MYDA09	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-14	MYDA10	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-15	MYDA11	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-16	MYDA12	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-17	MYDA13	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-18	MYDA14	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-19	MYDA15	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-20	MYDA16	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO
P4293-21	MYDA17	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO

Date/Time 10/06/24 12:50
Raw Sample Received by: SO WOC
Raw Sample Relinquished by: CR SM

Date/Time 10/06/24 13:15
Raw Sample Received by: CR SM
Raw Sample Relinquished by: SO WOC

WORKLIST(Hardcopy Internal Chain)

NR 132785

WorkList Name : %1-p4293

WorkList ID : 184154

Department : Wet-Chemistry

Date : 10-06-2024 08:37:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4293-22	MYDA18	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	06/18/2024	Chemtech -SO

Date/Time 10/06/24 12:50
Raw Sample Received by: sd weel
Raw Sample Relinquished by: Cl sm

Date/Time 10/06/24 13:15
Raw Sample Received by: Cl sm
Raw Sample Relinquished by: sd weel