


Batch Folder: D:\Agilent\ICPMH\1\DATA\P7102324-MS2.b\
Analysis File: P7102324-MS2.batch.bin
DA Date-Time: 2024-10-24 08:15:28
Calibration Title:
Calibration Method: External Calibration
VIS Interpolation Fit:

Level	Standard Data File	Sample Name	Acq. Date-Time
1	004CALB.d	S00	2024-10-23 16:08:40
2	005CALS.d	S02	2024-10-23 16:11:57
3	006CALS.d	S03	2024-10-23 16:15:16
4	007CALS.d	S04	2024-10-23 16:18:13
5	008CALS.d	S05	2024-10-23 16:21:05
6	009CALS.d	S06	2024-10-23 16:23:50
7	010CALS.d	S07	2024-10-23 16:26:38
8	011CALS.d	S08	2024-10-23 16:29:24

9 Be [No Gas] ISTD:6 Li [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	31.28	0.0000	P	6.0
2	☐	1.000	1.035	2501.90	0.0012	P	2.7
3	☐	50.000	57.122	139103.02	0.0655	P	1.0
4	☐	125.000	137.475	352395.25	0.1576	P	3.2
5	☐	250.000	268.451	694370.92	0.3077	P	2.4
6	☐	500.000	497.032	1298380.88	0.5698	A	3.1
7	☐	1000.000	994.956	2495662.08	1.1405	A	0.5
8	☐			304.25	0.0001	P	4.8

$$y = 0.0011 * x + 1.5387E-005$$

$$R = 0.9998$$


$$DL = 0.002398$$

$$BEC = 0.01342$$

Weight: <None>


Min Conc: 0

12 C [No Gas] No available calibration points




	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐						
2	☐						
3	☐						
4	☐						
5	☐						
6	☐						
7	☐						
8	☐						

12 C [He] No available calibration points



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐						
2	☐						
3	☐						
4	☐						
5	☐						
6	☐						
7	☐						
8	☐						

23 Na [He] ISTD:45 Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	75499.23	0.0786	P	1.0
2	☐	500.000	520.048	682296.90	0.7115	P	0.1
3	☐	5000.000	5269.453	6116033.80	6.4914	A	0.5
4	☐	12500.000	13068.263	14825397.97	15.9823	A	0.8
5	☐	25000.000	25588.605	28962057.62	31.2193	A	0.9
6	☐	50000.000	52677.743	58390941.35	64.1861	A	0.6
7	☐	100000.00	102253.07	113855228.31	124.5180	A	1.1
8	☐	500000.00	499235.26	556914765.03	607.6354	A	0.9

$$y = 0.0012 * x + 0.0786$$


$$R = 1.0000$$

$$DL = 1.967$$

$$BEC = 64.59$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1515.65	0.0016	P	9.9
2	☐	500.000	536.448	371711.13	0.3876	P	0.5
3	☐	5000.000	5063.653	3434668.59	3.6455	A	1.1
4	☐	12500.000	12600.333	8412414.18	9.0690	A	0.3
5	☐	25000.000	24620.823	16437062.81	17.7191	A	0.7
6	☐	50000.000	50313.185	32938713.95	36.2077	A	0.5
7	☐	100000.00	99665.938	65581983.47	71.7228	A	0.7
8	☐	500000.00	500051.27	329808986.20	359.8464	A	0.9

$$y = 7.1962\text{E-}004 * x + 0.0016$$


$$R = 1.0000$$

$$DL = 0.6496$$

$$BEC = 2.193$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	682.24	0.0007	P	9.1
2	☐	20.000	19.056	8254.51	0.0086	P	1.2
3	☐	1000.000	1077.738	421524.81	0.4474	P	1.5
4	☐	2500.000	2541.155	977631.12	1.0539	P	0.1
5	☐	5000.000	4890.602	1881145.09	2.0277	A	0.6
6	☐	10000.000	9910.150	3737296.65	4.1081	A	0.3
7	☐	20000.000	19587.293	7423975.10	8.1190	A	0.3
8	☐	100000.00	100095.19	38023621.94	41.4867	A	1.0

$$y = 4.1447\text{E-}004 * x + 7.1001\text{E-}004$$

$$R = 1.0000$$


$$DL = 0.4684$$

$$BEC = 1.713$$

Weight: <None>

Min Conc: 0

28 Si [No Gas] ISTD:45 Sc [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	403664.86	0.0375	P	1.3
2	☐	10.000	1.066	452581.96	0.0418	P	0.8
3	☐	50.000	45.832	2409941.18	0.2237	A	2.9
4	☐	125.000	103.736	4860580.48	0.4589	A	1.4
5	☐	250.000	218.239	9785794.51	0.9239	A	1.5
6	☐	500.000	446.009	19095734.44	1.8491	A	0.6
7	☐	1000.000	1037.892	44553134.34	4.2531	A	0.9
8	☐			522505.69	0.0514	P	0.9

$$y = 0.0041 * x + 0.0375$$

$$R = 0.9975$$


$$DL = 0.3563$$

$$BEC = 9.234$$

Weight: <None>

Min Conc: 0

31 P [He] ISTD:45 Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	-16.565	264.45	0.0003	P	12.9
2	☐	0.000	16.565	972.26	0.0010	P	7.4
3	☐	1000.000	1032.251	22287.45	0.0237	P	2.1
4	☐	2500.000	2588.461	54121.89	0.0583	P	0.2
5	☐	5000.000	5037.594	104757.56	0.1129	P	1.9
6	☐	10000.000	10160.802	206645.54	0.2271	P	0.3
7	☐	20000.000	19897.530	406166.98	0.4442	P	0.3
8	☐			426.68	0.0005	P	2.7

$$y = 2.2292E-005 * x + 6.4461E-004$$

$$R = 0.9999$$


$$DL = 7.465$$

$$BEC = 28.92$$

Weight: <None>

Min Conc: 0

34 S [No Gas] ISTD:45 Sc [No Gas]




	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	-24.772	376210.96	0.0350	P	1.6
2	☐	0.000	24.772	381681.22	0.0353	P	0.2
3	☐	1000.000	1090.547	455862.50	0.0423	P	1.8
4	☐	2500.000	2547.789	549771.92	0.0519	P	0.4
5	☐	5000.000	4796.626	706573.19	0.0667	P	0.6
6	☐	10000.000	9854.978	1032797.26	0.1000	P	0.8
7	☐	20000.000	20112.854	1755283.93	0.1676	A	1.0
8	☐			322116.57	0.0317	P	3.6


$y = 6.5850E-006 * x + 0.0351$
R = 0.9999
DL = 148.6
BEC = 5333

Weight: <None>
Min Conc: 0


35 Cl [No Gas] No available calibration points



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐						
2	☐						
3	☐						
4	☐						
5	☐						
6	☐						
7	☐						
8	☐						

35 Cl [He] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐						
2	☐						
3	☐						
4	☐						
5	☐						
6	☐						
7	☐						
8	☐						

39 K [He] ISTD:45 Sc [He]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	106559.36	0.1109	P	1.2
2	☐	500.000	503.605	537592.43	0.5606	P	0.3
3	☐	2500.000	2505.482	2212230.25	2.3480	A	1.5
4	☐	6250.000	6173.682	5216122.52	5.6232	A	0.4
5	☐	12500.000	12108.230	10129538.88	10.9220	A	2.6
6	☐	25000.000	24579.351	20065877.34	22.0570	A	0.3
7	☐	50000.000	48276.277	39516384.13	43.2153	A	0.6
8	☐	250000.00	250408.24	205029745.83	223.6924	A	0.4

$$y = 8.9287E-004 * x + 0.1109$$


$$R = 1.0000$$

$$DL = 4.456$$

$$BEC = 124.2$$

Weight: <None>

Min Conc: 0

43 Ca [No Gas] ISTD:45 Sc [No Gas]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	570.02	0.0001	P	7.7
2	☐	500.000	509.403	24663.47	0.0023	P	1.6
3	☐	5000.000	6117.314	288715.46	0.0268	P	3.5
4	☐	12500.000	15249.723	706801.71	0.0667	P	1.0
5	☐	25000.000	29311.354	1357917.05	0.1282	A	0.5
6	☐	50000.000	60140.180	2715715.79	0.2630	A	0.5
7	☐	100000.00	115646.53	5296756.93	0.5057	A	1.9
8	☐	500000.00	495561.18	22028919.12	2.1666	A	0.6

$$y = 4.3719E-006 * x + 5.2932E-005$$


$$R = 0.9994$$

$$DL = 2.779$$

$$BEC = 12.11$$

Weight: <None>

Min Conc: 0

44 Ca [No Gas] ISTD:45 Sc [No Gas]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	56700.54	0.0053	P	1.5
2	☐	500.000	516.851	448791.60	0.0415	P	0.8
3	☐	5000.000	5502.290	4211605.25	0.3908	A	2.4
4	☐	12500.000	13715.501	10237249.15	0.9664	A	0.9
5	☐	25000.000	27542.816	20498717.89	1.9354	A	1.4
6	☐	50000.000	55000.804	39855230.52	3.8595	A	1.0
7	☐	100000.00	109146.46	80173873.81	7.6538	A	2.8
8	☐	500000.00	497508.05	354524523.61	34.8686	A	0.7

$$y = 7.0076E-005 * x + 0.0053$$

$$R = 0.9998$$


$$DL = 3.34$$

$$BEC = 75.18$$

Weight: <None>

Min Conc: 0

47 Ti [No Gas] ISTD:45 Sc [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	298.89	0.0000	P	12.4
2	☐	5.000	4.481	11449.98	0.0011	P	2.6
3	☐	500.000	502.811	1246703.27	0.1157	A	1.5
4	☐	1250.000	1269.880	3094376.10	0.2921	A	1.8
5	☐	2500.000	2501.707	6094960.12	0.5755	A	1.4
6	☐	5000.000	5037.314	11965163.99	1.1587	A	1.3
7	☐	10000.000	9978.291	24042477.70	2.2952	A	2.1
8	☐			3201.48	0.0003	P	6.2

$$y = 2.3001\text{E-}004 * x + 2.7797\text{E-}005$$

$$R = 1.0000$$


$$DL = 0.04499$$

$$BEC = 0.1209$$

Weight: <None>

Min Conc: 0

51 V [He] ISTD:45 Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	20.00	0.0000	P	17.0
2	☐	5.000	4.986	32003.95	0.0334	P	0.7
3	☐	50.000	51.896	327079.15	0.3472	P	0.6
4	☐	125.000	129.769	805207.11	0.8680	P	0.1
5	☐	250.000	250.025	1551353.43	1.6724	A	1.2
6	☐	500.000	506.716	3083259.40	3.3895	A	1.6
7	☐	1000.000	995.945	6091578.66	6.6619	A	1.1
8	☐			1412.31	0.0015	P	4.0

$$y = 0.0067 * x + 2.0828\text{E-}005$$

$$R = 1.0000$$


$$DL = 0.001587$$

$$BEC = 0.003114$$

Weight: <None>

Min Conc: 0

52 Cr [He] ISTD:45 Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1632.33	0.0017	P	3.6
2	☐	2.000	1.983	15938.54	0.0166	P	2.9
3	☐	50.000	52.204	371627.55	0.3944	P	0.6
4	☐	125.000	128.809	900453.05	0.9707	P	0.6
5	☐	250.000	248.945	1738867.86	1.8745	A	2.6
6	☐	500.000	508.704	3483005.47	3.8287	A	0.7
7	☐	1000.000	995.325	6848197.26	7.4896	A	1.0
8	☐			24798.72	0.0270	P	13.3

$$y = 0.0075 * x + 0.0017$$

$$R = 0.9999$$


$$DL = 0.02463$$

$$BEC = 0.2258$$

Weight: <None>

Min Conc: 0

54 Fe [He] ISTD:45 Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	2731.39	0.0028	P	3.2
2	☐	50.000	54.987	20416.14	0.0213	P	0.6
3	☐	2500.000	2822.930	894908.82	0.9498	P	1.0
4	☐	6250.000	6773.821	2110534.97	2.2752	A	1.0
5	☐	12500.000	13269.111	4131881.15	4.4541	A	0.6
6	☐	25000.000	26919.594	8217778.42	9.0334	A	0.9
7	☐	50000.000	52579.587	16130926.70	17.6414	A	0.8
8	☐	250000.00	249237.34	76634490.53	83.6128	A	0.7

$$y = 3.3546E-004 * x + 0.0028$$


$$R = 0.9999$$

$$DL = 0.8081$$

$$BEC = 8.477$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1155.62	0.0012	P	6.2
2	☐	1.000	1.025	6326.94	0.0066	P	1.7
3	☐	500.000	506.223	2510828.52	2.6649	A	0.4
4	☐	1250.000	1273.311	6216223.45	6.7013	A	1.1
5	☐	2500.000	2492.422	12167315.65	13.1162	A	0.7
6	☐	5000.000	5076.191	24299906.58	26.7119	A	1.3
7	☐	10000.000	9960.574	47926282.06	52.4133	A	0.2
8	☐			25585.17	0.0279	P	0.7

$$y = 0.0053 * x + 0.0012$$


$$R = 1.0000$$

$$DL = 0.04259$$

$$BEC = 0.2286$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	26531.83	0.0276	P	31.0
2	☐	50.000	52.894	337614.69	0.3521	P	0.5
3	☐	2500.000	2662.703	15413588.24	16.3596	A	1.0
4	☐	6250.000	6633.218	37765464.44	40.7131	A	0.9
5	☐	12500.000	13108.169	74607397.77	80.4279	A	1.7
6	☐	25000.000	26485.906	147811657.80	162.4815	A	1.2
7	☐	50000.000	51250.848	287461935.72	314.3797	A	0.7
8	☐	250000.00	249559.62	1402939925.7	1,530.725	A	1.2

$$y = 0.0061 * x + 0.0276$$

$$R = 1.0000$$


$$DL = 4.193$$

$$BEC = 4.504$$

Weight: <None>

Min Conc: 0

Calibration for 005CALS.d



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	2704.79	0.0028	P	10.0
2	☐	50.000	54.042	10669.42	0.0111	P	0.8
3	☐	2500.000	2766.701	403472.48	0.4282	P	1.0
4	☐	6250.000	6829.810	976764.48	1.0530	P	0.1
5	☐	12500.000	13063.315	1865663.58	2.0115	A	2.8
6	☐	25000.000	26295.829	3680742.58	4.0462	A	1.1
7	☐	50000.000	50212.924	7062318.78	7.7237	A	1.1
8	☐	250000.00	249782.50	35205467.81	38.4103	A	0.5

$$y = 1.5376E-004 * x + 0.0028$$


R = 1.0000

DL = 5.513

BEC = 18.31

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	196.68	0.0002	P	40.2
2	☐	1.000	1.034	11481.15	0.0120	P	1.3
3	☐	50.000	51.795	555483.12	0.5896	P	1.0
4	☐	125.000	128.197	1353314.60	1.4589	P	0.3
5	☐	250.000	257.379	2716177.95	2.9289	A	3.7
6	☐	500.000	515.280	5334300.06	5.8635	A	0.1
7	☐	1000.000	990.026	10301005.96	11.2656	A	0.6
8	☐			26752.81	0.0292	P	0.6

$$y = 0.0114 * x + 2.0492E-004$$


R = 0.9998

DL = 0.0217

BEC = 0.01801

Weight: <None>

Min Conc: 0

60 Ni [He] ISTD:45 Sc [He]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	354.45	0.0004	P	1.5
2	☐	1.000	1.061	3298.17	0.0034	P	0.8
3	☐	50.000	52.506	143566.32	0.1524	P	1.0
4	☐	125.000	129.814	348957.12	0.3762	P	0.2
5	☐	250.000	255.172	685496.84	0.7391	P	2.4
6	☐	500.000	504.197	1328258.65	1.4601	P	0.4
7	☐	1000.000	995.881	2636721.57	2.8835	A	0.3
8	☐			10725.01	0.0117	P	3.0

$$y = 0.0029 * x + 3.6900E-004$$


$$R = 1.0000$$

$$DL = 0.005624$$

$$BEC = 0.1275$$

Weight: <None>

Min Conc: 0

63 Cu [He] ISTD:45 Sc [He]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	5239.91	0.0055	P	5.1
2	☐	2.000	1.632	17928.59	0.0187	P	1.0
3	☐	500.000	536.908	4108521.05	4.3607	A	1.9
4	☐	1250.000	1307.825	9845756.31	10.6141	A	0.6
5	☐	2500.000	2609.197	19640977.07	21.1704	A	0.7
6	☐	5000.000	5156.486	38055728.32	41.8331	A	0.8
7	☐	10000.000	9885.384	73324315.57	80.1923	A	1.2
8	☐			18133.29	0.0198	P	2.1

$$y = 0.0081 * x + 0.0055$$

$$R = 0.9997$$


$$DL = 0.1025$$

$$BEC = 0.6725$$

Weight: <None>

Min Conc: 0

⁶⁶Zn [He] ISTD:⁴⁵Sc [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	2660.27	0.0028	P	3.3
2	☐	2.000	6.056	9871.12	0.0103	P	3.6
3	☐	500.000	529.733	622606.79	0.6608	P	0.8
4	☐	1250.000	1305.084	1506392.51	1.6240	M	0.7
5	☐	2500.000	2628.462	3031895.30	3.2679	A	0.7
6	☐	5000.000	5138.717	5809859.50	6.3862	A	0.1
7	☐	10000.000	9890.153	11236379.55	12.2886	A	0.6
8	☐			7696.49	0.0084	P	1.0

$$y = 0.0012 * x + 0.0028$$

$$R = 0.9998$$


$$DL = 0.2196$$

$$BEC = 2.23$$

Weight: <None>

Min Conc: 0

⁷⁵As [He] ISTD:⁸⁹Y [He]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	5.55	0.0000	P	69.0
2	☐	1.000	1.031	858.92	0.0001	P	4.8
3	☐	50.000	51.441	41856.60	0.0072	P	0.7
4	☐	125.000	128.510	103509.85	0.0179	P	1.0
5	☐	250.000	249.988	202009.95	0.0348	P	2.4
6	☐	500.000	511.847	404912.03	0.0712	P	1.7
7	☐	1000.000	993.569	785874.51	0.1383	P	0.3
8	☐			405.57	0.0001	P	7.2

$$y = 1.3916E-004 * x + 9.4358E-007$$


$$R = 0.9999$$

$$DL = 0.01403$$

$$BEC = 0.00678$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1.11	0.0000	P	173.
2	☐	5.000	5.085	120.00	0.0000	P	13.2
3	☐	50.000	54.805	1261.18	0.0002	P	5.5
4	☐	125.000	129.055	2939.21	0.0005	P	2.0
5	☐	250.000	251.881	5755.61	0.0010	P	3.8
6	☐	500.000	525.455	11743.65	0.0021	P	5.4
7	☐	1000.000	986.055	22045.39	0.0039	P	0.6
8	☐			5.56	0.0000	P	34.8

$$y = 3.9334E-006 * x + 1.8887E-007$$


$$R = 0.9995$$

$$DL = 0.2495$$

$$BEC = 0.04802$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	478.90	0.0001	P	8.3
2	☐	5.000	5.004	871.14	0.0001	P	6.4
3	☐	50.000	53.073	4505.17	0.0008	P	0.6
4	☐	125.000	128.261	10110.20	0.0017	P	0.6
5	☐	250.000	254.508	19668.75	0.0034	P	0.8
6	☐	500.000	510.406	38132.38	0.0067	P	2.3
7	☐	1000.000	993.109	73753.62	0.0130	P	1.1
8	☐			512.24	0.0001	P	2.2

$$y = 1.2984E-005 * x + 8.1483E-005$$


$$R = 0.9999$$

$$DL = 1.561$$


$$BEC = 6.276$$

Weight: <None>

Min Conc: 0


81 Br [No Gas] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			11949.38		P	1.8
2	☐			11525.70		P	1.6
3	☐			11448.99		P	1.3
4	☐			11094.26		P	2.2
5	☐			10948.59		P	2.3
6	☐			10808.51		P	1.0
7	☐			11030.88		P	2.6
8	☐			12059.45		P	1.2

81 Br [He] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			151.11		P	19.0
2	☐			88.89		P	18.9
3	☐			145.56		P	14.7
4	☐			84.44		P	12.1
5	☐			101.11		P	15.6
6	☐			94.45		P	17.4
7	☐			141.11		P	13.0
8	☐			186.67		P	3.6

82 Se [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	497.44	0.0000	P	12.3
2	☐	5.000	5.342	1848.29	0.0001	P	6.0
3	☐	50.000	54.568	14201.31	0.0006	P	0.6
4	☐	125.000	134.079	33858.82	0.0014	P	1.4
5	☐	250.000	262.429	66810.22	0.0027	P	0.3
6	☐	500.000	516.023	129680.17	0.0053	P	1.6
7	☐	1000.000	987.516	246451.81	0.0102	P	1.2
8	☐			735.51	0.0000	P	8.3

$$y = 1.0324E-005 * x + 2.0550E-005$$

$$R = 0.9997$$


$$DL = 0.7329$$

$$BEC = 1.99$$

Weight: <None>


Min Conc: 0

83 Kr [No Gas] No available calibration points



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐			365.56		P	9.5
2	☐			358.90		P	13.0
3	☐			380.01		P	19.3
4	☐			354.45		P	12.5
5	☐			367.79		P	5.3
6	☐			378.90		P	12.6
7	☐			362.23		P	7.4
8	☐			384.45		P	10.4

86 Sr [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	611.13	0.0000	P	8.9
2	☐	1.000	0.993	5463.28	0.0002	P	2.0
3	☐	1250.000	1289.746	6267659.91	0.2577	A	0.4
4	☐	3125.000	3218.250	15496895.60	0.6430	A	2.4
5	☐	6250.000	6320.275	30903361.76	1.2628	A	1.5
6	☐	12500.000	12589.077	60986216.87	2.5152	A	2.6
7	☐	25000.000	24924.249	120131888.21	4.9797	A	1.5
8	☐			21028.44	0.0009	P	3.3

$$y = 1.9979E-004 * x + 2.5250E-005$$

$$R = 1.0000$$


$$DL = 0.03383$$

$$BEC = 0.1264$$

Weight: <None>

Min Conc: 0

88 Sr [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	570.02	0.0000	P	1.0
2	☐	1.000	0.986	42628.40	0.0017	P	3.3
3	☐	1250.000	1287.749	54709368.63	2.2495	A	0.5
4	☐	3125.000	3216.593	135431442.43	5.6189	A	1.4
5	☐	6250.000	6289.455	268877911.55	10.9868	A	1.2
6	☐	12500.000	12661.071	536267938.67	22.1171	A	2.2
7	☐	25000.000	24896.264	1049269362.1	43.4902	A	1.0
8	☐			180812.31	0.0079	P	3.9

$$y = 0.0017 * x + 2.3547E-005$$

$$R = 1.0000$$


$$DL = 0.0004213$$

$$BEC = 0.01348$$

Weight: <None>

Min Conc: 0

90 Zr [No Gas] ISTD : 89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1065.60	0.0000	P	11.3
2	☐	1.000	0.964	26186.77	0.0011	P	2.7
3	☐	50.000	50.629	1314135.75	0.0540	P	1.4
4	☐	125.000	127.004	3265600.37	0.1355	A	1.1
5	☐	250.000	248.282	6480994.97	0.2648	A	1.0
6	☐	500.000	502.313	12990237.31	0.5357	A	1.1
7	☐	1000.000	998.991	25704552.40	1.0654	A	0.5
8	☐			15427.18	0.0007	P	2.1

$$y = 0.0011 * x + 4.4023E-005$$

$$R = 1.0000$$


$$DL = 0.01397$$

$$BEC = 0.04128$$

Weight: <None>

Min Conc: 0

91 Zr [No Gas] ISTD : 89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	212.22	0.0000	P	14.2
2	☐	1.000	0.950	5644.47	0.0002	P	5.4
3	☐	50.000	51.148	291475.37	0.0120	P	0.8
4	☐	125.000	127.396	719168.98	0.0298	P	1.2
5	☐	250.000	249.253	1428544.67	0.0584	A	1.0
6	☐	500.000	503.992	2861457.56	0.1180	A	2.4
7	☐	1000.000	997.834	5637272.76	0.2336	A	0.4
8	☐			3491.57	0.0002	P	4.5

$$y = 2.3415E-004 * x + 8.7635E-006$$

$$R = 1.0000$$


$$DL = 0.0159$$

$$BEC = 0.03743$$

Weight: <None>

Min Conc: 0

94 Mo [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	490.01	0.0000	P	14.6
2	☐	5.000	5.169	29557.65	0.0012	P	2.1
3	☐	500.000	508.430	2846611.76	0.1170	A	0.5
4	☐	1250.000	1274.634	7072198.78	0.2934	A	0.2
5	☐	2500.000	2529.736	14250715.90	0.5823	A	0.4
6	☐	5000.000	5070.866	28303167.08	1.1672	A	1.1
7	☐	10000.000	9953.632	55272376.95	2.2911	A	1.1
8	☐			13325.06	0.0006	P	3.7

$$y = 2.3017E-004 * x + 2.0249E-005$$

$$R = 1.0000$$


$$DL = 0.03854$$

$$BEC = 0.08797$$

Weight: <None>

Min Conc: 0

95 Mo [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	207.78	0.0000	P	21.7
2	☐	5.000	4.406	35971.88	0.0015	P	4.2
3	☐	500.000	515.188	4164873.76	0.1713	A	1.0
4	☐	1250.000	1286.045	10303185.47	0.4275	A	1.4
5	☐	2500.000	2533.529	20609670.39	0.8421	A	0.4
6	☐	5000.000	5086.424	40997328.83	1.6907	A	1.7
7	☐	10000.000	9943.141	79733002.15	3.3050	A	1.2
8	☐			12660.01	0.0006	P	2.5

$$y = 3.3239E-004 * x + 8.5869E-006$$

$$R = 0.9999$$


$$DL = 0.01683$$

$$BEC = 0.02583$$

Weight: <None>

Min Conc: 0

96 Mo [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	206.67	0.0000	P	11.7
2	☐	5.000	4.499	40156.20	0.0016	P	2.7
3	☐	500.000	513.786	4543071.29	0.1868	A	0.8
4	☐	1250.000	1290.478	11308847.19	0.4692	A	1.0
5	☐	2500.000	2535.102	22556455.50	0.9217	A	0.5
6	☐	5000.000	5092.993	44900536.00	1.8516	A	2.4
7	☐	10000.000	9938.979	87176480.92	3.6135	A	0.9
8	☐			23868.48	0.0010	P	1.7

$$y = 3.6356E-004 * x + 8.5403E-006$$

$$R = 0.9999$$


$$DL = 0.008274$$

$$BEC = 0.02349$$

Weight: <None>

Min Conc: 0

97 Mo [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	102.22	0.0000	P	1.9
2	☐	5.000	4.455	22553.03	0.0009	P	3.3
3	☐	500.000	513.184	2575338.21	0.1059	A	1.2
4	☐	1250.000	1284.254	6387129.14	0.2650	A	1.3
5	☐	2500.000	2530.530	12778837.17	0.5222	A	0.8
6	☐	5000.000	5076.624	25399681.29	1.0475	A	1.9
7	☐	10000.000	9949.115	49525584.82	2.0529	A	1.4
8	☐			7665.42	0.0003	P	4.8

$$y = 2.0634E-004 * x + 4.2226E-006$$

$$R = 0.9999$$


$$DL = 0.001183$$

$$BEC = 0.02046$$

Weight: <None>

Min Conc: 0

98 Mo [No Gas] ISTD:89 Y [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	253.34	0.0000	P	9.9
2	☐	5.000	4.391	56970.56	0.0023	P	2.2
3	☐	500.000	511.576	6578245.25	0.2705	A	0.9
4	☐	1250.000	1273.023	16222899.62	0.6731	A	0.9
5	☐	2500.000	2507.569	32446414.79	1.3258	A	0.1
6	☐	5000.000	5061.984	64895494.59	2.6763	A	1.3
7	☐	10000.000	9963.659	127084406.99	5.2679	A	1.9
8	☐			19043.69	0.0008	P	8.3

$$y = 5.2871E-004 * x + 1.0462E-005$$

$$R = 1.0000$$


$$DL = 0.005896$$

$$BEC = 0.01979$$

Weight: <None>

Min Conc: 0

106 Cd [No Gas] ISTD:159 Tb [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	4710.81	0.0003	P	0.6
2	☐	1.000	0.844	5059.82	0.0003	P	1.4
3	☐	50.000	53.648	23720.58	0.0014	P	2.4
4	☐	125.000	132.031	51914.60	0.0030	P	0.4
5	☐	250.000	257.622	97079.65	0.0056	P	0.8
6	☐	500.000	509.274	187300.54	0.0108	P	1.2
7	☐	1000.000	992.396	356144.00	0.0207	P	1.1
8	☐			4700.80	0.0003	P	1.3

$$y = 2.0594E-005 * x + 2.7424E-004$$


$$R = 0.9999$$

$$DL = 0.2424$$

$$BEC = 13.32$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	141.11	0.0000	P	6.7
2	☐	1.000	0.939	16480.57	0.0009	P	0.7
3	☐	50.000	52.372	903688.59	0.0525	P	2.1
4	☐	125.000	131.473	2287347.40	0.1319	A	1.5
5	☐	250.000	261.373	4561421.91	0.2622	A	1.2
6	☐	500.000	511.247	8924781.18	0.5128	A	1.2
7	☐	1000.000	990.606	17085803.22	0.9936	A	1.6
8	☐			2430.23	0.0001	P	11.1

$$y = 0.0010 * x + 8.2127E-006$$


$$R = 0.9998$$

$$DL = 0.001634$$

$$BEC = 0.008188$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	12.22	0.0000	P	15.2
2	☐	1.000	0.971	255.56	0.0000	P	20.5
3	☐	50.000	54.057	13437.43	0.0008	P	3.8
4	☐	125.000	130.794	32770.32	0.0019	P	1.2
5	☐	250.000	258.223	64890.95	0.0037	P	1.9
6	☐	500.000	510.081	128208.54	0.0074	P	0.8
7	☐	1000.000	991.977	246328.38	0.0143	P	1.9
8	☐			101.11	0.0000	P	29.1

$$y = 1.4441E-005 * x + 7.1093E-007$$

$$R = 0.9999$$


$$DL = 0.02241$$

$$BEC = 0.04923$$

Weight: <None>

Min Conc: 0

109 Ag [No Gas] ISTD :159 Tb [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	74.44	0.0000	P	3.2
2	☐	1.000	0.925	15278.15	0.0009	P	1.5
3	☐	50.000	52.039	847781.43	0.0493	P	2.7
4	☐	125.000	130.555	2144623.20	0.1237	A	0.6
5	☐	250.000	260.468	4292275.60	0.2467	A	0.6
6	☐	500.000	510.807	8419906.75	0.4838	A	1.0
7	☐	1000.000	991.183	16141195.59	0.9388	A	2.2
8	☐			2261.32	0.0001	P	11.6

$$y = 9.4712\text{E-}004 * x + 4.3342\text{E-}006$$

$$R = 0.9998$$


$$DL = 0.0004429$$

$$BEC = 0.004576$$

Weight: <None>

Min Conc: 0

111 Cd [No Gas] ISTD :159 Tb [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	3296.80	0.0002	P	0.5
2	☐	1.000	1.015	6860.11	0.0004	P	2.0
3	☐	50.000	51.798	181902.90	0.0106	P	1.7
4	☐	125.000	126.587	443438.49	0.0256	P	0.4
5	☐	250.000	249.501	873503.10	0.0502	P	1.3
6	☐	500.000	506.780	1771344.15	0.1018	A	1.3
7	☐	1000.000	996.446	3438112.96	0.1999	A	1.2
8	☐			3656.46	0.0002	P	1.9

$$y = 2.0046\text{E-}004 * x + 1.9192\text{E-}004$$


$$R = 1.0000$$

$$DL = 0.01442$$

$$BEC = 0.9574$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	2055.72	0.0001	P	1.6
2	☐	5.000	4.655	54464.67	0.0031	P	1.3
3	☐	50.000	50.085	560895.74	0.0326	P	1.6
4	☐	125.000	123.450	1390924.94	0.0802	P	0.4
5	☐	250.000	257.181	2904545.16	0.1669	A	1.8
6	☐	500.000	504.049	5692293.18	0.3271	A	0.2
7	☐	1000.000	996.371	11115933.17	0.6464	A	1.4
8	☐			6872.81	0.0004	P	0.3

$$y = 6.4867E-004 * x + 1.1967E-004$$


$$R = 1.0000$$

$$DL = 0.008726$$

$$BEC = 0.1845$$

Weight: <None>

Min Conc: 0



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	150.00	0.0000	P	22.1
2	☐	2.000	1.875	25284.48	0.0015	P	2.4
3	☐	50.000	49.300	655302.92	0.0381	P	2.3
4	☐	125.000	127.386	1707130.84	0.0984	A	1.1
5	☐	250.000	253.063	3401953.32	0.1955	A	2.0
6	☐	500.000	501.917	6749119.00	0.3878	A	0.6
7	☐	1000.000	998.013	13259790.50	0.7711	A	1.5
8	☐			9355.35	0.0006	P	4.6

$$y = 7.7263E-004 * x + 8.7403E-006$$

$$R = 1.0000$$


$$DL = 0.007501$$

$$BEC = 0.01131$$

Weight: <None>

Min Conc: 0

135 Ba [No Gas] ISTD :159 Tb [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	77.78	0.0000	P	25.4
2	☐	10.000	8.936	30544.98	0.0018	P	1.5
3	☐	250.000	243.359	822636.58	0.0478	P	1.3
4	☐	625.000	623.562	2125020.73	0.1225	A	1.4
5	☐	1250.000	1250.359	4274575.32	0.2457	A	1.0
6	☐	2500.000	2521.199	8621647.02	0.4954	A	0.8
7	☐	5000.000	4989.825	16858076.42	0.9804	A	2.0
8	☐			6807.24	0.0004	P	0.9

$$y = 1.9649E-004 * x + 4.5236E-006$$

$$R = 1.0000$$


$$DL = 0.01751$$

$$BEC = 0.02302$$

Weight: <None>

Min Conc: 0

137 Ba [No Gas] ISTD :159 Tb [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	111.12	0.0000	P	11.6
2	☐	10.000	9.057	53195.64	0.0031	P	0.4
3	☐	250.000	243.525	1415126.14	0.0823	P	1.2
4	☐	625.000	640.451	3752306.43	0.2163	A	0.6
5	☐	1250.000	1252.723	7362764.89	0.4232	A	0.8
6	☐	2500.000	2523.268	14833236.44	0.8524	A	2.1
7	☐	5000.000	4986.079	28960900.40	1.6843	A	1.4
8	☐			11905.09	0.0007	P	3.3

$$y = 3.3779E-004 * x + 6.4657E-006$$


$$R = 1.0000$$

$$DL = 0.006652$$


$$BEC = 0.01914$$

Weight: <None>


Min Conc: 0

150 Nd [No Gas] No available calibration points


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			13.33		P	NaN
2	☐			20.00		P	44.1
3	☐			42.22		P	22.8
4	☐			90.00		P	9.8
5	☐			175.56		P	4.4
6	☐			300.01		P	17.5
7	☐			583.35		P	5.9
8	☐			230.00		P	16.5

150 Nd [He] No available calibration points


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			10.00		P	57.8
2	☐			6.66		P	86.6
3	☐			13.33		P	66.2
4	☐			28.89		P	46.6
5	☐			35.55		P	30.1
6	☐			68.89		P	24.4
7	☐			132.23		P	18.6
8	☐			146.67		P	14.2

156 Dy [No Gas] No available calibration points


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			16.67		P	52.9
2	☐			36.66		P	31.5
3	☐			36.67		P	15.7
4	☐			38.89		P	21.6
5	☐			86.67		P	17.6
6	☐			151.11		P	27.6
7	☐			246.67		P	10.6
8	☐			424.45		P	5.0

156 Dy [He] No available calibration points


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			17.78		P	92.5
2	☐			8.89		P	21.6
3	☐			55.56		P	3.5
4	☐			101.11		P	28.0
5	☐			168.89		P	8.9
6	☐			350.01		P	13.2
7	☐			632.24		P	6.1
8	☐			356.67		P	2.8

160 Gd [No Gas] Noavailable calibration poin...


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			62.22		P	13.5
2	☐			84.45		P	16.0
3	☐			93.33		P	24.7
4	☐			97.78		P	29.4
5	☐			115.56		P	1.7
6	☐			138.89		P	20.0
7	☐			197.78		P	20.0
8	☐			437.79		P	1.9

160 Gd [He] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			388.90		P	26.7
2	☐			332.23		P	21.8
3	☐			380.01		P	4.0
4	☐			365.57		P	0.5
5	☐			366.67		P	15.3
6	☐			386.67		P	9.1
7	☐			412.23		P	30.4
8	☐			626.69		P	8.6


164 Er [No Gas] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			137.78		P	20.6
2	☐			121.11		P	22.2
3	☐			112.22		P	9.5
4	☐			168.89		P	9.7
5	☐			162.23		P	5.9
6	☐			187.78		P	5.4
7	☐			256.67		P	15.8
8	☐			553.35		P	6.5

164 Er [He] No available calibration points

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐			88.89		P	22.0
2	☐			71.11		P	25.8
3	☐			86.67		P	13.9
4	☐			78.89		P	8.8
5	☐			108.89		P	10.7
6	☐			136.67		P	6.5
7	☐			161.11		P	10.6
8	☐			368.90		P	7.6

203 Tl [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	134.45	0.0000	P	6.6
2	☐	1.000	0.816	9769.13	0.0010	P	1.5
3	☐	50.000	44.034	518782.20	0.0520	P	1.2
4	☐	125.000	109.892	1294288.63	0.1297	P	1.9
5	☐	250.000	248.290	2913734.61	0.2931	A	2.2
6	☐	500.000	507.698	5833466.16	0.5993	A	0.4
7	☐	1000.000	998.765	11386043.86	1.1790	A	1.9
8	☐			1304.52	0.0002	P	8.6

$$y = 0.0012 * x + 1.3704E-005$$

R = 0.9998


DL = 0.0023

BEC = 0.01161

Weight: <None>

Min Conc: 0

205 Tl [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	398.90	0.0000	P	6.4
2	☐	1.000	0.832	23666.22	0.0024	P	0.7
3	☐	50.000	44.059	1229255.82	0.1232	P	0.9
4	☐	125.000	124.268	3465607.69	0.3474	A	2.8
5	☐	250.000	248.019	6892986.49	0.6934	A	0.7
6	☐	500.000	504.769	13733103.55	1.4111	A	1.1
7	☐	1000.000	998.500	26956749.32	2.7912	A	1.0
8	☐			2979.25	0.0003	P	8.8

$$y = 0.0028 * x + 4.0646E-005$$

R = 1.0000


DL = 0.002803

BEC = 0.01454

Weight: <None>

Min Conc: 0

206 [Pb] [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	497.79	0.0001	P	9.6
2	☐	1.000	0.868	8739.55	0.0009	P	1.2
3	☐	250.000	247.926	2346324.60	0.2352	A	1.0
4	☐	625.000	620.535	5871438.32	0.5885	A	1.2
5	☐	1250.000	1246.211	11749386.91	1.1819	A	0.8
6	☐	2500.000	2519.688	23256698.26	2.3895	A	0.6
7	☐	5000.000	4991.765	45715797.10	4.7338	A	1.2
8	☐			7844.56	0.0009	P	2.3

$$y = 9.4832\text{E-}004 * x + 5.0714\text{E-}005$$

$$R = 1.0000$$


$$DL = 0.01537$$

$$BEC = 0.05348$$

Weight: <None>

Min Conc: 0

207 [Pb] [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	360.01	0.0000	P	7.8
2	☐	1.000	0.888	7776.73	0.0008	P	1.0
3	☐	250.000	248.050	2066000.16	0.2071	A	1.5
4	☐	625.000	622.520	5184364.75	0.5196	A	0.6
5	☐	1250.000	1256.103	10423459.08	1.0484	A	0.3
6	☐	2500.000	2512.092	20407052.06	2.0967	A	0.7
7	☐	5000.000	4992.836	40243441.34	4.1673	A	1.5
8	☐			6675.03	0.0008	P	5.3

$$y = 8.3464\text{E-}004 * x + 3.6676\text{E-}005$$

$$R = 1.0000$$


$$DL = 0.0103$$

$$BEC = 0.04394$$

Weight: <None>

Min Conc: 0

208 Pb [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	1852.29	0.0002	P	7.7
2	☐	1.000	0.877	35123.57	0.0035	P	0.8
3	☐	250.000	249.341	9426889.31	0.9448	A	1.0
4	☐	625.000	623.180	23555982.32	2.3611	A	1.2
5	☐	1250.000	1253.874	47227502.56	4.7505	A	1.0
6	☐	2500.000	2519.669	92909872.92	9.5459	A	0.6
7	☐	5000.000	4989.458	182548769.22	18.9027	A	1.2
8	☐			30838.44	0.0036	P	4.5

$$y = 0.0038 * x + 1.8871E-004$$

$$R = 1.0000$$


$$DL = 0.01156$$

$$BEC = 0.04981$$

Weight: <None>

Min Conc: 0

238 U [No Gas] ISTD :209 Bi [No Gas]



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	0.000	0.000	41.11	0.0000	P	23.9
2	☐	1.000	0.799	28994.87	0.0029	P	1.4
3	☐	50.000	46.485	1681702.84	0.1686	M	8.8
4	☐	125.000	122.066	4416429.48	0.4427	A	1.5
5	☐	250.000	245.720	8859489.73	0.8911	A	0.1
6	☐	500.000	503.392	17768417.10	1.8256	A	0.5
7	☐	1000.000	999.917	35018125.03	3.6263	A	2.0
8	☐			2125.74	0.0002	P	10.5

$$y = 0.0036 * x + 4.1940E-006$$


$$R = 1.0000$$

$$DL = 0.00083$$


$$BEC = 0.001156$$

Weight: <None>


Min Conc: 0

6 Li (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		2032677.90		A	0.4
2	☐	1.000		2080744.50		A	0.7
3	☐	1.000		2124146.88		A	1.5
4	☐	1.000		2237251.01		A	2.7
5	☐	1.000		2257621.91		A	3.4
6	☐	1.000		2280553.44		A	3.6
7	☐	1.000		2188241.62		A	1.0
8	☐	1.000		2077587.43		A	2.8

45 Sc (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		10763484.98		A	1.3
2	☐	1.000		10817607.34		A	0.4
3	☐	1.000		10778989.28		A	2.0
4	☐	1.000		10593616.92		A	0.9
5	☐	1.000		10592505.26		A	1.0
6	☐	1.000		10327070.68		A	1.3
7	☐	1.000		10475390.05		A	0.2
8	☐	1.000		10167539.99		A	0.2

45 Sc (ISTD) [He]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐	1.000		960588.10		P	0.7
2	☐	1.000		958973.74		P	0.3
3	☐	1.000		942175.86		P	0.0
4	☐	1.000		927605.15		P	0.3
5	☐	1.000		927716.32		P	1.8
6	☐	1.000		909743.29		P	0.9
7	☐	1.000		914399.12		P	0.6
8	☐	1.000		916562.12		P	0.7

89 Y (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐	1.000		24207969.92		A	0.5
2	☐	1.000		24435034.91		A	2.4
3	☐	1.000		24320681.86		A	0.4
4	☐	1.000		24104169.36		A	1.0
5	☐	1.000		24473333.80		A	0.3
6	☐	1.000		24250376.31		A	1.1
7	☐	1.000		24126568.81		A	1.1
8	☐	1.000		22789652.16		A	0.6

89 Y(ISTD) [He]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐	1.000		5875919.98		A	0.4
2	☐	1.000		5949072.41		A	1.2
3	☐	1.000		5846217.76		A	0.7
4	☐	1.000		5787785.96		A	0.7
5	☐	1.000		5808820.96		A	2.5
6	☐	1.000		5685865.82		A	2.2
7	☐	1.000		5683648.67		A	0.3
8	☐	1.000		5770728.59		A	0.5

103 Rh(ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det .	RSD
1	☐	1.000		14491263.12		A	0.5
2	☐	1.000		14536482.70		A	0.3
3	☐	1.000		14587182.01		A	0.5
4	☐	1.000		14227386.45		A	0.6
5	☐	1.000		14098331.46		A	0.3
6	☐	1.000		13987715.90		A	0.3
7	☐	1.000		13724494.10		A	1.1
8	☐	1.000		12231502.32		A	1.0

103 Rh (ISTD) [He]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		8798735.42		A	0.9
2	☐	1.000		8821906.61		A	1.4
3	☐	1.000		8743989.31		A	1.4
4	☐	1.000		8611600.57		A	1.1
5	☐	1.000		8565802.23		A	2.6
6	☐	1.000		8384141.33		A	0.9
7	☐	1.000		8200679.18		A	0.9
8	☐	1.000		7655532.66		A	0.4

115 In (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		14610883.19		A	1.4
2	☐	1.000		14871014.09		A	0.4
3	☐	1.000		14587061.50		A	1.2
4	☐	1.000		14597405.71		A	2.0
5	☐	1.000		14558649.59		A	0.3
6	☐	1.000		14204878.14		A	0.9
7	☐	1.000		13941763.11		A	0.8
8	☐	1.000		13041573.07		A	1.2

115 In (ISTD) [He]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		4873293.13		A	0.6
2	☐	1.000		4922463.11		A	1.3
3	☐	1.000		4816523.29		A	1.5
4	☐	1.000		4758308.87		A	0.8
5	☐	1.000		4704255.99		A	2.8
6	☐	1.000		4649289.97		A	1.3
7	☐	1.000		4546875.66		A	1.0
8	☐	1.000		4582950.01		A	0.2

159 Tb (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		17177962.80		A	0.6
2	☐	1.000		17351218.21		A	0.3
3	☐	1.000		17203036.69		A	1.2
4	☐	1.000		17343688.63		A	0.3
5	☐	1.000		17399475.16		A	1.0
6	☐	1.000		17403299.46		A	0.5
7	☐	1.000		17196646.13		A	1.1
8	☐	1.000		16410046.14		A	0.8

159 Tb (ISTD) [He]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	1.000		11365198.44		A	0.4
2	☐	1.000		11438973.16		A	0.3
3	☐	1.000		11227118.86		A	0.8
4	☐	1.000		11445407.61		A	1.5
5	☐	1.000		11246452.61		A	1.6
6	☐	1.000		11531687.88		A	1.0
7	☐	1.000		11386873.17		A	1.1
8	☐	1.000		11201306.64		A	0.5

165 Ho (ISTD) [No Gas]


	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det	RSD
1	☐	1.000		16388727.81		A	0.4
2	☐	1.000		16566153.50		A	0.7
3	☐	1.000		16652458.08		A	1.4
4	☐	1.000		16659174.61		A	0.4
5	☐	1.000		16652458.09		A	0.2
6	☐	1.000		16666780.58		A	0.9
7	☐	1.000		16618157.39		A	0.2
8	☐	1.000		15844498.23		A	1.5

165 Ho (ISTD) [He]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		11313585.11		A	1.7
2	☐	1.000		11271201.78		A	0.8
3	☐	1.000		11392988.86		A	1.6
4	☐	1.000		11405024.00		A	0.9
5	☐	1.000		11569753.86		A	2.2
6	☐	1.000		11316025.39		A	0.6
7	☐	1.000		11436331.92		A	0.6
8	☐	1.000		11224427.75		A	1.1

209 Bi (ISTD) [No Gas]

	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		9812594.16		A	0.7
2	☐	1.000		9998577.21		A	0.8
3	☐	1.000		9977737.42		A	0.4
4	☐	1.000		9977848.46		A	1.4
5	☐	1.000		9941982.35		A	1.0
6	☐	1.000		9733217.29		A	1.2
7	☐	1.000		9658037.43		A	1.0
8	☐	1.000		8521695.29		A	2.4



	Rj ct	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD
1	☐	1.000		7783396.41		A	1.1
2	☐	1.000		7840692.04		A	1.9
3	☐	1.000		7878042.59		A	1.0
4	☐	1.000		7810396.62		A	1.6
5	☐	1.000		7865180.79		A	1.9
6	☐	1.000		7736867.80		A	1.1
7	☐	1.000		7505868.43		A	0.6
8	☐	1.000		6896902.47		A	0.9

US EPA Tune Check Report

Reviewed By:mohan
On:10/24/2024
10:33:28 PM
Inst Id :P7
ClientSampleId
:TUNE001

Operator Name Jaswal
Acq/Data Batch D:\Agilent\ICPMH\1\DATA\IP7102324-MS2.b
Acq. Date-Time 2024-10-23 15:36:12
Report Comment ---
Instrument Name G8403A JP14410463

[No Gas]

Sensitivity

Mass	Conc. [ug/l]	Count	CPS	Resp (Required) [cps/ug/l]	Resp (Flag)	RSD%	RSD% (Required)
9		14502	145016.42			0.434	5.000
24		526511	5265106.39			0.682	5.000
25		69622	696224.99			1.162	5.000
26		85118	851183.19			1.265	5.000
59		111729	1117290.17			1.484	5.000
113		7059	70590.98			1.465	5.000
115		161038	1610378.08			2.187	5.000
206		28166	281656.67			1.327	5.000
207		23533	235331.14			1.749	5.000
208		58062	580618.86			1.783	5.000
220		1	7.90			28.796	

Mass	RSD% (Flag)
9	
24	
25	
26	
59	
113	
115	
206	
207	
208	
220	

Mass	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	14427	14600	14486	14511	14484
24	524905	521078	529846	529238	527486
25	70346	70053	70123	69173	68417
26	85615	84389	85968	86024	83596
59	111107	114530	110403	111873	110732
113	7223	7087	7026	7009	6951
115	166765	161261	158984	160661	157517
206	28771	28211	28129	27868	27849
207	24174	23655	23439	23295	23102
208	59734	58127	57978	57471	56999


US EPA Tune Check Report

Reviewed By:mohan
On:10/24/2024
10:33:28 PM
Inst Id :P7
ClientSampleId
:TUNE001

Mass	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
220	1	1	1	1	1

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)
9	24419.96	9.00	8.90 - 9.10	
24	949200.89	24.05	23.90 - 24.10	
25	124479.68	25.00	24.90 - 25.10	
26	147470.92	26.00	25.90 - 26.10	
59	195343.28	58.95	58.90 - 59.10	
113	14041.64	112.95	112.90 - 113.10	
115	312847.91	115.00	114.90 - 115.10	
206	60433.13	206.00	205.90 - 206.10	
207	49761.08	207.00	206.90 - 207.10	
208	120198.05	207.95	207.90 - 208.10	
220			-	

Mass	W-50%	W-5%	W-5% (Required)	W-5% (Flag)
9	0.63	0.739	0.900	
24	0.59	0.778	0.900	
25	0.59	0.768	0.900	
26	0.62	0.741	0.900	
59	0.60	0.775	0.900	
113	0.52	0.720	0.900	
115	0.51	0.728	0.900	
206	0.48	0.696	0.900	
207	0.49	0.724	0.900	
208	0.48	0.732	0.900	
220	0.36			

Integration Time [sec] 0.1

Acquisition Time [sec] 256.770000000002

Y Axis Linear

Tune Parameters

Plasma Parameters

Plasma Mode --- Nebulizer Gas 0.82 L/min Dilution Gas 0.40 L/min

US EPA Tune Check Report

Reviewed By:mohan
On:10/24/2024
10:33:28 PM
Inst Id :P7
ClientSampleId
TUNE001

RF Power	1600 W	Option Gas	---	Auxiliary Gas	0.9 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	9.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	8.3 V	Deflect	14.4 V
Extract 2	-225.0 V	Cell Entrance	-30 V	Plate Bias	-35 V
Omega Bias	-95 V	Cell Exit	-50 V		

Cell Parameters

Use Gas	No	3rd Gas Flow	---	Energy Discrimination	5.0 V
He Flow	0.0 mL/min	OctP Bias	-8.0 V		
H2 Flow	---	OctP RF	200 V		

QP Parameters

Mass Gain	136	Axis Gain	0.9976	QP Bias	-3.0 V
Mass Offset	130	Axis Offset	0.12		

Hardware Settings

Torch

Torch H	-0.5 mm	Torch V	0.6 mm

EM

Discriminator	4.8 mV	Analog HV	2407 V	Pulse HV	1924 V

[He]

Sensitivity

Mass	Conc. [ug/l]	Count	CPS	Resp (Required) [cps/ug/l]	Resp (Flag)	RSD%	RSD% (Required)
59		39237	392365.59			0.776	
89		172322	1723218.56			2.004	
205		40361	403612.22			0.438	

Mass	RSD% (Flag)
59	
89	
205	

Mass	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
59	39638	39417	39144	39149	38835
89	171913	178376	170125	170821	170375
205	40658	40345	40252	40348	40203

Integration Time [sec] 0.1

Tune Parameters

Plasma Parameters

Plasma Mode	---	Nebulizer Gas	0.82 L/min	Dilution Gas	0.40 L/min
RF Power	1600 W	Option Gas	---	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	9.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	8.7 V	Deflect	4.0 V

US EPA Tune Check Report

Reviewed By:mohan
On:10/24/2024
10:33:28 PM
Inst Id :P7
ClientSampleId
TUNE001

Extract 2	-230.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-100 V	Cell Exit	-60 V		
Cell Parameters					
Use Gas	Yes	3rd Gas Flow	---	Energy Discrimination	5.0 V
He Flow	3.9 mL/min	OctP Bias	-18.0 V		
H2 Flow	---	OctP RF	200 V		
QP Parameters					
Mass Gain	136	Axis Gain	0.9976	QP Bias	-13.0 V
Mass Offset	130	Axis Offset	0.12		
Hardware Settings					
Torch					
Torch H	-0.5 mm	Torch V	0.6 mm		
EM					
Discriminator	4.8 mV	Analog HV	2407 V	Pulse HV	1924 V

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	0.11	0.07	-0.18	0.00	N/A	ppb
Antimony	121-1	0.00	0.00	0.00	0.00	N/A	ppb
Arsenic	75-2	0.01	0.00	0.00	0.00	N/A	ppb
Barium	135-1	0.01	0.00	-0.01	0.00	N/A	ppb
Barium	137-1	0.00	0.00	0.00	0.00	N/A	ppb
Beryllium	9-1	0.00	0.00	0.00	0.00	N/A	ppb
Bismuth	209-1				100		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.00	0.00	-0.01	0.00	N/A	ppb
Cadmium	106-1	0.08	-0.08	-0.01	0.00	N/A	ppb
Cadmium	111-1	0.01	0.00	0.00	0.00	N/A	ppb
Calcium	43-1	-0.76	1.03	-0.27	0.00	N/A	ppb
Calcium	44-1	-0.34	-0.90	1.24	0.00	N/A	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.00	0.01	0.00	0.00	N/A	ppb
Cobalt	59-2	0.01	-0.01	0.00	0.00	N/A	ppb
Copper	63-2	0.04	-0.02	-0.02	0.00	N/A	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				100		%
Indium	115-2				100		%
Iron	56-2	1.61	-0.78	-0.84	0.00	N/A	ppb
Iron	57-2	2.11	-1.22	-0.89	0.00	N/A	ppb
Iron	54-2	0.30	-0.23	-0.06	0.00	N/A	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.00	0.00	-0.01	0.00	N/A	ppb
Lead	207-1	0.00	0.00	0.00	0.00	N/A	ppb
Lead	208-1	0.00	0.00	0.00	0.00	N/A	ppb
Lithium	6-1				100		%
Magnesium	24-2	0.25	-0.08	-0.16	0.00	N/A	ppb
Manganese	55-2	0.01	0.01	-0.02	0.00	N/A	ppb
Molybdenum	94-1	-0.01	-0.01	0.01	0.00	N/A	ppb
Molybdenum	95-1	0.00	0.00	0.01	0.00	N/A	ppb
Molybdenum	96-1	0.00	0.00	0.00	0.00	N/A	ppb
Molybdenum	97-1	0.00	0.00	0.00	0.00	N/A	ppb
Molybdenum	98-1	0.00	0.00	0.00	0.00	N/A	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	0.00	0.00	0.00	0.00	N/A	ppb
Phosphorus	31-2	-14.74	-17.64	-17.32	-16.57		ppb
Potassium	39-2	-1.07	-0.62	1.70	0.00	N/A	ppb
Rhodium	103-1				100		%
Rhodium	103-2				100		%
Scandium	45-1				100		%
Scandium	45-2				100		%
Selenium	82-1	0.08	-0.27	0.19	0.00	N/A	ppb
Selenium	77-2	-0.05	-0.05	0.10	0.00	N/A	ppb
Selenium	78-2	0.51	-0.53	0.01	0.00	N/A	ppb
Silicon	28-1	0.05	-0.14	0.08	0.00	N/A	ppb
Silver	107-1	0.00	0.00	0.00	0.00	N/A	ppb
Silver	109-1	0.00	0.00	0.00	0.00	N/A	ppb
Sodium	23-2	0.48	-0.75	0.26	0.00	N/A	ppb
Strontium	86-1	-0.01	0.01	0.00	0.00	N/A	ppb
Strontium	88-1	0.00	0.00	0.00	0.00	N/A	ppb
Sulfur	34-1	-47.45	-97.01	70.14	-24.77		ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	0.00	0.00	0.00	0.00	N/A	ppb
Thallium	205-1	0.00	0.00	0.00	0.00	N/A	ppb
Tin	118-1	0.00	0.00	0.00	0.00	N/A	ppb
Titanium	47-1	0.01	-0.02	0.01	0.00	N/A	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.00	0.00	0.00	0.00	N/A	ppb
Vanadium	51-2	0.00	0.00	0.00	0.00	N/A	ppb
Yttrium	89-1				100		%
Yttrium	89-2				100		%
Zinc	66-2	0.05	-0.08	0.03	0.00	N/A	ppb
Zirconium	90-1	0.00	0.01	0.00	0.00	N/A	ppb
Zirconium	91-1	0.00	0.00	-0.01	0.00	N/A	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	18.78	19.09	19.29	19.06	1.35	ppb
Antimony	121-1	1.87	1.92	1.83	1.87	2.42	ppb
Arsenic	75-2	1.03	0.98	1.08	1.03	4.82	ppb
Barium	135-1	8.80	8.95	9.06	8.94	1.49	ppb
Barium	137-1	9.04	9.10	9.03	9.06	0.43	ppb
Beryllium	9-1	1.06	1.04	1.00	1.04	2.71	ppb
Bismuth	209-1				102		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.16	1.01	0.75	0.97	21.51	ppb
Cadmium	106-1	0.72	1.06	0.75	0.84	22.66	ppb
Cadmium	111-1	0.98	1.06	1.01	1.01	3.89	ppb
Calcium	43-1	503.68	505.42	519.11	509.40	1.66	ppb
Calcium	44-1	511.95	517.45	521.15	516.85	0.90	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1.94	2.06	1.95	1.98	3.18	ppb
Cobalt	59-2	1.05	1.02	1.03	1.03	1.28	ppb
Copper	63-2	1.61	1.63	1.66	1.63	1.42	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				102		%
Indium	115-2				101		%
Iron	56-2	53.25	52.66	52.77	52.89	0.59	ppb
Iron	57-2	54.53	54.22	53.38	54.04	1.11	ppb
Iron	54-2	54.56	55.33	55.07	54.99	0.71	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.86	0.87	0.88	0.87	1.23	ppb
Lead	207-1	0.89	0.88	0.89	0.89	1.09	ppb
Lead	208-1	0.87	0.88	0.88	0.88	0.88	ppb
Lithium	6-1				102		%
Magnesium	24-2	535.66	534.07	539.61	536.45	0.53	ppb
Manganese	55-2	1.02	1.01	1.05	1.03	2.13	ppb
Molybdenum	94-1	5.09	5.12	5.30	5.17	2.15	ppb
Molybdenum	95-1	4.21	4.43	4.57	4.41	4.18	ppb
Molybdenum	96-1	4.36	4.55	4.59	4.50	2.71	ppb
Molybdenum	97-1	4.31	4.45	4.60	4.46	3.35	ppb
Molybdenum	98-1	4.28	4.43	4.46	4.39	2.18	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1.05	1.07	1.06	1.06	0.92	ppb
Phosphorus	31-2	16.14	13.41	20.14	16.57	20.43	ppb
Potassium	39-2	505.35	503.20	502.27	503.61	0.31	ppb
Rhodium	103-1				100		%
Rhodium	103-2				100		%
Scandium	45-1				101		%
Scandium	45-2				100		%
Selenium	82-1	5.05	5.13	5.85	5.34	8.24	ppb
Selenium	77-2	4.31	5.41	5.54	5.09	13.29	ppb
Selenium	78-2	4.75	5.82	4.44	5.00	14.40	ppb
Silicon	28-1	1.05	0.99	1.15	1.07	7.79	ppb
Silver	107-1	0.94	0.93	0.94	0.94	0.66	ppb
Silver	109-1	0.91	0.94	0.92	0.93	1.51	ppb
Sodium	23-2	520.64	520.15	519.35	520.05	0.13	ppb
Strontium	86-1	0.98	0.98	1.02	0.99	2.20	ppb
Strontium	88-1	0.96	0.98	1.02	0.99	3.32	ppb
Sulfur	34-1	13.70	21.16	39.45	24.77	53.48	ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	0.80	0.82	0.83	0.82	1.57	ppb
Thallium	205-1	0.84	0.83	0.83	0.83	0.70	ppb
Tin	118-1	4.58	4.71	4.67	4.65	1.36	ppb
Titanium	47-1	4.35	4.52	4.58	4.48	2.68	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.79	0.80	0.81	0.80	1.43	ppb
Vanadium	51-2	4.95	5.02	4.98	4.99	0.71	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	6.12	6.32	5.73	6.06	4.93	ppb
Zirconium	90-1	0.95	0.95	0.99	0.96	2.78	ppb
Zirconium	91-1	0.91	0.93	1.01	0.95	5.57	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1081.34	1059.82	1092.06	1077.74	1.52	ppb
Antimony	121-1	48.22	49.18	50.50	49.30	2.32	ppb
Arsenic	75-2	51.14	51.82	51.36	51.44	0.67	ppb
Barium	135-1	240.10	246.23	243.75	243.36	1.27	ppb
Barium	137-1	240.48	243.95	246.14	243.53	1.17	ppb
Beryllium	9-1	57.77	56.95	56.65	57.12	1.02	ppb
Bismuth	209-1				102		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	52.17	53.77	56.24	54.06	3.79	ppb
Cadmium	106-1	53.16	52.32	55.46	53.65	3.03	ppb
Cadmium	111-1	50.80	51.99	52.61	51.80	1.77	ppb
Calcium	43-1	5966.94	6021.57	6363.43	6117.31	3.51	ppb
Calcium	44-1	5397.62	5453.52	5655.74	5502.29	2.47	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	52.26	52.51	51.84	52.20	0.65	ppb
Cobalt	59-2	52.05	52.15	51.18	51.80	1.03	ppb
Copper	63-2	547.19	526.60	536.94	536.91	1.92	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	2640.84	2653.41	2693.87	2662.70	1.04	ppb
Iron	57-2	2795.76	2764.42	2739.93	2766.70	1.01	ppb
Iron	54-2	2801.87	2811.44	2855.49	2822.93	1.01	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	245.20	250.27	248.31	247.93	1.03	ppb
Lead	207-1	243.68	249.62	250.85	248.05	1.55	ppb
Lead	208-1	246.71	249.92	251.39	249.34	0.96	ppb
Lithium	6-1				104		%
Magnesium	24-2	5126.90	5022.88	5041.18	5063.65	1.10	ppb
Manganese	55-2	507.08	503.81	507.79	506.22	0.42	ppb
Molybdenum	94-1	505.29	509.73	510.26	508.43	0.54	ppb
Molybdenum	95-1	509.84	515.63	520.09	515.19	1.00	ppb
Molybdenum	96-1	509.73	513.41	518.21	513.79	0.83	ppb
Molybdenum	97-1	507.92	511.96	519.67	513.18	1.16	ppb
Molybdenum	98-1	506.74	512.61	515.37	511.58	0.86	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	52.35	52.09	53.08	52.51	0.97	ppb
Phosphorus	31-2	1055.49	1031.07	1010.19	1032.25	2.20	ppb
Potassium	39-2	2543.22	2510.54	2462.69	2505.48	1.62	ppb
Rhodium	103-1				101		%
Rhodium	103-2				99		%
Scandium	45-1				100		%
Scandium	45-2				98		%
Selenium	82-1	54.21	54.82	54.68	54.57	0.58	ppb
Selenium	77-2	52.18	58.13	54.11	54.81	5.54	ppb
Selenium	78-2	53.44	52.73	53.05	53.07	0.68	ppb
Silicon	28-1	44.92	44.88	47.69	45.83	3.52	ppb
Silver	107-1	51.15	52.70	53.26	52.37	2.09	ppb
Silver	109-1	50.62	52.09	53.40	52.04	2.67	ppb
Sodium	23-2	5264.80	5298.45	5245.10	5269.45	0.51	ppb
Strontium	86-1	1295.23	1288.01	1286.00	1289.75	0.38	ppb
Strontium	88-1	1281.13	1287.21	1294.90	1287.75	0.54	ppb
Sulfur	34-1	1021.87	1029.14	1220.63	1090.55	10.34	ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	43.46	44.19	44.46	44.03	1.17	ppb
Thallium	205-1	43.64	44.14	44.40	44.06	0.87	ppb
Tin	118-1	49.20	50.34	50.72	50.09	1.58	ppb
Titanium	47-1	501.73	496.05	510.65	502.81	1.46	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	41.77	48.83	48.85	46.48	8.78	ppb
Vanadium	51-2	52.07	51.51	52.10	51.90	0.64	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	533.09	530.89	525.22	529.73	0.77	ppb
Zirconium	90-1	50.29	50.18	51.42	50.63	1.35	ppb
Zirconium	91-1	50.70	51.21	51.53	51.15	0.81	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	2539.22	2540.45	2543.79	2541.15	0.09	ppb
Antimony	121-1	126.50	128.95	126.71	127.39	1.06	ppb
Arsenic	75-2	127.59	128.03	129.91	128.51	0.96	ppb
Barium	135-1	620.43	633.37	616.89	623.56	1.39	ppb
Barium	137-1	641.31	636.18	643.86	640.45	0.61	ppb
Beryllium	9-1	132.54	140.82	139.07	137.48	3.17	ppb
Bismuth	209-1				102		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	131.67	131.68	129.03	130.79	1.17	ppb
Cadmium	106-1	132.69	131.95	131.45	132.03	0.47	ppb
Cadmium	111-1	125.96	126.84	126.96	126.59	0.43	ppb
Calcium	43-1	15072.05	15299.94	15377.18	15249.72	1.04	ppb
Calcium	44-1	13591.35	13844.74	13710.41	13715.50	0.92	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	128.60	129.63	128.20	128.81	0.57	ppb
Cobalt	59-2	128.07	128.60	127.92	128.20	0.28	ppb
Copper	63-2	1311.22	1298.75	1313.51	1307.82	0.61	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				98		%
Iron	56-2	6582.33	6619.18	6698.15	6633.22	0.89	ppb
Iron	57-2	6838.51	6821.99	6828.94	6829.81	0.12	ppb
Iron	54-2	6834.62	6699.40	6787.45	6773.82	1.01	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	611.83	623.19	626.58	620.53	1.25	ppb
Lead	207-1	618.21	624.54	624.80	622.52	0.60	ppb
Lead	208-1	614.50	627.25	627.79	623.18	1.21	ppb
Lithium	6-1				110		%
Magnesium	24-2	12603.24	12633.28	12564.48	12600.33	0.27	ppb
Manganese	55-2	1272.97	1258.84	1288.12	1273.31	1.15	ppb
Molybdenum	94-1	1271.47	1276.82	1275.61	1274.63	0.22	ppb
Molybdenum	95-1	1271.13	1281.61	1305.39	1286.04	1.36	ppb
Molybdenum	96-1	1289.02	1277.73	1304.68	1290.48	1.05	ppb
Molybdenum	97-1	1276.45	1272.73	1303.59	1284.25	1.31	ppb
Molybdenum	98-1	1262.70	1270.73	1285.63	1273.02	0.91	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	129.96	129.49	130.00	129.81	0.22	ppb
Phosphorus	31-2	2583.51	2586.09	2595.79	2588.46	0.25	ppb
Potassium	39-2	6184.12	6191.19	6145.74	6173.68	0.40	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	132.03	134.50	135.71	134.08	1.40	ppb
Selenium	77-2	131.12	126.18	129.86	129.06	1.99	ppb
Selenium	78-2	127.82	127.81	129.15	128.26	0.60	ppb
Silicon	28-1	102.30	103.57	105.34	103.74	1.48	ppb
Silver	107-1	130.06	130.66	133.70	131.47	1.49	ppb
Silver	109-1	130.70	131.28	129.69	130.56	0.62	ppb
Sodium	23-2	13062.95	12962.56	13179.28	13068.26	0.83	ppb
Strontium	86-1	3149.88	3204.88	3300.00	3218.25	2.36	ppb
Strontium	88-1	3167.88	3257.47	3224.43	3216.59	1.41	ppb
Sulfur	34-1	2512.49	2567.21	2563.67	2547.79	1.20	ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	107.51	110.54	111.62	109.89	1.94	ppb
Thallium	205-1	120.44	127.23	125.14	124.27	2.80	ppb
Tin	118-1	122.94	123.57	123.84	123.45	0.37	ppb
Titanium	47-1	1247.81	1293.47	1268.36	1269.88	1.80	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	119.99	123.10	123.11	122.07	1.47	ppb
Vanadium	51-2	129.81	129.63	129.87	129.77	0.10	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	1296.57	1314.05	1304.63	1305.08	0.67	ppb
Zirconium	90-1	125.83	128.60	126.58	127.00	1.13	ppb
Zirconium	91-1	126.04	127.05	129.10	127.40	1.22	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	4891.28	4858.53	4922.00	4890.60	0.65	ppb
Antimony	121-1	247.24	254.85	257.10	253.06	2.04	ppb
Arsenic	75-2	244.25	256.27	249.44	249.99	2.41	ppb
Barium	135-1	1238.31	1249.20	1263.57	1250.36	1.01	ppb
Barium	137-1	1240.92	1257.38	1259.87	1252.72	0.82	ppb
Beryllium	9-1	273.57	261.15	270.63	268.45	2.42	ppb
Bismuth	209-1				101		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	252.88	259.60	262.19	258.22	1.86	ppb
Cadmium	106-1	256.39	256.46	260.02	257.62	0.81	ppb
Cadmium	111-1	247.58	247.63	253.30	249.50	1.32	ppb
Calcium	43-1	29153.98	29351.47	29428.62	29311.35	0.48	ppb
Calcium	44-1	27141.09	27898.84	27588.51	27542.82	1.38	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	245.94	244.64	256.26	248.94	2.56	ppb
Cobalt	59-2	248.74	267.47	255.93	257.38	3.67	ppb
Copper	63-2	2618.52	2586.79	2622.28	2609.20	0.75	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				102		%
Indium	115-1				100		%
Indium	115-2				97		%
Iron	56-2	13016.64	13364.42	12943.45	13108.17	1.72	ppb
Iron	57-2	12808.94	13475.21	12905.79	13063.32	2.76	ppb
Iron	54-2	13179.14	13349.89	13278.31	13269.11	0.65	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	1247.71	1235.71	1255.21	1246.21	0.79	ppb
Lead	207-1	1252.18	1256.17	1259.96	1256.10	0.31	ppb
Lead	208-1	1246.75	1247.15	1267.71	1253.87	0.96	ppb
Lithium	6-1				111		%
Magnesium	24-2	24444.27	24771.39	24646.81	24620.82	0.67	ppb
Manganese	55-2	2477.61	2511.70	2487.96	2492.42	0.70	ppb
Molybdenum	94-1	2521.05	2541.69	2526.47	2529.74	0.42	ppb
Molybdenum	95-1	2542.42	2535.11	2523.06	2533.53	0.39	ppb
Molybdenum	96-1	2546.90	2536.69	2521.71	2535.10	0.50	ppb
Molybdenum	97-1	2522.20	2554.33	2515.06	2530.53	0.83	ppb
Molybdenum	98-1	2509.46	2503.29	2509.96	2507.57	0.15	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	248.22	259.02	258.28	255.17	2.36	ppb
Phosphorus	31-2	4949.52	5138.05	5025.21	5037.59	1.88	ppb
Potassium	39-2	11745.30	12217.08	12362.30	12108.23	2.66	ppb
Rhodium	103-1				97		%
Rhodium	103-2				97		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	262.41	261.77	263.11	262.43	0.26	ppb
Selenium	77-2	245.81	246.80	263.03	251.88	3.84	ppb
Selenium	78-2	255.13	256.30	252.09	254.51	0.85	ppb
Silicon	28-1	214.46	219.27	220.99	218.24	1.55	ppb
Silver	107-1	258.11	261.56	264.44	261.37	1.21	ppb
Silver	109-1	259.41	259.74	262.25	260.47	0.60	ppb
Sodium	23-2	25567.09	25830.64	25368.09	25588.60	0.91	ppb
Strontium	86-1	6409.84	6330.80	6220.18	6320.28	1.51	ppb
Strontium	88-1	6357.59	6305.48	6205.30	6289.45	1.23	ppb
Sulfur	34-1	4754.02	4859.77	4776.08	4796.63	1.16	ppb
Terbium	159-1				101		%
Terbium	159-2				99		%
Thallium	203-1	249.94	242.17	252.76	248.29	2.21	ppb
Thallium	205-1	249.31	245.90	248.85	248.02	0.75	ppb
Tin	118-1	252.07	258.45	261.02	257.18	1.79	ppb
Titanium	47-1	2460.22	2523.69	2521.21	2501.71	1.44	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	246.09	245.47	245.61	245.72	0.13	ppb
Vanadium	51-2	246.95	252.95	250.18	250.03	1.20	ppb
Yttrium	89-1				101		%
Yttrium	89-2				99		%
Zinc	66-2	2644.14	2609.41	2631.83	2628.46	0.67	ppb
Zirconium	90-1	245.72	248.36	250.76	248.28	1.02	ppb
Zirconium	91-1	246.36	251.36	250.04	249.25	1.04	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	9911.20	9875.15	9944.10	9910.15	0.35	ppb
Antimony	121-1	498.63	504.13	502.99	501.92	0.58	ppb
Arsenic	75-2	510.14	503.97	521.43	511.85	1.73	ppb
Barium	135-1	2521.08	2501.50	2541.01	2521.20	0.78	ppb
Barium	137-1	2482.90	2582.14	2504.76	2523.27	2.07	ppb
Beryllium	9-1	513.57	494.27	483.25	497.03	3.09	ppb
Bismuth	209-1				99		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	505.48	511.68	513.08	510.08	0.79	ppb
Cadmium	106-1	502.34	513.26	512.21	509.27	1.18	ppb
Cadmium	111-1	499.36	511.20	509.78	506.78	1.28	ppb
Calcium	43-1	60483.25	60018.77	59918.52	60140.18	0.50	ppb
Calcium	44-1	55150.59	55448.19	54403.64	55000.80	0.98	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	505.08	509.24	511.80	508.70	0.67	ppb
Cobalt	59-2	515.94	514.61	515.29	515.28	0.13	ppb
Copper	63-2	5131.48	5134.77	5203.22	5156.49	0.79	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				100		%
Indium	115-1				97		%
Indium	115-2				95		%
Iron	56-2	26535.75	26144.05	26777.92	26485.91	1.21	ppb
Iron	57-2	26090.82	26180.20	26616.47	26295.83	1.07	ppb
Iron	54-2	26643.57	27144.25	26970.96	26919.59	0.94	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2537.76	2513.16	2508.14	2519.69	0.63	ppb
Lead	207-1	2512.84	2528.83	2494.62	2512.09	0.68	ppb
Lead	208-1	2516.18	2536.13	2506.70	2519.67	0.60	ppb
Lithium	6-1				112		%
Magnesium	24-2	50052.59	50306.89	50580.08	50313.18	0.52	ppb
Manganese	55-2	5076.52	5010.83	5141.23	5076.19	1.28	ppb
Molybdenum	94-1	5027.90	5051.49	5133.20	5070.87	1.09	ppb
Molybdenum	95-1	5005.54	5078.13	5175.60	5086.42	1.68	ppb
Molybdenum	96-1	4963.73	5111.68	5203.57	5092.99	2.38	ppb
Molybdenum	97-1	5012.80	5028.11	5188.96	5076.62	1.92	ppb
Molybdenum	98-1	5070.41	4991.19	5124.35	5061.98	1.32	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	501.79	506.25	504.56	504.20	0.45	ppb
Phosphorus	31-2	10183.18	10128.07	10171.16	10160.80	0.29	ppb
Potassium	39-2	24501.41	24581.75	24654.90	24579.35	0.31	ppb
Rhodium	103-1				97		%
Rhodium	103-2				95		%
Scandium	45-1				96		%
Scandium	45-2				95		%
Selenium	82-1	511.23	511.44	525.39	516.02	1.57	ppb
Selenium	77-2	515.86	502.89	557.62	525.46	5.44	ppb
Selenium	78-2	509.08	499.50	522.64	510.41	2.28	ppb
Silicon	28-1	446.68	442.94	448.40	446.01	0.63	ppb
Silver	107-1	506.15	509.83	517.77	511.25	1.16	ppb
Silver	109-1	505.20	511.66	515.57	510.81	1.03	ppb
Sodium	23-2	52374.08	52702.55	52956.61	52677.74	0.55	ppb
Strontium	86-1	12351.88	12448.00	12967.35	12589.08	2.63	ppb
Strontium	88-1	12546.31	12464.64	12972.27	12661.07	2.15	ppb
Sulfur	34-1	9971.09	9875.79	9718.06	9854.98	1.30	ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	509.59	505.83	507.67	507.70	0.37	ppb
Thallium	205-1	507.47	508.52	498.32	504.77	1.11	ppb
Tin	118-1	503.73	503.07	505.35	504.05	0.23	ppb
Titanium	47-1	5040.11	5103.01	4968.83	5037.31	1.33	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	506.01	502.04	502.12	503.39	0.45	ppb
Vanadium	51-2	500.77	503.50	515.87	506.72	1.59	ppb
Yttrium	89-1				100		%
Yttrium	89-2				97		%
Zinc	66-2	5145.84	5137.72	5132.59	5138.72	0.13	ppb
Zirconium	90-1	501.17	497.40	508.37	502.31	1.11	ppb
Zirconium	91-1	500.68	494.02	517.28	503.99	2.38	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	19589.29	19527.19	19645.40	19587.29	0.30	ppb
Antimony	121-1	980.28	1005.38	1008.38	998.01	1.55	ppb
Arsenic	75-2	993.63	990.43	996.66	993.57	0.31	ppb
Barium	135-1	4996.43	4886.09	5086.95	4989.82	2.02	ppb
Barium	137-1	4970.00	4925.57	5062.67	4986.08	1.40	ppb
Beryllium	9-1	988.94	998.07	997.85	994.96	0.52	ppb
Bismuth	209-1				98		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	974.67	989.10	1012.16	991.98	1.91	ppb
Cadmium	106-1	985.29	986.59	1005.31	992.40	1.13	ppb
Cadmium	111-1	983.81	999.02	1006.51	996.45	1.16	ppb
Calcium	43-1	113846.43	118132.83	114960.34	115646.53	1.92	ppb
Calcium	44-1	106149.14	112349.83	108940.43	109146.47	2.85	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	984.02	1000.28	1001.68	995.33	0.99	ppb
Cobalt	59-2	983.77	992.06	994.24	990.03	0.56	ppb
Copper	63-2	9752.63	9969.56	9933.97	9885.38	1.18	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				101		%
Indium	115-1				95		%
Indium	115-2				93		%
Iron	56-2	50927.41	51189.39	51635.74	51250.85	0.70	ppb
Iron	57-2	49659.08	50746.94	50232.75	50212.92	1.08	ppb
Iron	54-2	52275.51	53053.95	52409.31	52579.59	0.79	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	4922.73	5019.15	5033.41	4991.76	1.21	ppb
Lead	207-1	4903.83	5040.18	5034.50	4992.84	1.54	ppb
Lead	208-1	4921.01	5037.41	5009.95	4989.46	1.22	ppb
Lithium	6-1				108		%
Magnesium	24-2	99101.23	100483.46	99413.13	99665.94	0.73	ppb
Manganese	55-2	9938.62	9956.84	9986.26	9960.57	0.24	ppb
Molybdenum	94-1	9859.73	9928.32	10072.85	9953.63	1.09	ppb
Molybdenum	95-1	9859.51	9887.92	10082.00	9943.14	1.22	ppb
Molybdenum	96-1	9860.83	9916.03	10040.08	9938.98	0.92	ppb
Molybdenum	97-1	9830.42	9908.07	10108.85	9949.12	1.44	ppb
Molybdenum	98-1	9794.65	9928.44	10167.89	9963.66	1.90	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	999.01	995.91	992.72	995.88	0.32	ppb
Phosphorus	31-2	19832.27	19922.16	19938.16	19897.53	0.29	ppb
Potassium	39-2	48418.96	47968.41	48441.46	48276.28	0.55	ppb
Rhodium	103-1				95		%
Rhodium	103-2				93		%
Scandium	45-1				97		%
Scandium	45-2				95		%
Selenium	82-1	982.83	978.23	1001.49	987.52	1.25	ppb
Selenium	77-2	992.54	980.31	985.31	986.05	0.62	ppb
Selenium	78-2	1001.97	997.02	980.33	993.11	1.14	ppb
Silicon	28-1	1045.90	1039.55	1028.22	1037.89	0.86	ppb
Silver	107-1	973.29	995.70	1002.82	990.61	1.56	ppb
Silver	109-1	986.70	972.14	1014.70	991.18	2.18	ppb
Sodium	23-2	101218.74	103376.74	102163.73	102253.07	1.06	ppb
Strontium	86-1	24676.16	24745.88	25350.71	24924.25	1.49	ppb
Strontium	88-1	24606.98	25049.46	25032.35	24896.26	1.01	ppb
Sulfur	34-1	19826.45	20339.97	20172.14	20112.85	1.30	ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	982.63	994.25	1019.42	998.77	1.88	ppb
Thallium	205-1	989.86	1009.87	995.77	998.50	1.03	ppb
Tin	118-1	980.59	1002.62	1005.90	996.37	1.38	ppb
Titanium	47-1	9736.84	10130.03	10068.00	9978.29	2.12	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	977.06	1010.97	1011.72	999.92	1.98	ppb
Vanadium	51-2	991.47	1008.14	988.23	995.94	1.07	ppb
Yttrium	89-1				100		%
Yttrium	89-2				97		%
Zinc	66-2	9820.91	9925.81	9923.74	9890.15	0.61	ppb
Zirconium	90-1	995.02	1004.46	997.49	998.99	0.49	ppb
Zirconium	91-1	997.19	1001.61	994.70	997.83	0.35	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	99236.51	101179.65	99869.41	100095.19	0.99	ppb
Antimony	121-1	0.72	0.69	0.76	0.73	4.69	ppb
Arsenic	75-2	0.46	0.53	0.51	0.50	7.25	ppb
Barium	135-1	2.08	2.11	2.08	2.09	0.87	ppb
Barium	137-1	2.20	2.13	2.06	2.13	3.31	ppb
Beryllium	9-1	0.12	0.11	0.12	0.11	5.40	ppb
Bismuth	209-1				87		%
Bismuth	209-2				89		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.27	0.51	0.35	0.38	32.91	ppb
Cadmium	106-1	0.50	0.81	0.47	0.59	31.25	ppb
Cadmium	111-1	0.16	0.17	0.13	0.15	13.66	ppb
Calcium	43-1	493185.74	494862.25	498635.56	495561.18	0.56	ppb
Calcium	44-1	493921.54	497752.58	500850.05	497508.06	0.70	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3.08	3.11	3.92	3.37	14.20	ppb
Cobalt	59-2	2.53	2.56	2.55	2.55	0.59	ppb
Copper	63-2	1.75	1.72	1.82	1.77	2.92	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				99		%
Indium	115-1				89		%
Indium	115-2				94		%
Iron	56-2	246656.84	252766.92	249255.11	249559.62	1.23	ppb
Iron	57-2	251022.98	249552.47	248772.06	249782.50	0.46	ppb
Iron	54-2	247424.12	250917.75	249370.15	249237.34	0.70	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CAL.S.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.94	0.90	0.91	0.92	2.42	ppb
Lead	207-1	0.95	0.88	0.85	0.89	5.56	ppb
Lead	208-1	0.95	0.89	0.87	0.90	4.71	ppb
Lithium	6-1				102		%
Magnesium	24-2	496908.97	505059.17	498185.67	500051.27	0.88	ppb
Manganese	55-2	5.08	5.11	5.04	5.08	0.69	ppb
Molybdenum	94-1	2.55	2.37	2.43	2.45	3.86	ppb
Molybdenum	95-1	1.69	1.62	1.62	1.65	2.49	ppb
Molybdenum	96-1	2.91	2.82	2.84	2.86	1.75	ppb
Molybdenum	97-1	1.70	1.57	1.56	1.61	4.82	ppb
Molybdenum	98-1	1.71	1.52	1.46	1.56	8.42	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	3.99	3.98	3.77	3.91	3.11	ppb
Phosphorus	31-2	-8.42	-7.38	-8.30	-8.03		ppb
Potassium	39-2	249707.71	250010.91	251506.12	250408.24	0.38	ppb
Rhodium	103-1				84		%
Rhodium	103-2				87		%
Scandium	45-1				94		%
Scandium	45-2				95		%
Selenium	82-1	0.88	1.40	1.12	1.14	22.85	ppb
Selenium	77-2	0.10	0.25	0.24	0.20	43.23	ppb
Selenium	78-2	0.66	0.39	0.64	0.56	26.98	ppb
Silicon	28-1	3.52	3.43	3.30	3.42	3.26	ppb
Silver	107-1	0.16	0.13	0.13	0.14	11.79	ppb
Silver	109-1	0.16	0.13	0.13	0.14	11.94	ppb
Sodium	23-2	495909.66	504167.54	497628.57	499235.26	0.87	ppb
Strontium	86-1	4.66	4.45	4.37	4.49	3.40	ppb
Strontium	88-1	4.72	4.48	4.38	4.53	3.89	ppb
Sulfur	34-1	-718.44	-461.68	-386.07	-522.06		ppb
Terbium	159-1				96		%
Terbium	159-2				99		%
Thallium	203-1	0.13	0.12	0.11	0.12	9.40	ppb
Thallium	205-1	0.12	0.11	0.10	0.11	9.98	ppb
Tin	118-1	0.46	0.46	0.46	0.46	0.40	ppb
Titanium	47-1	1.23	1.17	1.34	1.25	6.78	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CALS.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.08	0.07	0.06	0.07	10.72	ppb
Vanadium	51-2	0.22	0.22	0.24	0.23	4.00	ppb
Yttrium	89-1				94		%
Yttrium	89-2				98		%
Zinc	66-2	4.52	4.60	4.47	4.53	1.46	ppb
Zirconium	90-1	0.59	0.58	0.61	0.59	2.28	ppb
Zirconium	91-1	0.59	0.65	0.61	0.62	4.75	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	502.17	508.71	507.01	505.96	0.67	ppb
Antimony	121-1	205.89	217.15	217.01	213.35	3.03	ppb
Arsenic	75-2	210.72	214.21	215.51	213.48	1.16	ppb
Barium	135-1	94.10	100.58	100.82	98.50	3.87	ppb
Barium	137-1	96.71	99.52	99.46	98.56	1.63	ppb
Beryllium	9-1	102.56	104.88	107.41	104.95	2.31	ppb
Bismuth	209-1				96		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	94.89	98.75	98.60	97.41	2.25	ppb
Cadmium	106-1	91.27	96.90	98.16	95.44	3.84	ppb
Cadmium	111-1	103.15	108.28	107.32	106.25	2.56	ppb
Calcium	43-1	2145.45	2101.70	2080.74	2109.29	1.57	ppb
Calcium	44-1	2009.12	2042.20	2044.37	2031.90	0.97	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	106.36	105.01	106.15	105.84	0.68	ppb
Cobalt	59-2	103.50	105.06	105.10	104.55	0.87	ppb
Copper	63-2	97.60	97.97	98.48	98.01	0.45	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				96		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				101		%
Iron	56-2	2088.80	2085.29	2097.19	2090.43	0.29	ppb
Iron	57-2	2139.94	2174.65	2159.51	2158.03	0.81	ppb
Iron	54-2	2271.07	2297.91	2308.89	2292.63	0.85	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	216.65	212.07	211.56	213.42	1.31	ppb
Lead	207-1	180.42	179.55	182.00	180.65	0.69	ppb
Lead	208-1	206.02	204.63	204.25	204.97	0.45	ppb
Lithium	6-1				103		%
Magnesium	24-2	1248.59	1238.21	1244.79	1243.86	0.42	ppb
Manganese	55-2	103.16	103.19	103.81	103.39	0.36	ppb
Molybdenum	94-1	0.11	0.13	0.14	0.13	12.00	ppb
Molybdenum	95-1	0.03	0.03	0.03	0.03	7.33	ppb
Molybdenum	96-1	0.07	0.06	0.07	0.07	8.05	ppb
Molybdenum	97-1	0.03	0.03	0.03	0.03	4.13	ppb
Molybdenum	98-1	0.04	0.03	0.03	0.03	10.06	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	105.70	105.80	106.78	106.10	0.56	ppb
Phosphorus	31-2	-13.76	-16.89	-12.62	-14.42		ppb
Potassium	39-2	1959.27	1962.80	1964.35	1962.14	0.13	ppb
Rhodium	103-1				98		%
Rhodium	103-2				100		%
Scandium	45-1				101		%
Scandium	45-2				101		%
Selenium	82-1	219.01	217.80	215.33	217.38	0.86	ppb
Selenium	77-2	225.78	226.38	233.98	228.71	2.00	ppb
Selenium	78-2	218.01	219.78	227.89	221.89	2.38	ppb
Silicon	28-1	0.69	0.67	0.65	0.67	2.74	ppb
Silver	107-1	49.99	53.39	53.21	52.20	3.66	ppb
Silver	109-1	50.22	54.00	53.55	52.59	3.93	ppb
Sodium	23-2	2000.24	2039.93	2039.21	2026.46	1.12	ppb
Strontium	86-1	0.36	0.33	0.32	0.34	6.67	ppb
Strontium	88-1	0.34	0.33	0.34	0.34	0.66	ppb
Sulfur	34-1	-131.57	-181.47	-298.12	-203.72		ppb
Terbium	159-1				96		%
Terbium	159-2				100		%
Thallium	203-1	214.35	216.17	212.22	214.25	0.92	ppb
Thallium	205-1	210.49	213.18	214.44	212.70	0.95	ppb
Tin	118-1	0.08	0.08	0.06	0.07	15.74	ppb
Titanium	47-1	0.03	0.02	0.04	0.03	39.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.00	0.00	0.00	0.00	52.69	ppb
Vanadium	51-2	103.70	102.51	103.25	103.15	0.58	ppb
Yttrium	89-1				99		%
Yttrium	89-2				101		%
Zinc	66-2	206.24	205.77	207.55	206.52	0.45	ppb
Zirconium	90-1	0.05	0.05	0.05	0.05	1.18	ppb
Zirconium	91-1	0.11	0.11	0.11	0.11	1.33	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1.41	1.27	1.05	1.24	14.36	ppb
Antimony	121-1	0.02	0.03	0.03	0.03	17.26	ppb
Arsenic	75-2	-0.01	0.01	0.01	0.00	254.16	ppb
Barium	135-1	0.00	0.00	0.01	0.00	43.03	ppb
Barium	137-1	0.01	0.01	0.01	0.01	25.86	ppb
Beryllium	9-1	0.00	0.01	0.00	0.00		ppb
Bismuth	209-1				95		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	-0.04	0.02	-0.01	-0.01		ppb
Cadmium	106-1	-1.41	-1.44	-1.75	-1.54		ppb
Cadmium	111-1	-0.10	-0.10	-0.13	-0.11		ppb
Calcium	43-1	2.36	-0.69	0.80	0.82	185.18	ppb
Calcium	44-1	-3.96	-3.70	-3.62	-3.76		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	-0.03	-0.02	-0.03	-0.03		ppb
Cobalt	59-2	0.00	-0.01	-0.01	-0.01		ppb
Copper	63-2	0.22	0.23	0.24	0.23	4.30	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				95		%
Holmium	165-2				97		%
Indium	115-1				97		%
Indium	115-2				101		%
Iron	56-2	-0.69	-0.77	-0.75	-0.74		ppb
Iron	57-2	-1.45	-1.24	-0.27	-0.98		ppb
Iron	54-2	-0.09	-0.06	-0.72	-0.29		ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.02	0.01	0.01	0.01	35.68	ppb
Lead	207-1	0.01	0.02	0.03	0.02	46.30	ppb
Lead	208-1	0.02	0.01	0.02	0.02	27.17	ppb
Lithium	6-1				101		%
Magnesium	24-2	-0.13	0.04	-0.04	-0.05		ppb
Manganese	55-2	-0.02	-0.01	0.01	-0.01		ppb
Molybdenum	94-1	0.02	0.01	0.02	0.02	39.13	ppb
Molybdenum	95-1	0.00	0.00	-0.01	0.00		ppb
Molybdenum	96-1	0.01	0.01	0.01	0.01	21.12	ppb
Molybdenum	97-1	0.01	0.01	0.01	0.01	36.10	ppb
Molybdenum	98-1	0.00	0.00	0.00	0.00		ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	-0.03	-0.03	-0.04	-0.03		ppb
Phosphorus	31-2	-19.25	-17.12	-14.86	-17.08		ppb
Potassium	39-2	0.54	2.27	1.26	1.36	63.96	ppb
Rhodium	103-1				98		%
Rhodium	103-2				100		%
Scandium	45-1				99		%
Scandium	45-2				101		%
Selenium	82-1	0.08	0.36	0.36	0.26	61.86	ppb
Selenium	77-2	-0.05	-0.05	-0.05	-0.05		ppb
Selenium	78-2	0.39	-0.51	0.03	-0.03		ppb
Silicon	28-1	0.76	0.82	0.83	0.80	4.61	ppb
Silver	107-1	0.00	0.00	0.00	0.00	95.67	ppb
Silver	109-1	0.00	0.00	0.00	0.00	41.59	ppb
Sodium	23-2	6.23	6.42	6.08	6.24	2.74	ppb
Strontium	86-1	0.02	0.01	0.01	0.01	26.81	ppb
Strontium	88-1	0.01	0.01	0.01	0.01	7.07	ppb
Sulfur	34-1	-105.64	-41.69	-0.02	-49.12		ppb
Terbium	159-1				95		%
Terbium	159-2				99		%
Thallium	203-1	0.01	0.01	0.01	0.01	28.66	ppb
Thallium	205-1	0.01	0.01	0.01	0.01	14.10	ppb
Tin	118-1	0.03	0.08	0.03	0.05	60.40	ppb
Titanium	47-1	0.00	-0.02	-0.01	-0.01		ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.00	0.00	0.00	0.00		ppb
Vanadium	51-2	0.00	0.00	0.00	0.00	1273.47	ppb
Yttrium	89-1				97		%
Yttrium	89-2				101		%
Zinc	66-2	-0.05	-0.07	0.05	-0.02		ppb
Zirconium	90-1	0.01	0.01	0.01	0.01	23.69	ppb
Zirconium	91-1	0.01	0.01	0.00	0.00	195.05	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	88749.74	89139.46	89507.75	89132.32	0.43	ppb
Antimony	121-1	1.05	1.04	1.06	1.05	1.06	ppb
Arsenic	75-2	0.35	0.37	0.35	0.36	2.11	ppb
Barium	135-1	1.33	1.34	1.43	1.36	4.05	ppb
Barium	137-1	1.31	1.33	1.33	1.33	0.98	ppb
Beryllium	9-1	0.48	0.45	0.42	0.45	6.98	ppb
Bismuth	209-1				93		%
Bismuth	209-2				94		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.78	8.11	8.86	8.25	6.68	ppb
Cadmium	106-1	0.05	0.15	-0.74	-0.18		ppb
Cadmium	111-1	0.35	0.30	0.22	0.29	22.38	ppb
Calcium	43-1	95064.73	97362.45	97751.01	96726.06	1.50	ppb
Calcium	44-1	95170.00	97476.75	98477.40	97041.39	1.75	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	19.18	19.49	19.46	19.38	0.87	ppb
Cobalt	59-2	1.18	1.22	1.17	1.19	1.87	ppb
Copper	63-2	8.62	8.74	8.61	8.66	0.82	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				100		%
Indium	115-1				94		%
Indium	115-2				97		%
Iron	56-2	96685.16	99925.17	97821.01	98143.78	1.68	ppb
Iron	57-2	96690.84	96993.26	97699.54	97127.88	0.53	ppb
Iron	54-2	97557.95	100488.11	99482.56	99176.21	1.50	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	4.04	4.20	4.04	4.09	2.21	ppb
Lead	207-1	3.58	3.81	3.56	3.65	3.74	ppb
Lead	208-1	3.77	3.89	3.77	3.81	1.89	ppb
Lithium	6-1				105		%
Magnesium	24-2	96674.46	97450.50	96600.88	96908.61	0.49	ppb
Manganese	55-2	7.50	7.56	7.45	7.50	0.74	ppb
Molybdenum	94-1	1447.78	1479.77	1463.08	1463.54	1.09	ppb
Molybdenum	95-1	1744.12	1760.05	1792.50	1765.56	1.40	ppb
Molybdenum	96-1	1712.95	1712.67	1742.40	1722.67	0.99	ppb
Molybdenum	97-1	1749.54	1747.95	1792.50	1763.33	1.43	ppb
Molybdenum	98-1	1754.38	1747.37	1783.88	1761.88	1.10	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	6.18	6.06	6.13	6.12	0.99	ppb
Phosphorus	31-2	95097.62	95417.74	94783.58	95099.65	0.33	ppb
Potassium	39-2	92875.38	93571.24	92907.88	93118.17	0.42	ppb
Rhodium	103-1				92		%
Rhodium	103-2				93		%
Scandium	45-1				97		%
Scandium	45-2				98		%
Selenium	82-1	0.07	0.30	0.45	0.27	69.22	ppb
Selenium	77-2	0.24	0.25	-0.05	0.15	115.29	ppb
Selenium	78-2	0.26	0.12	-0.30	0.03	1131.58	ppb
Silicon	28-1	4.07	4.09	4.15	4.10	0.99	ppb
Silver	107-1	0.04	0.04	0.04	0.04	4.15	ppb
Silver	109-1	0.04	0.05	0.04	0.05	6.31	ppb
Sodium	23-2	97679.36	98625.42	98589.87	98298.21	0.55	ppb
Strontium	86-1	33.56	34.05	34.56	34.06	1.47	ppb
Strontium	88-1	33.29	33.64	33.93	33.62	0.96	ppb
Sulfur	34-1	97252.91	99309.31	98084.18	98215.46	1.05	ppb
Terbium	159-1				98		%
Terbium	159-2				100		%
Thallium	203-1	0.07	0.07	0.07	0.07	3.13	ppb
Thallium	205-1	0.06	0.07	0.07	0.07	4.62	ppb
Tin	118-1	0.16	0.15	0.16	0.16	3.03	ppb
Titanium	47-1	1773.44	1787.62	1786.29	1782.45	0.44	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.02	8.90	ppb
Vanadium	51-2	0.17	0.17	0.16	0.17	4.76	ppb
Yttrium	89-1				97		%
Yttrium	89-2				99		%
Zinc	66-2	10.29	10.58	10.48	10.45	1.42	ppb
Zirconium	90-1	0.02	0.03	0.02	0.02	17.91	ppb
Zirconium	91-1	0.02	0.03	0.03	0.02	12.55	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	90103.45	88639.74	88954.92	89232.70	0.86	ppb
Antimony	121-1	20.02	20.05	20.11	20.06	0.22	ppb
Arsenic	75-2	20.65	20.34	20.29	20.43	0.93	ppb
Barium	135-1	19.70	19.96	20.03	19.89	0.87	ppb
Barium	137-1	19.86	19.80	20.06	19.90	0.69	ppb
Beryllium	9-1	19.99	20.09	20.08	20.06	0.28	ppb
Bismuth	209-1				95		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	24.73	25.70	25.52	25.32	2.04	ppb
Cadmium	106-1	17.11	15.32	16.92	16.45	5.97	ppb
Cadmium	111-1	19.05	18.67	19.03	18.92	1.13	ppb
Calcium	43-1	96790.28	95374.49	96028.91	96064.56	0.74	ppb
Calcium	44-1	97345.62	96348.93	96661.11	96785.22	0.53	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	38.81	39.23	39.37	39.14	0.74	ppb
Cobalt	59-2	20.34	20.42	20.30	20.35	0.31	ppb
Copper	63-2	24.54	24.51	24.33	24.46	0.46	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				102		%
Indium	115-1				96		%
Indium	115-2				96		%
Iron	56-2	98192.89	99947.66	97958.02	98699.52	1.10	ppb
Iron	57-2	97014.25	99127.80	96711.56	97617.87	1.35	ppb
Iron	54-2	100564.31	100526.15	100022.49	100370.99	0.30	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	24.40	24.73	24.30	24.48	0.91	ppb
Lead	207-1	23.07	23.43	23.10	23.20	0.86	ppb
Lead	208-1	23.44	23.95	23.52	23.64	1.15	ppb
Lithium	6-1				105		%
Magnesium	24-2	96851.43	96890.17	96026.01	96589.20	0.51	ppb
Manganese	55-2	26.91	27.22	26.75	26.96	0.88	ppb
Molybdenum	94-1	1436.11	1448.92	1464.13	1449.72	0.97	ppb
Molybdenum	95-1	1753.41	1761.01	1753.16	1755.86	0.25	ppb
Molybdenum	96-1	1724.59	1763.68	1728.46	1738.91	1.24	ppb
Molybdenum	97-1	1714.04	1779.32	1755.76	1749.71	1.89	ppb
Molybdenum	98-1	1722.03	1774.23	1765.14	1753.80	1.59	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	24.31	24.21	24.27	24.26	0.21	ppb
Phosphorus	31-2	96999.07	96194.49	95676.96	96290.17	0.69	ppb
Potassium	39-2	93833.67	92598.49	93198.35	93210.17	0.66	ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				99		%
Scandium	45-2				99		%
Selenium	82-1	18.34	19.06	20.65	19.35	6.09	ppb
Selenium	77-2	20.36	19.03	18.47	19.29	5.02	ppb
Selenium	78-2	20.56	19.60	19.37	19.84	3.16	ppb
Silicon	28-1	4.29	4.09	4.22	4.20	2.44	ppb
Silver	107-1	18.26	18.30	18.68	18.41	1.27	ppb
Silver	109-1	18.17	18.39	18.39	18.32	0.68	ppb
Sodium	23-2	97373.05	98682.62	97321.00	97792.22	0.79	ppb
Strontium	86-1	33.66	34.29	34.67	34.21	1.49	ppb
Strontium	88-1	33.10	33.92	34.14	33.72	1.63	ppb
Sulfur	34-1	97280.73	93902.24	94787.19	95323.39	1.84	ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	20.17	20.65	20.15	20.32	1.38	ppb
Thallium	205-1	20.22	20.52	20.11	20.29	1.03	ppb
Tin	118-1	0.13	0.13	0.16	0.14	10.29	ppb
Titanium	47-1	1832.49	1773.76	1756.84	1787.69	2.22	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.01	0.01	0.01	0.01	7.71	ppb
Vanadium	51-2	19.78	19.88	19.93	19.86	0.38	ppb
Yttrium	89-1				99		%
Yttrium	89-2				99		%
Zinc	66-2	29.10	29.12	28.99	29.07	0.24	ppb
Zirconium	90-1	0.02	0.02	0.02	0.02	14.20	ppb
Zirconium	91-1	0.02	0.03	0.05	0.03	43.85	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49376.01	48688.18	49291.19	49118.46	0.76	ppb
Antimony	121-1	487.46	486.56	494.34	489.46	0.87	ppb
Arsenic	75-2	483.17	485.74	480.04	482.98	0.59	ppb
Barium	135-1	2490.37	2469.50	2484.17	2481.35	0.43	ppb
Barium	137-1	2480.02	2512.54	2512.34	2501.63	0.75	ppb
Beryllium	9-1	510.47	492.12	505.82	502.80	1.90	ppb
Bismuth	209-1				92		%
Bismuth	209-2				93		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	499.60	496.68	506.40	500.89	1.00	ppb
Cadmium	106-1	504.14	509.76	515.65	509.85	1.13	ppb
Cadmium	111-1	508.04	505.64	504.52	506.07	0.36	ppb
Calcium	43-1	254452.19	253758.68	255042.84	254417.90	0.25	ppb
Calcium	44-1	250507.57	254704.66	253208.26	252806.83	0.84	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	489.26	489.81	493.47	490.84	0.47	ppb
Cobalt	59-2	512.17	504.70	515.79	510.89	1.11	ppb
Copper	63-2	4988.89	5009.75	5089.02	5029.22	1.05	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				100		%
Indium	115-1				94		%
Indium	115-2				94		%
Iron	56-2	126257.43	124273.37	125452.67	125327.82	0.80	ppb
Iron	57-2	124528.52	124691.89	124909.17	124709.86	0.15	ppb
Iron	54-2	128236.72	126489.46	126381.51	127035.90	0.82	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2541.89	2511.07	2592.04	2548.33	1.60	ppb
Lead	207-1	2529.13	2507.36	2564.54	2533.68	1.14	ppb
Lead	208-1	2514.95	2517.19	2572.38	2534.84	1.28	ppb
Lithium	6-1				106		%
Magnesium	24-2	259504.85	254973.96	257056.69	257178.50	0.88	ppb
Manganese	55-2	4878.33	4880.54	4922.35	4893.74	0.51	ppb
Molybdenum	94-1	5008.46	4986.94	5111.58	5035.66	1.32	ppb
Molybdenum	95-1	5085.87	5065.48	5125.95	5092.43	0.60	ppb
Molybdenum	96-1	5149.67	5063.52	5129.40	5114.20	0.88	ppb
Molybdenum	97-1	5016.82	5050.05	5167.04	5077.97	1.55	ppb
Molybdenum	98-1	5047.59	5004.86	5118.57	5057.01	1.14	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	490.75	489.69	493.19	491.21	0.37	ppb
Phosphorus	31-2	10051.79	9933.28	9993.89	9992.99	0.59	ppb
Potassium	39-2	122073.35	120026.72	118668.38	120256.15	1.43	ppb
Rhodium	103-1				90		%
Rhodium	103-2				91		%
Scandium	45-1				97		%
Scandium	45-2				95		%
Selenium	82-1	486.57	481.74	489.46	485.92	0.80	ppb
Selenium	77-2	482.59	473.26	496.69	484.18	2.44	ppb
Selenium	78-2	468.61	468.72	480.51	472.61	1.45	ppb
Silicon	28-1	548.98	545.39	566.73	553.70	2.06	ppb
Silver	107-1	528.02	521.42	534.42	527.96	1.23	ppb
Silver	109-1	530.18	520.25	523.35	524.59	0.97	ppb
Sodium	23-2	251240.35	244614.14	247162.18	247672.22	1.35	ppb
Strontium	86-1	12503.18	12564.73	12581.31	12549.74	0.33	ppb
Strontium	88-1	12513.67	12406.39	12613.51	12511.19	0.83	ppb
Sulfur	34-1	8861.22	9035.56	9197.61	9031.46	1.86	ppb
Terbium	159-1				98		%
Terbium	159-2				100		%
Thallium	203-1	503.95	495.89	515.14	504.99	1.91	ppb
Thallium	205-1	510.52	504.48	522.93	512.65	1.83	ppb
Tin	118-1	492.61	498.81	495.32	495.58	0.63	ppb
Titanium	47-1	4874.96	4971.27	4939.05	4928.43	0.99	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	513.01	518.99	524.60	518.87	1.12	ppb
Vanadium	51-2	501.78	504.68	505.23	503.90	0.37	ppb
Yttrium	89-1				97		%
Yttrium	89-2				97		%
Zinc	66-2	5046.11	4919.32	4982.91	4982.78	1.27	ppb
Zirconium	90-1	502.98	499.44	512.29	504.90	1.31	ppb
Zirconium	91-1	517.11	508.70	522.06	515.96	1.31	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1.40	1.29	1.23	1.31	6.53	ppb
Antimony	121-1	0.29	0.32	0.33	0.31	6.46	ppb
Arsenic	75-2	0.03	0.01	0.01	0.02	55.71	ppb
Barium	135-1	0.09	0.08	0.05	0.07	25.77	ppb
Barium	137-1	0.11	0.07	0.06	0.08	30.00	ppb
Beryllium	9-1	0.03	0.02	0.02	0.02	22.24	ppb
Bismuth	209-1				100		%
Bismuth	209-2				103		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	-0.01	0.05	0.03	0.02	123.38	ppb
Cadmium	106-1	0.27	-0.30	0.38	0.12	310.93	ppb
Cadmium	111-1	0.08	0.01	0.05	0.05	78.89	ppb
Calcium	43-1	8.42	7.71	7.28	7.80	7.40	ppb
Calcium	44-1	12.45	9.30	7.40	9.72	26.23	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.03	-0.01	0.02	0.01	130.19	ppb
Cobalt	59-2	0.00	0.00	0.00	0.00	374.72	ppb
Copper	63-2	0.03	0.03	0.01	0.02	46.88	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				103		%
Indium	115-1				99		%
Indium	115-2				101		%
Iron	56-2	2.35	2.20	2.03	2.19	7.41	ppb
Iron	57-2	0.98	-0.62	0.47	0.27	298.09	ppb
Iron	54-2	2.23	3.42	2.59	2.75	22.20	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.18	0.16	0.13	0.16	17.71	ppb
Lead	207-1	0.16	0.17	0.12	0.15	18.54	ppb
Lead	208-1	0.18	0.15	0.12	0.15	18.68	ppb
Lithium	6-1				112		%
Magnesium	24-2	5.58	5.02	4.66	5.09	9.02	ppb
Manganese	55-2	-0.01	-0.03	-0.01	-0.02		ppb
Molybdenum	94-1	0.41	0.43	0.40	0.41	3.21	ppb
Molybdenum	95-1	0.37	0.30	0.28	0.31	15.46	ppb
Molybdenum	96-1	0.37	0.32	0.30	0.33	10.00	ppb
Molybdenum	97-1	0.35	0.28	0.29	0.30	12.66	ppb
Molybdenum	98-1	0.34	0.30	0.26	0.30	12.97	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	-0.02	-0.02	-0.02	-0.02		ppb
Phosphorus	31-2	-16.88	-17.93	-17.18	-17.33		ppb
Potassium	39-2	25.88	22.69	22.70	23.75	7.75	ppb
Rhodium	103-1				99		%
Rhodium	103-2				100		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	0.30	-0.09	-0.09	0.04	537.58	ppb
Selenium	77-2	0.09	0.10	0.10	0.10	2.17	ppb
Selenium	78-2	0.38	-0.58	-1.03	-0.41		ppb
Silicon	28-1	0.27	0.25	0.20	0.24	13.84	ppb
Silver	107-1	0.07	0.06	0.06	0.06	15.72	ppb
Silver	109-1	0.07	0.06	0.05	0.06	12.47	ppb
Sodium	23-2	21.55	19.78	19.24	20.19	5.97	ppb
Strontium	86-1	0.51	0.40	0.32	0.41	23.81	ppb
Strontium	88-1	0.52	0.40	0.30	0.41	26.76	ppb
Sulfur	34-1	-804.76	-768.87	-763.09	-778.91		ppb
Terbium	159-1				99		%
Terbium	159-2				102		%
Thallium	203-1	0.08	0.07	0.05	0.07	18.15	ppb
Thallium	205-1	0.07	0.06	0.06	0.06	14.60	ppb
Tin	118-1	0.07	0.09	0.08	0.08	10.26	ppb
Titanium	47-1	0.26	0.23	0.25	0.24	6.43	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.02	20.32	ppb
Vanadium	51-2	0.01	0.00	0.01	0.01	49.44	ppb
Yttrium	89-1				99		%
Yttrium	89-2				101		%
Zinc	66-2	0.23	0.24	0.13	0.20	29.46	ppb
Zirconium	90-1	0.09	0.09	0.09	0.09	3.97	ppb
Zirconium	91-1	0.10	0.09	0.08	0.09	12.60	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	0.23	0.24	0.27	0.25	8.03	ppb
Antimony	121-1	0.06	0.07	0.09	0.07	15.10	ppb
Arsenic	75-2	0.01	0.00	0.01	0.01	126.23	ppb
Barium	135-1	0.00	0.00	0.00	0.00		ppb
Barium	137-1	0.00	0.00	0.00	0.00	33.04	ppb
Beryllium	9-1	0.01	0.00	0.01	0.01	61.79	ppb
Bismuth	209-1				102		%
Bismuth	209-2				104		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.03	-0.01	0.02	0.01	150.90	ppb
Cadmium	106-1	0.32	0.69	1.18	0.73	59.49	ppb
Cadmium	111-1	0.03	0.06	0.09	0.06	49.99	ppb
Calcium	43-1	1.31	0.93	1.33	1.19	18.86	ppb
Calcium	44-1	0.59	0.23	0.74	0.52	50.63	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	-0.01	-0.02	0.01	-0.01		ppb
Cobalt	59-2	0.00	0.00	-0.01	0.00		ppb
Copper	63-2	-0.24	-0.23	-0.24	-0.24		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				103		%
Indium	115-1				101		%
Indium	115-2				102		%
Iron	56-2	-0.41	-0.43	-0.42	-0.42		ppb
Iron	57-2	-3.05	-1.53	-1.51	-2.03		ppb
Iron	54-2	0.46	0.00	0.21	0.22	102.31	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.05	0.03	0.03	0.04	23.71	ppb
Lead	207-1	0.03	0.04	0.04	0.04	10.24	ppb
Lead	208-1	0.04	0.04	0.03	0.04	12.85	ppb
Lithium	6-1				110		%
Magnesium	24-2	0.89	0.94	0.81	0.88	7.48	ppb
Manganese	55-2	-0.06	-0.07	-0.06	-0.07		ppb
Molybdenum	94-1	0.08	0.08	0.10	0.09	8.74	ppb
Molybdenum	95-1	0.04	0.05	0.05	0.05	15.02	ppb
Molybdenum	96-1	0.04	0.05	0.05	0.05	9.53	ppb
Molybdenum	97-1	0.04	0.04	0.05	0.04	22.43	ppb
Molybdenum	98-1	0.04	0.04	0.05	0.05	7.65	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	-0.01	-0.04	-0.02	-0.03		ppb
Phosphorus	31-2	-16.91	-15.53	-16.25	-16.23		ppb
Potassium	39-2	10.77	11.38	13.21	11.79	10.79	ppb
Rhodium	103-1				101		%
Rhodium	103-2				102		%
Scandium	45-1				101		%
Scandium	45-2				99		%
Selenium	82-1	0.00	0.61	0.41	0.34	91.05	ppb
Selenium	77-2	0.24	-0.05	-0.05	0.05	345.93	ppb
Selenium	78-2	-0.68	0.23	-1.23	-0.56		ppb
Silicon	28-1	-0.29	-0.30	-0.22	-0.27		ppb
Silver	107-1	0.01	0.01	0.01	0.01	14.78	ppb
Silver	109-1	0.01	0.01	0.01	0.01	16.49	ppb
Sodium	23-2	8.60	9.35	9.22	9.06	4.42	ppb
Strontium	86-1	0.05	0.05	0.03	0.04	33.46	ppb
Strontium	88-1	0.04	0.03	0.02	0.03	21.88	ppb
Sulfur	34-1	-697.79	-678.23	-601.00	-659.00		ppb
Terbium	159-1				100		%
Terbium	159-2				103		%
Thallium	203-1	0.03	0.03	0.03	0.03	12.26	ppb
Thallium	205-1	0.03	0.03	0.02	0.03	2.57	ppb
Tin	118-1	0.03	0.03	0.04	0.04	20.43	ppb
Titanium	47-1	0.00	0.02	0.03	0.01	87.85	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.00	0.00	0.00	0.00	49.34	ppb
Vanadium	51-2	0.00	0.01	0.00	0.00	125.61	ppb
Yttrium	89-1				101		%
Yttrium	89-2				102		%
Zinc	66-2	0.22	0.15	0.25	0.21	23.97	ppb
Zirconium	90-1	0.02	0.03	0.03	0.02	23.01	ppb
Zirconium	91-1	0.02	0.02	0.03	0.02	25.90	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	36.95	36.60	35.73	36.43	1.72	ppb
Antimony	121-1	3.40	3.42	3.43	3.41	0.50	ppb
Arsenic	75-2	1.92	1.99	1.97	1.96	1.80	ppb
Barium	135-1	15.98	15.91	16.38	16.09	1.54	ppb
Barium	137-1	16.25	16.07	16.44	16.26	1.14	ppb
Beryllium	9-1	1.70	1.70	1.72	1.71	0.71	ppb
Bismuth	209-1				99		%
Bismuth	209-2				103		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.23	2.08	2.19	2.17	3.61	ppb
Cadmium	106-1	2.55	1.70	2.14	2.13	20.02	ppb
Cadmium	111-1	2.39	2.41	2.36	2.38	1.12	ppb
Calcium	43-1	860.53	888.70	868.71	872.65	1.66	ppb
Calcium	44-1	869.79	892.10	875.72	879.20	1.31	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3.98	3.93	4.00	3.97	0.94	ppb
Cobalt	59-2	1.84	1.81	1.81	1.82	1.09	ppb
Copper	63-2	3.32	3.40	3.34	3.35	1.31	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				102		%
Indium	115-1				101		%
Indium	115-2				102		%
Iron	56-2	365.23	365.04	369.30	366.52	0.66	ppb
Iron	57-2	370.87	375.34	378.59	374.93	1.03	ppb
Iron	54-2	382.90	384.01	386.40	384.44	0.47	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	1.55	1.62	1.58	1.58	2.35	ppb
Lead	207-1	1.58	1.58	1.60	1.59	0.92	ppb
Lead	208-1	1.58	1.59	1.59	1.59	0.29	ppb
Lithium	6-1				108		%
Magnesium	24-2	922.35	923.59	936.31	927.42	0.83	ppb
Manganese	55-2	1.79	1.75	1.77	1.77	1.37	ppb
Molybdenum	94-1	9.45	9.57	9.55	9.52	0.67	ppb
Molybdenum	95-1	7.83	7.90	7.78	7.84	0.77	ppb
Molybdenum	96-1	7.94	8.05	7.90	7.96	0.93	ppb
Molybdenum	97-1	8.02	7.87	7.75	7.88	1.77	ppb
Molybdenum	98-1	7.84	7.93	7.76	7.84	1.08	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1.80	1.89	1.87	1.85	2.53	ppb
Phosphorus	31-2	-15.73	-15.52	-16.05	-15.76		ppb
Potassium	39-2	887.77	900.68	901.96	896.80	0.88	ppb
Rhodium	103-1				100		%
Rhodium	103-2				101		%
Scandium	45-1				99		%
Scandium	45-2				100		%
Selenium	82-1	8.80	9.95	9.51	9.42	6.16	ppb
Selenium	77-2	10.26	9.98	8.23	9.49	11.56	ppb
Selenium	78-2	9.33	9.57	9.47	9.46	1.24	ppb
Silicon	28-1	3.39	3.63	3.61	3.54	3.77	ppb
Silver	107-1	1.65	1.72	1.74	1.70	2.74	ppb
Silver	109-1	1.68	1.68	1.74	1.70	1.81	ppb
Sodium	23-2	852.40	854.34	887.64	864.79	2.29	ppb
Strontium	86-1	1.77	1.79	1.76	1.77	0.79	ppb
Strontium	88-1	1.75	1.77	1.77	1.77	0.59	ppb
Sulfur	34-1	-528.13	-472.00	-513.15	-504.43		ppb
Terbium	159-1				100		%
Terbium	159-2				102		%
Thallium	203-1	1.54	1.53	1.54	1.53	0.29	ppb
Thallium	205-1	1.52	1.53	1.51	1.52	0.80	ppb
Tin	118-1	0.04	0.03	0.04	0.03	15.83	ppb
Titanium	47-1	8.08	8.27	8.10	8.15	1.24	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.45	1.47	1.47	1.47	0.79	ppb
Vanadium	51-2	8.88	8.75	8.80	8.81	0.75	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	9.15	9.39	9.59	9.38	2.37	ppb
Zirconium	90-1	1.76	1.82	1.75	1.78	2.24	ppb
Zirconium	91-1	1.77	1.81	1.78	1.78	1.22	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	19.78	20.56	21.44	20.59	4.04	ppb
Antimony	121-1	1.98	2.00	1.99	1.99	0.45	ppb
Arsenic	75-2	1.13	1.11	1.13	1.12	1.36	ppb
Barium	135-1	9.43	9.53	9.35	9.44	0.94	ppb
Barium	137-1	9.28	9.35	9.41	9.34	0.69	ppb
Beryllium	9-1	0.91	0.98	0.98	0.95	4.22	ppb
Bismuth	209-1				100		%
Bismuth	209-2				103		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.26	1.51	1.36	1.38	9.01	ppb
Cadmium	106-1	1.93	2.06	1.61	1.86	12.38	ppb
Cadmium	111-1	1.38	1.38	1.28	1.35	4.23	ppb
Calcium	43-1	500.71	511.11	514.32	508.71	1.40	ppb
Calcium	44-1	512.46	515.62	518.43	515.50	0.58	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2.36	2.42	2.32	2.37	2.06	ppb
Cobalt	59-2	1.06	1.06	1.05	1.06	0.30	ppb
Copper	63-2	1.83	1.80	1.76	1.80	1.81	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				102		%
Indium	115-1				101		%
Indium	115-2				103		%
Iron	56-2	221.13	222.52	222.68	222.11	0.38	ppb
Iron	57-2	217.81	220.75	221.87	220.14	0.95	ppb
Iron	54-2	227.00	225.98	230.76	227.91	1.10	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	1.24	1.23	1.21	1.23	1.34	ppb
Lead	207-1	1.18	1.22	1.15	1.18	2.88	ppb
Lead	208-1	1.20	1.21	1.18	1.20	1.62	ppb
Lithium	6-1				111		%
Magnesium	24-2	553.79	553.78	556.98	554.85	0.33	ppb
Manganese	55-2	1.02	1.02	1.06	1.03	2.30	ppb
Molybdenum	94-1	5.56	5.55	5.72	5.61	1.67	ppb
Molybdenum	95-1	4.61	4.69	4.62	4.64	0.99	ppb
Molybdenum	96-1	4.66	4.77	4.81	4.75	1.68	ppb
Molybdenum	97-1	4.69	4.58	4.82	4.70	2.48	ppb
Molybdenum	98-1	4.56	4.72	4.69	4.66	1.76	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1.08	1.19	1.13	1.13	5.07	ppb
Phosphorus	31-2	-12.55	-10.57	-9.70	-10.94		ppb
Potassium	39-2	544.42	546.97	552.87	548.09	0.79	ppb
Rhodium	103-1				101		%
Rhodium	103-2				101		%
Scandium	45-1				100		%
Scandium	45-2				100		%
Selenium	82-1	5.98	6.20	5.61	5.93	5.03	ppb
Selenium	77-2	5.06	6.00	4.96	5.34	10.75	ppb
Selenium	78-2	5.15	5.91	5.74	5.60	7.10	ppb
Silicon	28-1	2.09	1.89	2.03	2.00	5.22	ppb
Silver	107-1	0.99	1.01	1.00	1.00	1.06	ppb
Silver	109-1	0.99	1.03	1.02	1.01	2.28	ppb
Sodium	23-2	537.94	532.25	537.93	536.04	0.61	ppb
Strontium	86-1	0.97	1.03	1.01	1.00	2.95	ppb
Strontium	88-1	1.02	1.05	1.07	1.05	2.04	ppb
Sulfur	34-1	-457.44	-528.58	-429.55	-471.86		ppb
Terbium	159-1				100		%
Terbium	159-2				103		%
Thallium	203-1	0.90	0.92	0.89	0.91	1.59	ppb
Thallium	205-1	0.88	0.89	0.89	0.88	0.44	ppb
Tin	118-1	0.03	0.02	0.02	0.02	18.31	ppb
Titanium	47-1	4.72	4.70	4.75	4.72	0.59	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.85	0.86	0.85	0.85	0.28	ppb
Vanadium	51-2	5.21	5.09	5.22	5.17	1.34	ppb
Yttrium	89-1				101		%
Yttrium	89-2				102		%
Zinc	66-2	6.33	6.23	6.14	6.24	1.50	ppb
Zirconium	90-1	1.04	1.03	1.07	1.05	1.68	ppb
Zirconium	91-1	1.07	1.07	1.05	1.06	1.30	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	9.27	10.66	9.63	9.85	7.32	ppb
Antimony	121-1	0.01	0.01	0.01	0.01	9.97	ppb
Arsenic	75-2	0.01	-0.01	0.01	0.00	555.14	ppb
Barium	135-1	-0.01	-0.01	-0.01	-0.01		ppb
Barium	137-1	0.00	0.00	0.00	0.00		ppb
Beryllium	9-1	0.00	0.00	0.00	0.00		ppb
Bismuth	209-1				101		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	-0.05	0.09	0.05	0.03	253.29	ppb
Cadmium	106-1	0.87	0.34	-0.20	0.34	158.29	ppb
Cadmium	111-1	0.07	0.02	-0.01	0.03	169.27	ppb
Calcium	43-1	-0.29	1.39	-0.12	0.33	282.71	ppb
Calcium	44-1	-3.41	-1.71	-2.11	-2.41		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	-0.01	-0.01	-0.01	-0.01		ppb
Cobalt	59-2	0.00	-0.01	-0.01	-0.01		ppb
Copper	63-2	-0.34	-0.33	-0.35	-0.34		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				98		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	-0.65	-0.65	-0.55	-0.61		ppb
Iron	57-2	-2.63	-1.17	-1.47	-1.76		ppb
Iron	54-2	-0.30	0.79	0.80	0.43	147.13	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.01	0.01	0.00	0.01	29.37	ppb
Lead	207-1	0.01	0.02	0.01	0.01	27.95	ppb
Lead	208-1	0.01	0.01	0.01	0.01	16.25	ppb
Lithium	6-1				109		%
Magnesium	24-2	0.28	0.42	0.19	0.29	39.40	ppb
Manganese	55-2	0.00	0.02	-0.03	0.00		ppb
Molybdenum	94-1	0.03	0.03	0.03	0.03	5.03	ppb
Molybdenum	95-1	0.00	0.01	0.01	0.01	77.43	ppb
Molybdenum	96-1	0.02	0.01	0.01	0.01	35.33	ppb
Molybdenum	97-1	0.01	0.02	0.01	0.01	26.53	ppb
Molybdenum	98-1	0.00	0.00	0.01	0.01	79.49	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	-0.01	-0.04	-0.01	-0.02		ppb
Phosphorus	31-2	-18.12	-18.63	-15.12	-17.29		ppb
Potassium	39-2	4.84	11.80	7.86	8.16	42.76	ppb
Rhodium	103-1				100		%
Rhodium	103-2				98		%
Scandium	45-1				100		%
Scandium	45-2				97		%
Selenium	82-1	0.28	0.24	0.66	0.39	59.59	ppb
Selenium	77-2	-0.05	-0.05	0.10	0.00	98487.22	ppb
Selenium	78-2	-0.05	0.64	1.69	0.76	115.13	ppb
Silicon	28-1	-0.33	-0.03	-0.12	-0.16		ppb
Silver	107-1	0.01	0.01	0.01	0.01	18.33	ppb
Silver	109-1	0.01	0.01	0.01	0.01	4.88	ppb
Sodium	23-2	4.42	8.41	5.24	6.02	34.98	ppb
Strontium	86-1	0.01	0.03	0.00	0.01	99.07	ppb
Strontium	88-1	0.01	0.00	0.00	0.00	28.68	ppb
Sulfur	34-1	-525.78	-409.06	-439.42	-458.09		ppb
Terbium	159-1				100		%
Terbium	159-2				98		%
Thallium	203-1	0.01	0.01	0.01	0.01	5.91	ppb
Thallium	205-1	0.01	0.01	0.01	0.01	30.26	ppb
Tin	118-1	0.01	0.01	0.01	0.01	46.91	ppb
Titanium	47-1	0.00	-0.01	-0.02	-0.01		ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.00	0.00	0.00	0.00		ppb
Vanadium	51-2	0.00	0.00	0.00	0.00	214.33	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	0.16	0.10	0.30	0.19	52.70	ppb
Zirconium	90-1	0.01	0.02	0.01	0.01	32.71	ppb
Zirconium	91-1	0.02	0.01	0.01	0.01	16.52	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	34.11	34.04	34.43	34.19	0.61	ppb
Antimony	121-1	3.29	3.39	3.30	3.33	1.65	ppb
Arsenic	75-2	1.79	1.89	1.73	1.81	4.38	ppb
Barium	135-1	15.94	15.75	15.73	15.81	0.73	ppb
Barium	137-1	15.93	15.93	15.87	15.91	0.21	ppb
Beryllium	9-1	1.65	1.66	1.63	1.65	0.76	ppb
Bismuth	209-1				100		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.99	1.99	2.66	2.21	17.48	ppb
Cadmium	106-1	3.49	1.75	1.72	2.32	43.81	ppb
Cadmium	111-1	2.40	2.34	2.32	2.35	1.70	ppb
Calcium	43-1	857.39	862.23	854.88	858.17	0.44	ppb
Calcium	44-1	854.78	860.31	867.49	860.86	0.74	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3.81	3.85	4.00	3.88	2.51	ppb
Cobalt	59-2	1.76	1.76	1.78	1.77	0.79	ppb
Copper	63-2	3.20	3.21	3.18	3.20	0.38	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				102		%
Iron	56-2	358.10	355.27	355.24	356.20	0.46	ppb
Iron	57-2	368.08	365.11	372.27	368.49	0.98	ppb
Iron	54-2	376.69	378.40	381.20	378.77	0.60	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	1.51	1.50	1.53	1.52	1.20	ppb
Lead	207-1	1.53	1.51	1.52	1.52	0.47	ppb
Lead	208-1	1.52	1.49	1.54	1.52	1.35	ppb
Lithium	6-1				106		%
Magnesium	24-2	910.02	918.67	933.00	920.56	1.26	ppb
Manganese	55-2	1.74	1.71	1.82	1.76	3.27	ppb
Molybdenum	94-1	9.29	9.35	9.27	9.30	0.46	ppb
Molybdenum	95-1	7.55	7.90	7.70	7.71	2.31	ppb
Molybdenum	96-1	7.69	7.86	7.87	7.81	1.34	ppb
Molybdenum	97-1	7.63	7.90	7.67	7.73	1.89	ppb
Molybdenum	98-1	7.60	7.72	7.62	7.65	0.85	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1.84	1.83	1.84	1.83	0.33	ppb
Phosphorus	31-2	-17.53	-16.69	-16.44	-16.89		ppb
Potassium	39-2	877.34	869.52	879.58	875.48	0.60	ppb
Rhodium	103-1				101		%
Rhodium	103-2				101		%
Scandium	45-1				99		%
Scandium	45-2				101		%
Selenium	82-1	8.93	9.07	9.08	9.03	0.96	ppb
Selenium	77-2	8.46	12.10	8.17	9.58	22.87	ppb
Selenium	78-2	7.73	7.56	9.39	8.22	12.27	ppb
Silicon	28-1	3.44	3.66	3.64	3.58	3.33	ppb
Silver	107-1	1.68	1.72	1.71	1.70	1.14	ppb
Silver	109-1	1.70	1.68	1.70	1.69	0.69	ppb
Sodium	23-2	846.60	844.45	891.66	860.91	3.10	ppb
Strontium	86-1	1.66	1.78	1.71	1.72	3.38	ppb
Strontium	88-1	1.70	1.76	1.73	1.73	1.73	ppb
Sulfur	34-1	-347.41	-272.42	-292.18	-304.00		ppb
Terbium	159-1				99		%
Terbium	159-2				102		%
Thallium	203-1	1.48	1.46	1.52	1.49	1.81	ppb
Thallium	205-1	1.47	1.45	1.49	1.47	1.48	ppb
Tin	118-1	0.02	0.04	0.04	0.03	31.15	ppb
Titanium	47-1	8.10	8.18	8.03	8.10	0.90	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.42	1.39	1.42	1.41	1.34	ppb
Vanadium	51-2	8.67	8.52	8.60	8.60	0.87	ppb
Yttrium	89-1				101		%
Yttrium	89-2				102		%
Zinc	66-2	9.16	9.40	9.12	9.23	1.65	ppb
Zirconium	90-1	1.71	1.77	1.71	1.73	1.74	ppb
Zirconium	91-1	1.77	1.69	1.79	1.75	3.01	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	21.08	20.74	20.05	20.62	2.56	ppb
Antimony	121-1	1.96	2.00	2.06	2.00	2.48	ppb
Arsenic	75-2	0.99	1.00	1.09	1.03	5.39	ppb
Barium	135-1	9.27	9.33	9.48	9.36	1.13	ppb
Barium	137-1	9.13	9.42	9.30	9.29	1.57	ppb
Beryllium	9-1	1.02	0.92	0.97	0.97	4.84	ppb
Bismuth	209-1				100		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.34	1.18	1.28	1.27	6.55	ppb
Cadmium	106-1	1.78	2.30	0.68	1.59	52.16	ppb
Cadmium	111-1	1.21	1.28	1.17	1.22	4.46	ppb
Calcium	43-1	497.52	505.62	513.19	505.45	1.55	ppb
Calcium	44-1	500.15	500.43	506.20	502.26	0.68	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2.36	2.29	2.32	2.32	1.42	ppb
Cobalt	59-2	1.05	1.04	1.07	1.05	1.34	ppb
Copper	63-2	1.80	1.77	1.73	1.77	1.89	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				102		%
Iron	56-2	222.06	222.33	220.61	221.66	0.42	ppb
Iron	57-2	220.61	219.71	219.67	220.00	0.24	ppb
Iron	54-2	228.78	230.40	222.12	227.10	1.93	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.90	0.92	0.91	0.91	1.40	ppb
Lead	207-1	0.94	0.92	0.94	0.93	1.05	ppb
Lead	208-1	0.94	0.91	0.92	0.92	1.44	ppb
Lithium	6-1				108		%
Magnesium	24-2	555.06	546.40	548.16	549.87	0.83	ppb
Manganese	55-2	1.04	0.99	1.04	1.02	2.96	ppb
Molybdenum	94-1	5.44	5.51	5.55	5.50	1.03	ppb
Molybdenum	95-1	4.61	4.60	4.59	4.60	0.18	ppb
Molybdenum	96-1	4.74	4.73	4.72	4.73	0.22	ppb
Molybdenum	97-1	4.65	4.46	4.56	4.56	2.08	ppb
Molybdenum	98-1	4.49	4.69	4.59	4.59	2.21	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1.03	1.04	1.09	1.06	3.21	ppb
Phosphorus	31-2	-12.49	-16.98	-17.36	-15.61		ppb
Potassium	39-2	528.42	525.49	524.60	526.17	0.38	ppb
Rhodium	103-1				100		%
Rhodium	103-2				101		%
Scandium	45-1				101		%
Scandium	45-2				101		%
Selenium	82-1	5.74	5.76	5.64	5.71	1.11	ppb
Selenium	77-2	5.41	5.71	6.64	5.92	10.86	ppb
Selenium	78-2	6.22	4.91	4.42	5.18	18.01	ppb
Silicon	28-1	1.89	1.90	1.91	1.90	0.41	ppb
Silver	107-1	0.95	1.01	1.02	0.99	3.63	ppb
Silver	109-1	0.97	1.01	1.01	1.00	2.28	ppb
Sodium	23-2	535.48	532.77	530.06	532.77	0.51	ppb
Strontium	86-1	1.03	1.05	1.05	1.05	1.14	ppb
Strontium	88-1	1.03	1.02	1.05	1.03	1.84	ppb
Sulfur	34-1	-320.15	-285.19	-310.02	-305.12		ppb
Terbium	159-1				100		%
Terbium	159-2				101		%
Thallium	203-1	0.92	0.89	0.89	0.90	1.89	ppb
Thallium	205-1	0.88	0.87	0.91	0.89	2.34	ppb
Tin	118-1	0.00	0.01	0.00	0.00	135.59	ppb
Titanium	47-1	4.81	4.70	4.76	4.76	1.21	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.85	0.84	0.85	0.85	0.37	ppb
Vanadium	51-2	5.16	5.26	5.05	5.16	2.11	ppb
Yttrium	89-1				101		%
Yttrium	89-2				102		%
Zinc	66-2	5.37	5.57	5.50	5.48	1.81	ppb
Zirconium	90-1	1.03	1.03	1.04	1.03	0.90	ppb
Zirconium	91-1	1.05	1.07	1.03	1.05	1.76	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	70383.25	69254.29	70389.55	70009.03	0.93	ppb
Antimony	121-1	0.85	0.86	0.84	0.85	1.46	ppb
Arsenic	75-2	74.57	75.68	73.24	74.50	1.64	ppb
Barium	135-1	256.32	256.93	253.67	255.64	0.68	ppb
Barium	137-1	257.28	257.69	254.86	256.61	0.60	ppb
Beryllium	9-1	1.21	1.25	1.26	1.24	2.30	ppb
Bismuth	209-1				96		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.73	2.28	2.71	2.57	9.80	ppb
Cadmium	106-1	2.18	1.58	0.27	1.34	72.63	ppb
Cadmium	111-1	0.21	0.21	0.09	0.17	41.60	ppb
Calcium	43-1	16169.95	16524.68	16378.69	16357.77	1.09	ppb
Calcium	44-1	15339.66	15486.80	15593.33	15473.26	0.82	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	401.37	396.30	404.30	400.66	1.01	ppb
Cobalt	59-2	103.99	103.60	105.67	104.42	1.06	ppb
Copper	63-2	314.76	315.33	320.23	316.77	0.95	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				101		%
Indium	115-1				98		%
Indium	115-2				98		%
Iron	56-2	127581.60	127628.58	130069.18	128426.45	1.11	ppb
Iron	57-2	123728.38	125769.35	128274.09	125923.94	1.81	ppb
Iron	54-2	128462.87	129209.94	131903.56	129858.79	1.39	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	7.48	7.71	7.63	7.61	1.57	ppb
Lead	207-1	7.03	7.21	7.11	7.12	1.27	ppb
Lead	208-1	7.21	7.41	7.34	7.32	1.33	ppb
Lithium	6-1				98		%
Magnesium	24-2	38069.92	38099.00	38527.25	38232.06	0.67	ppb
Manganese	55-2	2049.04	2059.10	2091.82	2066.65	1.08	ppb
Molybdenum	94-1	11.28	11.47	11.28	11.34	0.98	ppb
Molybdenum	95-1	0.99	0.98	1.01	0.99	1.27	ppb
Molybdenum	96-1	2.81	2.81	2.85	2.82	0.74	ppb
Molybdenum	97-1	0.99	1.01	1.01	1.00	0.99	ppb
Molybdenum	98-1	0.99	0.98	0.93	0.97	3.11	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	198.41	198.68	199.54	198.88	0.30	ppb
Phosphorus	31-2	444.58	430.30	439.01	437.96	1.64	ppb
Potassium	39-2	1190.66	1181.75	1218.51	1196.97	1.60	ppb
Rhodium	103-1				96		%
Rhodium	103-2				97		%
Scandium	45-1				110		%
Scandium	45-2				109		%
Selenium	82-1	1.28	0.88	0.88	1.01	22.69	ppb
Selenium	77-2	7.92	5.48	6.83	6.75	18.11	ppb
Selenium	78-2	1.81	3.52	2.94	2.76	31.46	ppb
Silicon	28-1	1233.54	1223.74	1272.54	1243.27	2.08	ppb
Silver	107-1	0.16	0.14	0.12	0.14	12.28	ppb
Silver	109-1	0.16	0.13	0.12	0.13	15.81	ppb
Sodium	23-2	223.32	221.73	225.61	223.55	0.87	ppb
Strontium	86-1	56.27	57.40	57.29	56.99	1.10	ppb
Strontium	88-1	56.87	58.60	58.43	57.97	1.65	ppb
Sulfur	34-1	-1357.83	-1498.69	-1640.92	-1499.15		ppb
Terbium	159-1				100		%
Terbium	159-2				101		%
Thallium	203-1	0.20	0.19	0.19	0.19	2.06	ppb
Thallium	205-1	0.18	0.20	0.20	0.19	6.04	ppb
Tin	118-1	2.61	3.55	2.53	2.90	19.57	ppb
Titanium	47-1	2886.28	3004.60	2987.32	2959.40	2.16	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.46	0.46	0.46	0.46	0.77	ppb
Vanadium	51-2	239.00	239.94	245.24	241.39	1.39	ppb
Yttrium	89-1				104		%
Yttrium	89-2				103		%
Zinc	66-2	140.15	141.21	143.37	141.58	1.16	ppb
Zirconium	90-1	6.21	6.34	6.30	6.28	1.07	ppb
Zirconium	91-1	6.20	6.31	6.46	6.32	2.04	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	66721.46	66025.92	66142.90	66296.76	0.56	ppb
Antimony	121-1	0.89	0.89	0.91	0.90	0.84	ppb
Arsenic	75-2	79.76	79.92	78.16	79.28	1.23	ppb
Barium	135-1	303.93	308.34	307.77	306.68	0.78	ppb
Barium	137-1	315.04	328.21	324.39	322.55	2.10	ppb
Beryllium	9-1	1.41	1.45	1.49	1.45	3.06	ppb
Bismuth	209-1				98		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.23	2.31	2.41	2.31	3.96	ppb
Cadmium	106-1	2.93	1.54	2.20	2.22	31.44	ppb
Cadmium	111-1	0.86	0.71	0.79	0.79	9.56	ppb
Calcium	43-1	12834.57	13096.38	13121.25	13017.40	1.22	ppb
Calcium	44-1	12319.86	12477.61	12271.06	12356.18	0.87	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	329.40	327.27	324.06	326.91	0.82	ppb
Cobalt	59-2	90.54	89.17	89.99	89.90	0.76	ppb
Copper	63-2	283.12	277.10	280.79	280.34	1.08	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				101		%
Indium	115-1				99		%
Indium	115-2				99		%
Iron	56-2	122712.83	116818.30	121206.35	120245.82	2.55	ppb
Iron	57-2	119062.19	116206.19	118045.41	117771.26	1.23	ppb
Iron	54-2	121958.21	121259.77	123741.54	122319.84	1.05	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	18.89	19.00	18.92	18.94	0.32	ppb
Lead	207-1	17.80	18.11	18.42	18.11	1.71	ppb
Lead	208-1	18.35	18.53	18.54	18.47	0.56	ppb
Lithium	6-1				101		%
Magnesium	24-2	36773.32	36387.15	37126.51	36762.32	1.01	ppb
Manganese	55-2	2054.97	2002.37	2052.86	2036.73	1.46	ppb
Molybdenum	94-1	9.90	10.24	10.13	10.09	1.72	ppb
Molybdenum	95-1	0.79	0.78	0.74	0.77	3.62	ppb
Molybdenum	96-1	2.40	2.43	2.38	2.41	0.97	ppb
Molybdenum	97-1	0.76	0.80	0.79	0.78	2.39	ppb
Molybdenum	98-1	0.77	0.75	0.73	0.75	2.53	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	191.36	186.98	187.97	188.77	1.22	ppb
Phosphorus	31-2	657.23	631.74	629.69	639.55	2.40	ppb
Potassium	39-2	1844.95	1835.23	1853.35	1844.51	0.49	ppb
Rhodium	103-1				96		%
Rhodium	103-2				98		%
Scandium	45-1				109		%
Scandium	45-2				109		%
Selenium	82-1	1.31	1.19	1.67	1.39	18.26	ppb
Selenium	77-2	11.06	9.83	10.92	10.61	6.35	ppb
Selenium	78-2	2.49	2.83	2.12	2.48	14.38	ppb
Silicon	28-1	1310.57	1354.42	1312.65	1325.88	1.87	ppb
Silver	107-1	0.44	0.47	0.48	0.47	3.93	ppb
Silver	109-1	0.46	0.49	0.49	0.48	3.44	ppb
Sodium	23-2	177.81	175.94	182.79	178.85	1.98	ppb
Strontium	86-1	55.88	56.65	56.30	56.28	0.69	ppb
Strontium	88-1	56.81	58.06	56.97	57.28	1.18	ppb
Sulfur	34-1	-1776.37	-1719.61	-1745.70	-1747.23		ppb
Terbium	159-1				102		%
Terbium	159-2				100		%
Thallium	203-1	0.22	0.26	0.27	0.25	9.97	ppb
Thallium	205-1	0.23	0.25	0.26	0.25	6.69	ppb
Tin	118-1	2.65	2.75	2.71	2.70	1.92	ppb
Titanium	47-1	1712.89	1751.59	1728.83	1731.10	1.12	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.75	0.76	0.75	0.75	1.24	ppb
Vanadium	51-2	262.73	256.61	255.83	258.39	1.46	ppb
Yttrium	89-1				106		%
Yttrium	89-2				105		%
Zinc	66-2	152.72	150.50	154.17	152.47	1.21	ppb
Zirconium	90-1	5.59	5.72	5.55	5.62	1.59	ppb
Zirconium	91-1	5.82	5.84	5.78	5.81	0.52	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	44809.48	44264.88	44754.34	44609.57	0.67	ppb
Antimony	121-1	1.59	1.62	1.63	1.61	0.96	ppb
Arsenic	75-2	162.04	162.04	161.36	161.81	0.24	ppb
Barium	135-1	585.05	586.89	574.37	582.10	1.16	ppb
Barium	137-1	571.57	585.64	588.83	582.01	1.58	ppb
Beryllium	9-1	2.15	2.32	2.22	2.23	3.69	ppb
Bismuth	209-1				99		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.72	2.77	2.87	2.78	2.76	ppb
Cadmium	106-1	5.06	5.14	3.87	4.69	15.20	ppb
Cadmium	111-1	1.63	1.71	1.57	1.63	4.25	ppb
Calcium	43-1	98972.96	102144.43	100802.58	100639.99	1.58	ppb
Calcium	44-1	99347.60	103030.52	102927.05	101768.39	2.06	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	101.98	99.82	100.09	100.63	1.17	ppb
Cobalt	59-2	53.37	52.76	52.39	52.84	0.94	ppb
Copper	63-2	413.00	402.11	400.55	405.22	1.67	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				102		%
Indium	115-1				99		%
Indium	115-2				100		%
Iron	56-2	103593.06	103046.07	102024.56	102887.89	0.77	ppb
Iron	57-2	103570.60	102778.19	102006.41	102785.07	0.76	ppb
Iron	54-2	103648.65	104929.65	104872.81	104483.71	0.69	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	92.79	95.80	94.62	94.40	1.61	ppb
Lead	207-1	91.24	94.47	93.28	93.00	1.76	ppb
Lead	208-1	97.54	99.78	99.33	98.89	1.20	ppb
Lithium	6-1				97		%
Magnesium	24-2	23392.98	23349.43	23475.88	23406.10	0.27	ppb
Manganese	55-2	5102.06	5152.90	5210.60	5155.19	1.05	ppb
Molybdenum	94-1	23.74	24.50	24.53	24.26	1.84	ppb
Molybdenum	95-1	0.96	1.00	0.97	0.98	2.47	ppb
Molybdenum	96-1	3.86	3.96	3.91	3.91	1.28	ppb
Molybdenum	97-1	0.84	0.95	0.92	0.90	6.11	ppb
Molybdenum	98-1	0.88	0.89	0.90	0.89	1.04	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	106.61	105.89	105.72	106.07	0.45	ppb
Phosphorus	31-2	2847.24	2884.64	2860.37	2864.08	0.66	ppb
Potassium	39-2	8804.52	8760.32	8861.92	8808.92	0.58	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				106		%
Scandium	45-2				107		%
Selenium	82-1	1.80	1.95	1.82	1.86	4.35	ppb
Selenium	77-2	18.94	18.24	21.65	19.61	9.17	ppb
Selenium	78-2	4.98	5.13	5.05	5.06	1.43	ppb
Silicon	28-1	1279.10	1313.27	1299.22	1297.19	1.32	ppb
Silver	107-1	1.10	1.16	1.16	1.14	3.18	ppb
Silver	109-1	1.11	1.13	1.16	1.14	2.12	ppb
Sodium	23-2	228.91	230.96	233.08	230.98	0.90	ppb
Strontium	86-1	85.95	87.93	88.72	87.53	1.63	ppb
Strontium	88-1	87.59	89.19	89.06	88.62	1.00	ppb
Sulfur	34-1	-190.77	-43.53	-53.11	-95.80		ppb
Terbium	159-1				102		%
Terbium	159-2				102		%
Thallium	203-1	0.58	0.63	0.64	0.62	4.76	ppb
Thallium	205-1	0.58	0.62	0.59	0.60	3.03	ppb
Tin	118-1	4.48	4.50	4.47	4.48	0.30	ppb
Titanium	47-1	876.37	882.24	886.82	881.81	0.59	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.77	0.79	0.78	0.78	1.41	ppb
Vanadium	51-2	201.04	193.68	200.09	198.27	2.02	ppb
Yttrium	89-1				108		%
Yttrium	89-2				108		%
Zinc	66-2	339.44	336.32	336.66	337.47	0.51	ppb
Zirconium	90-1	13.74	14.17	14.22	14.04	1.88	ppb
Zirconium	91-1	13.91	14.07	14.31	14.10	1.40	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	39042.90	39228.05	39243.49	39171.48	0.28	ppb
Antimony	121-1	1.67	1.69	1.69	1.68	0.91	ppb
Arsenic	75-2	152.41	153.63	151.73	152.59	0.63	ppb
Barium	135-1	533.42	528.35	535.16	532.31	0.66	ppb
Barium	137-1	530.46	537.24	553.67	540.46	2.21	ppb
Beryllium	9-1	1.91	2.04	1.85	1.93	4.89	ppb
Bismuth	209-1				99		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.25	1.95	1.86	2.02	9.97	ppb
Cadmium	106-1	4.48	4.23	3.60	4.10	11.01	ppb
Cadmium	111-1	1.34	1.34	1.29	1.33	2.34	ppb
Calcium	43-1	98029.31	103409.91	101106.42	100848.55	2.68	ppb
Calcium	44-1	99688.83	102174.90	102390.21	101417.98	1.48	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	89.70	90.50	90.56	90.25	0.53	ppb
Cobalt	59-2	43.67	44.17	44.29	44.04	0.75	ppb
Copper	63-2	188.20	182.73	186.06	185.66	1.48	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				100		%
Iron	56-2	85328.58	85546.66	87401.08	86092.11	1.32	ppb
Iron	57-2	85115.86	86563.45	86017.11	85898.81	0.85	ppb
Iron	54-2	87887.76	87521.04	87814.64	87741.15	0.22	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	67.67	68.06	69.50	68.41	1.41	ppb
Lead	207-1	66.74	67.17	68.36	67.42	1.25	ppb
Lead	208-1	67.19	67.11	68.80	67.70	1.41	ppb
Lithium	6-1				96		%
Magnesium	24-2	19866.86	19675.32	20412.92	19985.03	1.92	ppb
Manganese	55-2	3361.17	3351.66	3397.71	3370.18	0.72	ppb
Molybdenum	94-1	20.39	21.17	20.70	20.76	1.89	ppb
Molybdenum	95-1	1.00	1.08	1.00	1.02	4.28	ppb
Molybdenum	96-1	3.44	3.59	3.48	3.50	2.31	ppb
Molybdenum	97-1	0.95	0.99	0.94	0.96	2.86	ppb
Molybdenum	98-1	0.93	0.93	0.96	0.94	1.76	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	90.18	91.92	91.87	91.33	1.08	ppb
Phosphorus	31-2	2272.83	2264.94	2267.56	2268.44	0.18	ppb
Potassium	39-2	6609.74	6649.80	6702.90	6654.15	0.70	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				107		%
Selenium	82-1	1.28	1.66	1.61	1.52	13.38	ppb
Selenium	77-2	16.86	17.34	16.68	16.96	2.03	ppb
Selenium	78-2	3.93	5.19	4.22	4.45	14.90	ppb
Silicon	28-1	1314.24	1323.60	1304.54	1314.13	0.73	ppb
Silver	107-1	0.60	0.58	0.61	0.60	2.66	ppb
Silver	109-1	0.62	0.61	0.65	0.63	3.67	ppb
Sodium	23-2	181.47	185.41	189.40	185.43	2.14	ppb
Strontium	86-1	80.00	82.42	80.83	81.08	1.51	ppb
Strontium	88-1	80.55	83.21	81.06	81.61	1.73	ppb
Sulfur	34-1	-395.93	-367.12	-342.78	-368.61		ppb
Terbium	159-1				102		%
Terbium	159-2				102		%
Thallium	203-1	0.46	0.50	0.49	0.48	4.33	ppb
Thallium	205-1	0.46	0.48	0.49	0.48	3.21	ppb
Tin	118-1	4.77	4.84	4.92	4.84	1.52	ppb
Titanium	47-1	831.14	857.28	842.07	843.50	1.56	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.69	0.70	0.73	0.70	2.66	ppb
Vanadium	51-2	173.11	174.34	175.46	174.31	0.67	ppb
Yttrium	89-1				107		%
Yttrium	89-2				108		%
Zinc	66-2	232.68	236.21	235.53	234.81	0.80	ppb
Zirconium	90-1	11.63	12.01	12.05	11.90	1.96	ppb
Zirconium	91-1	12.10	12.21	12.23	12.18	0.56	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	44504.03	43890.09	43448.87	43947.66	1.21	ppb
Antimony	121-1	1.72	1.77	1.78	1.76	1.92	ppb
Arsenic	75-2	175.95	172.79	176.09	174.94	1.07	ppb
Barium	135-1	458.49	455.96	474.83	463.09	2.21	ppb
Barium	137-1	467.81	467.09	479.75	471.55	1.51	ppb
Beryllium	9-1	2.18	2.11	2.21	2.17	2.47	ppb
Bismuth	209-1				100		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.49	1.33	1.72	1.51	12.86	ppb
Cadmium	106-1	3.32	3.67	3.51	3.50	5.04	ppb
Cadmium	111-1	0.73	0.74	0.69	0.72	3.90	ppb
Calcium	43-1	136140.03	140735.81	140088.50	138988.11	1.79	ppb
Calcium	44-1	138843.17	141870.01	139849.06	140187.41	1.10	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	100.39	99.17	99.89	99.82	0.61	ppb
Cobalt	59-2	47.10	47.24	47.31	47.22	0.23	ppb
Copper	63-2	117.56	118.08	115.68	117.11	1.08	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	94284.93	94189.33	94004.55	94159.60	0.15	ppb
Iron	57-2	93511.18	94027.12	94797.04	94111.78	0.69	ppb
Iron	54-2	95231.25	94353.55	94823.29	94802.70	0.46	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	33.16	33.34	34.04	33.52	1.39	ppb
Lead	207-1	32.05	31.87	33.26	32.40	2.33	ppb
Lead	208-1	32.25	32.73	33.56	32.84	2.02	ppb
Lithium	6-1				96		%
Magnesium	24-2	21374.82	21533.08	21246.22	21384.71	0.67	ppb
Manganese	55-2	2595.55	2550.56	2617.58	2587.90	1.32	ppb
Molybdenum	94-1	18.18	18.81	18.63	18.54	1.76	ppb
Molybdenum	95-1	0.78	0.81	0.80	0.80	1.86	ppb
Molybdenum	96-1	3.11	3.25	3.19	3.19	2.12	ppb
Molybdenum	97-1	0.73	0.77	0.77	0.76	3.19	ppb
Molybdenum	98-1	0.76	0.73	0.76	0.75	2.10	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	102.48	102.63	103.17	102.76	0.35	ppb
Phosphorus	31-2	2088.42	2059.75	2019.57	2055.92	1.68	ppb
Potassium	39-2	6658.40	6806.79	6765.90	6743.70	1.14	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				106		%
Scandium	45-2				106		%
Selenium	82-1	1.98	1.51	1.59	1.69	15.04	ppb
Selenium	77-2	20.04	16.75	18.53	18.44	8.92	ppb
Selenium	78-2	3.06	3.86	3.67	3.53	11.97	ppb
Silicon	28-1	1223.30	1332.14	1261.18	1272.21	4.34	ppb
Silver	107-1	0.18	0.19	0.21	0.19	6.19	ppb
Silver	109-1	0.18	0.21	0.21	0.20	7.31	ppb
Sodium	23-2	182.07	183.13	186.02	183.74	1.11	ppb
Strontium	86-1	94.55	96.75	95.94	95.75	1.16	ppb
Strontium	88-1	93.81	95.55	95.79	95.05	1.14	ppb
Sulfur	34-1	-543.86	-387.18	-516.40	-482.48		ppb
Terbium	159-1				103		%
Terbium	159-2				102		%
Thallium	203-1	0.41	0.41	0.42	0.41	1.06	ppb
Thallium	205-1	0.38	0.40	0.40	0.40	2.70	ppb
Tin	118-1	3.01	3.10	3.16	3.09	2.47	ppb
Titanium	47-1	937.26	947.68	943.28	942.74	0.55	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.76	0.78	0.80	0.78	2.67	ppb
Vanadium	51-2	188.93	189.19	187.80	188.64	0.39	ppb
Yttrium	89-1				106		%
Yttrium	89-2				108		%
Zinc	66-2	176.64	175.12	175.32	175.69	0.47	ppb
Zirconium	90-1	10.83	10.80	10.92	10.85	0.57	ppb
Zirconium	91-1	10.60	10.96	11.09	10.88	2.32	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	48390.00	47037.73	46692.74	47373.49	1.89	ppb
Antimony	121-1	1.26	1.31	1.28	1.28	1.86	ppb
Arsenic	75-2	199.32	201.45	199.70	200.15	0.57	ppb
Barium	135-1	610.02	617.03	610.69	612.58	0.63	ppb
Barium	137-1	608.87	615.05	616.51	613.48	0.66	ppb
Beryllium	9-1	2.52	2.41	2.65	2.53	4.67	ppb
Bismuth	209-1				99		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.55	1.73	1.76	1.68	6.79	ppb
Cadmium	106-1	4.31	3.64	3.04	3.66	17.25	ppb
Cadmium	111-1	0.69	0.69	0.58	0.66	9.37	ppb
Calcium	43-1	138983.12	142969.39	142006.14	141319.55	1.47	ppb
Calcium	44-1	143831.58	144001.52	141871.07	143234.73	0.83	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	107.80	105.11	104.67	105.86	1.60	ppb
Cobalt	59-2	54.69	53.65	53.88	54.07	1.02	ppb
Copper	63-2	115.36	112.51	111.84	113.24	1.65	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	105945.98	103474.46	103743.65	104388.03	1.30	ppb
Iron	57-2	105574.59	102878.13	103344.27	103932.33	1.39	ppb
Iron	54-2	106419.68	104261.88	104663.71	105115.09	1.09	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	29.01	29.47	29.11	29.20	0.83	ppb
Lead	207-1	27.60	27.68	27.82	27.70	0.40	ppb
Lead	208-1	28.20	28.41	28.41	28.34	0.44	ppb
Lithium	6-1				94		%
Magnesium	24-2	24043.05	23528.77	23737.49	23769.77	1.09	ppb
Manganese	55-2	3678.80	3630.89	3649.34	3653.01	0.66	ppb
Molybdenum	94-1	21.64	21.75	21.92	21.77	0.65	ppb
Molybdenum	95-1	1.00	1.02	1.03	1.02	1.56	ppb
Molybdenum	96-1	3.64	3.81	3.77	3.74	2.40	ppb
Molybdenum	97-1	0.96	0.98	1.03	0.99	3.40	ppb
Molybdenum	98-1	0.99	0.97	0.94	0.97	2.82	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	114.27	110.86	111.32	112.15	1.65	ppb
Phosphorus	31-2	2088.93	2065.96	2069.49	2074.79	0.60	ppb
Potassium	39-2	7001.94	6947.69	6887.79	6945.81	0.82	ppb
Rhodium	103-1				97		%
Rhodium	103-2				97		%
Scandium	45-1				106		%
Scandium	45-2				107		%
Selenium	82-1	0.96	1.95	1.92	1.61	35.04	ppb
Selenium	77-2	18.57	18.98	21.03	19.53	6.73	ppb
Selenium	78-2	4.40	4.40	4.31	4.37	1.19	ppb
Silicon	28-1	1272.69	1281.40	1244.87	1266.32	1.51	ppb
Silver	107-1	0.14	0.14	0.15	0.14	5.02	ppb
Silver	109-1	0.13	0.14	0.15	0.14	7.19	ppb
Sodium	23-2	182.78	180.74	185.49	183.01	1.30	ppb
Strontium	86-1	107.83	108.50	110.28	108.87	1.16	ppb
Strontium	88-1	110.51	109.86	110.69	110.35	0.39	ppb
Sulfur	34-1	-454.35	-532.10	-504.70	-497.05		ppb
Terbium	159-1				102		%
Terbium	159-2				100		%
Thallium	203-1	0.44	0.44	0.43	0.44	0.83	ppb
Thallium	205-1	0.45	0.44	0.44	0.44	0.53	ppb
Tin	118-1	2.67	2.77	2.80	2.74	2.51	ppb
Titanium	47-1	903.87	897.56	907.99	903.14	0.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.85	0.87	0.84	0.85	1.73	ppb
Vanadium	51-2	216.90	212.04	206.35	211.76	2.49	ppb
Yttrium	89-1				107		%
Yttrium	89-2				108		%
Zinc	66-2	173.63	170.31	169.91	171.28	1.19	ppb
Zirconium	90-1	12.48	12.57	12.70	12.58	0.87	ppb
Zirconium	91-1	12.59	12.77	12.67	12.68	0.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	53590.39	53044.80	53752.20	53462.46	0.69	ppb
Antimony	121-1	1.33	1.40	1.39	1.37	2.68	ppb
Arsenic	75-2	232.31	226.95	229.05	229.43	1.18	ppb
Barium	135-1	584.03	592.16	587.22	587.80	0.70	ppb
Barium	137-1	580.66	607.30	583.82	590.60	2.46	ppb
Beryllium	9-1	2.49	2.59	2.49	2.52	2.22	ppb
Bismuth	209-1				100		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.79	1.69	1.79	1.76	3.29	ppb
Cadmium	106-1	4.14	4.09	3.74	3.99	5.44	ppb
Cadmium	111-1	0.85	0.81	0.79	0.81	4.03	ppb
Calcium	43-1	141485.22	144830.40	140993.14	142436.25	1.47	ppb
Calcium	44-1	142338.23	146821.44	144024.37	144394.68	1.57	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	131.16	128.32	128.39	129.29	1.25	ppb
Cobalt	59-2	59.81	58.91	59.17	59.30	0.78	ppb
Copper	63-2	138.96	136.79	138.69	138.15	0.86	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				101		%
Indium	115-1				99		%
Indium	115-2				99		%
Iron	56-2	116809.05	115578.61	114897.75	115761.80	0.84	ppb
Iron	57-2	115743.18	115193.60	114097.20	115011.33	0.73	ppb
Iron	54-2	116499.46	116298.63	116645.25	116481.12	0.15	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	36.58	36.83	36.85	36.75	0.41	ppb
Lead	207-1	34.41	35.72	35.30	35.15	1.90	ppb
Lead	208-1	35.24	36.08	35.86	35.73	1.21	ppb
Lithium	6-1				94		%
Magnesium	24-2	27596.93	27338.34	26991.12	27308.80	1.11	ppb
Manganese	55-2	3277.33	3285.99	3280.46	3281.26	0.13	ppb
Molybdenum	94-1	20.99	21.46	21.73	21.40	1.75	ppb
Molybdenum	95-1	0.86	0.89	0.88	0.88	1.72	ppb
Molybdenum	96-1	3.64	3.72	3.64	3.66	1.27	ppb
Molybdenum	97-1	0.90	0.87	0.84	0.87	3.50	ppb
Molybdenum	98-1	0.85	0.84	0.81	0.83	2.68	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	126.52	125.40	126.40	126.11	0.49	ppb
Phosphorus	31-2	2451.45	2419.30	2428.95	2433.23	0.68	ppb
Potassium	39-2	8127.35	7998.53	8008.95	8044.94	0.89	ppb
Rhodium	103-1				96		%
Rhodium	103-2				98		%
Scandium	45-1				106		%
Scandium	45-2				107		%
Selenium	82-1	1.56	1.38	2.04	1.66	20.52	ppb
Selenium	77-2	23.58	19.70	21.80	21.69	8.95	ppb
Selenium	78-2	4.64	5.93	4.83	5.13	13.50	ppb
Silicon	28-1	1287.90	1297.91	1287.30	1291.04	0.46	ppb
Silver	107-1	0.18	0.19	0.18	0.18	3.50	ppb
Silver	109-1	0.17	0.17	0.19	0.18	6.57	ppb
Sodium	23-2	204.77	204.19	212.11	207.02	2.13	ppb
Strontium	86-1	99.63	101.06	100.92	100.54	0.79	ppb
Strontium	88-1	100.67	102.74	102.45	101.95	1.10	ppb
Sulfur	34-1	-429.50	-368.27	-506.78	-434.85		ppb
Terbium	159-1				102		%
Terbium	159-2				101		%
Thallium	203-1	0.53	0.52	0.51	0.52	2.26	ppb
Thallium	205-1	0.51	0.53	0.52	0.52	1.64	ppb
Tin	118-1	3.00	3.15	3.05	3.07	2.40	ppb
Titanium	47-1	943.93	961.44	950.17	951.85	0.93	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.94	0.93	0.93	0.93	0.75	ppb
Vanadium	51-2	241.88	238.56	240.25	240.23	0.69	ppb
Yttrium	89-1				109		%
Yttrium	89-2				109		%
Zinc	66-2	205.71	205.39	207.28	206.13	0.49	ppb
Zirconium	90-1	12.25	12.37	12.43	12.35	0.74	ppb
Zirconium	91-1	12.47	12.56	12.65	12.56	0.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	56463.13	56332.92	56657.86	56484.64	0.29	ppb
Antimony	121-1	0.76	0.77	0.75	0.76	1.37	ppb
Arsenic	75-2	111.89	116.07	114.28	114.08	1.84	ppb
Barium	135-1	663.67	656.26	637.50	652.48	2.07	ppb
Barium	137-1	658.30	658.44	644.34	653.70	1.24	ppb
Beryllium	9-1	2.90	2.82	2.88	2.87	1.59	ppb
Bismuth	209-1				101		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.43	2.35	2.13	2.31	6.71	ppb
Cadmium	106-1	5.40	4.13	3.54	4.36	21.75	ppb
Cadmium	111-1	1.03	0.89	0.84	0.92	10.88	ppb
Calcium	43-1	16002.53	16126.00	16659.56	16262.70	2.15	ppb
Calcium	44-1	15682.68	15581.02	15476.32	15580.00	0.66	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	145.04	145.92	146.51	145.82	0.51	ppb
Cobalt	59-2	68.83	68.42	69.48	68.91	0.78	ppb
Copper	63-2	187.86	186.31	187.07	187.08	0.42	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				101		%
Indium	115-1				99		%
Indium	115-2				99		%
Iron	56-2	131391.89	129606.27	132607.16	131201.77	1.15	ppb
Iron	57-2	128478.99	128427.12	129461.89	128789.33	0.45	ppb
Iron	54-2	131626.85	131519.35	130736.25	131294.15	0.37	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	44.95	44.04	45.73	44.91	1.89	ppb
Lead	207-1	42.69	42.55	45.85	43.69	4.27	ppb
Lead	208-1	43.36	43.17	45.07	43.87	2.39	ppb
Lithium	6-1				93		%
Magnesium	24-2	29559.53	29694.24	29161.51	29471.76	0.94	ppb
Manganese	55-2	5449.44	5403.51	5505.74	5452.90	0.94	ppb
Molybdenum	94-1	32.49	32.36	32.25	32.37	0.37	ppb
Molybdenum	95-1	1.02	1.01	1.01	1.01	0.54	ppb
Molybdenum	96-1	5.15	5.14	4.85	5.05	3.33	ppb
Molybdenum	97-1	0.97	0.96	0.97	0.97	0.41	ppb
Molybdenum	98-1	0.95	0.98	0.91	0.95	3.42	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	117.87	117.15	117.20	117.41	0.34	ppb
Phosphorus	31-2	2240.19	2269.97	2288.86	2266.34	1.08	ppb
Potassium	39-2	10057.15	10291.46	10255.80	10201.47	1.24	ppb
Rhodium	103-1				100		%
Rhodium	103-2				98		%
Scandium	45-1				107		%
Scandium	45-2				108		%
Selenium	82-1	1.03	1.04	1.21	1.09	9.49	ppb
Selenium	77-2	23.42	21.48	18.63	21.17	11.37	ppb
Selenium	78-2	3.60	4.51	4.76	4.29	14.14	ppb
Silicon	28-1	1476.96	1479.45	1425.04	1460.49	2.10	ppb
Silver	107-1	0.21	0.22	0.22	0.22	2.68	ppb
Silver	109-1	0.20	0.21	0.19	0.20	3.83	ppb
Sodium	23-2	228.37	238.02	235.60	233.99	2.15	ppb
Strontium	86-1	94.64	93.38	92.16	93.39	1.33	ppb
Strontium	88-1	94.31	94.94	94.42	94.56	0.35	ppb
Sulfur	34-1	-1173.81	-1580.23	-1662.04	-1472.02		ppb
Terbium	159-1				104		%
Terbium	159-2				101		%
Thallium	203-1	0.44	0.47	0.49	0.47	4.80	ppb
Thallium	205-1	0.44	0.47	0.47	0.46	3.46	ppb
Tin	118-1	3.07	3.12	2.92	3.04	3.45	ppb
Titanium	47-1	1017.50	1012.49	991.22	1007.07	1.39	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.08	1.07	1.14	1.09	3.34	ppb
Vanadium	51-2	260.72	260.94	265.76	262.47	1.09	ppb
Yttrium	89-1				109		%
Yttrium	89-2				108		%
Zinc	66-2	243.00	244.15	244.82	243.99	0.38	ppb
Zirconium	90-1	18.75	19.20	18.43	18.79	2.05	ppb
Zirconium	91-1	19.58	19.57	18.76	19.31	2.43	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49243.87	50001.90	49289.91	49511.89	0.86	ppb
Antimony	121-1	1.20	1.22	1.20	1.21	1.25	ppb
Arsenic	75-2	142.79	144.21	143.86	143.62	0.51	ppb
Barium	135-1	374.34	382.81	376.13	377.76	1.18	ppb
Barium	137-1	401.15	410.10	407.32	406.19	1.13	ppb
Beryllium	9-1	1.88	1.98	1.81	1.89	4.61	ppb
Bismuth	209-1				100		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.28	3.01	2.98	3.09	5.32	ppb
Cadmium	106-1	3.82	4.26	3.99	4.02	5.51	ppb
Cadmium	111-1	0.87	0.98	0.97	0.94	6.22	ppb
Calcium	43-1	13495.28	13433.84	13544.79	13491.30	0.41	ppb
Calcium	44-1	12687.93	12788.61	12935.61	12804.05	0.97	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	137.24	135.97	136.02	136.41	0.53	ppb
Cobalt	59-2	61.17	60.71	59.86	60.58	1.09	ppb
Copper	63-2	214.02	212.57	207.27	211.29	1.68	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	124021.12	122555.60	122002.46	122859.73	0.85	ppb
Iron	57-2	123610.15	120873.58	121400.12	121961.29	1.19	ppb
Iron	54-2	126516.83	122728.75	123775.09	124340.23	1.57	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	38.37	38.26	38.63	38.42	0.50	ppb
Lead	207-1	37.91	38.25	37.73	37.96	0.70	ppb
Lead	208-1	38.12	38.16	38.01	38.10	0.21	ppb
Lithium	6-1				97		%
Magnesium	24-2	26610.65	26622.50	26014.76	26415.97	1.32	ppb
Manganese	55-2	3963.44	3862.23	3846.89	3890.85	1.63	ppb
Molybdenum	94-1	25.78	26.33	26.59	26.23	1.57	ppb
Molybdenum	95-1	1.01	0.99	1.10	1.04	5.72	ppb
Molybdenum	96-1	4.35	4.32	4.36	4.35	0.44	ppb
Molybdenum	97-1	0.96	0.96	1.02	0.98	3.58	ppb
Molybdenum	98-1	0.97	0.97	0.95	0.96	1.38	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	97.41	95.95	95.12	96.16	1.21	ppb
Phosphorus	31-2	1247.07	1223.39	1240.28	1236.91	0.99	ppb
Potassium	39-2	5947.56	5871.79	5889.92	5903.09	0.67	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				107		%
Selenium	82-1	0.64	1.42	1.14	1.07	37.05	ppb
Selenium	77-2	17.49	15.69	14.05	15.74	10.93	ppb
Selenium	78-2	1.87	3.26	2.59	2.58	26.89	ppb
Silicon	28-1	1244.37	1227.72	1243.44	1238.51	0.76	ppb
Silver	107-1	0.25	0.26	0.28	0.26	5.14	ppb
Silver	109-1	0.25	0.27	0.26	0.26	3.75	ppb
Sodium	23-2	214.12	213.64	211.64	213.13	0.62	ppb
Strontium	86-1	70.13	70.68	71.47	70.76	0.95	ppb
Strontium	88-1	72.00	71.96	71.08	71.68	0.73	ppb
Sulfur	34-1	-1852.83	-1864.25	-1818.98	-1845.35		ppb
Terbium	159-1				103		%
Terbium	159-2				101		%
Thallium	203-1	0.27	0.27	0.29	0.28	3.60	ppb
Thallium	205-1	0.28	0.28	0.27	0.28	1.30	ppb
Tin	118-1	2.75	2.77	2.80	2.77	0.91	ppb
Titanium	47-1	979.71	982.65	999.12	987.16	1.06	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.75	0.76	0.74	0.75	1.41	ppb
Vanadium	51-2	239.88	237.93	237.37	238.40	0.55	ppb
Yttrium	89-1				106		%
Yttrium	89-2				107		%
Zinc	66-2	215.63	214.79	211.44	213.95	1.03	ppb
Zirconium	90-1	15.12	15.36	15.43	15.30	1.06	ppb
Zirconium	91-1	15.40	15.42	15.56	15.46	0.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	52419.92	52319.39	51797.05	52178.79	0.64	ppb
Antimony	121-1	2.39	2.49	2.29	2.39	4.18	ppb
Arsenic	75-2	185.74	181.29	177.98	181.67	2.14	ppb
Barium	135-1	645.37	667.50	646.43	653.10	1.91	ppb
Barium	137-1	651.90	665.52	647.24	654.89	1.45	ppb
Beryllium	9-1	1.89	2.00	1.98	1.96	3.11	ppb
Bismuth	209-1				100		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.49	3.69	3.32	3.50	5.30	ppb
Cadmium	106-1	4.04	4.43	3.71	4.06	8.92	ppb
Cadmium	111-1	2.01	2.07	2.03	2.04	1.40	ppb
Calcium	43-1	12140.88	12322.10	12555.75	12339.58	1.69	ppb
Calcium	44-1	11486.97	11808.53	11841.25	11712.25	1.67	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	160.29	159.67	158.00	159.32	0.74	ppb
Cobalt	59-2	88.10	87.03	86.55	87.23	0.91	ppb
Copper	63-2	397.28	404.17	385.88	395.78	2.33	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				103		%
Indium	115-1				99		%
Indium	115-2				100		%
Iron	56-2	158939.53	161221.05	158224.28	159461.62	0.98	ppb
Iron	57-2	157351.31	159031.14	155647.09	157343.18	1.08	ppb
Iron	54-2	160181.53	161940.85	158266.60	160129.66	1.15	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	81.81	86.18	82.77	83.59	2.75	ppb
Lead	207-1	83.27	85.81	84.60	84.56	1.50	ppb
Lead	208-1	88.22	85.20	89.18	87.54	2.37	ppb
Lithium	6-1				92		%
Magnesium	24-2	30590.85	30715.69	30344.99	30550.51	0.62	ppb
Manganese	55-2	6808.37	6900.45	6774.94	6827.92	0.95	ppb
Molybdenum	94-1	24.89	26.61	25.42	25.64	3.44	ppb
Molybdenum	95-1	2.85	2.94	2.80	2.86	2.53	ppb
Molybdenum	96-1	5.93	6.35	6.07	6.12	3.51	ppb
Molybdenum	97-1	2.73	2.91	2.76	2.80	3.45	ppb
Molybdenum	98-1	2.74	2.83	2.77	2.78	1.72	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	113.52	116.00	113.56	114.36	1.24	ppb
Phosphorus	31-2	1616.10	1596.97	1603.95	1605.68	0.60	ppb
Potassium	39-2	6292.35	6284.71	6218.51	6265.19	0.65	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				108		%
Selenium	82-1	1.53	1.66	1.80	1.67	8.13	ppb
Selenium	77-2	18.35	17.28	15.83	17.15	7.38	ppb
Selenium	78-2	3.33	3.28	3.42	3.35	2.16	ppb
Silicon	28-1	1130.85	1199.38	1177.86	1169.36	3.00	ppb
Silver	107-1	0.66	0.68	0.64	0.66	3.41	ppb
Silver	109-1	0.66	0.68	0.66	0.66	1.94	ppb
Sodium	23-2	197.05	200.37	197.06	198.16	0.97	ppb
Strontium	86-1	79.56	86.32	81.24	82.37	4.27	ppb
Strontium	88-1	80.21	84.28	81.13	81.87	2.61	ppb
Sulfur	34-1	-1849.31	-1739.27	-1795.69	-1794.76		ppb
Terbium	159-1				102		%
Terbium	159-2				102		%
Thallium	203-1	0.33	0.33	0.31	0.32	4.23	ppb
Thallium	205-1	0.31	0.33	0.31	0.32	3.10	ppb
Tin	118-1	2.94	3.22	2.91	3.02	5.68	ppb
Titanium	47-1	927.33	959.11	957.18	947.87	1.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.80	0.80	0.82	0.81	1.19	ppb
Vanadium	51-2	291.83	291.03	288.01	290.29	0.69	ppb
Yttrium	89-1				105		%
Yttrium	89-2				106		%
Zinc	66-2	312.65	316.29	309.28	312.74	1.12	ppb
Zirconium	90-1	13.65	14.18	13.82	13.88	1.94	ppb
Zirconium	91-1	13.71	14.74	13.80	14.08	4.02	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	54198.24	54020.26	54458.75	54225.75	0.41	ppb
Antimony	121-1	0.85	0.89	0.90	0.88	2.89	ppb
Arsenic	75-2	136.06	133.88	129.95	133.29	2.33	ppb
Barium	135-1	522.43	517.15	515.73	518.43	0.68	ppb
Barium	137-1	516.40	518.60	522.28	519.09	0.57	ppb
Beryllium	9-1	2.44	2.43	2.59	2.49	3.83	ppb
Bismuth	209-1				99		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.98	2.20	1.96	2.05	6.45	ppb
Cadmium	106-1	4.53	3.27	2.81	3.54	25.27	ppb
Cadmium	111-1	0.86	0.77	0.71	0.78	9.28	ppb
Calcium	43-1	15131.43	15324.93	15344.68	15267.01	0.77	ppb
Calcium	44-1	14385.49	14411.61	14540.49	14445.87	0.57	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	158.12	157.88	156.82	157.61	0.44	ppb
Cobalt	59-2	70.27	69.65	70.27	70.06	0.50	ppb
Copper	63-2	201.54	198.99	200.69	200.41	0.65	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				105		%
Holmium	165-2				101		%
Indium	115-1				98		%
Indium	115-2				99		%
Iron	56-2	138035.77	138974.95	138954.32	138655.01	0.39	ppb
Iron	57-2	136090.78	134085.90	135288.28	135154.99	0.75	ppb
Iron	54-2	138186.31	136717.42	138937.51	137947.08	0.82	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	39.22	39.64	39.81	39.56	0.78	ppb
Lead	207-1	37.48	39.35	37.83	38.22	2.60	ppb
Lead	208-1	37.86	39.09	38.52	38.49	1.60	ppb
Lithium	6-1				92		%
Magnesium	24-2	31252.42	30723.70	30592.74	30856.29	1.13	ppb
Manganese	55-2	4920.72	4955.33	4986.18	4954.07	0.66	ppb
Molybdenum	94-1	27.45	28.84	28.40	28.23	2.52	ppb
Molybdenum	95-1	1.43	1.34	1.41	1.39	3.37	ppb
Molybdenum	96-1	4.95	4.89	5.02	4.96	1.24	ppb
Molybdenum	97-1	1.37	1.39	1.34	1.37	1.78	ppb
Molybdenum	98-1	1.31	1.31	1.37	1.33	2.52	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	115.35	115.49	116.54	115.79	0.56	ppb
Phosphorus	31-2	1500.94	1536.73	1510.71	1516.13	1.22	ppb
Potassium	39-2	6797.23	6900.89	6826.93	6841.68	0.78	ppb
Rhodium	103-1				98		%
Rhodium	103-2				99		%
Scandium	45-1				104		%
Scandium	45-2				107		%
Selenium	82-1	0.79	1.25	1.13	1.06	22.44	ppb
Selenium	77-2	16.41	17.07	15.10	16.20	6.18	ppb
Selenium	78-2	3.58	2.09	3.39	3.02	26.72	ppb
Silicon	28-1	1247.78	1194.97	1254.23	1232.33	2.64	ppb
Silver	107-1	0.19	0.18	0.19	0.19	3.39	ppb
Silver	109-1	0.19	0.18	0.19	0.19	2.57	ppb
Sodium	23-2	222.40	220.17	222.70	221.76	0.62	ppb
Strontium	86-1	83.35	84.83	85.19	84.45	1.15	ppb
Strontium	88-1	83.87	84.80	84.53	84.40	0.57	ppb
Sulfur	34-1	-1720.94	-1820.35	-1743.87	-1761.72		ppb
Terbium	159-1				103		%
Terbium	159-2				102		%
Thallium	203-1	0.35	0.37	0.37	0.36	2.90	ppb
Thallium	205-1	0.35	0.36	0.36	0.36	1.64	ppb
Tin	118-1	3.11	2.96	3.14	3.07	3.21	ppb
Titanium	47-1	1006.21	988.06	991.89	995.39	0.96	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.91	0.95	0.91	0.92	2.43	ppb
Vanadium	51-2	266.94	269.09	274.22	270.08	1.38	ppb
Yttrium	89-1				107		%
Yttrium	89-2				107		%
Zinc	66-2	222.67	221.67	223.06	222.47	0.32	ppb
Zirconium	90-1	15.82	15.88	16.28	15.99	1.54	ppb
Zirconium	91-1	16.65	16.18	16.82	16.55	2.00	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	53282.66	52701.66	53693.30	53225.88	0.94	ppb
Antimony	121-1	0.87	0.90	0.89	0.89	1.24	ppb
Arsenic	75-2	133.64	132.29	135.06	133.66	1.03	ppb
Barium	135-1	527.80	525.40	533.10	528.77	0.75	ppb
Barium	137-1	524.68	527.92	532.80	528.47	0.77	ppb
Beryllium	9-1	2.37	2.30	2.49	2.38	4.02	ppb
Bismuth	209-1				100		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.37	1.78	2.02	2.06	14.32	ppb
Cadmium	106-1	3.05	2.81	2.50	2.79	10.02	ppb
Cadmium	111-1	0.72	0.71	0.69	0.71	2.15	ppb
Calcium	43-1	15354.04	15263.60	15178.83	15265.49	0.57	ppb
Calcium	44-1	14201.44	14207.88	14436.69	14282.00	0.94	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	153.76	155.44	154.09	154.43	0.58	ppb
Cobalt	59-2	69.49	69.59	69.18	69.42	0.30	ppb
Copper	63-2	198.14	200.49	198.54	199.06	0.63	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				102		%
Indium	115-1				99		%
Indium	115-2				99		%
Iron	56-2	138246.20	137226.11	136742.64	137404.98	0.56	ppb
Iron	57-2	132217.87	134572.59	130515.47	132435.31	1.54	ppb
Iron	54-2	137067.24	136410.78	136500.86	136659.63	0.26	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	37.62	37.67	38.27	37.85	0.95	ppb
Lead	207-1	38.09	38.13	38.40	38.21	0.44	ppb
Lead	208-1	37.53	37.93	38.39	37.95	1.13	ppb
Lithium	6-1				90		%
Magnesium	24-2	30573.91	29483.82	30314.60	30124.11	1.89	ppb
Manganese	55-2	4945.16	4885.01	4923.82	4918.00	0.62	ppb
Molybdenum	94-1	27.52	27.73	28.21	27.82	1.27	ppb
Molybdenum	95-1	1.32	1.35	1.41	1.36	3.51	ppb
Molybdenum	96-1	4.70	4.78	4.87	4.78	1.76	ppb
Molybdenum	97-1	1.27	1.32	1.30	1.30	1.64	ppb
Molybdenum	98-1	1.21	1.27	1.31	1.26	3.71	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	113.83	113.89	113.82	113.85	0.03	ppb
Phosphorus	31-2	1479.43	1491.32	1505.63	1492.13	0.88	ppb
Potassium	39-2	6675.35	6643.93	6758.36	6692.55	0.88	ppb
Rhodium	103-1				97		%
Rhodium	103-2				99		%
Scandium	45-1				105		%
Scandium	45-2				107		%
Selenium	82-1	1.47	1.00	1.48	1.31	20.82	ppb
Selenium	77-2	17.75	17.11	17.45	17.44	1.85	ppb
Selenium	78-2	3.10	3.26	4.78	3.71	25.04	ppb
Silicon	28-1	1222.27	1203.23	1221.13	1215.54	0.88	ppb
Silver	107-1	0.18	0.18	0.19	0.18	1.08	ppb
Silver	109-1	0.15	0.17	0.18	0.17	8.69	ppb
Sodium	23-2	215.82	220.46	221.41	219.23	1.37	ppb
Strontium	86-1	79.89	80.94	82.62	81.15	1.69	ppb
Strontium	88-1	81.38	81.57	84.00	82.32	1.77	ppb
Sulfur	34-1	-1827.16	-1894.19	-1914.76	-1878.70		ppb
Terbium	159-1				103		%
Terbium	159-2				102		%
Thallium	203-1	0.34	0.36	0.36	0.35	3.24	ppb
Thallium	205-1	0.35	0.37	0.37	0.36	2.35	ppb
Tin	118-1	2.94	3.03	3.04	3.00	1.84	ppb
Titanium	47-1	980.93	1005.76	982.52	989.74	1.40	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.90	0.91	0.95	0.92	2.55	ppb
Vanadium	51-2	266.76	268.27	266.65	267.23	0.34	ppb
Yttrium	89-1				108		%
Yttrium	89-2				106		%
Zinc	66-2	217.84	215.65	218.16	217.22	0.63	ppb
Zirconium	90-1	15.47	16.10	16.43	16.00	3.04	ppb
Zirconium	91-1	15.65	16.09	16.55	16.09	2.79	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	11196.28	11149.82	11121.63	11155.91	0.34	ppb
Antimony	121-1	0.17	0.17	0.17	0.17	0.87	ppb
Arsenic	75-2	27.89	26.92	27.39	27.40	1.77	ppb
Barium	135-1	96.74	96.32	96.75	96.60	0.26	ppb
Barium	137-1	97.22	96.48	97.87	97.19	0.71	ppb
Beryllium	9-1	0.41	0.44	0.44	0.43	4.26	ppb
Bismuth	209-1				103		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.51	0.35	0.38	0.41	20.08	ppb
Cadmium	106-1	0.22	0.01	-0.38	-0.05		ppb
Cadmium	111-1	0.11	0.11	0.07	0.10	21.99	ppb
Calcium	43-1	3094.75	3169.34	3140.29	3134.79	1.20	ppb
Calcium	44-1	3012.77	3046.11	3067.32	3042.07	0.90	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	33.21	32.70	32.75	32.89	0.86	ppb
Cobalt	59-2	14.92	14.85	14.66	14.81	0.92	ppb
Copper	63-2	41.43	41.38	41.37	41.40	0.09	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				102		%
Indium	115-1				101		%
Indium	115-2				101		%
Iron	56-2	29329.55	28668.82	28398.26	28798.88	1.66	ppb
Iron	57-2	28641.97	28691.35	27883.08	28405.47	1.60	ppb
Iron	54-2	28972.06	29374.67	28679.31	29008.68	1.20	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	7.49	7.30	7.50	7.43	1.46	ppb
Lead	207-1	7.46	7.23	7.30	7.33	1.56	ppb
Lead	208-1	7.43	7.28	7.40	7.37	1.05	ppb
Lithium	6-1				99		%
Magnesium	24-2	6418.35	6314.47	6432.38	6388.40	1.01	ppb
Manganese	55-2	1034.44	1035.66	1019.83	1029.98	0.86	ppb
Molybdenum	94-1	5.47	5.84	5.50	5.60	3.64	ppb
Molybdenum	95-1	0.28	0.29	0.28	0.28	1.78	ppb
Molybdenum	96-1	0.97	1.04	0.99	1.00	3.58	ppb
Molybdenum	97-1	0.28	0.26	0.28	0.27	4.79	ppb
Molybdenum	98-1	0.26	0.26	0.25	0.26	1.14	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	24.35	24.27	24.33	24.32	0.18	ppb
Phosphorus	31-2	315.00	304.77	311.43	310.40	1.67	ppb
Potassium	39-2	1430.72	1397.24	1392.35	1406.77	1.48	ppb
Rhodium	103-1				100		%
Rhodium	103-2				101		%
Scandium	45-1				101		%
Scandium	45-2				100		%
Selenium	82-1	0.05	0.16	0.47	0.23	97.43	ppb
Selenium	77-2	3.50	3.61	5.31	4.14	24.58	ppb
Selenium	78-2	1.29	0.58	0.69	0.85	44.38	ppb
Silicon	28-1	250.19	261.35	254.56	255.36	2.20	ppb
Silver	107-1	0.04	0.04	0.04	0.04	4.29	ppb
Silver	109-1	0.03	0.04	0.04	0.04	10.26	ppb
Sodium	23-2	53.91	52.73	53.57	53.41	1.14	ppb
Strontium	86-1	16.55	17.21	16.83	16.86	1.96	ppb
Strontium	88-1	16.52	17.20	16.76	16.82	2.07	ppb
Sulfur	34-1	-1912.99	-1887.42	-1921.16	-1907.19		ppb
Terbium	159-1				103		%
Terbium	159-2				102		%
Thallium	203-1	0.07	0.07	0.08	0.07	4.66	ppb
Thallium	205-1	0.07	0.06	0.06	0.06	3.89	ppb
Tin	118-1	0.56	0.58	0.58	0.57	2.16	ppb
Titanium	47-1	205.01	207.66	203.90	205.52	0.94	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.18	0.17	0.17	0.17	1.81	ppb
Vanadium	51-2	57.55	57.49	57.01	57.35	0.52	ppb
Yttrium	89-1				103		%
Yttrium	89-2				102		%
Zinc	66-2	46.88	47.27	47.61	47.25	0.77	ppb
Zirconium	90-1	3.17	3.30	3.25	3.24	1.94	ppb
Zirconium	91-1	3.26	3.32	3.28	3.29	0.92	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	56745.87	55315.01	53891.43	55317.44	2.58	ppb
Antimony	121-1	55.89	57.42	58.00	57.10	1.91	ppb
Arsenic	75-2	156.87	157.38	155.26	156.50	0.71	ppb
Barium	135-1	1609.14	1642.25	1693.96	1648.45	2.59	ppb
Barium	137-1	1648.68	1658.01	1679.63	1662.10	0.96	ppb
Beryllium	9-1	30.61	31.80	32.56	31.66	3.10	ppb
Bismuth	209-1				102		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	28.23	28.85	27.86	28.31	1.78	ppb
Cadmium	106-1	27.66	29.31	29.43	28.80	3.44	ppb
Cadmium	111-1	28.32	29.29	29.84	29.15	2.64	ppb
Calcium	43-1	15087.60	15505.03	15416.92	15336.52	1.43	ppb
Calcium	44-1	14287.48	14516.30	14559.99	14454.59	1.01	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	267.40	268.21	262.19	265.93	1.23	ppb
Cobalt	59-2	348.23	344.78	344.17	345.73	0.63	ppb
Copper	63-2	329.42	329.47	331.03	329.98	0.28	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	136375.48	138779.75	137345.91	137500.38	0.88	ppb
Iron	57-2	136862.92	136330.59	134801.46	135998.32	0.79	ppb
Iron	54-2	140699.01	139516.85	135701.63	138639.16	1.88	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	48.12	48.85	48.29	48.42	0.80	ppb
Lead	207-1	46.70	47.90	47.45	47.35	1.28	ppb
Lead	208-1	47.36	48.14	47.85	47.78	0.83	ppb
Lithium	6-1				93		%
Magnesium	24-2	30932.51	30803.63	30129.85	30621.99	1.41	ppb
Manganese	55-2	5251.59	5222.83	5160.20	5211.54	0.90	ppb
Molybdenum	94-1	28.07	28.46	27.97	28.17	0.92	ppb
Molybdenum	95-1	1.39	1.38	1.38	1.39	0.52	ppb
Molybdenum	96-1	4.96	4.90	4.88	4.91	0.83	ppb
Molybdenum	97-1	1.34	1.35	1.35	1.34	0.20	ppb
Molybdenum	98-1	1.34	1.32	1.30	1.32	1.36	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	389.77	385.22	379.32	384.77	1.36	ppb
Phosphorus	31-2	1489.78	1481.96	1460.27	1477.33	1.03	ppb
Potassium	39-2	6750.42	6718.86	6771.20	6746.83	0.39	ppb
Rhodium	103-1				97		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				107		%
Selenium	82-1	66.60	67.89	66.43	66.97	1.19	ppb
Selenium	77-2	85.98	80.25	87.11	84.45	4.36	ppb
Selenium	78-2	73.08	69.91	71.18	71.39	2.23	ppb
Silicon	28-1	1249.47	1265.72	1240.81	1252.00	1.01	ppb
Silver	107-1	24.56	24.89	25.50	24.98	1.92	ppb
Silver	109-1	24.18	24.69	25.20	24.69	2.05	ppb
Sodium	23-2	208.59	207.03	211.78	209.14	1.16	ppb
Strontium	86-1	82.55	83.91	82.20	82.89	1.09	ppb
Strontium	88-1	82.54	83.83	82.70	83.02	0.84	ppb
Sulfur	34-1	-1968.15	-1867.07	-1928.94	-1921.38		ppb
Terbium	159-1				103		%
Terbium	159-2				102		%
Thallium	203-1	25.93	26.30	26.06	26.10	0.72	ppb
Thallium	205-1	25.69	26.16	25.94	25.93	0.91	ppb
Tin	118-1	3.00	3.06	3.06	3.04	1.20	ppb
Titanium	47-1	968.97	1015.85	996.59	993.80	2.37	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.89	0.90	0.89	0.89	0.70	ppb
Vanadium	51-2	539.97	542.91	527.33	536.74	1.54	ppb
Yttrium	89-1				107		%
Yttrium	89-2				105		%
Zinc	66-2	486.43	485.12	488.61	486.72	0.36	ppb
Zirconium	90-1	16.14	16.35	16.08	16.19	0.88	ppb
Zirconium	91-1	16.24	16.57	16.41	16.41	1.03	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	58342.31	57972.11	57957.37	58090.60	0.38	ppb
Antimony	121-1	295.64	293.30	293.34	294.09	0.46	ppb
Arsenic	75-2	247.58	244.34	243.64	245.19	0.86	ppb
Barium	135-1	7132.86	7009.43	6951.32	7031.20	1.32	ppb
Barium	137-1	7104.45	7117.52	6975.86	7065.94	1.11	ppb
Beryllium	9-1	169.25	167.35	168.97	168.52	0.61	ppb
Bismuth	209-1				101		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	131.97	134.43	134.03	133.47	0.99	ppb
Cadmium	106-1	132.63	134.40	130.83	132.62	1.35	ppb
Cadmium	111-1	144.78	146.53	143.07	144.79	1.19	ppb
Calcium	43-1	14942.08	14660.99	14540.75	14714.61	1.40	ppb
Calcium	44-1	13967.45	13954.99	13986.81	13969.75	0.11	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	785.21	781.95	791.91	786.36	0.65	ppb
Cobalt	59-2	1671.06	1657.01	1648.16	1658.75	0.70	ppb
Copper	63-2	953.28	962.59	949.10	954.99	0.72	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				102		%
Indium	115-1				100		%
Indium	115-2				98		%
Iron	56-2	136673.11	139822.39	137573.69	138023.07	1.18	ppb
Iron	57-2	134578.75	136730.43	134945.72	135418.30	0.85	ppb
Iron	54-2	136734.99	140592.16	140080.60	139135.92	1.51	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	90.54	90.54	90.04	90.37	0.32	ppb
Lead	207-1	89.23	88.34	89.68	89.09	0.77	ppb
Lead	208-1	95.20	95.36	96.07	95.54	0.49	ppb
Lithium	6-1				94		%
Magnesium	24-2	30211.87	30030.82	29873.10	30038.60	0.56	ppb
Manganese	55-2	6310.40	6423.13	6354.56	6362.70	0.89	ppb
Molybdenum	94-1	26.71	27.28	27.25	27.08	1.19	ppb
Molybdenum	95-1	1.35	1.40	1.36	1.37	2.08	ppb
Molybdenum	96-1	4.74	4.80	4.72	4.75	0.96	ppb
Molybdenum	97-1	1.22	1.31	1.30	1.27	3.53	ppb
Molybdenum	98-1	1.30	1.28	1.31	1.30	0.94	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1764.77	1755.24	1746.62	1755.54	0.52	ppb
Phosphorus	31-2	1434.99	1443.87	1475.73	1451.53	1.48	ppb
Potassium	39-2	6577.71	6672.39	6640.94	6630.35	0.73	ppb
Rhodium	103-1				97		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				105		%
Selenium	82-1	295.53	300.58	296.68	297.59	0.89	ppb
Selenium	77-2	332.47	323.08	325.91	327.15	1.47	ppb
Selenium	78-2	315.00	312.94	316.71	314.88	0.60	ppb
Silicon	28-1	1196.91	1194.97	1179.73	1190.54	0.79	ppb
Silver	107-1	121.96	124.38	123.25	123.20	0.98	ppb
Silver	109-1	138.45	122.96	124.40	128.60	6.66	ppb
Sodium	23-2	210.59	212.85	210.61	211.35	0.62	ppb
Strontium	86-1	79.49	81.12	79.08	79.90	1.35	ppb
Strontium	88-1	79.20	82.15	81.79	81.05	1.99	ppb
Sulfur	34-1	-1934.38	-2093.28	-2126.22	-2051.29		ppb
Terbium	159-1				103		%
Terbium	159-2				101		%
Thallium	203-1	132.39	130.93	134.05	132.46	1.18	ppb
Thallium	205-1	150.17	146.20	150.61	148.99	1.63	ppb
Tin	118-1	2.85	2.83	2.91	2.86	1.41	ppb
Titanium	47-1	955.62	969.17	960.00	961.60	0.72	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.89	0.87	0.89	0.88	1.27	ppb
Vanadium	51-2	1838.20	1836.00	1862.52	1845.57	0.80	ppb
Yttrium	89-1				107		%
Yttrium	89-2				104		%
Zinc	66-2	1821.42	1830.51	1808.79	1820.24	0.60	ppb
Zirconium	90-1	15.53	15.57	15.62	15.57	0.30	ppb
Zirconium	91-1	15.95	16.13	15.83	15.97	0.96	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	39911.67	39890.62	40134.20	39978.83	0.34	ppb
Antimony	121-1	1.25	1.32	1.28	1.28	2.70	ppb
Arsenic	75-2	157.01	154.93	154.48	155.47	0.87	ppb
Barium	135-1	734.41	759.22	745.95	746.53	1.66	ppb
Barium	137-1	734.78	765.76	731.49	744.01	2.54	ppb
Beryllium	9-1	2.00	2.15	2.18	2.11	4.60	ppb
Bismuth	209-1				102		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.76	2.78	2.75	2.76	0.55	ppb
Cadmium	106-1	3.73	3.85	3.52	3.70	4.49	ppb
Cadmium	111-1	1.40	1.52	1.52	1.48	4.86	ppb
Calcium	43-1	9261.13	9282.42	9250.69	9264.75	0.17	ppb
Calcium	44-1	8716.23	8644.79	8787.38	8716.13	0.82	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	130.32	128.23	129.12	129.22	0.81	ppb
Cobalt	59-2	74.95	73.16	74.00	74.04	1.21	ppb
Copper	63-2	220.97	217.93	220.26	219.72	0.72	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				98		%
Iron	56-2	154877.44	151117.69	154013.24	153336.12	1.28	ppb
Iron	57-2	148568.15	149645.13	150582.51	149598.60	0.67	ppb
Iron	54-2	154598.39	152208.10	155455.81	154087.43	1.09	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	66.78	66.45	68.83	67.35	1.91	ppb
Lead	207-1	67.20	67.17	67.68	67.35	0.43	ppb
Lead	208-1	66.68	66.66	68.18	67.17	1.30	ppb
Lithium	6-1				93		%
Magnesium	24-2	20128.39	20072.27	20209.23	20136.63	0.34	ppb
Manganese	55-2	8007.94	7847.90	7942.50	7932.78	1.01	ppb
Molybdenum	94-1	29.06	28.76	28.92	28.91	0.52	ppb
Molybdenum	95-1	1.49	1.45	1.42	1.46	2.44	ppb
Molybdenum	96-1	5.14	5.11	5.10	5.12	0.44	ppb
Molybdenum	97-1	1.31	1.41	1.43	1.38	4.69	ppb
Molybdenum	98-1	1.34	1.34	1.35	1.34	0.75	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	116.89	116.78	117.33	117.00	0.25	ppb
Phosphorus	31-2	2029.45	1981.42	1996.56	2002.48	1.23	ppb
Potassium	39-2	6811.04	6805.38	6802.93	6806.45	0.06	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				105		%
Scandium	45-2				106		%
Selenium	82-1	1.21	1.11	1.24	1.19	6.08	ppb
Selenium	77-2	20.10	19.32	18.51	19.31	4.14	ppb
Selenium	78-2	3.35	3.60	2.83	3.26	12.12	ppb
Silicon	28-1	1394.41	1421.46	1409.64	1408.50	0.96	ppb
Silver	107-1	0.52	0.45	0.43	0.47	10.77	ppb
Silver	109-1	0.51	0.45	0.42	0.46	9.21	ppb
Sodium	23-2	177.07	176.86	183.50	179.14	2.11	ppb
Strontium	86-1	87.30	88.02	88.66	87.99	0.78	ppb
Strontium	88-1	89.95	91.02	90.44	90.47	0.60	ppb
Sulfur	34-1	-1763.34	-1816.28	-1856.47	-1812.03		ppb
Terbium	159-1				104		%
Terbium	159-2				101		%
Thallium	203-1	0.34	0.37	0.37	0.36	5.13	ppb
Thallium	205-1	0.35	0.34	0.35	0.35	1.51	ppb
Tin	118-1	2.69	2.78	2.73	2.73	1.75	ppb
Titanium	47-1	956.04	955.40	965.26	958.90	0.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.96	0.97	0.97	0.97	0.80	ppb
Vanadium	51-2	274.16	270.19	271.27	271.87	0.75	ppb
Yttrium	89-1				107		%
Yttrium	89-2				104		%
Zinc	66-2	413.53	406.84	413.37	411.25	0.93	ppb
Zirconium	90-1	16.56	16.51	16.70	16.59	0.61	ppb
Zirconium	91-1	16.62	16.68	17.03	16.78	1.31	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	41021.68	41030.09	40355.67	40802.48	0.95	ppb
Antimony	121-1	1.30	1.32	1.26	1.30	2.23	ppb
Arsenic	75-2	126.59	129.90	126.86	127.78	1.44	ppb
Barium	135-1	1498.19	1478.26	1511.48	1495.98	1.12	ppb
Barium	137-1	1497.66	1483.82	1453.71	1478.40	1.52	ppb
Beryllium	9-1	2.46	2.56	2.60	2.54	2.87	ppb
Bismuth	209-1				102		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.36	2.75	2.97	3.02	10.11	ppb
Cadmium	106-1	4.83	3.78	2.74	3.79	27.67	ppb
Cadmium	111-1	1.59	1.51	1.41	1.50	5.89	ppb
Calcium	43-1	9512.50	9891.96	10217.77	9874.08	3.57	ppb
Calcium	44-1	9132.42	9183.55	9132.42	9149.46	0.32	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	125.28	126.10	125.77	125.72	0.33	ppb
Cobalt	59-2	69.78	69.36	68.74	69.29	0.75	ppb
Copper	63-2	243.41	247.19	243.15	244.58	0.92	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				104		%
Holmium	165-2				102		%
Indium	115-1				98		%
Indium	115-2				98		%
Iron	56-2	140442.54	139681.26	140855.01	140326.27	0.42	ppb
Iron	57-2	136608.78	139868.09	137829.82	138102.23	1.19	ppb
Iron	54-2	140431.12	141619.15	141424.09	141158.12	0.45	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	66.88	69.30	69.44	68.54	2.11	ppb
Lead	207-1	64.61	69.87	71.92	68.80	5.48	ppb
Lead	208-1	65.55	68.61	69.87	68.01	3.26	ppb
Lithium	6-1				89		%
Magnesium	24-2	18669.27	18619.14	18343.20	18543.87	0.95	ppb
Manganese	55-2	12780.25	12834.29	12857.76	12824.10	0.31	ppb
Molybdenum	94-1	30.95	31.45	29.94	30.78	2.51	ppb
Molybdenum	95-1	1.43	1.47	1.44	1.45	1.37	ppb
Molybdenum	96-1	5.32	5.15	4.83	5.10	4.80	ppb
Molybdenum	97-1	1.32	1.35	1.25	1.31	3.88	ppb
Molybdenum	98-1	1.31	1.21	1.20	1.24	4.96	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	131.21	129.88	131.13	130.74	0.57	ppb
Phosphorus	31-2	1659.73	1645.58	1637.43	1647.58	0.68	ppb
Potassium	39-2	4991.46	5007.25	4996.98	4998.56	0.16	ppb
Rhodium	103-1				98		%
Rhodium	103-2				99		%
Scandium	45-1				104		%
Scandium	45-2				106		%
Selenium	82-1	1.13	1.10	1.42	1.22	14.20	ppb
Selenium	77-2	17.92	22.85	21.95	20.91	12.56	ppb
Selenium	78-2	3.34	5.38	3.52	4.08	27.74	ppb
Silicon	28-1	1426.05	1341.36	1327.26	1364.89	3.91	ppb
Silver	107-1	0.43	0.41	0.41	0.42	2.80	ppb
Silver	109-1	0.40	0.42	0.38	0.40	4.92	ppb
Sodium	23-2	184.68	187.26	188.46	186.80	1.03	ppb
Strontium	86-1	122.48	123.06	115.69	120.41	3.40	ppb
Strontium	88-1	121.59	125.21	122.92	123.24	1.49	ppb
Sulfur	34-1	-1913.42	-1916.16	-2000.33	-1943.30		ppb
Terbium	159-1				104		%
Terbium	159-2				102		%
Thallium	203-1	0.42	0.44	0.47	0.44	5.25	ppb
Thallium	205-1	0.43	0.44	0.46	0.44	3.08	ppb
Tin	118-1	2.92	2.57	2.52	2.67	8.18	ppb
Titanium	47-1	1123.93	1098.74	1105.59	1109.42	1.17	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.02	1.08	1.12	1.08	4.65	ppb
Vanadium	51-2	242.89	245.98	246.48	245.12	0.79	ppb
Yttrium	89-1				108		%
Yttrium	89-2				106		%
Zinc	66-2	272.73	276.25	274.95	274.64	0.65	ppb
Zirconium	90-1	17.82	17.57	17.12	17.51	2.03	ppb
Zirconium	91-1	18.76	17.80	16.84	17.80	5.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49787.43	50214.78	50322.36	50108.19	0.56	ppb
Antimony	121-1	0.63	0.64	0.62	0.63	1.36	ppb
Arsenic	75-2	123.16	125.56	124.64	124.45	0.97	ppb
Barium	135-1	654.30	655.87	666.27	658.81	0.99	ppb
Barium	137-1	655.49	653.46	660.16	656.37	0.52	ppb
Beryllium	9-1	2.78	2.68	2.66	2.71	2.44	ppb
Bismuth	209-1				100		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.51	2.39	2.31	2.40	4.13	ppb
Cadmium	106-1	2.71	3.40	2.73	2.95	13.40	ppb
Cadmium	111-1	0.71	0.80	0.71	0.74	6.98	ppb
Calcium	43-1	11926.38	11703.47	12220.56	11950.14	2.17	ppb
Calcium	44-1	11062.21	10871.24	11107.98	11013.81	1.14	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	136.82	137.79	138.57	137.72	0.64	ppb
Cobalt	59-2	63.25	62.97	63.98	63.40	0.82	ppb
Copper	63-2	175.93	175.84	178.23	176.66	0.77	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				105		%
Holmium	165-2				101		%
Indium	115-1				99		%
Indium	115-2				98		%
Iron	56-2	139087.74	139658.47	140846.48	139864.23	0.64	ppb
Iron	57-2	136642.36	137045.18	139639.09	137775.54	1.18	ppb
Iron	54-2	139597.99	137796.31	140139.41	139177.90	0.88	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	47.13	46.81	46.57	46.84	0.60	ppb
Lead	207-1	47.12	47.40	47.72	47.41	0.63	ppb
Lead	208-1	46.57	46.39	46.80	46.59	0.44	ppb
Lithium	6-1				88		%
Magnesium	24-2	19401.37	19377.11	19251.51	19343.33	0.42	ppb
Manganese	55-2	5675.90	5630.84	5781.72	5696.15	1.36	ppb
Molybdenum	94-1	34.28	33.66	32.68	33.54	2.41	ppb
Molybdenum	95-1	1.01	1.00	0.96	0.99	2.69	ppb
Molybdenum	96-1	5.18	4.98	4.90	5.02	2.89	ppb
Molybdenum	97-1	1.01	0.96	0.96	0.98	2.94	ppb
Molybdenum	98-1	0.92	0.90	0.90	0.91	1.54	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	132.48	130.35	133.30	132.04	1.15	ppb
Phosphorus	31-2	1600.00	1623.09	1631.11	1618.06	1.00	ppb
Potassium	39-2	4014.11	4013.79	4082.21	4036.70	0.98	ppb
Rhodium	103-1				97		%
Rhodium	103-2				98		%
Scandium	45-1				103		%
Scandium	45-2				107		%
Selenium	82-1	1.79	1.42	1.36	1.52	14.98	ppb
Selenium	77-2	19.92	19.38	22.50	20.60	8.10	ppb
Selenium	78-2	4.08	5.04	3.08	4.07	24.15	ppb
Silicon	28-1	1394.50	1361.04	1402.94	1386.16	1.60	ppb
Silver	107-1	0.25	0.27	0.27	0.27	5.32	ppb
Silver	109-1	0.26	0.26	0.25	0.26	3.91	ppb
Sodium	23-2	213.63	215.60	220.29	216.51	1.58	ppb
Strontium	86-1	114.03	111.54	106.53	110.70	3.45	ppb
Strontium	88-1	113.37	114.33	110.43	112.71	1.80	ppb
Sulfur	34-1	-1832.73	-1998.08	-1992.34	-1941.05		ppb
Terbium	159-1				105		%
Terbium	159-2				101		%
Thallium	203-1	0.35	0.39	0.36	0.37	5.91	ppb
Thallium	205-1	0.35	0.36	0.35	0.35	1.89	ppb
Tin	118-1	3.07	3.18	3.14	3.13	1.78	ppb
Titanium	47-1	1319.85	1295.70	1341.28	1318.94	1.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.19	1.21	1.22	1.21	1.47	ppb
Vanadium	51-2	255.18	257.64	256.56	256.46	0.48	ppb
Yttrium	89-1				109		%
Yttrium	89-2				107		%
Zinc	66-2	215.88	216.16	217.01	216.35	0.27	ppb
Zirconium	90-1	19.67	19.36	18.88	19.30	2.05	ppb
Zirconium	91-1	19.77	19.31	18.72	19.27	2.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	61038.06	53979.49	56325.54	57114.36	6.29	ppb
Antimony	121-1	2.40	2.46	2.46	2.44	1.35	ppb
Arsenic	75-2	135.99	122.67	122.55	127.07	6.08	ppb
Barium	135-1	675.54	678.69	686.86	680.36	0.86	ppb
Barium	137-1	675.20	686.78	676.62	679.53	0.93	ppb
Beryllium	9-1	2.64	2.56	2.97	2.72	8.04	ppb
Bismuth	209-1				104		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.60	2.17	2.59	2.45	9.93	ppb
Cadmium	106-1	3.05	2.66	4.01	3.24	21.35	ppb
Cadmium	111-1	0.41	0.41	0.50	0.44	11.92	ppb
Calcium	43-1	12616.83	12566.64	13339.07	12840.85	3.37	ppb
Calcium	44-1	12466.81	12477.52	12643.31	12529.22	0.79	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	147.37	130.66	135.59	137.87	6.23	ppb
Cobalt	59-2	69.17	60.95	64.08	64.73	6.41	ppb
Copper	63-2	149.50	132.00	138.03	139.85	6.35	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				99		%
Indium	115-1				100		%
Indium	115-2				96		%
Iron	56-2	150004.60	134495.97	139199.93	141233.50	5.63	ppb
Iron	57-2	147603.26	131898.45	135696.03	138399.25	5.92	ppb
Iron	54-2	151810.96	136509.36	140055.76	142792.03	5.61	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	31.60	31.75	31.94	31.76	0.53	ppb
Lead	207-1	30.84	30.84	30.35	30.68	0.91	ppb
Lead	208-1	31.39	31.50	31.03	31.31	0.79	ppb
Lithium	6-1				97		%
Magnesium	24-2	21517.48	18988.05	19672.98	20059.50	6.52	ppb
Manganese	55-2	5811.16	5085.84	5264.32	5387.11	7.02	ppb
Molybdenum	94-1	37.45	37.80	37.70	37.65	0.48	ppb
Molybdenum	95-1	0.92	0.92	0.93	0.92	0.67	ppb
Molybdenum	96-1	5.65	5.67	5.80	5.70	1.40	ppb
Molybdenum	97-1	0.84	0.88	0.85	0.86	2.57	ppb
Molybdenum	98-1	0.84	0.87	0.86	0.86	1.49	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	152.64	136.97	139.55	143.06	5.87	ppb
Phosphorus	31-2	2004.08	1733.44	1834.37	1857.29	7.36	ppb
Potassium	39-2	3667.45	3201.98	3306.61	3392.01	7.20	ppb
Rhodium	103-1				100		%
Rhodium	103-2				97		%
Scandium	45-1				109		%
Scandium	45-2				105		%
Selenium	82-1	1.57	1.47	1.52	1.52	3.48	ppb
Selenium	77-2	28.73	25.73	22.58	25.68	11.96	ppb
Selenium	78-2	5.88	4.31	5.37	5.19	15.39	ppb
Silicon	28-1	1374.35	1343.60	1439.33	1385.76	3.53	ppb
Silver	107-1	0.15	0.17	0.16	0.16	3.92	ppb
Silver	109-1	0.16	0.15	0.16	0.16	3.36	ppb
Sodium	23-2	290.11	253.24	263.13	268.83	7.10	ppb
Strontium	86-1	117.59	119.07	118.84	118.50	0.67	ppb
Strontium	88-1	118.71	119.99	120.08	119.59	0.64	ppb
Sulfur	34-1	-2252.77	-2318.60	-2133.26	-2234.88		ppb
Terbium	159-1				102		%
Terbium	159-2				100		%
Thallium	203-1	0.30	0.28	0.30	0.29	2.83	ppb
Thallium	205-1	0.29	0.30	0.30	0.30	1.08	ppb
Tin	118-1	3.24	3.25	3.26	3.25	0.39	ppb
Titanium	47-1	1451.40	1432.36	1504.28	1462.68	2.55	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.15	1.13	1.14	1.14	1.05	ppb
Vanadium	51-2	274.54	250.28	257.02	260.61	4.81	ppb
Yttrium	89-1				106		%
Yttrium	89-2				105		%
Zinc	66-2	207.23	183.51	194.49	195.08	6.09	ppb
Zirconium	90-1	22.26	22.51	22.03	22.27	1.07	ppb
Zirconium	91-1	22.82	23.36	23.50	23.22	1.54	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	48712.84	49087.99	48597.64	48799.49	0.53	ppb
Antimony	121-1	487.66	489.86	489.92	489.15	0.26	ppb
Arsenic	75-2	482.21	482.38	487.09	483.89	0.57	ppb
Barium	135-1	2440.28	2502.76	2478.50	2473.85	1.27	ppb
Barium	137-1	2524.33	2557.71	2490.37	2524.14	1.33	ppb
Beryllium	9-1	514.49	535.09	513.28	520.95	2.35	ppb
Bismuth	209-1				95		%
Bismuth	209-2				94		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	501.94	517.16	514.08	511.06	1.57	ppb
Cadmium	106-1	505.22	523.23	501.18	509.87	2.30	ppb
Cadmium	111-1	509.68	502.59	492.66	501.64	1.70	ppb
Calcium	43-1	254594.20	249752.67	246325.69	250224.19	1.66	ppb
Calcium	44-1	251010.71	245237.37	245780.44	247342.84	1.29	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	504.15	505.53	492.95	500.88	1.38	ppb
Cobalt	59-2	523.83	524.96	532.08	526.96	0.85	ppb
Copper	63-2	5151.01	5149.74	5142.19	5147.65	0.09	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				94		%
Indium	115-2				92		%
Iron	56-2	127560.22	126641.45	126340.50	126847.39	0.50	ppb
Iron	57-2	125439.69	125224.34	123993.98	124886.00	0.62	ppb
Iron	54-2	128445.58	126829.60	127986.48	127753.89	0.65	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2566.80	2500.75	2588.34	2551.96	1.79	ppb
Lead	207-1	2512.61	2517.51	2596.41	2542.18	1.85	ppb
Lead	208-1	2530.56	2528.59	2591.90	2550.35	1.41	ppb
Lithium	6-1				102		%
Magnesium	24-2	242120.91	243636.69	238915.02	241557.54	1.00	ppb
Manganese	55-2	4969.27	4976.84	4949.56	4965.22	0.28	ppb
Molybdenum	94-1	5078.45	5045.40	5119.99	5081.28	0.74	ppb
Molybdenum	95-1	5066.16	5088.26	5103.27	5085.90	0.37	ppb
Molybdenum	96-1	5135.90	5097.39	5086.50	5106.60	0.51	ppb
Molybdenum	97-1	5128.97	5068.94	5086.04	5094.65	0.61	ppb
Molybdenum	98-1	5180.48	5053.46	5062.22	5098.72	1.39	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	516.93	507.90	505.57	510.13	1.18	ppb
Phosphorus	31-2	10128.30	10135.67	9917.28	10060.42	1.23	ppb
Potassium	39-2	118789.41	120376.43	119268.96	119478.27	0.68	ppb
Rhodium	103-1				91		%
Rhodium	103-2				90		%
Scandium	45-1				96		%
Scandium	45-2				93		%
Selenium	82-1	483.91	489.47	488.86	487.41	0.63	ppb
Selenium	77-2	453.66	475.82	467.69	465.72	2.41	ppb
Selenium	78-2	469.00	477.33	482.25	476.20	1.41	ppb
Silicon	28-1	393.38	394.09	402.31	396.59	1.25	ppb
Silver	107-1	508.22	524.94	502.20	511.78	2.30	ppb
Silver	109-1	502.96	505.28	500.51	502.92	0.47	ppb
Sodium	23-2	248690.53	249101.33	247755.37	248515.74	0.28	ppb
Strontium	86-1	12756.19	12449.26	12655.58	12620.34	1.24	ppb
Strontium	88-1	12640.47	12545.76	12534.95	12573.73	0.46	ppb
Sulfur	34-1	9748.21	9265.45	9233.24	9415.63	3.06	ppb
Terbium	159-1				99		%
Terbium	159-2				101		%
Thallium	203-1	519.78	493.05	517.62	510.15	2.91	ppb
Thallium	205-1	515.93	497.41	516.21	509.85	2.11	ppb
Tin	118-1	503.58	502.95	496.66	501.06	0.76	ppb
Titanium	47-1	4976.22	4896.86	4978.01	4950.36	0.94	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	523.67	517.13	539.50	526.76	2.18	ppb
Vanadium	51-2	516.82	514.61	509.11	513.51	0.77	ppb
Yttrium	89-1				98		%
Yttrium	89-2				97		%
Zinc	66-2	5159.16	5146.47	5065.99	5123.87	0.99	ppb
Zirconium	90-1	501.31	505.74	515.70	507.58	1.45	ppb
Zirconium	91-1	510.69	511.17	525.03	515.63	1.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	2.89	2.37	2.44	2.57	11.18	ppb
Antimony	121-1	0.32	0.33	0.37	0.34	8.53	ppb
Arsenic	75-2	0.03	0.06	0.03	0.04	47.11	ppb
Barium	135-1	0.13	0.10	0.07	0.10	28.84	ppb
Barium	137-1	0.12	0.08	0.07	0.09	31.53	ppb
Beryllium	9-1	0.02	0.02	0.03	0.02	18.54	ppb
Bismuth	209-1				104		%
Bismuth	209-2				104		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.06	0.04	0.06	0.05	15.49	ppb
Cadmium	106-1	-0.15	-0.17	-0.33	-0.22		ppb
Cadmium	111-1	0.02	0.02	0.00	0.01	116.58	ppb
Calcium	43-1	10.33	6.65	7.70	8.23	23.01	ppb
Calcium	44-1	0.78	-1.17	-2.62	-1.00		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.01	0.03	0.03	0.02	51.94	ppb
Cobalt	59-2	0.01	0.01	0.01	0.01	40.29	ppb
Copper	63-2	0.12	0.14	0.18	0.15	23.69	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				102		%
Indium	115-1				100		%
Indium	115-2				100		%
Iron	56-2	5.16	5.42	5.76	5.45	5.49	ppb
Iron	57-2	1.57	1.61	3.66	2.28	52.37	ppb
Iron	54-2	5.90	5.66	6.89	6.15	10.59	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.24	0.19	0.19	0.20	15.14	ppb
Lead	207-1	0.23	0.23	0.20	0.22	8.20	ppb
Lead	208-1	0.23	0.20	0.19	0.21	10.39	ppb
Lithium	6-1				107		%
Magnesium	24-2	8.11	7.83	8.82	8.25	6.13	ppb
Manganese	55-2	0.10	0.12	0.12	0.11	10.44	ppb
Molybdenum	94-1	0.46	0.42	0.43	0.44	4.82	ppb
Molybdenum	95-1	0.36	0.30	0.26	0.31	16.92	ppb
Molybdenum	96-1	0.39	0.31	0.33	0.34	12.16	ppb
Molybdenum	97-1	0.38	0.30	0.29	0.32	16.12	ppb
Molybdenum	98-1	0.36	0.30	0.30	0.32	11.29	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	0.00	-0.01	0.01	0.00	1161.02	ppb
Phosphorus	31-2	-16.21	-17.19	-20.97	-18.12		ppb
Potassium	39-2	0.18	1.18	-0.46	0.30	274.86	ppb
Rhodium	103-1				100		%
Rhodium	103-2				100		%
Scandium	45-1				97		%
Scandium	45-2				95		%
Selenium	82-1	0.13	0.18	0.42	0.25	62.49	ppb
Selenium	77-2	-0.05	0.10	-0.05	0.00	18723.21	ppb
Selenium	78-2	0.70	-1.60	-0.57	-0.49		ppb
Silicon	28-1	0.48	0.36	0.41	0.42	15.00	ppb
Silver	107-1	0.08	0.06	0.06	0.07	15.13	ppb
Silver	109-1	0.08	0.07	0.05	0.07	24.65	ppb
Sodium	23-2	22.07	21.50	22.17	21.91	1.64	ppb
Strontium	86-1	0.57	0.43	0.43	0.48	17.65	ppb
Strontium	88-1	0.56	0.43	0.40	0.46	19.02	ppb
Sulfur	34-1	-691.33	-755.09	-721.04	-722.49		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	0.07	0.05	0.04	0.05	30.93	ppb
Thallium	205-1	0.06	0.05	0.04	0.05	22.83	ppb
Tin	118-1	0.08	0.11	0.13	0.11	21.12	ppb
Titanium	47-1	0.33	0.28	0.26	0.29	13.01	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.02	11.52	ppb
Vanadium	51-2	0.02	0.03	0.03	0.02	26.04	ppb
Yttrium	89-1				99		%
Yttrium	89-2				99		%
Zinc	66-2	0.32	0.26	0.13	0.24	41.95	ppb
Zirconium	90-1	0.09	0.10	0.11	0.10	7.72	ppb
Zirconium	91-1	0.10	0.10	0.11	0.10	3.20	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	71512.52	71077.79	72528.31	71706.21	1.04	ppb
Antimony	121-1	0.94	0.95	0.99	0.96	2.89	ppb
Arsenic	75-2	175.96	177.22	175.80	176.33	0.44	ppb
Barium	135-1	193.87	194.38	196.02	194.76	0.58	ppb
Barium	137-1	191.79	195.46	196.99	194.75	1.37	ppb
Beryllium	9-1	1.27	1.39	1.41	1.36	5.53	ppb
Bismuth	209-1				100		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.64	1.94	1.74	1.77	8.49	ppb
Cadmium	106-1	1.79	2.15	1.11	1.69	31.35	ppb
Cadmium	111-1	1.18	1.24	1.06	1.16	8.03	ppb
Calcium	43-1	8495.97	8472.22	8549.92	8506.04	0.47	ppb
Calcium	44-1	8113.08	8246.42	8112.87	8157.46	0.94	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	166.87	170.19	173.96	170.34	2.08	ppb
Cobalt	59-2	83.22	82.07	83.16	82.81	0.78	ppb
Copper	63-2	274.81	277.31	273.58	275.23	0.69	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				105		%
Holmium	165-2				102		%
Indium	115-1				100		%
Indium	115-2				99		%
Iron	56-2	185601.35	187071.94	188775.98	187149.76	0.85	ppb
Iron	57-2	181739.68	179287.95	180922.94	180650.19	0.69	ppb
Iron	54-2	186749.93	185359.17	185531.62	185880.24	0.41	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	43.02	43.78	43.21	43.34	0.92	ppb
Lead	207-1	42.67	43.24	43.37	43.09	0.87	ppb
Lead	208-1	42.71	43.30	42.92	42.97	0.69	ppb
Lithium	6-1				95		%
Magnesium	24-2	49443.34	47640.61	49349.33	48811.09	2.08	ppb
Manganese	55-2	2812.72	2817.21	2787.94	2805.96	0.56	ppb
Molybdenum	94-1	8.11	8.10	8.44	8.22	2.39	ppb
Molybdenum	95-1	1.45	1.39	1.45	1.43	2.45	ppb
Molybdenum	96-1	3.13	3.23	3.29	3.22	2.47	ppb
Molybdenum	97-1	1.41	1.45	1.43	1.43	1.33	ppb
Molybdenum	98-1	1.33	1.39	1.39	1.37	2.53	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	118.61	119.25	118.91	118.92	0.27	ppb
Phosphorus	31-2	1827.06	1811.00	1777.60	1805.22	1.40	ppb
Potassium	39-2	5221.36	5154.74	5267.11	5214.40	1.08	ppb
Rhodium	103-1				97		%
Rhodium	103-2				97		%
Scandium	45-1				114		%
Scandium	45-2				114		%
Selenium	82-1	1.41	1.82	1.53	1.59	13.18	ppb
Selenium	77-2	15.96	15.39	17.32	16.23	6.11	ppb
Selenium	78-2	2.86	2.67	3.63	3.05	16.74	ppb
Silicon	28-1	1233.36	1229.91	1231.28	1231.52	0.14	ppb
Silver	107-1	0.39	0.38	0.38	0.38	1.72	ppb
Silver	109-1	0.40	0.38	0.35	0.38	6.79	ppb
Sodium	23-2	144.53	142.79	144.23	143.85	0.65	ppb
Strontium	86-1	52.02	52.79	54.38	53.07	2.27	ppb
Strontium	88-1	54.41	54.72	55.08	54.74	0.62	ppb
Sulfur	34-1	-1705.12	-1855.68	-1909.41	-1823.40		ppb
Terbium	159-1				104		%
Terbium	159-2				102		%
Thallium	203-1	0.17	0.17	0.17	0.17	1.58	ppb
Thallium	205-1	0.16	0.17	0.17	0.17	2.89	ppb
Tin	118-1	3.52	3.50	3.58	3.53	1.30	ppb
Titanium	47-1	669.38	659.03	662.89	663.77	0.79	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.54	0.55	0.54	0.54	0.37	ppb
Vanadium	51-2	560.52	571.99	570.50	567.67	1.10	ppb
Yttrium	89-1				109		%
Yttrium	89-2				107		%
Zinc	66-2	247.53	245.65	246.62	246.60	0.38	ppb
Zirconium	90-1	4.09	4.18	4.33	4.20	2.99	ppb
Zirconium	91-1	4.28	4.31	4.45	4.35	2.08	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	13549.44	13261.64	13633.17	13481.42	1.45	ppb
Antimony	121-1	0.15	0.17	0.16	0.16	4.76	ppb
Arsenic	75-2	18.76	19.22	18.26	18.75	2.56	ppb
Barium	135-1	101.00	102.44	100.56	101.33	0.97	ppb
Barium	137-1	100.79	104.27	101.46	102.17	1.81	ppb
Beryllium	9-1	0.74	0.87	0.81	0.81	8.16	ppb
Bismuth	209-1				103		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.57	0.53	0.41	0.50	16.60	ppb
Cadmium	106-1	0.28	0.29	-1.21	-0.21		ppb
Cadmium	111-1	0.12	0.11	0.01	0.08	72.07	ppb
Calcium	43-1	3227.96	3218.98	3153.82	3200.25	1.26	ppb
Calcium	44-1	3049.58	3065.35	3029.96	3048.29	0.58	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	24.76	25.21	24.92	24.97	0.91	ppb
Cobalt	59-2	8.00	7.90	8.19	8.03	1.82	ppb
Copper	63-2	24.42	24.34	24.37	24.38	0.16	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				102		%
Indium	115-1				101		%
Indium	115-2				99		%
Iron	56-2	20857.59	20663.56	20588.26	20703.14	0.67	ppb
Iron	57-2	20536.30	19994.35	20104.46	20211.70	1.42	ppb
Iron	54-2	20544.93	21154.75	20348.38	20682.68	2.03	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	12.33	12.27	12.04	12.21	1.26	ppb
Lead	207-1	12.23	12.22	12.15	12.20	0.36	ppb
Lead	208-1	12.16	12.19	12.07	12.14	0.52	ppb
Lithium	6-1				103		%
Magnesium	24-2	4711.88	4666.75	4666.04	4681.55	0.56	ppb
Manganese	55-2	1047.60	1045.27	1024.98	1039.29	1.20	ppb
Molybdenum	94-1	8.65	8.50	8.42	8.53	1.38	ppb
Molybdenum	95-1	0.21	0.22	0.21	0.21	4.66	ppb
Molybdenum	96-1	1.18	1.20	1.16	1.18	1.55	ppb
Molybdenum	97-1	0.20	0.17	0.18	0.18	8.09	ppb
Molybdenum	98-1	0.19	0.18	0.18	0.18	4.43	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	16.08	16.69	16.10	16.29	2.12	ppb
Phosphorus	31-2	138.41	150.28	150.89	146.52	4.80	ppb
Potassium	39-2	849.55	861.98	864.84	858.79	0.95	ppb
Rhodium	103-1				99		%
Rhodium	103-2				100		%
Scandium	45-1				99		%
Scandium	45-2				99		%
Selenium	82-1	0.29	0.41	0.31	0.34	18.45	ppb
Selenium	77-2	2.60	3.41	3.43	3.15	15.08	ppb
Selenium	78-2	0.86	0.10	1.32	0.76	81.19	ppb
Silicon	28-1	433.40	421.15	425.65	426.73	1.45	ppb
Silver	107-1	0.05	0.06	0.06	0.06	7.83	ppb
Silver	109-1	0.06	0.05	0.06	0.06	7.26	ppb
Sodium	23-2	61.67	64.87	64.05	63.53	2.62	ppb
Strontium	86-1	16.35	16.32	16.17	16.28	0.57	ppb
Strontium	88-1	16.30	16.30	16.13	16.24	0.58	ppb
Sulfur	34-1	-1762.96	-1952.37	-2044.61	-1919.98		ppb
Terbium	159-1				102		%
Terbium	159-2				102		%
Thallium	203-1	0.08	0.08	0.08	0.08	4.63	ppb
Thallium	205-1	0.09	0.08	0.08	0.08	2.18	ppb
Tin	118-1	0.78	0.81	0.78	0.79	1.53	ppb
Titanium	47-1	189.87	185.20	183.98	186.35	1.67	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.14	0.14	0.15	0.15	3.77	ppb
Vanadium	51-2	38.88	38.42	40.31	39.21	2.52	ppb
Yttrium	89-1				102		%
Yttrium	89-2				102		%
Zinc	66-2	33.59	33.57	35.40	34.18	3.07	ppb
Zirconium	90-1	5.03	4.96	5.01	5.00	0.79	ppb
Zirconium	91-1	4.95	4.98	5.07	5.00	1.32	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	13320.22	13328.51	12974.57	13207.77	1.53	ppb
Antimony	121-1	0.15	0.15	0.16	0.15	3.64	ppb
Arsenic	75-2	19.06	19.28	18.29	18.88	2.75	ppb
Barium	135-1	122.05	123.84	122.96	122.95	0.73	ppb
Barium	137-1	121.19	123.45	123.98	122.87	1.21	ppb
Beryllium	9-1	0.82	0.83	0.86	0.84	2.31	ppb
Bismuth	209-1				102		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.48	0.65	0.44	0.52	21.11	ppb
Cadmium	106-1	0.94	0.44	-0.42	0.32	216.92	ppb
Cadmium	111-1	0.16	0.11	0.06	0.11	46.30	ppb
Calcium	43-1	3192.51	3269.89	3286.13	3249.51	1.54	ppb
Calcium	44-1	3061.17	3041.19	3127.07	3076.48	1.46	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	25.75	25.79	25.15	25.57	1.41	ppb
Cobalt	59-2	8.19	8.17	8.22	8.19	0.27	ppb
Copper	63-2	24.57	25.03	24.32	24.64	1.46	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				103		%
Holmium	165-2				102		%
Indium	115-1				101		%
Indium	115-2				101		%
Iron	56-2	20316.34	20767.76	20574.07	20552.72	1.10	ppb
Iron	57-2	20070.61	20730.58	20229.90	20343.70	1.69	ppb
Iron	54-2	20765.14	21004.27	20859.92	20876.44	0.58	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	12.46	12.47	12.71	12.55	1.10	ppb
Lead	207-1	12.35	12.62	12.68	12.55	1.38	ppb
Lead	208-1	12.40	12.40	12.61	12.47	0.97	ppb
Lithium	6-1				101		%
Magnesium	24-2	4585.75	4742.93	4664.32	4664.33	1.68	ppb
Manganese	55-2	1193.68	1227.07	1210.59	1210.45	1.38	ppb
Molybdenum	94-1	8.25	8.20	8.47	8.31	1.74	ppb
Molybdenum	95-1	0.22	0.20	0.23	0.22	8.43	ppb
Molybdenum	96-1	1.19	1.16	1.19	1.18	1.62	ppb
Molybdenum	97-1	0.19	0.19	0.21	0.20	5.52	ppb
Molybdenum	98-1	0.20	0.20	0.21	0.20	3.85	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	16.31	16.57	16.41	16.43	0.77	ppb
Phosphorus	31-2	147.62	152.50	151.65	150.59	1.73	ppb
Potassium	39-2	872.89	877.96	861.18	870.68	0.99	ppb
Rhodium	103-1				101		%
Rhodium	103-2				101		%
Scandium	45-1				99		%
Scandium	45-2				99		%
Selenium	82-1	0.29	0.69	0.44	0.47	43.15	ppb
Selenium	77-2	3.06	3.66	3.80	3.51	11.21	ppb
Selenium	78-2	0.31	-0.48	0.37	0.07	728.20	ppb
Silicon	28-1	421.94	431.71	426.79	426.81	1.14	ppb
Silver	107-1	0.06	0.06	0.06	0.06	3.47	ppb
Silver	109-1	0.06	0.05	0.06	0.05	7.34	ppb
Sodium	23-2	62.73	63.80	61.53	62.69	1.82	ppb
Strontium	86-1	17.30	16.91	17.16	17.12	1.14	ppb
Strontium	88-1	17.00	16.85	17.23	17.02	1.15	ppb
Sulfur	34-1	-2106.99	-2153.57	-2196.61	-2152.39		ppb
Terbium	159-1				102		%
Terbium	159-2				103		%
Thallium	203-1	0.08	0.08	0.08	0.08	4.00	ppb
Thallium	205-1	0.09	0.08	0.08	0.08	4.28	ppb
Tin	118-1	0.81	0.80	0.77	0.79	2.97	ppb
Titanium	47-1	182.15	185.00	186.08	184.41	1.10	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.15	0.14	0.15	0.15	2.05	ppb
Vanadium	51-2	38.86	38.93	37.94	38.58	1.42	ppb
Yttrium	89-1				102		%
Yttrium	89-2				102		%
Zinc	66-2	36.76	36.35	34.80	35.97	2.86	ppb
Zirconium	90-1	4.96	4.86	4.96	4.93	1.21	ppb
Zirconium	91-1	5.00	4.96	5.01	4.99	0.53	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	2733.92	2731.52	2748.88	2738.10	0.34	ppb
Antimony	121-1	0.04	0.04	0.05	0.04	6.82	ppb
Arsenic	75-2	3.65	3.78	3.85	3.76	2.72	ppb
Barium	135-1	19.63	20.94	20.44	20.34	3.26	ppb
Barium	137-1	19.50	20.29	20.45	20.08	2.52	ppb
Beryllium	9-1	0.18	0.17	0.17	0.17	2.03	ppb
Bismuth	209-1				103		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.06	0.14	0.10	0.10	42.13	ppb
Cadmium	106-1	-1.17	-0.40	-0.53	-0.70		ppb
Cadmium	111-1	-0.06	0.00	-0.03	-0.03		ppb
Calcium	43-1	600.39	597.21	641.47	613.02	4.03	ppb
Calcium	44-1	630.26	592.76	637.77	620.26	3.89	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	4.99	5.03	4.99	5.01	0.46	ppb
Cobalt	59-2	1.56	1.59	1.61	1.59	1.66	ppb
Copper	63-2	4.55	4.61	4.56	4.57	0.71	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				102		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				100		%
Iron	56-2	4086.21	4169.28	4095.06	4116.85	1.11	ppb
Iron	57-2	4215.09	4232.37	4215.92	4221.13	0.23	ppb
Iron	54-2	4317.90	4346.23	4376.94	4347.03	0.68	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2.30	2.45	2.51	2.42	4.60	ppb
Lead	207-1	2.33	2.34	2.45	2.37	2.76	ppb
Lead	208-1	2.30	2.36	2.51	2.39	4.68	ppb
Lithium	6-1				101		%
Magnesium	24-2	946.27	959.03	941.95	949.08	0.94	ppb
Manganese	55-2	209.38	212.45	210.68	210.84	0.73	ppb
Molybdenum	94-1	1.57	1.66	1.81	1.68	7.32	ppb
Molybdenum	95-1	0.03	0.03	0.05	0.04	23.80	ppb
Molybdenum	96-1	0.22	0.26	0.23	0.23	7.93	ppb
Molybdenum	97-1	0.04	0.04	0.04	0.04	5.61	ppb
Molybdenum	98-1	0.03	0.04	0.04	0.04	11.64	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	3.19	3.17	3.16	3.17	0.45	ppb
Phosphorus	31-2	18.50	10.81	14.73	14.68	26.20	ppb
Potassium	39-2	160.40	161.16	160.25	160.60	0.30	ppb
Rhodium	103-1				97		%
Rhodium	103-2				100		%
Scandium	45-1				99		%
Scandium	45-2				96		%
Selenium	82-1	0.11	0.27	0.40	0.26	57.14	ppb
Selenium	77-2	0.52	0.54	0.68	0.58	15.02	ppb
Selenium	78-2	-0.49	-0.74	-1.03	-0.75		ppb
Silicon	28-1	87.57	82.12	84.02	84.57	3.27	ppb
Silver	107-1	0.02	0.02	0.01	0.01	17.61	ppb
Silver	109-1	0.01	0.01	0.01	0.01	23.78	ppb
Sodium	23-2	13.59	14.04	14.02	13.89	1.82	ppb
Strontium	86-1	2.87	3.19	3.30	3.12	7.09	ppb
Strontium	88-1	3.01	3.19	3.43	3.21	6.67	ppb
Sulfur	34-1	-2365.97	-2429.54	-2276.38	-2357.30		ppb
Terbium	159-1				99		%
Terbium	159-2				101		%
Thallium	203-1	0.02	0.02	0.02	0.02	3.70	ppb
Thallium	205-1	0.01	0.02	0.02	0.02	8.79	ppb
Tin	118-1	0.14	0.13	0.13	0.13	3.63	ppb
Titanium	47-1	35.44	34.93	36.96	35.78	2.95	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.03	0.03	0.03	0.03	3.80	ppb
Vanadium	51-2	7.64	7.74	7.96	7.78	2.09	ppb
Yttrium	89-1				101		%
Yttrium	89-2				100		%
Zinc	66-2	6.58	6.78	6.91	6.76	2.43	ppb
Zirconium	90-1	0.93	1.04	1.04	1.00	5.91	ppb
Zirconium	91-1	0.91	1.03	1.05	1.00	7.83	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	13498.48	13490.29	13052.91	13347.23	1.91	ppb
Antimony	121-1	13.67	14.06	13.99	13.91	1.48	ppb
Arsenic	75-2	25.10	24.96	23.76	24.61	3.01	ppb
Barium	135-1	366.61	370.11	372.67	369.80	0.82	ppb
Barium	137-1	394.61	404.50	393.38	397.50	1.53	ppb
Beryllium	9-1	7.37	8.14	7.88	7.80	5.03	ppb
Bismuth	209-1				101		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.03	7.24	6.40	6.89	6.31	ppb
Cadmium	106-1	6.54	6.01	5.46	6.00	9.01	ppb
Cadmium	111-1	7.18	7.20	7.16	7.18	0.27	ppb
Calcium	43-1	3155.87	3161.92	3088.04	3135.28	1.31	ppb
Calcium	44-1	3016.19	3030.36	2987.97	3011.51	0.72	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	52.94	52.61	54.91	53.49	2.33	ppb
Cobalt	59-2	78.74	78.55	80.10	79.13	1.07	ppb
Copper	63-2	58.06	58.27	57.81	58.05	0.39	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				99		%
Indium	115-2				98		%
Iron	56-2	20642.34	20378.32	20570.73	20530.47	0.67	ppb
Iron	57-2	20098.94	20020.10	20025.47	20048.17	0.22	ppb
Iron	54-2	20883.98	20340.48	20980.28	20734.91	1.66	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	14.55	14.41	14.50	14.49	0.50	ppb
Lead	207-1	14.36	14.28	14.42	14.35	0.46	ppb
Lead	208-1	14.43	14.36	14.46	14.42	0.34	ppb
Lithium	6-1				100		%
Magnesium	24-2	4486.54	4514.98	4526.59	4509.37	0.46	ppb
Manganese	55-2	1168.42	1161.27	1171.19	1166.96	0.44	ppb
Molybdenum	94-1	8.23	8.06	8.13	8.14	1.08	ppb
Molybdenum	95-1	0.18	0.19	0.18	0.18	3.23	ppb
Molybdenum	96-1	1.14	1.12	1.13	1.13	1.13	ppb
Molybdenum	97-1	0.18	0.19	0.18	0.18	2.86	ppb
Molybdenum	98-1	0.19	0.18	0.18	0.18	3.58	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	86.73	86.52	91.13	88.12	2.95	ppb
Phosphorus	31-2	143.18	136.56	146.49	142.08	3.56	ppb
Potassium	39-2	814.70	818.07	844.97	825.91	2.01	ppb
Rhodium	103-1				99		%
Rhodium	103-2				98		%
Scandium	45-1				97		%
Scandium	45-2				98		%
Selenium	82-1	18.08	17.78	17.78	17.88	0.96	ppb
Selenium	77-2	25.93	21.77	21.53	23.07	10.72	ppb
Selenium	78-2	19.78	18.91	20.09	19.59	3.13	ppb
Silicon	28-1	419.98	418.45	406.88	415.10	1.73	ppb
Silver	107-1	6.09	6.24	6.32	6.22	1.80	ppb
Silver	109-1	6.14	6.21	6.23	6.19	0.80	ppb
Sodium	23-2	50.38	49.82	52.55	50.92	2.83	ppb
Strontium	86-1	16.33	16.03	16.00	16.12	1.14	ppb
Strontium	88-1	16.15	16.10	16.03	16.09	0.35	ppb
Sulfur	34-1	-2272.38	-2306.96	-2408.65	-2329.33		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	6.32	6.29	6.33	6.32	0.33	ppb
Thallium	205-1	6.27	6.37	6.29	6.31	0.83	ppb
Tin	118-1	0.73	0.77	0.76	0.75	2.41	ppb
Titanium	47-1	182.39	183.68	181.14	182.40	0.70	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.14	0.14	0.14	0.14	0.35	ppb
Vanadium	51-2	107.72	107.31	110.77	108.60	1.74	ppb
Yttrium	89-1				101		%
Yttrium	89-2				99		%
Zinc	66-2	103.72	101.57	108.07	104.45	3.17	ppb
Zirconium	90-1	4.83	4.84	4.86	4.84	0.39	ppb
Zirconium	91-1	4.81	4.91	4.82	4.85	1.14	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	14152.26	14283.21	14317.36	14250.94	0.61	ppb
Antimony	121-1	67.08	69.43	69.52	68.67	2.01	ppb
Arsenic	75-2	47.32	46.37	47.34	47.01	1.18	ppb
Barium	135-1	1443.11	1479.54	1492.37	1471.67	1.74	ppb
Barium	137-1	1457.45	1503.43	1503.77	1488.22	1.79	ppb
Beryllium	9-1	35.26	36.63	36.07	35.99	1.91	ppb
Bismuth	209-1				100		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	31.97	32.87	32.60	32.48	1.43	ppb
Cadmium	106-1	30.34	32.61	31.43	31.46	3.61	ppb
Cadmium	111-1	34.63	35.51	35.45	35.20	1.40	ppb
Calcium	43-1	2995.87	3127.40	3009.40	3044.22	2.38	ppb
Calcium	44-1	2821.53	3011.62	2940.95	2924.70	3.29	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	170.28	167.96	169.32	169.19	0.69	ppb
Cobalt	59-2	369.40	359.66	367.60	365.55	1.42	ppb
Copper	63-2	193.67	191.40	193.49	192.85	0.65	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				99		%
Indium	115-2				98		%
Iron	56-2	20836.02	20276.85	20702.25	20605.04	1.42	ppb
Iron	57-2	20521.53	20177.75	20019.42	20239.57	1.27	ppb
Iron	54-2	21157.82	20982.33	20787.02	20975.72	0.88	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	23.98	25.03	24.63	24.55	2.16	ppb
Lead	207-1	23.67	24.39	23.99	24.02	1.50	ppb
Lead	208-1	23.97	24.67	24.51	24.38	1.50	ppb
Lithium	6-1				98		%
Magnesium	24-2	4476.31	4453.55	4465.64	4465.16	0.25	ppb
Manganese	55-2	1421.16	1393.62	1406.12	1406.97	0.98	ppb
Molybdenum	94-1	8.10	8.22	8.30	8.21	1.27	ppb
Molybdenum	95-1	0.19	0.20	0.20	0.20	2.53	ppb
Molybdenum	96-1	1.08	1.10	1.17	1.12	4.18	ppb
Molybdenum	97-1	0.18	0.19	0.18	0.18	4.41	ppb
Molybdenum	98-1	0.19	0.19	0.19	0.19	1.07	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	377.30	376.13	376.13	376.52	0.18	ppb
Phosphorus	31-2	142.62	136.79	134.85	138.09	2.93	ppb
Potassium	39-2	817.28	816.44	813.71	815.81	0.23	ppb
Rhodium	103-1				99		%
Rhodium	103-2				99		%
Scandium	45-1				97		%
Scandium	45-2				97		%
Selenium	82-1	79.23	82.30	82.86	81.46	2.39	ppb
Selenium	77-2	87.36	82.77	80.10	83.41	4.40	ppb
Selenium	78-2	80.68	84.95	82.73	82.79	2.58	ppb
Silicon	28-1	401.85	411.30	410.97	408.04	1.31	ppb
Silver	107-1	30.04	30.86	31.25	30.72	2.01	ppb
Silver	109-1	29.85	30.87	31.30	30.67	2.42	ppb
Sodium	23-2	51.01	50.22	50.56	50.59	0.79	ppb
Strontium	86-1	15.70	16.02	16.54	16.09	2.63	ppb
Strontium	88-1	15.56	15.96	16.03	15.85	1.62	ppb
Sulfur	34-1	-2423.04	-2339.92	-2462.66	-2408.54		ppb
Terbium	159-1				101		%
Terbium	159-2				100		%
Thallium	203-1	31.17	31.96	31.50	31.54	1.26	ppb
Thallium	205-1	31.08	31.99	31.67	31.58	1.45	ppb
Tin	118-1	0.70	0.74	0.72	0.72	2.99	ppb
Titanium	47-1	176.87	184.58	178.26	179.90	2.28	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.13	0.15	0.14	0.14	4.77	ppb
Vanadium	51-2	387.45	385.86	388.66	387.32	0.36	ppb
Yttrium	89-1				99		%
Yttrium	89-2				100		%
Zinc	66-2	394.33	387.44	389.39	390.39	0.91	ppb
Zirconium	90-1	4.71	4.82	4.84	4.79	1.47	ppb
Zirconium	91-1	4.78	4.92	4.99	4.90	2.14	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	14150.57	14313.55	14386.25	14283.46	0.84	ppb
Antimony	121-1	0.21	0.23	0.22	0.22	4.25	ppb
Arsenic	75-2	35.24	35.62	35.57	35.48	0.60	ppb
Barium	135-1	124.27	124.59	125.32	124.73	0.43	ppb
Barium	137-1	124.89	126.35	124.91	125.38	0.67	ppb
Beryllium	9-1	0.65	0.57	0.60	0.61	6.42	ppb
Bismuth	209-1				97		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.51	0.57	0.50	0.53	7.51	ppb
Cadmium	106-1	-1.11	-1.61	-2.30	-1.67		ppb
Cadmium	111-1	0.02	0.01	-0.03	0.00		ppb
Calcium	43-1	3978.38	4059.13	4083.17	4040.23	1.36	ppb
Calcium	44-1	3896.22	3894.66	3862.78	3884.55	0.49	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	42.21	42.34	42.26	42.27	0.16	ppb
Cobalt	59-2	18.76	19.06	19.25	19.02	1.27	ppb
Copper	63-2	52.43	53.36	52.79	52.86	0.89	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				99		%
Iron	56-2	37288.24	37443.30	37029.19	37253.57	0.56	ppb
Iron	57-2	36182.23	36163.50	36139.63	36161.79	0.06	ppb
Iron	54-2	37489.97	37287.95	37776.89	37518.27	0.65	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	9.61	9.74	9.69	9.68	0.68	ppb
Lead	207-1	9.40	9.33	9.55	9.43	1.21	ppb
Lead	208-1	9.40	9.49	9.57	9.49	0.90	ppb
Lithium	6-1				92		%
Magnesium	24-2	8178.31	8073.29	8261.63	8171.08	1.16	ppb
Manganese	55-2	1339.98	1330.86	1332.24	1334.36	0.37	ppb
Molybdenum	94-1	7.21	7.28	7.25	7.25	0.50	ppb
Molybdenum	95-1	0.36	0.36	0.37	0.36	1.98	ppb
Molybdenum	96-1	1.37	1.32	1.34	1.34	2.03	ppb
Molybdenum	97-1	0.34	0.35	0.35	0.35	1.50	ppb
Molybdenum	98-1	0.35	0.34	0.33	0.34	2.90	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	31.21	31.41	31.91	31.51	1.13	ppb
Phosphorus	31-2	407.43	395.69	403.18	402.10	1.48	ppb
Potassium	39-2	1775.25	1823.98	1817.60	1805.61	1.47	ppb
Rhodium	103-1				98		%
Rhodium	103-2				100		%
Scandium	45-1				99		%
Scandium	45-2				101		%
Selenium	82-1	0.56	0.20	0.71	0.49	53.63	ppb
Selenium	77-2	4.40	5.48	4.03	4.64	16.26	ppb
Selenium	78-2	1.00	0.43	1.70	1.04	61.07	ppb
Silicon	28-1	326.41	334.94	331.62	330.99	1.30	ppb
Silver	107-1	0.06	0.05	0.05	0.05	9.93	ppb
Silver	109-1	0.06	0.05	0.05	0.05	6.52	ppb
Sodium	23-2	42.99	43.35	43.00	43.11	0.48	ppb
Strontium	86-1	21.73	21.85	21.84	21.81	0.32	ppb
Strontium	88-1	21.82	21.74	21.76	21.77	0.20	ppb
Sulfur	34-1	-1561.03	-1842.80	-1942.24	-1782.03		ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	0.08	0.09	0.09	0.09	5.18	ppb
Thallium	205-1	0.08	0.09	0.09	0.09	2.33	ppb
Tin	118-1	0.75	0.75	0.75	0.75	0.29	ppb
Titanium	47-1	263.87	269.12	270.78	267.92	1.35	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.22	0.22	0.23	0.22	3.31	ppb
Vanadium	51-2	74.00	74.13	73.77	73.97	0.24	ppb
Yttrium	89-1				100		%
Yttrium	89-2				103		%
Zinc	66-2	60.73	61.30	62.53	61.52	1.49	ppb
Zirconium	90-1	4.15	4.19	4.20	4.18	0.52	ppb
Zirconium	91-1	4.26	4.20	4.30	4.25	1.19	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	14503.50	14458.19	14423.20	14461.63	0.28	ppb
Antimony	121-1	0.22	0.22	0.23	0.22	1.75	ppb
Arsenic	75-2	35.18	35.78	35.39	35.45	0.86	ppb
Barium	135-1	125.32	125.25	125.02	125.20	0.12	ppb
Barium	137-1	126.13	125.64	127.20	126.32	0.63	ppb
Beryllium	9-1	0.54	0.51	0.60	0.55	7.98	ppb
Bismuth	209-1				99		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.44	0.47	0.54	0.48	11.05	ppb
Cadmium	106-1	0.06	-0.70	-0.26	-0.30		ppb
Cadmium	111-1	0.15	0.11	0.11	0.12	19.99	ppb
Calcium	43-1	4057.08	4024.68	3986.85	4022.87	0.87	ppb
Calcium	44-1	3840.56	3839.20	3799.23	3826.33	0.61	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	41.76	41.28	41.61	41.55	0.59	ppb
Cobalt	59-2	19.07	18.91	18.78	18.92	0.77	ppb
Copper	63-2	53.06	52.19	52.33	52.53	0.88	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				99		%
Iron	56-2	36969.91	37127.00	36628.07	36908.33	0.69	ppb
Iron	57-2	36067.32	36127.35	36026.91	36073.86	0.14	ppb
Iron	54-2	36906.89	36712.68	37081.09	36900.22	0.50	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	9.67	9.66	9.46	9.59	1.25	ppb
Lead	207-1	9.34	9.68	9.35	9.45	2.02	ppb
Lead	208-1	9.43	9.61	9.36	9.47	1.37	ppb
Lithium	6-1				95		%
Magnesium	24-2	8201.21	7930.71	8103.34	8078.42	1.70	ppb
Manganese	55-2	1317.92	1329.22	1313.10	1320.08	0.63	ppb
Molybdenum	94-1	7.24	7.37	7.49	7.37	1.74	ppb
Molybdenum	95-1	0.35	0.35	0.36	0.35	2.09	ppb
Molybdenum	96-1	1.29	1.33	1.32	1.31	1.67	ppb
Molybdenum	97-1	0.35	0.36	0.36	0.36	2.51	ppb
Molybdenum	98-1	0.33	0.33	0.34	0.33	1.82	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	31.53	31.16	30.83	31.17	1.12	ppb
Phosphorus	31-2	394.20	399.00	377.98	390.39	2.82	ppb
Potassium	39-2	1840.28	1773.42	1782.55	1798.75	2.02	ppb
Rhodium	103-1				98		%
Rhodium	103-2				98		%
Scandium	45-1				98		%
Scandium	45-2				99		%
Selenium	82-1	0.66	0.52	0.87	0.68	25.54	ppb
Selenium	77-2	4.08	4.39	3.83	4.10	6.76	ppb
Selenium	78-2	0.83	1.05	0.08	0.65	77.47	ppb
Silicon	28-1	342.52	329.38	338.07	336.66	1.99	ppb
Silver	107-1	0.05	0.05	0.05	0.05	2.25	ppb
Silver	109-1	0.05	0.04	0.04	0.04	3.69	ppb
Sodium	23-2	44.65	44.92	44.77	44.78	0.30	ppb
Strontium	86-1	21.76	21.67	22.00	21.81	0.80	ppb
Strontium	88-1	21.57	21.74	21.92	21.74	0.80	ppb
Sulfur	34-1	-1836.91	-1951.26	-2002.20	-1930.12		ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	0.09	0.08	0.10	0.09	7.36	ppb
Thallium	205-1	0.08	0.08	0.09	0.09	2.14	ppb
Tin	118-1	0.73	0.74	0.76	0.75	2.04	ppb
Titanium	47-1	273.42	272.55	271.18	272.38	0.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.23	0.22	0.22	0.22	2.44	ppb
Vanadium	51-2	73.78	72.79	72.92	73.16	0.74	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	60.22	59.68	59.08	59.66	0.96	ppb
Zirconium	90-1	4.18	4.26	4.33	4.26	1.76	ppb
Zirconium	91-1	4.17	4.31	4.28	4.25	1.76	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	2956.98	3002.55	2965.33	2974.95	0.82	ppb
Antimony	121-1	0.06	0.04	0.04	0.04	23.62	ppb
Arsenic	75-2	6.97	6.93	7.11	7.00	1.33	ppb
Barium	135-1	24.85	24.51	23.87	24.41	2.05	ppb
Barium	137-1	24.79	24.44	24.30	24.51	1.03	ppb
Beryllium	9-1	0.10	0.12	0.10	0.11	13.00	ppb
Bismuth	209-1				100		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.13	0.16	0.04	0.11	55.78	ppb
Cadmium	106-1	-0.88	-0.61	-1.21	-0.90		ppb
Cadmium	111-1	-0.04	-0.03	-0.06	-0.04		ppb
Calcium	43-1	779.02	819.92	869.43	822.79	5.50	ppb
Calcium	44-1	777.23	792.86	824.16	798.08	2.99	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	8.35	8.44	8.47	8.42	0.71	ppb
Cobalt	59-2	3.79	3.81	3.75	3.78	0.84	ppb
Copper	63-2	10.38	10.52	10.33	10.41	0.94	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				101		%
Indium	115-1				100		%
Indium	115-2				100		%
Iron	56-2	7439.76	7485.39	7369.44	7431.53	0.79	ppb
Iron	57-2	7584.89	7641.43	7579.14	7601.82	0.45	ppb
Iron	54-2	7359.85	7560.58	7432.35	7450.93	1.36	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	1.91	1.92	1.92	1.92	0.57	ppb
Lead	207-1	1.78	1.87	1.90	1.85	3.53	ppb
Lead	208-1	1.84	1.86	1.88	1.86	1.16	ppb
Lithium	6-1				96		%
Magnesium	24-2	1672.30	1682.99	1678.05	1677.78	0.32	ppb
Manganese	55-2	266.56	271.11	269.56	269.08	0.86	ppb
Molybdenum	94-1	1.44	1.51	1.46	1.47	2.34	ppb
Molybdenum	95-1	0.07	0.07	0.07	0.07	1.99	ppb
Molybdenum	96-1	0.26	0.27	0.27	0.27	3.28	ppb
Molybdenum	97-1	0.08	0.08	0.08	0.08	2.28	ppb
Molybdenum	98-1	0.07	0.07	0.07	0.07	7.12	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	6.15	6.40	6.36	6.30	2.12	ppb
Phosphorus	31-2	62.50	62.98	70.65	65.38	6.99	ppb
Potassium	39-2	369.99	375.52	372.44	372.65	0.74	ppb
Rhodium	103-1				100		%
Rhodium	103-2				100		%
Scandium	45-1				96		%
Scandium	45-2				98		%
Selenium	82-1	0.33	0.32	0.49	0.38	24.82	ppb
Selenium	77-2	0.81	0.82	0.94	0.86	8.71	ppb
Selenium	78-2	-0.01	0.09	-1.26	-0.39		ppb
Silicon	28-1	66.37	66.81	68.71	67.29	1.85	ppb
Silver	107-1	0.01	0.01	0.01	0.01	15.14	ppb
Silver	109-1	0.01	0.01	0.01	0.01	26.93	ppb
Sodium	23-2	5.39	5.19	4.64	5.08	7.68	ppb
Strontium	86-1	4.33	4.54	4.48	4.45	2.43	ppb
Strontium	88-1	4.25	4.41	4.42	4.36	2.14	ppb
Sulfur	34-1	-1837.08	-1748.61	-1707.82	-1764.50		ppb
Terbium	159-1				101		%
Terbium	159-2				100		%
Thallium	203-1	0.01	0.02	0.02	0.02	22.79	ppb
Thallium	205-1	0.01	0.02	0.01	0.01	18.54	ppb
Tin	118-1	0.14	0.14	0.14	0.14	1.94	ppb
Titanium	47-1	52.22	54.62	56.11	54.31	3.61	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.04	0.04	0.05	0.04	8.30	ppb
Vanadium	51-2	14.64	14.79	14.76	14.73	0.55	ppb
Yttrium	89-1				98		%
Yttrium	89-2				101		%
Zinc	66-2	13.17	13.37	12.80	13.11	2.21	ppb
Zirconium	90-1	0.83	0.85	0.83	0.84	1.29	ppb
Zirconium	91-1	0.81	0.86	0.87	0.84	4.08	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	14662.77	14544.53	14651.87	14619.72	0.45	ppb
Antimony	121-1	14.26	14.81	14.39	14.49	2.01	ppb
Arsenic	75-2	41.22	40.96	41.85	41.34	1.11	ppb
Barium	135-1	390.78	400.21	394.33	395.10	1.20	ppb
Barium	137-1	411.15	419.25	423.35	417.92	1.49	ppb
Beryllium	9-1	7.98	8.20	8.18	8.12	1.52	ppb
Bismuth	209-1				100		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.10	6.80	7.87	7.26	7.60	ppb
Cadmium	106-1	5.84	7.02	7.21	6.69	11.13	ppb
Cadmium	111-1	7.38	7.54	7.40	7.44	1.18	ppb
Calcium	43-1	3949.84	4074.86	4021.22	4015.31	1.56	ppb
Calcium	44-1	3750.34	3875.50	3824.76	3816.87	1.65	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	72.05	71.53	71.75	71.78	0.36	ppb
Cobalt	59-2	92.03	93.09	92.30	92.47	0.60	ppb
Copper	63-2	87.41	88.44	87.67	87.84	0.60	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				101		%
Indium	115-2				99		%
Iron	56-2	37249.10	37594.60	37384.97	37409.55	0.47	ppb
Iron	57-2	35887.91	36616.61	36495.04	36333.19	1.07	ppb
Iron	54-2	37241.40	37972.38	37200.32	37471.37	1.16	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	12.24	12.33	12.39	12.32	0.63	ppb
Lead	207-1	12.01	12.13	12.17	12.10	0.66	ppb
Lead	208-1	12.06	12.14	12.22	12.14	0.67	ppb
Lithium	6-1				97		%
Magnesium	24-2	8226.92	8074.47	8155.09	8152.16	0.94	ppb
Manganese	55-2	1410.11	1417.13	1395.42	1407.55	0.79	ppb
Molybdenum	94-1	7.37	7.47	7.30	7.38	1.17	ppb
Molybdenum	95-1	0.33	0.36	0.36	0.35	4.10	ppb
Molybdenum	96-1	1.32	1.29	1.31	1.31	1.08	ppb
Molybdenum	97-1	0.33	0.38	0.38	0.36	7.10	ppb
Molybdenum	98-1	0.33	0.32	0.33	0.33	1.69	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	105.09	106.41	104.95	105.48	0.76	ppb
Phosphorus	31-2	380.60	385.16	382.36	382.71	0.60	ppb
Potassium	39-2	1793.40	1791.54	1800.02	1794.99	0.25	ppb
Rhodium	103-1				99		%
Rhodium	103-2				99		%
Scandium	45-1				101		%
Scandium	45-2				99		%
Selenium	82-1	18.54	18.84	17.44	18.27	4.02	ppb
Selenium	77-2	22.54	22.69	22.78	22.67	0.53	ppb
Selenium	78-2	18.30	18.31	18.91	18.51	1.89	ppb
Silicon	28-1	339.93	343.45	335.97	339.78	1.10	ppb
Silver	107-1	6.24	6.46	6.41	6.37	1.79	ppb
Silver	109-1	6.28	6.57	6.34	6.40	2.33	ppb
Sodium	23-2	44.68	45.36	44.92	44.99	0.77	ppb
Strontium	86-1	21.82	22.04	21.97	21.94	0.52	ppb
Strontium	88-1	21.72	21.96	21.85	21.84	0.54	ppb
Sulfur	34-1	-1886.53	-1890.29	-1993.82	-1923.55		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	6.53	6.55	6.63	6.57	0.80	ppb
Thallium	205-1	6.52	6.51	6.60	6.54	0.74	ppb
Tin	118-1	0.71	0.77	0.81	0.76	6.10	ppb
Titanium	47-1	266.07	271.90	269.62	269.20	1.09	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.23	0.22	0.22	0.23	1.70	ppb
Vanadium	51-2	145.35	147.82	147.67	146.94	0.94	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	134.09	134.34	133.12	133.85	0.48	ppb
Zirconium	90-1	4.18	4.30	4.22	4.23	1.43	ppb
Zirconium	91-1	4.35	4.33	4.20	4.30	1.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	15517.14	15402.17	15918.74	15612.69	1.74	ppb
Antimony	121-1	71.48	73.73	72.26	72.49	1.58	ppb
Arsenic	75-2	64.28	63.38	64.59	64.08	0.99	ppb
Barium	135-1	1759.36	1775.45	1735.80	1756.87	1.14	ppb
Barium	137-1	1775.97	1819.76	1780.47	1792.07	1.34	ppb
Beryllium	9-1	41.58	44.62	43.68	43.29	3.59	ppb
Bismuth	209-1				100		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	34.43	35.95	34.74	35.04	2.28	ppb
Cadmium	106-1	32.08	36.27	33.24	33.86	6.40	ppb
Cadmium	111-1	37.03	37.79	36.75	37.19	1.44	ppb
Calcium	43-1	3845.41	3845.13	3840.72	3843.75	0.07	ppb
Calcium	44-1	3675.16	3736.82	3711.13	3707.70	0.84	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	210.25	209.89	213.74	211.29	1.01	ppb
Cobalt	59-2	450.73	449.06	448.91	449.57	0.22	ppb
Copper	63-2	261.22	258.18	264.54	261.31	1.22	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				99		%
Indium	115-2				98		%
Iron	56-2	37220.64	35872.68	36634.32	36575.88	1.85	ppb
Iron	57-2	36221.91	36413.36	36117.82	36251.03	0.41	ppb
Iron	54-2	37378.59	36139.92	37929.88	37149.46	2.47	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	22.32	22.89	22.69	22.63	1.28	ppb
Lead	207-1	22.10	22.18	22.00	22.09	0.40	ppb
Lead	208-1	22.16	22.43	22.26	22.28	0.62	ppb
Lithium	6-1				102		%
Magnesium	24-2	7918.76	7782.19	8083.75	7928.23	1.90	ppb
Manganese	55-2	1692.56	1653.05	1704.72	1683.45	1.60	ppb
Molybdenum	94-1	7.11	7.30	7.49	7.30	2.56	ppb
Molybdenum	95-1	0.37	0.35	0.38	0.37	3.49	ppb
Molybdenum	96-1	1.23	1.28	1.31	1.27	3.11	ppb
Molybdenum	97-1	0.36	0.36	0.32	0.35	6.54	ppb
Molybdenum	98-1	0.32	0.36	0.34	0.34	5.66	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	451.04	462.74	468.82	460.87	1.96	ppb
Phosphorus	31-2	394.40	359.91	374.33	376.21	4.60	ppb
Potassium	39-2	1762.12	1694.25	1727.43	1727.93	1.96	ppb
Rhodium	103-1				98		%
Rhodium	103-2				99		%
Scandium	45-1				101		%
Scandium	45-2				98		%
Selenium	82-1	79.69	82.32	83.74	81.92	2.51	ppb
Selenium	77-2	89.68	80.51	89.17	86.45	5.96	ppb
Selenium	78-2	85.98	79.85	83.17	83.00	3.70	ppb
Silicon	28-1	316.73	328.28	330.35	325.12	2.26	ppb
Silver	107-1	30.62	31.46	31.16	31.08	1.37	ppb
Silver	109-1	30.19	32.04	31.44	31.22	3.02	ppb
Sodium	23-2	44.97	44.38	46.12	45.16	1.97	ppb
Strontium	86-1	20.68	21.38	21.73	21.26	2.51	ppb
Strontium	88-1	20.95	21.18	21.61	21.25	1.59	ppb
Sulfur	34-1	-1957.88	-1989.23	-1983.01	-1976.71		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	32.86	32.90	33.10	32.95	0.39	ppb
Thallium	205-1	32.72	33.03	32.87	32.87	0.48	ppb
Tin	118-1	0.68	0.75	0.71	0.72	4.87	ppb
Titanium	47-1	251.39	260.97	260.18	257.51	2.07	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.21	0.21	0.21	0.21	1.70	ppb
Vanadium	51-2	480.41	481.41	498.80	486.87	2.12	ppb
Yttrium	89-1				100		%
Yttrium	89-2				100		%
Zinc	66-2	486.60	474.73	484.09	481.81	1.30	ppb
Zirconium	90-1	4.07	4.13	4.12	4.11	0.75	ppb
Zirconium	91-1	4.18	4.23	4.30	4.24	1.40	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	67503.30	67273.65	66641.02	67139.32	0.67	ppb
Antimony	121-1	0.60	0.63	0.62	0.62	2.36	ppb
Arsenic	75-2	133.86	133.16	136.81	134.61	1.44	ppb
Barium	135-1	362.93	364.93	356.52	361.46	1.21	ppb
Barium	137-1	386.21	392.23	376.94	385.13	2.00	ppb
Beryllium	9-1	1.19	1.21	1.16	1.19	2.07	ppb
Bismuth	209-1				96		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.05	0.89	1.19	1.04	14.24	ppb
Cadmium	106-1	1.49	1.39	0.73	1.20	34.42	ppb
Cadmium	111-1	0.52	0.56	0.45	0.51	10.77	ppb
Calcium	43-1	7725.08	7749.14	7770.97	7748.39	0.30	ppb
Calcium	44-1	7350.75	7362.28	7459.34	7390.79	0.81	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	125.41	125.51	124.27	125.06	0.55	ppb
Cobalt	59-2	91.16	90.90	88.92	90.33	1.36	ppb
Copper	63-2	312.54	307.56	311.23	310.44	0.83	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	162028.97	161103.76	162159.24	161763.99	0.36	ppb
Iron	57-2	161063.98	157097.53	158901.78	159021.09	1.25	ppb
Iron	54-2	161517.05	164198.56	160935.85	162217.15	1.07	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	14.84	15.17	14.96	14.99	1.14	ppb
Lead	207-1	14.34	14.85	14.60	14.60	1.77	ppb
Lead	208-1	14.47	14.83	14.66	14.65	1.23	ppb
Lithium	6-1				101		%
Magnesium	24-2	44392.24	44678.55	43998.87	44356.55	0.77	ppb
Manganese	55-2	3044.94	3040.45	3051.92	3045.77	0.19	ppb
Molybdenum	94-1	7.05	7.47	7.27	7.26	2.90	ppb
Molybdenum	95-1	1.22	1.32	1.24	1.26	4.17	ppb
Molybdenum	96-1	2.80	2.81	2.80	2.80	0.15	ppb
Molybdenum	97-1	1.24	1.30	1.28	1.27	2.56	ppb
Molybdenum	98-1	1.21	1.22	1.24	1.23	1.42	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	118.28	118.26	117.88	118.14	0.19	ppb
Phosphorus	31-2	1679.48	1718.82	1670.39	1689.56	1.52	ppb
Potassium	39-2	9587.87	9659.57	9593.82	9613.75	0.41	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				106		%
Scandium	45-2				104		%
Selenium	82-1	1.04	0.62	0.81	0.82	25.57	ppb
Selenium	77-2	11.33	12.05	12.46	11.95	4.77	ppb
Selenium	78-2	1.91	1.32	1.91	1.71	20.09	ppb
Silicon	28-1	861.98	866.48	894.03	874.16	1.99	ppb
Silver	107-1	0.22	0.16	0.15	0.17	21.66	ppb
Silver	109-1	0.23	0.18	0.15	0.19	21.89	ppb
Sodium	23-2	156.83	159.83	160.86	159.17	1.31	ppb
Strontium	86-1	56.62	58.44	57.62	57.56	1.59	ppb
Strontium	88-1	58.59	57.88	58.73	58.40	0.78	ppb
Sulfur	34-1	-1760.42	-1781.28	-1730.30	-1757.33		ppb
Terbium	159-1				99		%
Terbium	159-2				98		%
Thallium	203-1	0.17	0.18	0.19	0.18	5.14	ppb
Thallium	205-1	0.18	0.19	0.19	0.19	4.30	ppb
Tin	118-1	2.58	2.71	2.69	2.66	2.63	ppb
Titanium	47-1	1260.01	1257.90	1276.75	1264.89	0.82	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.41	0.40	0.41	0.41	0.88	ppb
Vanadium	51-2	512.45	508.28	506.83	509.19	0.57	ppb
Yttrium	89-1				102		%
Yttrium	89-2				101		%
Zinc	66-2	207.36	205.47	205.72	206.19	0.50	ppb
Zirconium	90-1	3.66	3.72	3.65	3.68	1.04	ppb
Zirconium	91-1	3.74	3.83	3.79	3.79	1.17	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	58938.81	57991.52	59393.92	58774.75	1.22	ppb
Antimony	121-1	2.18	2.22	2.22	2.21	1.22	ppb
Arsenic	75-2	114.43	114.79	116.34	115.19	0.88	ppb
Barium	135-1	372.75	371.36	378.91	374.34	1.07	ppb
Barium	137-1	394.87	396.36	401.42	397.55	0.86	ppb
Beryllium	9-1	1.86	1.88	2.01	1.92	4.14	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.31	1.26	1.61	1.39	13.66	ppb
Cadmium	106-1	1.98	2.44	1.15	1.86	35.12	ppb
Cadmium	111-1	1.00	1.02	1.00	1.01	1.12	ppb
Calcium	43-1	23502.22	23249.36	24065.37	23605.65	1.77	ppb
Calcium	44-1	22368.81	22080.46	22271.19	22240.15	0.66	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	119.03	120.07	119.04	119.38	0.50	ppb
Cobalt	59-2	72.99	72.84	72.90	72.91	0.10	ppb
Copper	63-2	267.66	267.01	261.97	265.55	1.17	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				95		%
Indium	115-2				95		%
Iron	56-2	146823.83	145694.94	146457.51	146325.43	0.39	ppb
Iron	57-2	144294.40	144008.59	143935.21	144079.40	0.13	ppb
Iron	54-2	145168.37	147276.33	149505.34	147316.68	1.47	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	32.73	32.81	33.84	33.13	1.86	ppb
Lead	207-1	31.91	32.20	33.25	32.45	2.17	ppb
Lead	208-1	32.17	32.34	33.35	32.62	1.96	ppb
Lithium	6-1				99		%
Magnesium	24-2	39922.05	40461.91	40213.80	40199.25	0.67	ppb
Manganese	55-2	2845.64	2845.91	2880.42	2857.32	0.70	ppb
Molybdenum	94-1	11.82	12.38	12.37	12.19	2.62	ppb
Molybdenum	95-1	1.18	1.22	1.23	1.21	2.03	ppb
Molybdenum	96-1	3.13	3.18	3.23	3.18	1.72	ppb
Molybdenum	97-1	1.23	1.21	1.16	1.20	2.77	ppb
Molybdenum	98-1	1.16	1.13	1.14	1.14	1.33	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	117.80	117.09	118.71	117.86	0.69	ppb
Phosphorus	31-2	4342.56	4290.32	4356.14	4329.67	0.80	ppb
Potassium	39-2	9505.68	9471.11	9548.74	9508.51	0.41	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				102		%
Scandium	45-2				103		%
Selenium	82-1	0.92	0.82	1.35	1.03	27.41	ppb
Selenium	77-2	9.81	11.65	11.03	10.83	8.64	ppb
Selenium	78-2	2.17	2.48	2.56	2.40	8.58	ppb
Silicon	28-1	897.91	883.79	906.81	896.17	1.30	ppb
Silver	107-1	0.16	0.17	0.16	0.16	1.04	ppb
Silver	109-1	0.16	0.16	0.17	0.16	2.84	ppb
Sodium	23-2	203.78	206.80	210.26	206.95	1.57	ppb
Strontium	86-1	159.43	161.96	161.57	160.99	0.85	ppb
Strontium	88-1	159.52	159.09	165.49	161.37	2.22	ppb
Sulfur	34-1	-970.51	-1055.11	-911.56	-979.06		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.19	0.20	0.20	0.20	4.46	ppb
Thallium	205-1	0.18	0.19	0.19	0.19	1.69	ppb
Tin	118-1	3.20	3.27	3.34	3.27	2.12	ppb
Titanium	47-1	995.53	996.23	1003.88	998.55	0.46	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.48	0.46	0.49	0.48	3.59	ppb
Vanadium	51-2	423.89	420.38	416.86	420.38	0.84	ppb
Yttrium	89-1				102		%
Yttrium	89-2				100		%
Zinc	66-2	310.68	308.02	311.28	309.99	0.56	ppb
Zirconium	90-1	6.45	6.78	6.76	6.66	2.75	ppb
Zirconium	91-1	6.79	6.79	6.98	6.86	1.57	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	63186.59	63036.72	64377.08	63533.46	1.16	ppb
Antimony	121-1	1.17	1.23	1.23	1.21	2.70	ppb
Arsenic	75-2	161.57	160.30	158.98	160.28	0.81	ppb
Barium	135-1	598.53	611.24	596.85	602.21	1.31	ppb
Barium	137-1	610.44	617.30	602.19	609.98	1.24	ppb
Beryllium	9-1	2.00	2.09	2.04	2.04	2.29	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.04	2.29	2.07	2.13	6.47	ppb
Cadmium	106-1	2.04	2.65	2.45	2.38	13.03	ppb
Cadmium	111-1	1.31	1.37	1.41	1.36	3.47	ppb
Calcium	43-1	27088.09	25980.55	26677.20	26581.94	2.11	ppb
Calcium	44-1	26863.31	26551.78	26663.44	26692.84	0.59	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	135.86	135.16	137.23	136.08	0.77	ppb
Cobalt	59-2	85.09	84.56	85.26	84.97	0.43	ppb
Copper	63-2	319.26	320.58	319.91	319.92	0.21	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	170125.50	169618.64	170317.20	170020.45	0.21	ppb
Iron	57-2	163616.88	164634.38	166521.09	164924.12	0.89	ppb
Iron	54-2	168881.32	168054.55	171779.25	169571.71	1.15	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	45.48	45.21	45.55	45.41	0.40	ppb
Lead	207-1	44.21	44.48	44.14	44.28	0.41	ppb
Lead	208-1	44.49	44.48	44.48	44.48	0.01	ppb
Lithium	6-1				99		%
Magnesium	24-2	42960.94	43016.09	43781.01	43252.68	1.06	ppb
Manganese	55-2	3252.43	3260.07	3279.52	3264.01	0.43	ppb
Molybdenum	94-1	15.88	16.13	15.97	15.99	0.79	ppb
Molybdenum	95-1	1.49	1.60	1.54	1.54	3.84	ppb
Molybdenum	96-1	3.95	4.02	4.01	3.99	1.00	ppb
Molybdenum	97-1	1.59	1.59	1.62	1.60	1.13	ppb
Molybdenum	98-1	1.52	1.53	1.55	1.53	1.14	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	125.19	125.10	126.12	125.47	0.45	ppb
Phosphorus	31-2	4277.99	4267.96	4278.74	4274.90	0.14	ppb
Potassium	39-2	10906.89	10775.15	10809.04	10830.36	0.63	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				105		%
Scandium	45-2				104		%
Selenium	82-1	1.14	1.09	1.49	1.24	17.30	ppb
Selenium	77-2	13.88	10.19	9.87	11.31	19.66	ppb
Selenium	78-2	2.86	2.60	3.26	2.91	11.40	ppb
Silicon	28-1	819.22	801.82	817.51	812.85	1.18	ppb
Silver	107-1	0.31	0.32	0.31	0.31	2.04	ppb
Silver	109-1	0.31	0.32	0.31	0.31	2.06	ppb
Sodium	23-2	233.68	233.27	237.90	234.95	1.09	ppb
Strontium	86-1	166.88	167.52	168.25	167.55	0.41	ppb
Strontium	88-1	167.74	170.41	169.85	169.33	0.83	ppb
Sulfur	34-1	-978.20	-1067.38	-1016.39	-1020.65		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	0.19	0.20	0.20	0.20	2.61	ppb
Thallium	205-1	0.20	0.19	0.20	0.20	1.27	ppb
Tin	118-1	2.59	2.72	2.69	2.67	2.57	ppb
Titanium	47-1	1104.30	1100.03	1085.64	1096.66	0.89	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.59	0.60	0.61	0.60	2.03	ppb
Vanadium	51-2	476.97	476.51	478.22	477.23	0.19	ppb
Yttrium	89-1				102		%
Yttrium	89-2				101		%
Zinc	66-2	369.30	363.82	367.63	366.92	0.77	ppb
Zirconium	90-1	8.72	8.92	8.90	8.84	1.26	ppb
Zirconium	91-1	8.78	8.92	8.92	8.87	0.91	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	60703.24	61494.56	63154.04	61783.95	2.02	ppb
Antimony	121-1	1.10	1.14	1.09	1.11	2.10	ppb
Arsenic	75-2	139.09	142.20	144.37	141.89	1.87	ppb
Barium	135-1	378.97	382.72	386.86	382.85	1.03	ppb
Barium	137-1	399.48	408.08	415.83	407.80	2.01	ppb
Beryllium	9-1	1.79	1.82	1.74	1.78	2.29	ppb
Bismuth	209-1				97		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.67	1.80	1.84	1.77	5.13	ppb
Cadmium	106-1	2.51	1.72	2.37	2.20	19.23	ppb
Cadmium	111-1	1.20	1.18	1.29	1.22	4.48	ppb
Calcium	43-1	17242.22	17301.97	17365.09	17303.10	0.36	ppb
Calcium	44-1	16324.94	16279.09	16497.61	16367.21	0.70	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	129.25	131.95	134.47	131.89	1.98	ppb
Cobalt	59-2	82.27	83.42	85.30	83.66	1.83	ppb
Copper	63-2	290.58	294.81	296.50	293.96	1.04	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				102		%
Indium	115-1				96		%
Indium	115-2				97		%
Iron	56-2	186894.59	191700.42	190088.06	189561.03	1.29	ppb
Iron	57-2	182119.30	185487.99	188290.01	185299.10	1.67	ppb
Iron	54-2	190289.71	189208.87	192950.55	190816.38	1.01	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	35.32	36.36	36.64	36.11	1.92	ppb
Lead	207-1	34.85	35.13	35.94	35.31	1.60	ppb
Lead	208-1	34.90	35.57	36.04	35.50	1.62	ppb
Lithium	6-1				97		%
Magnesium	24-2	41811.82	42895.69	43067.45	42591.66	1.60	ppb
Manganese	55-2	2969.46	3006.79	3008.24	2994.83	0.73	ppb
Molybdenum	94-1	11.09	11.45	11.30	11.28	1.61	ppb
Molybdenum	95-1	2.18	2.27	2.24	2.23	2.07	ppb
Molybdenum	96-1	4.18	4.41	4.35	4.32	2.71	ppb
Molybdenum	97-1	2.13	2.23	2.23	2.20	2.67	ppb
Molybdenum	98-1	2.14	2.20	2.18	2.17	1.25	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	118.87	122.95	124.60	122.14	2.42	ppb
Phosphorus	31-2	3288.78	3359.96	3416.05	3354.93	1.90	ppb
Potassium	39-2	9802.55	9992.69	10254.44	10016.56	2.27	ppb
Rhodium	103-1				94		%
Rhodium	103-2				97		%
Scandium	45-1				104		%
Scandium	45-2				107		%
Selenium	82-1	1.29	1.28	1.66	1.41	15.40	ppb
Selenium	77-2	12.28	13.49	14.43	13.40	8.02	ppb
Selenium	78-2	1.03	3.16	1.76	1.98	54.41	ppb
Silicon	28-1	758.07	757.89	768.29	761.42	0.78	ppb
Silver	107-1	0.22	0.20	0.22	0.21	3.72	ppb
Silver	109-1	0.23	0.22	0.22	0.22	1.82	ppb
Sodium	23-2	238.28	248.55	251.55	246.13	2.83	ppb
Strontium	86-1	126.54	128.65	128.18	127.79	0.87	ppb
Strontium	88-1	126.41	129.10	129.76	128.42	1.38	ppb
Sulfur	34-1	-1100.38	-1041.10	-1098.54	-1080.01		ppb
Terbium	159-1				99		%
Terbium	159-2				101		%
Thallium	203-1	0.19	0.18	0.18	0.18	2.67	ppb
Thallium	205-1	0.18	0.19	0.19	0.19	4.30	ppb
Tin	118-1	2.99	2.68	2.59	2.75	7.57	ppb
Titanium	47-1	1121.97	1126.52	1115.26	1121.25	0.51	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.49	0.50	0.51	0.50	2.52	ppb
Vanadium	51-2	564.66	572.41	576.41	571.16	1.05	ppb
Yttrium	89-1				102		%
Yttrium	89-2				103		%
Zinc	66-2	378.46	386.93	393.06	386.15	1.90	ppb
Zirconium	90-1	5.51	5.65	5.63	5.60	1.30	ppb
Zirconium	91-1	5.53	5.72	5.77	5.67	2.28	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	44821.40	46530.47	45288.97	45546.95	1.94	ppb
Antimony	121-1	1.12	1.11	1.10	1.11	0.83	ppb
Arsenic	75-2	114.71	112.16	112.53	113.14	1.21	ppb
Barium	135-1	373.78	374.96	375.41	374.72	0.22	ppb
Barium	137-1	397.55	403.79	401.82	401.05	0.80	ppb
Beryllium	9-1	1.50	1.58	1.56	1.55	2.73	ppb
Bismuth	209-1				98		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.51	1.18	1.21	1.30	13.62	ppb
Cadmium	106-1	1.82	1.40	1.19	1.47	22.04	ppb
Cadmium	111-1	0.87	0.85	0.87	0.87	1.08	ppb
Calcium	43-1	30058.38	31391.67	31068.64	30839.56	2.26	ppb
Calcium	44-1	30412.61	31078.37	30839.96	30776.98	1.10	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	96.94	97.34	97.23	97.17	0.22	ppb
Cobalt	59-2	61.45	61.75	62.37	61.85	0.76	ppb
Copper	63-2	244.60	249.69	247.42	247.24	1.03	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				95		%
Iron	56-2	129080.68	128744.19	128598.37	128807.75	0.19	ppb
Iron	57-2	124147.08	125468.53	126021.96	125212.52	0.77	ppb
Iron	54-2	131019.46	130687.56	130760.88	130822.64	0.13	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	26.85	27.17	27.82	27.28	1.83	ppb
Lead	207-1	25.87	26.29	26.63	26.27	1.45	ppb
Lead	208-1	26.17	26.64	27.06	26.62	1.67	ppb
Lithium	6-1				98		%
Magnesium	24-2	30725.38	31337.97	30896.31	30986.55	1.02	ppb
Manganese	55-2	2285.60	2306.42	2282.92	2291.65	0.56	ppb
Molybdenum	94-1	8.90	9.06	9.10	9.02	1.17	ppb
Molybdenum	95-1	1.20	1.22	1.22	1.21	0.89	ppb
Molybdenum	96-1	2.82	2.73	2.81	2.79	1.78	ppb
Molybdenum	97-1	1.16	1.27	1.18	1.20	5.04	ppb
Molybdenum	98-1	1.19	1.20	1.17	1.19	1.24	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	92.64	93.10	93.23	92.99	0.33	ppb
Phosphorus	31-2	3352.21	3329.86	3381.31	3354.46	0.77	ppb
Potassium	39-2	8203.04	8289.76	8292.56	8261.79	0.62	ppb
Rhodium	103-1				96		%
Rhodium	103-2				96		%
Scandium	45-1				102		%
Scandium	45-2				102		%
Selenium	82-1	0.97	1.24	1.42	1.21	18.79	ppb
Selenium	77-2	11.95	9.85	10.71	10.84	9.73	ppb
Selenium	78-2	3.40	1.74	2.48	2.54	32.88	ppb
Silicon	28-1	595.47	613.62	607.49	605.53	1.52	ppb
Silver	107-1	0.15	0.14	0.15	0.15	4.23	ppb
Silver	109-1	0.15	0.15	0.14	0.15	1.37	ppb
Sodium	23-2	175.49	179.06	181.26	178.60	1.63	ppb
Strontium	86-1	122.22	123.35	123.57	123.05	0.59	ppb
Strontium	88-1	124.12	125.79	125.98	125.30	0.82	ppb
Sulfur	34-1	-945.14	-954.29	-874.58	-924.67		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	0.15	0.15	0.15	0.15	1.62	ppb
Thallium	205-1	0.16	0.15	0.15	0.15	2.00	ppb
Tin	118-1	2.07	2.10	2.11	2.09	1.11	ppb
Titanium	47-1	857.23	878.62	865.17	867.01	1.25	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.44	0.45	0.44	0.44	1.27	ppb
Vanadium	51-2	353.40	368.34	362.96	361.57	2.09	ppb
Yttrium	89-1				102		%
Yttrium	89-2				101		%
Zinc	66-2	329.89	332.99	330.57	331.15	0.49	ppb
Zirconium	90-1	4.76	4.76	4.86	4.79	1.24	ppb
Zirconium	91-1	4.85	4.83	4.87	4.85	0.38	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	62796.62	63503.61	62437.75	62912.66	0.86	ppb
Antimony	121-1	0.84	0.80	0.87	0.84	3.73	ppb
Arsenic	75-2	179.44	178.44	177.75	178.55	0.48	ppb
Barium	135-1	518.10	516.73	513.81	516.21	0.42	ppb
Barium	137-1	518.38	519.40	514.16	517.32	0.54	ppb
Beryllium	9-1	1.89	2.07	2.05	2.01	4.87	ppb
Bismuth	209-1				97		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.98	1.72	1.96	1.89	7.73	ppb
Cadmium	106-1	1.00	1.14	2.13	1.43	43.32	ppb
Cadmium	111-1	0.92	0.89	1.07	0.96	9.93	ppb
Calcium	43-1	16043.97	16067.85	16493.94	16201.92	1.56	ppb
Calcium	44-1	15307.78	15023.76	15144.68	15158.74	0.94	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	131.20	132.04	131.22	131.49	0.37	ppb
Cobalt	59-2	82.64	83.85	83.37	83.29	0.73	ppb
Copper	63-2	240.04	241.92	236.67	239.54	1.11	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				95		%
Iron	56-2	153058.41	156104.38	155400.57	154854.45	1.03	ppb
Iron	57-2	151319.32	152373.03	152005.57	151899.31	0.35	ppb
Iron	54-2	155260.76	156569.69	158042.12	156624.19	0.89	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	29.54	29.90	29.54	29.66	0.70	ppb
Lead	207-1	28.63	29.30	28.71	28.88	1.27	ppb
Lead	208-1	29.01	29.45	28.75	29.07	1.21	ppb
Lithium	6-1				93		%
Magnesium	24-2	41279.00	41586.78	41560.10	41475.29	0.41	ppb
Manganese	55-2	2985.60	3006.52	3017.61	3003.24	0.54	ppb
Molybdenum	94-1	13.15	13.43	13.17	13.25	1.16	ppb
Molybdenum	95-1	1.28	1.31	1.30	1.30	1.32	ppb
Molybdenum	96-1	3.25	3.38	3.35	3.33	1.99	ppb
Molybdenum	97-1	1.24	1.34	1.31	1.30	3.93	ppb
Molybdenum	98-1	1.20	1.26	1.22	1.23	2.46	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	117.61	117.94	117.72	117.76	0.14	ppb
Phosphorus	31-2	3227.33	3224.89	3276.55	3242.92	0.90	ppb
Potassium	39-2	9817.87	9753.66	9853.75	9808.43	0.52	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				105		%
Scandium	45-2				106		%
Selenium	82-1	0.95	1.14	1.03	1.04	9.18	ppb
Selenium	77-2	16.50	15.26	16.03	15.93	3.94	ppb
Selenium	78-2	3.54	2.49	3.51	3.18	18.81	ppb
Silicon	28-1	616.74	603.18	641.27	620.40	3.11	ppb
Silver	107-1	0.13	0.13	0.14	0.13	4.73	ppb
Silver	109-1	0.13	0.13	0.15	0.14	7.90	ppb
Sodium	23-2	273.49	276.85	275.23	275.19	0.61	ppb
Strontium	86-1	101.59	106.39	105.83	104.60	2.51	ppb
Strontium	88-1	105.18	110.06	107.56	107.60	2.26	ppb
Sulfur	34-1	-1676.08	-1718.20	-1601.03	-1665.10		ppb
Terbium	159-1				101		%
Terbium	159-2				98		%
Thallium	203-1	0.33	0.30	0.31	0.31	4.39	ppb
Thallium	205-1	0.30	0.30	0.29	0.30	1.76	ppb
Tin	118-1	2.61	2.65	2.78	2.68	3.28	ppb
Titanium	47-1	1614.55	1554.65	1658.36	1609.19	3.24	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.57	0.57	0.54	0.56	3.22	ppb
Vanadium	51-2	417.22	423.92	415.22	418.79	1.09	ppb
Yttrium	89-1				105		%
Yttrium	89-2				103		%
Zinc	66-2	284.40	288.20	286.02	286.21	0.67	ppb
Zirconium	90-1	7.06	7.31	7.13	7.17	1.83	ppb
Zirconium	91-1	6.96	7.27	7.36	7.19	2.89	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	46370.58	46520.55	45769.19	46220.11	0.86	ppb
Antimony	121-1	1.03	1.07	1.09	1.07	3.02	ppb
Arsenic	75-2	144.91	138.57	138.22	140.57	2.68	ppb
Barium	135-1	492.40	503.18	510.96	502.18	1.86	ppb
Barium	137-1	491.04	500.63	507.32	499.66	1.64	ppb
Beryllium	9-1	1.53	1.50	1.48	1.50	1.48	ppb
Bismuth	209-1				99		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.15	2.21	2.06	2.14	3.36	ppb
Cadmium	106-1	3.11	2.43	3.17	2.90	14.14	ppb
Cadmium	111-1	1.38	1.35	1.33	1.35	1.92	ppb
Calcium	43-1	11383.61	11318.11	11280.88	11327.53	0.46	ppb
Calcium	44-1	10656.31	10660.51	10788.92	10701.91	0.70	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	107.73	108.45	107.38	107.85	0.50	ppb
Cobalt	59-2	63.99	63.80	64.10	63.97	0.23	ppb
Copper	63-2	259.24	256.00	257.29	257.51	0.63	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				97		%
Indium	115-2				96		%
Iron	56-2	124135.50	125682.29	123281.51	124366.43	0.98	ppb
Iron	57-2	121373.60	123914.57	122315.60	122534.59	1.05	ppb
Iron	54-2	126198.91	124451.51	123440.93	124697.12	1.12	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	49.20	48.96	48.50	48.89	0.73	ppb
Lead	207-1	47.74	48.50	47.05	47.77	1.52	ppb
Lead	208-1	47.92	48.33	47.80	48.02	0.58	ppb
Lithium	6-1				93		%
Magnesium	24-2	28299.13	28913.26	28481.73	28564.71	1.10	ppb
Manganese	55-2	2449.11	2471.97	2411.82	2444.30	1.24	ppb
Molybdenum	94-1	21.42	21.09	21.11	21.21	0.87	ppb
Molybdenum	95-1	0.93	0.94	0.94	0.93	0.91	ppb
Molybdenum	96-1	3.67	3.70	3.86	3.74	2.74	ppb
Molybdenum	97-1	0.91	0.93	0.97	0.94	3.11	ppb
Molybdenum	98-1	0.89	0.88	0.90	0.89	1.45	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	108.32	109.04	109.62	108.99	0.59	ppb
Phosphorus	31-2	2321.85	2348.32	2324.47	2331.54	0.63	ppb
Potassium	39-2	8269.53	8364.33	8277.02	8303.62	0.63	ppb
Rhodium	103-1				95		%
Rhodium	103-2				96		%
Scandium	45-1				103		%
Scandium	45-2				102		%
Selenium	82-1	1.39	0.93	1.33	1.21	20.67	ppb
Selenium	77-2	13.56	11.68	12.89	12.71	7.48	ppb
Selenium	78-2	1.32	1.73	3.99	2.35	61.40	ppb
Silicon	28-1	793.42	772.39	801.53	789.11	1.91	ppb
Silver	107-1	0.32	0.32	0.35	0.33	4.89	ppb
Silver	109-1	0.30	0.33	0.32	0.31	3.97	ppb
Sodium	23-2	122.98	124.78	124.97	124.24	0.88	ppb
Strontium	86-1	54.99	54.85	55.68	55.17	0.81	ppb
Strontium	88-1	55.73	56.14	56.20	56.02	0.46	ppb
Sulfur	34-1	-1621.81	-1736.45	-1643.04	-1667.10		ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	0.25	0.25	0.24	0.25	2.80	ppb
Thallium	205-1	0.23	0.25	0.25	0.24	3.64	ppb
Tin	118-1	1.96	1.93	2.05	1.98	3.13	ppb
Titanium	47-1	1052.81	1050.21	1098.44	1067.15	2.54	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.59	0.60	0.59	0.59	0.94	ppb
Vanadium	51-2	321.68	328.21	331.38	327.09	1.51	ppb
Yttrium	89-1				103		%
Yttrium	89-2				102		%
Zinc	66-2	226.20	222.95	224.60	224.59	0.73	ppb
Zirconium	90-1	12.06	12.22	12.48	12.25	1.73	ppb
Zirconium	91-1	12.28	12.22	12.50	12.33	1.19	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	46100.95	46285.12	46875.11	46420.39	0.87	ppb
Antimony	121-1	1.05	1.07	1.04	1.06	1.56	ppb
Arsenic	75-2	141.68	141.56	143.72	142.32	0.86	ppb
Barium	135-1	497.80	507.99	487.83	497.87	2.02	ppb
Barium	137-1	496.41	506.35	496.50	499.76	1.14	ppb
Beryllium	9-1	1.32	1.60	1.55	1.49	9.89	ppb
Bismuth	209-1				99		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.19	2.23	1.99	2.14	5.98	ppb
Cadmium	106-1	2.25	2.98	2.31	2.52	16.06	ppb
Cadmium	111-1	1.29	1.33	1.26	1.29	2.88	ppb
Calcium	43-1	11144.83	11519.13	11448.75	11370.90	1.75	ppb
Calcium	44-1	10712.06	10744.68	10701.58	10719.44	0.21	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	108.95	106.35	107.31	107.54	1.22	ppb
Cobalt	59-2	64.13	64.01	64.36	64.16	0.28	ppb
Copper	63-2	261.14	258.38	259.48	259.67	0.53	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				101		%
Indium	115-1				99		%
Indium	115-2				98		%
Iron	56-2	124992.48	124315.83	125737.41	125015.24	0.57	ppb
Iron	57-2	122212.11	121248.16	124111.64	122523.97	1.19	ppb
Iron	54-2	123566.05	124870.46	126074.92	124837.14	1.01	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	47.73	48.74	48.49	48.32	1.08	ppb
Lead	207-1	46.85	47.68	48.52	47.68	1.76	ppb
Lead	208-1	47.39	47.59	48.32	47.77	1.02	ppb
Lithium	6-1				95		%
Magnesium	24-2	28562.64	28032.61	29091.67	28562.31	1.85	ppb
Manganese	55-2	2391.08	2391.77	2471.12	2417.99	1.90	ppb
Molybdenum	94-1	20.69	21.17	21.05	20.97	1.18	ppb
Molybdenum	95-1	0.90	0.89	0.91	0.90	1.58	ppb
Molybdenum	96-1	3.66	3.77	3.63	3.69	2.11	ppb
Molybdenum	97-1	0.92	0.89	0.88	0.90	2.26	ppb
Molybdenum	98-1	0.88	0.87	0.88	0.88	0.86	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	108.20	108.19	109.94	108.78	0.93	ppb
Phosphorus	31-2	2348.68	2342.00	2314.15	2334.94	0.78	ppb
Potassium	39-2	8319.99	8183.00	8347.89	8283.63	1.07	ppb
Rhodium	103-1				96		%
Rhodium	103-2				97		%
Scandium	45-1				103		%
Scandium	45-2				103		%
Selenium	82-1	0.92	1.15	1.30	1.12	17.03	ppb
Selenium	77-2	11.36	12.69	12.94	12.33	6.88	ppb
Selenium	78-2	3.41	1.14	2.11	2.22	51.16	ppb
Silicon	28-1	798.80	798.77	775.66	791.08	1.69	ppb
Silver	107-1	0.32	0.31	0.32	0.32	1.95	ppb
Silver	109-1	0.33	0.32	0.31	0.32	2.63	ppb
Sodium	23-2	121.46	123.97	123.64	123.02	1.11	ppb
Strontium	86-1	53.93	54.50	54.47	54.30	0.59	ppb
Strontium	88-1	56.53	55.92	56.08	56.17	0.56	ppb
Sulfur	34-1	-1682.58	-1579.68	-1621.85	-1628.04		ppb
Terbium	159-1				102		%
Terbium	159-2				101		%
Thallium	203-1	0.23	0.23	0.25	0.24	5.56	ppb
Thallium	205-1	0.25	0.23	0.25	0.24	3.52	ppb
Tin	118-1	1.98	2.00	1.98	1.99	0.61	ppb
Titanium	47-1	1068.98	1056.21	1069.06	1064.75	0.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.60	0.60	0.59	0.60	1.11	ppb
Vanadium	51-2	330.99	329.58	331.41	330.66	0.29	ppb
Yttrium	89-1				105		%
Yttrium	89-2				102		%
Zinc	66-2	223.96	223.65	223.94	223.85	0.08	ppb
Zirconium	90-1	12.10	12.02	12.30	12.14	1.18	ppb
Zirconium	91-1	12.07	12.15	12.17	12.13	0.43	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	9445.25	9388.31	9368.50	9400.69	0.42	ppb
Antimony	121-1	0.19	0.21	0.19	0.20	6.04	ppb
Arsenic	75-2	28.56	28.56	29.07	28.73	1.02	ppb
Barium	135-1	91.30	90.69	90.53	90.84	0.45	ppb
Barium	137-1	90.89	91.22	90.92	91.01	0.20	ppb
Beryllium	9-1	0.27	0.28	0.27	0.27	1.16	ppb
Bismuth	209-1				100		%
Bismuth	209-2				102		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.39	0.45	0.55	0.46	17.36	ppb
Cadmium	106-1	-0.10	0.36	0.36	0.21	127.29	ppb
Cadmium	111-1	0.20	0.23	0.24	0.22	9.80	ppb
Calcium	43-1	2241.67	2299.63	2305.10	2282.13	1.54	ppb
Calcium	44-1	2135.13	2225.24	2167.07	2175.81	2.10	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	22.03	22.10	21.97	22.04	0.31	ppb
Cobalt	59-2	13.06	13.21	12.97	13.08	0.95	ppb
Copper	63-2	51.78	51.77	51.13	51.56	0.72	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				102		%
Indium	115-1				99		%
Indium	115-2				99		%
Iron	56-2	25447.14	25507.39	25167.70	25374.08	0.71	ppb
Iron	57-2	24745.96	24904.86	24678.30	24776.37	0.47	ppb
Iron	54-2	25643.31	25856.07	25747.48	25748.96	0.41	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	9.39	9.34	9.44	9.39	0.55	ppb
Lead	207-1	9.12	9.19	9.24	9.18	0.65	ppb
Lead	208-1	9.07	9.23	9.29	9.19	1.27	ppb
Lithium	6-1				100		%
Magnesium	24-2	5881.57	5687.50	5718.39	5762.49	1.81	ppb
Manganese	55-2	507.56	511.22	505.76	508.18	0.55	ppb
Molybdenum	94-1	4.12	4.14	4.05	4.11	1.17	ppb
Molybdenum	95-1	0.18	0.17	0.16	0.17	5.75	ppb
Molybdenum	96-1	0.76	0.71	0.73	0.73	3.27	ppb
Molybdenum	97-1	0.20	0.20	0.16	0.19	10.90	ppb
Molybdenum	98-1	0.17	0.18	0.17	0.18	2.88	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	22.41	22.76	22.35	22.50	0.98	ppb
Phosphorus	31-2	466.60	463.80	449.64	460.01	1.98	ppb
Potassium	39-2	1689.04	1657.85	1642.15	1663.01	1.44	ppb
Rhodium	103-1				98		%
Rhodium	103-2				100		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	0.44	0.44	0.36	0.42	10.67	ppb
Selenium	77-2	3.41	2.43	4.34	3.39	28.05	ppb
Selenium	78-2	-0.25	0.71	-0.61	-0.05		ppb
Silicon	28-1	163.78	168.41	167.08	166.42	1.43	ppb
Silver	107-1	0.06	0.06	0.06	0.06	3.81	ppb
Silver	109-1	0.06	0.06	0.06	0.06	4.98	ppb
Sodium	23-2	26.21	24.66	25.29	25.39	3.06	ppb
Strontium	86-1	10.84	10.77	10.98	10.86	1.00	ppb
Strontium	88-1	10.98	10.87	10.96	10.94	0.56	ppb
Sulfur	34-1	-1690.44	-1669.21	-1658.53	-1672.73		ppb
Terbium	159-1				100		%
Terbium	159-2				102		%
Thallium	203-1	0.04	0.04	0.05	0.05	12.45	ppb
Thallium	205-1	0.04	0.04	0.04	0.04	7.11	ppb
Tin	118-1	0.35	0.40	0.37	0.37	6.81	ppb
Titanium	47-1	217.00	219.53	222.85	219.80	1.33	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.11	0.11	0.11	0.11	1.77	ppb
Vanadium	51-2	67.11	66.50	65.90	66.50	0.91	ppb
Yttrium	89-1				101		%
Yttrium	89-2				99		%
Zinc	66-2	46.48	46.96	46.88	46.77	0.55	ppb
Zirconium	90-1	2.43	2.38	2.39	2.40	1.04	ppb
Zirconium	91-1	2.45	2.46	2.41	2.44	0.99	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	47220.39	46786.62	47366.55	47124.52	0.64	ppb
Antimony	121-1	54.45	55.47	55.69	55.20	1.21	ppb
Arsenic	75-2	162.84	164.00	163.38	163.41	0.36	ppb
Barium	135-1	1588.47	1632.51	1594.74	1605.24	1.48	ppb
Barium	137-1	1591.96	1635.44	1631.94	1619.78	1.49	ppb
Beryllium	9-1	29.04	29.99	29.29	29.44	1.67	ppb
Bismuth	209-1				99		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	27.60	29.16	27.84	28.20	2.98	ppb
Cadmium	106-1	28.71	27.53	27.47	27.90	2.50	ppb
Cadmium	111-1	28.78	29.53	29.39	29.23	1.36	ppb
Calcium	43-1	11039.68	11077.05	11078.13	11064.95	0.20	ppb
Calcium	44-1	10550.54	10611.75	10749.20	10637.16	0.96	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	220.61	216.98	212.62	216.74	1.85	ppb
Cobalt	59-2	336.88	338.19	336.32	337.13	0.28	ppb
Copper	63-2	392.48	378.51	386.17	385.72	1.81	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	125787.94	122329.36	125380.06	124499.12	1.52	ppb
Iron	57-2	121172.09	120808.79	122021.35	121334.08	0.51	ppb
Iron	54-2	125519.97	124948.79	125930.26	125466.34	0.39	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	57.36	57.98	57.77	57.70	0.55	ppb
Lead	207-1	55.98	56.55	56.51	56.34	0.56	ppb
Lead	208-1	56.30	57.26	56.67	56.74	0.85	ppb
Lithium	6-1				98		%
Magnesium	24-2	28321.50	28962.57	28734.14	28672.74	1.13	ppb
Manganese	55-2	2723.62	2661.13	2692.41	2692.39	1.16	ppb
Molybdenum	94-1	20.58	21.31	21.18	21.03	1.86	ppb
Molybdenum	95-1	0.91	0.93	0.94	0.93	1.87	ppb
Molybdenum	96-1	3.66	3.71	3.75	3.70	1.22	ppb
Molybdenum	97-1	0.92	0.86	0.94	0.91	4.08	ppb
Molybdenum	98-1	0.87	0.91	0.91	0.89	2.60	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	379.56	377.10	381.43	379.36	0.57	ppb
Phosphorus	31-2	2296.47	2339.87	2285.29	2307.21	1.25	ppb
Potassium	39-2	8040.68	8072.93	8065.33	8059.65	0.21	ppb
Rhodium	103-1				97		%
Rhodium	103-2				95		%
Scandium	45-1				103		%
Scandium	45-2				101		%
Selenium	82-1	68.43	68.69	69.53	68.88	0.83	ppb
Selenium	77-2	78.76	83.10	74.24	78.70	5.63	ppb
Selenium	78-2	71.65	71.04	68.66	70.45	2.24	ppb
Silicon	28-1	780.82	796.79	784.70	787.44	1.06	ppb
Silver	107-1	24.23	24.81	24.88	24.64	1.45	ppb
Silver	109-1	24.17	24.92	24.91	24.67	1.75	ppb
Sodium	23-2	125.73	127.41	130.79	127.97	2.01	ppb
Strontium	86-1	53.82	54.80	55.16	54.59	1.27	ppb
Strontium	88-1	54.18	55.26	56.40	55.28	2.00	ppb
Sulfur	34-1	-1641.48	-1594.60	-1656.08	-1630.72		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	25.10	25.37	25.38	25.28	0.63	ppb
Thallium	205-1	25.24	25.57	25.55	25.45	0.73	ppb
Tin	118-1	2.13	2.14	2.17	2.14	0.99	ppb
Titanium	47-1	1061.31	1067.77	1058.44	1062.51	0.45	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.58	0.59	0.58	0.58	0.27	ppb
Vanadium	51-2	589.42	602.41	583.06	591.63	1.67	ppb
Yttrium	89-1				103		%
Yttrium	89-2				101		%
Zinc	66-2	490.52	484.78	486.13	487.14	0.62	ppb
Zirconium	90-1	11.93	11.93	12.09	11.99	0.77	ppb
Zirconium	91-1	12.29	12.23	12.37	12.30	0.61	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49433.64	49632.70	59412.50	52826.28	10.80	ppb
Antimony	121-1	273.74	277.53	272.01	274.43	1.03	ppb
Arsenic	75-2	244.75	239.73	293.99	259.49	11.55	ppb
Barium	135-1	5722.60	5862.15	5761.56	5782.10	1.25	ppb
Barium	137-1	5742.89	5869.95	5758.58	5790.47	1.20	ppb
Beryllium	9-1	135.21	137.14	141.35	137.90	2.28	ppb
Bismuth	209-1				98		%
Bismuth	209-2				91		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	122.60	126.34	125.68	124.87	1.60	ppb
Cadmium	106-1	123.78	123.72	122.53	123.34	0.57	ppb
Cadmium	111-1	135.32	136.76	134.80	135.63	0.75	ppb
Calcium	43-1	10548.20	10676.68	10776.72	10667.20	1.07	ppb
Calcium	44-1	10114.81	10212.14	10288.95	10205.30	0.86	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	626.63	619.64	760.86	669.04	11.90	ppb
Cobalt	59-2	1367.30	1391.80	1680.79	1479.97	11.78	ppb
Copper	63-2	879.41	877.50	1077.87	944.92	12.18	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				93		%
Indium	115-1				96		%
Indium	115-2				89		%
Iron	56-2	120791.48	121981.84	148337.79	130370.37	11.94	ppb
Iron	57-2	120940.59	119692.08	144723.84	128452.17	10.98	ppb
Iron	54-2	122235.12	123600.19	150768.83	132201.38	12.17	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	96.43	94.68	95.99	95.70	0.95	ppb
Lead	207-1	93.73	94.47	94.46	94.22	0.45	ppb
Lead	208-1	100.77	101.02	101.12	100.97	0.18	ppb
Lithium	6-1				96		%
Magnesium	24-2	27681.00	27556.82	33663.47	29633.76	11.78	ppb
Manganese	55-2	3573.03	3552.81	4376.26	3834.03	12.25	ppb
Molybdenum	94-1	20.08	20.17	20.57	20.27	1.29	ppb
Molybdenum	95-1	0.92	0.90	0.91	0.91	0.74	ppb
Molybdenum	96-1	3.70	3.66	3.61	3.66	1.32	ppb
Molybdenum	97-1	0.94	0.91	0.88	0.91	3.20	ppb
Molybdenum	98-1	0.88	0.89	0.90	0.89	1.21	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1449.06	1463.43	1760.92	1557.80	11.30	ppb
Phosphorus	31-2	2224.82	2233.04	2740.37	2399.41	12.31	ppb
Potassium	39-2	7890.06	7991.50	9604.39	8495.32	11.32	ppb
Rhodium	103-1				95		%
Rhodium	103-2				89		%
Scandium	45-1				102		%
Scandium	45-2				94		%
Selenium	82-1	298.89	298.14	296.66	297.90	0.38	ppb
Selenium	77-2	301.99	292.74	374.60	323.11	13.88	ppb
Selenium	78-2	302.65	290.87	372.15	321.89	13.65	ppb
Silicon	28-1	755.43	760.47	750.74	755.55	0.64	ppb
Silver	107-1	120.35	124.28	111.36	118.67	5.58	ppb
Silver	109-1	112.68	126.94	120.20	119.94	5.94	ppb
Sodium	23-2	112.23	114.22	150.04	125.50	16.95	ppb
Strontium	86-1	52.44	52.82	52.23	52.50	0.56	ppb
Strontium	88-1	53.58	54.77	53.74	54.03	1.20	ppb
Sulfur	34-1	-1712.92	-1646.06	-1728.10	-1695.70		ppb
Terbium	159-1				100		%
Terbium	159-2				92		%
Thallium	203-1	122.13	122.06	123.54	122.58	0.68	ppb
Thallium	205-1	136.60	138.27	139.49	138.12	1.05	ppb
Tin	118-1	1.78	1.80	1.79	1.79	0.48	ppb
Titanium	47-1	1000.71	1029.17	1022.08	1017.32	1.46	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.58	0.57	0.57	0.57	0.82	ppb
Vanadium	51-2	1589.60	1588.76	1947.97	1708.78	12.12	ppb
Yttrium	89-1				102		%
Yttrium	89-2				95		%
Zinc	66-2	1501.67	1543.40	1873.29	1639.45	12.42	ppb
Zirconium	90-1	11.51	11.67	11.61	11.60	0.70	ppb
Zirconium	91-1	11.65	11.81	11.63	11.70	0.86	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49016.34	48942.65	49185.08	49048.03	0.25	ppb
Antimony	121-1	486.23	495.53	495.81	492.52	1.11	ppb
Arsenic	75-2	491.31	495.79	478.92	488.67	1.79	ppb
Barium	135-1	2458.05	2500.86	2489.33	2482.75	0.89	ppb
Barium	137-1	2485.99	2554.02	2475.90	2505.30	1.70	ppb
Beryllium	9-1	536.73	517.54	522.81	525.69	1.89	ppb
Bismuth	209-1				87		%
Bismuth	209-2				90		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	500.82	515.11	515.21	510.38	1.62	ppb
Cadmium	106-1	507.64	514.77	514.45	512.29	0.79	ppb
Cadmium	111-1	490.77	487.56	504.90	494.41	1.87	ppb
Calcium	43-1	255241.50	249091.32	247075.15	250469.33	1.70	ppb
Calcium	44-1	249885.61	246895.54	249411.67	248730.94	0.65	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	499.49	507.21	492.98	499.89	1.42	ppb
Cobalt	59-2	529.49	535.55	537.88	534.30	0.81	ppb
Copper	63-2	5189.55	5172.85	5144.88	5169.09	0.44	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				93		%
Holmium	165-2				97		%
Indium	115-1				88		%
Indium	115-2				90		%
Iron	56-2	125996.96	128504.00	126081.02	126860.66	1.12	ppb
Iron	57-2	124703.38	124869.82	126028.05	125200.42	0.58	ppb
Iron	54-2	127959.49	128698.10	126829.55	127829.05	0.74	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2540.28	2591.18	2585.93	2572.46	1.09	ppb
Lead	207-1	2524.08	2558.74	2551.44	2544.75	0.72	ppb
Lead	208-1	2556.59	2579.57	2576.24	2570.80	0.48	ppb
Lithium	6-1				102		%
Magnesium	24-2	242992.13	245075.49	245744.69	244604.10	0.59	ppb
Manganese	55-2	4970.16	4970.58	4917.38	4952.71	0.62	ppb
Molybdenum	94-1	4981.78	5102.57	5077.39	5053.91	1.26	ppb
Molybdenum	95-1	5034.86	5115.02	5154.75	5101.54	1.20	ppb
Molybdenum	96-1	5064.91	5154.94	5108.53	5109.46	0.88	ppb
Molybdenum	97-1	5057.92	5131.14	5066.34	5085.13	0.79	ppb
Molybdenum	98-1	4979.86	5147.41	5080.99	5069.42	1.66	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	506.59	512.07	508.35	509.00	0.55	ppb
Phosphorus	31-2	10006.29	10188.48	10128.11	10107.63	0.92	ppb
Potassium	39-2	119493.28	120085.82	119890.36	119823.15	0.25	ppb
Rhodium	103-1				86		%
Rhodium	103-2				87		%
Scandium	45-1				92		%
Scandium	45-2				89		%
Selenium	82-1	485.01	486.90	489.71	487.21	0.49	ppb
Selenium	77-2	492.73	492.47	488.73	491.31	0.45	ppb
Selenium	78-2	486.07	480.73	470.50	479.10	1.65	ppb
Silicon	28-1	407.96	399.11	411.06	406.04	1.53	ppb
Silver	107-1	518.48	517.07	516.33	517.29	0.21	ppb
Silver	109-1	515.02	515.62	515.26	515.30	0.06	ppb
Sodium	23-2	247937.97	251535.37	247530.16	249001.17	0.89	ppb
Strontium	86-1	12564.82	12630.39	12636.09	12610.43	0.31	ppb
Strontium	88-1	12495.19	12602.65	12720.19	12606.01	0.89	ppb
Sulfur	34-1	10114.39	9939.64	10269.34	10107.79	1.63	ppb
Terbium	159-1				93		%
Terbium	159-2				97		%
Thallium	203-1	524.18	521.97	514.24	520.13	1.00	ppb
Thallium	205-1	520.02	519.73	520.97	520.24	0.13	ppb
Tin	118-1	494.62	502.75	496.20	497.85	0.87	ppb
Titanium	47-1	5028.71	4955.91	5124.55	5036.39	1.68	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	524.35	532.79	530.87	529.34	0.84	ppb
Vanadium	51-2	507.07	515.25	494.78	505.70	2.04	ppb
Yttrium	89-1				93		%
Yttrium	89-2				92		%
Zinc	66-2	5139.30	5195.90	5138.33	5157.85	0.64	ppb
Zirconium	90-1	501.00	509.04	514.08	508.04	1.30	ppb
Zirconium	91-1	514.75	512.66	525.30	517.57	1.31	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1.79	1.51	1.50	1.60	10.23	ppb
Antimony	121-1	0.34	0.33	0.40	0.36	10.20	ppb
Arsenic	75-2	0.03	0.04	0.03	0.03	25.03	ppb
Barium	135-1	0.14	0.08	0.08	0.10	34.11	ppb
Barium	137-1	0.10	0.10	0.07	0.09	23.25	ppb
Beryllium	9-1	0.03	0.02	0.02	0.02	9.04	ppb
Bismuth	209-1				98		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.01	0.03	0.02	0.02	68.39	ppb
Cadmium	106-1	-0.15	-0.38	0.18	-0.11		ppb
Cadmium	111-1	0.03	0.00	0.04	0.02	94.67	ppb
Calcium	43-1	10.56	7.56	5.15	7.76	34.91	ppb
Calcium	44-1	-8.06	-10.68	-11.14	-9.96		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.00	0.02	0.03	0.02	89.32	ppb
Cobalt	59-2	0.01	0.01	0.01	0.01	13.89	ppb
Copper	63-2	-0.06	-0.06	-0.08	-0.07		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				96		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				97		%
Iron	56-2	3.82	3.67	3.68	3.73	2.26	ppb
Iron	57-2	0.99	1.20	1.38	1.19	16.52	ppb
Iron	54-2	5.37	4.87	4.04	4.76	14.12	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.17	0.13	0.13	0.14	16.09	ppb
Lead	207-1	0.16	0.14	0.13	0.15	11.03	ppb
Lead	208-1	0.16	0.13	0.12	0.14	15.06	ppb
Lithium	6-1				109		%
Magnesium	24-2	6.36	6.02	6.42	6.27	3.41	ppb
Manganese	55-2	0.03	0.03	0.02	0.02	31.07	ppb
Molybdenum	94-1	0.42	0.38	0.37	0.39	5.95	ppb
Molybdenum	95-1	0.34	0.32	0.28	0.31	10.60	ppb
Molybdenum	96-1	0.37	0.29	0.30	0.32	14.82	ppb
Molybdenum	97-1	0.37	0.32	0.29	0.33	12.40	ppb
Molybdenum	98-1	0.35	0.30	0.28	0.31	12.47	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	0.00	0.00	-0.02	0.00		ppb
Phosphorus	31-2	-17.98	-16.78	-15.71	-16.82		ppb
Potassium	39-2	-4.21	-5.24	-2.99	-4.15		ppb
Rhodium	103-1				96		%
Rhodium	103-2				98		%
Scandium	45-1				95		%
Scandium	45-2				91		%
Selenium	82-1	0.27	0.09	0.54	0.30	74.95	ppb
Selenium	77-2	0.10	0.10	-0.05	0.05	167.47	ppb
Selenium	78-2	-0.53	-0.18	-0.45	-0.38		ppb
Silicon	28-1	0.31	0.27	0.13	0.24	40.65	ppb
Silver	107-1	0.07	0.05	0.03	0.05	35.97	ppb
Silver	109-1	0.06	0.05	0.04	0.05	25.67	ppb
Sodium	23-2	4.42	3.43	2.57	3.48	26.63	ppb
Strontium	86-1	0.54	0.48	0.39	0.47	15.37	ppb
Strontium	88-1	0.55	0.44	0.36	0.45	21.95	ppb
Sulfur	34-1	-535.68	-482.90	-552.88	-523.82		ppb
Terbium	159-1				97		%
Terbium	159-2				99		%
Thallium	203-1	0.06	0.06	0.04	0.05	22.61	ppb
Thallium	205-1	0.06	0.05	0.05	0.05	14.36	ppb
Tin	118-1	0.08	0.09	0.12	0.09	21.43	ppb
Titanium	47-1	0.29	0.25	0.21	0.25	15.20	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.02	11.39	ppb
Vanadium	51-2	0.01	0.02	0.02	0.02	30.50	ppb
Yttrium	89-1				96		%
Yttrium	89-2				96		%
Zinc	66-2	0.19	0.17	0.18	0.18	3.95	ppb
Zirconium	90-1	0.08	0.07	0.07	0.07	4.48	ppb
Zirconium	91-1	0.07	0.06	0.08	0.07	11.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	43979.00	43769.96	43704.42	43817.80	0.33	ppb
Antimony	121-1	9.92	9.98	10.04	9.98	0.63	ppb
Arsenic	75-2	250.75	248.09	246.16	248.33	0.93	ppb
Barium	135-1	400.47	406.18	406.35	404.33	0.83	ppb
Barium	137-1	422.76	436.10	440.72	433.20	2.15	ppb
Beryllium	9-1	1.63	1.65	1.65	1.64	0.76	ppb
Bismuth	209-1				97		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.56	1.75	1.73	1.68	6.21	ppb
Cadmium	106-1	1.87	2.28	2.59	2.25	16.17	ppb
Cadmium	111-1	1.04	1.12	1.15	1.10	5.28	ppb
Calcium	43-1	8769.44	8811.72	8863.31	8814.83	0.53	ppb
Calcium	44-1	8310.73	8258.25	8393.80	8320.93	0.82	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	174.37	174.79	173.44	174.20	0.40	ppb
Cobalt	59-2	74.07	74.09	73.67	73.95	0.32	ppb
Copper	63-2	220.03	213.16	215.58	216.25	1.61	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				96		%
Iron	56-2	146446.45	146097.02	146576.35	146373.27	0.17	ppb
Iron	57-2	144168.21	142649.89	142781.93	143200.01	0.59	ppb
Iron	54-2	146351.24	148575.92	147243.66	147390.27	0.76	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	40.96	41.52	42.46	41.65	1.82	ppb
Lead	207-1	40.78	41.24	41.85	41.29	1.30	ppb
Lead	208-1	40.81	41.30	41.82	41.31	1.22	ppb
Lithium	6-1				101		%
Magnesium	24-2	27717.56	27542.90	27077.66	27446.04	1.21	ppb
Manganese	55-2	4832.69	4895.18	4833.26	4853.71	0.74	ppb
Molybdenum	94-1	12.11	12.21	11.98	12.10	0.94	ppb
Molybdenum	95-1	1.88	1.91	1.89	1.89	0.67	ppb
Molybdenum	96-1	3.77	3.81	3.78	3.79	0.62	ppb
Molybdenum	97-1	1.81	1.91	1.85	1.86	2.49	ppb
Molybdenum	98-1	1.81	1.87	1.77	1.82	2.65	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	119.21	117.11	119.68	118.67	1.16	ppb
Phosphorus	31-2	2368.68	2354.79	2329.10	2350.86	0.85	ppb
Potassium	39-2	11099.84	11074.59	11096.07	11090.17	0.12	ppb
Rhodium	103-1				96		%
Rhodium	103-2				95		%
Scandium	45-1				103		%
Scandium	45-2				102		%
Selenium	82-1	0.96	1.12	1.34	1.14	16.89	ppb
Selenium	77-2	13.58	9.40	12.00	11.66	18.12	ppb
Selenium	78-2	2.46	2.31	1.94	2.24	12.04	ppb
Silicon	28-1	593.14	585.96	590.35	589.82	0.61	ppb
Silver	107-1	0.32	0.29	0.28	0.30	5.69	ppb
Silver	109-1	0.31	0.29	0.27	0.29	6.61	ppb
Sodium	23-2	131.63	131.25	131.62	131.50	0.16	ppb
Strontium	86-1	79.52	81.45	79.12	80.03	1.56	ppb
Strontium	88-1	82.45	82.44	80.83	81.91	1.13	ppb
Sulfur	34-1	-796.28	-993.62	-1081.14	-957.01		ppb
Terbium	159-1				99		%
Terbium	159-2				101		%
Thallium	203-1	0.30	0.29	0.31	0.30	2.30	ppb
Thallium	205-1	0.28	0.29	0.30	0.29	2.92	ppb
Tin	118-1	2.68	2.71	2.80	2.73	2.21	ppb
Titanium	47-1	725.30	727.92	746.04	733.09	1.54	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.82	0.85	0.84	0.84	1.30	ppb
Vanadium	51-2	302.05	299.88	295.08	299.00	1.19	ppb
Yttrium	89-1				103		%
Yttrium	89-2				101		%
Zinc	66-2	257.42	254.89	254.79	255.70	0.58	ppb
Zirconium	90-1	6.29	6.36	6.21	6.29	1.18	ppb
Zirconium	91-1	6.40	6.37	6.27	6.35	1.11	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	52431.76	53013.39	52584.76	52676.64	0.57	ppb
Antimony	121-1	1.93	1.92	1.99	1.95	1.98	ppb
Arsenic	75-2	148.77	151.05	149.31	149.71	0.80	ppb
Barium	135-1	599.10	607.06	596.23	600.80	0.93	ppb
Barium	137-1	603.83	610.75	606.07	606.88	0.58	ppb
Beryllium	9-1	2.13	2.05	2.19	2.12	3.34	ppb
Bismuth	209-1				96		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.87	2.64	2.81	2.77	4.20	ppb
Cadmium	106-1	4.56	4.55	3.81	4.30	10.02	ppb
Cadmium	111-1	0.90	0.90	0.83	0.88	4.20	ppb
Calcium	43-1	12020.82	12157.93	12479.50	12219.42	1.93	ppb
Calcium	44-1	11582.12	11633.20	11573.81	11596.38	0.28	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	173.60	174.97	174.72	174.43	0.42	ppb
Cobalt	59-2	75.09	76.67	74.95	75.57	1.26	ppb
Copper	63-2	174.86	177.55	176.74	176.38	0.78	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	156510.94	158569.43	157349.03	157476.47	0.66	ppb
Iron	57-2	152476.32	155276.48	155672.05	154474.95	1.13	ppb
Iron	54-2	156771.69	158586.05	159867.09	158408.28	0.98	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	37.20	36.27	37.16	36.88	1.42	ppb
Lead	207-1	36.53	35.72	37.22	36.49	2.06	ppb
Lead	208-1	36.47	35.93	37.04	36.48	1.51	ppb
Lithium	6-1				105		%
Magnesium	24-2	29118.33	29083.85	29246.54	29149.57	0.29	ppb
Manganese	55-2	6156.41	6177.91	6244.33	6192.88	0.74	ppb
Molybdenum	94-1	42.07	41.52	41.71	41.77	0.67	ppb
Molybdenum	95-1	2.42	2.41	2.49	2.44	1.74	ppb
Molybdenum	96-1	7.44	7.30	7.24	7.33	1.43	ppb
Molybdenum	97-1	2.31	2.39	2.36	2.35	1.86	ppb
Molybdenum	98-1	2.32	2.33	2.34	2.33	0.37	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	138.68	139.64	140.54	139.62	0.66	ppb
Phosphorus	31-2	2595.91	2586.41	2591.87	2591.40	0.18	ppb
Potassium	39-2	13752.33	14021.57	13933.33	13902.41	0.99	ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				103		%
Scandium	45-2				100		%
Selenium	82-1	1.28	0.95	1.62	1.29	25.97	ppb
Selenium	77-2	17.21	20.58	16.58	18.12	11.87	ppb
Selenium	78-2	2.38	3.73	4.32	3.48	28.53	ppb
Silicon	28-1	603.51	603.87	604.23	603.87	0.06	ppb
Silver	107-1	0.18	0.19	0.19	0.19	1.96	ppb
Silver	109-1	0.18	0.18	0.17	0.18	2.26	ppb
Sodium	23-2	185.20	189.29	189.87	188.12	1.35	ppb
Strontium	86-1	88.05	86.01	86.55	86.87	1.22	ppb
Strontium	88-1	88.37	86.93	86.90	87.40	0.96	ppb
Sulfur	34-1	-1011.55	-1062.54	-984.23	-1019.44		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.31	0.32	0.32	0.32	1.93	ppb
Thallium	205-1	0.31	0.30	0.30	0.30	1.33	ppb
Tin	118-1	4.15	4.17	4.26	4.19	1.41	ppb
Titanium	47-1	1184.91	1206.50	1189.80	1193.74	0.95	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.05	1.02	1.07	1.05	2.34	ppb
Vanadium	51-2	290.30	294.42	290.55	291.75	0.79	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	284.54	290.17	288.64	287.78	1.01	ppb
Zirconium	90-1	23.74	23.78	23.59	23.70	0.42	ppb
Zirconium	91-1	24.19	24.19	24.38	24.26	0.45	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	50132.33	50944.41	50660.56	50579.10	0.81	ppb
Antimony	121-1	1.64	1.65	1.65	1.64	0.42	ppb
Arsenic	75-2	168.06	163.54	165.85	165.82	1.36	ppb
Barium	135-1	581.36	583.12	586.49	583.66	0.45	ppb
Barium	137-1	588.79	603.33	584.88	592.33	1.64	ppb
Beryllium	9-1	2.09	2.11	2.20	2.13	2.67	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.07	1.91	2.14	2.04	5.67	ppb
Cadmium	106-1	3.01	3.21	3.01	3.07	3.88	ppb
Cadmium	111-1	0.96	0.98	0.91	0.95	3.81	ppb
Calcium	43-1	10562.53	10761.55	10788.15	10704.08	1.15	ppb
Calcium	44-1	10289.66	10251.49	10310.15	10283.77	0.29	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	172.81	175.06	174.05	173.98	0.65	ppb
Cobalt	59-2	74.89	75.42	74.66	74.99	0.52	ppb
Copper	63-2	197.42	193.58	196.01	195.67	0.99	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	159282.29	161003.53	162073.17	160786.33	0.88	ppb
Iron	57-2	156445.45	159784.03	156946.72	157725.40	1.14	ppb
Iron	54-2	160491.55	164182.87	161344.27	162006.23	1.19	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	41.33	42.46	43.25	42.35	2.28	ppb
Lead	207-1	41.08	41.39	42.24	41.57	1.43	ppb
Lead	208-1	41.40	41.92	42.81	42.04	1.70	ppb
Lithium	6-1				105		%
Magnesium	24-2	29396.66	29468.24	29222.36	29362.42	0.43	ppb
Manganese	55-2	6083.96	6169.37	6140.76	6131.36	0.71	ppb
Molybdenum	94-1	23.41	23.86	24.18	23.82	1.62	ppb
Molybdenum	95-1	2.34	2.42	2.39	2.38	1.56	ppb
Molybdenum	96-1	5.35	5.52	5.56	5.48	2.01	ppb
Molybdenum	97-1	2.23	2.28	2.28	2.27	1.38	ppb
Molybdenum	98-1	2.24	2.31	2.28	2.28	1.67	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	137.65	138.65	136.86	137.72	0.65	ppb
Phosphorus	31-2	2284.82	2305.02	2303.12	2297.65	0.49	ppb
Potassium	39-2	13646.56	13670.20	13482.65	13599.80	0.75	ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				103		%
Scandium	45-2				100		%
Selenium	82-1	0.99	0.90	0.86	0.92	7.22	ppb
Selenium	77-2	16.33	16.14	14.19	15.55	7.61	ppb
Selenium	78-2	3.51	3.53	3.80	3.61	4.51	ppb
Silicon	28-1	670.88	679.27	683.04	677.73	0.92	ppb
Silver	107-1	0.23	0.23	0.23	0.23	1.63	ppb
Silver	109-1	0.22	0.22	0.24	0.23	3.42	ppb
Sodium	23-2	154.69	156.74	156.21	155.88	0.68	ppb
Strontium	86-1	81.65	84.39	84.37	83.47	1.89	ppb
Strontium	88-1	82.59	85.22	84.21	84.01	1.58	ppb
Sulfur	34-1	-1554.25	-1528.46	-1553.74	-1545.48		ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	0.28	0.28	0.30	0.29	4.44	ppb
Thallium	205-1	0.27	0.30	0.29	0.29	4.99	ppb
Tin	118-1	2.73	2.81	2.79	2.78	1.61	ppb
Titanium	47-1	1005.89	1007.69	1011.37	1008.31	0.28	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.98	1.00	1.00	1.00	0.96	ppb
Vanadium	51-2	303.76	313.63	306.80	308.06	1.64	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	246.44	249.70	249.40	248.51	0.73	ppb
Zirconium	90-1	13.19	13.39	13.33	13.30	0.79	ppb
Zirconium	91-1	13.12	13.68	13.43	13.41	2.07	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	38610.16	35647.34	36210.01	36822.50	4.27	ppb
Antimony	121-1	1.62	1.67	1.67	1.66	1.82	ppb
Arsenic	75-2	125.65	115.79	117.65	119.70	4.38	ppb
Barium	135-1	571.14	565.64	563.16	566.65	0.72	ppb
Barium	137-1	576.09	557.15	566.70	566.65	1.67	ppb
Beryllium	9-1	1.58	1.73	1.64	1.65	4.45	ppb
Bismuth	209-1				98		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.95	2.08	1.63	1.89	12.24	ppb
Cadmium	106-1	2.58	1.95	2.71	2.41	16.80	ppb
Cadmium	111-1	1.30	1.22	1.34	1.29	4.73	ppb
Calcium	43-1	9011.59	9383.89	9270.35	9221.94	2.07	ppb
Calcium	44-1	8660.71	8827.68	8870.71	8786.37	1.26	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	131.45	120.63	122.84	124.97	4.57	ppb
Cobalt	59-2	62.24	57.70	58.08	59.34	4.24	ppb
Copper	63-2	227.16	208.27	213.57	216.33	4.50	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				94		%
Indium	115-2				94		%
Iron	56-2	134742.83	122758.51	124046.97	127182.77	5.17	ppb
Iron	57-2	131855.72	120580.52	121873.96	124770.07	4.95	ppb
Iron	54-2	134865.79	122605.95	124851.07	127440.94	5.12	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	58.44	60.78	60.13	59.78	2.02	ppb
Lead	207-1	58.09	60.61	60.80	59.83	2.52	ppb
Lead	208-1	58.55	59.83	59.88	59.42	1.27	ppb
Lithium	6-1				103		%
Magnesium	24-2	21117.77	19728.40	19934.50	20260.22	3.70	ppb
Manganese	55-2	5490.39	5020.99	5062.57	5191.32	5.01	ppb
Molybdenum	94-1	15.10	15.75	15.97	15.61	2.88	ppb
Molybdenum	95-1	1.54	1.53	1.52	1.53	0.43	ppb
Molybdenum	96-1	3.61	3.67	3.68	3.65	1.07	ppb
Molybdenum	97-1	1.47	1.55	1.59	1.54	3.87	ppb
Molybdenum	98-1	1.45	1.43	1.48	1.46	1.57	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	106.24	98.46	100.71	101.80	3.93	ppb
Phosphorus	31-2	1991.73	1796.77	1804.57	1864.36	5.92	ppb
Potassium	39-2	8687.56	7979.24	8075.80	8247.53	4.66	ppb
Rhodium	103-1				94		%
Rhodium	103-2				92		%
Scandium	45-1				100		%
Scandium	45-2				97		%
Selenium	82-1	1.04	0.96	1.46	1.16	23.46	ppb
Selenium	77-2	16.75	16.69	15.98	16.47	2.59	ppb
Selenium	78-2	3.62	3.38	2.81	3.27	12.70	ppb
Silicon	28-1	627.61	630.06	629.11	628.92	0.20	ppb
Silver	107-1	0.27	0.27	0.27	0.27	1.20	ppb
Silver	109-1	0.28	0.26	0.28	0.28	4.08	ppb
Sodium	23-2	140.67	125.88	130.45	132.33	5.72	ppb
Strontium	86-1	70.06	73.21	73.36	72.21	2.58	ppb
Strontium	88-1	71.91	74.19	73.17	73.09	1.56	ppb
Sulfur	34-1	-1388.02	-1261.53	-1342.12	-1330.56		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.27	0.26	0.30	0.28	7.94	ppb
Thallium	205-1	0.28	0.26	0.27	0.27	4.03	ppb
Tin	118-1	2.28	2.25	2.30	2.28	1.09	ppb
Titanium	47-1	780.78	797.46	808.59	795.61	1.76	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.85	0.85	0.86	0.86	0.77	ppb
Vanadium	51-2	244.36	227.96	230.51	234.28	3.77	ppb
Yttrium	89-1				100		%
Yttrium	89-2				97		%
Zinc	66-2	257.93	237.84	241.86	245.88	4.32	ppb
Zirconium	90-1	8.43	8.60	8.65	8.56	1.39	ppb
Zirconium	91-1	8.49	8.85	8.80	8.71	2.26	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	41574.99	41357.35	40642.10	41191.48	1.18	ppb
Antimony	121-1	1.42	1.39	1.41	1.40	0.94	ppb
Arsenic	75-2	117.36	114.82	116.47	116.22	1.11	ppb
Barium	135-1	486.85	505.58	497.68	496.70	1.89	ppb
Barium	137-1	491.76	503.20	502.58	499.18	1.29	ppb
Beryllium	9-1	1.55	1.57	1.58	1.57	0.80	ppb
Bismuth	209-1				98		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.16	1.85	1.82	1.94	9.78	ppb
Cadmium	106-1	2.74	2.29	1.93	2.32	17.65	ppb
Cadmium	111-1	1.00	0.97	0.96	0.98	2.11	ppb
Calcium	43-1	10724.40	10824.21	10790.93	10779.85	0.47	ppb
Calcium	44-1	10284.67	10262.23	10502.59	10349.83	1.28	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	110.12	112.02	109.74	110.63	1.10	ppb
Cobalt	59-2	59.98	60.74	59.67	60.13	0.92	ppb
Copper	63-2	203.64	206.12	203.40	204.38	0.74	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	121673.97	122484.17	121543.41	121900.52	0.42	ppb
Iron	57-2	119525.01	120552.91	120314.60	120130.84	0.45	ppb
Iron	54-2	122761.02	123651.40	123244.96	123219.13	0.36	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	39.89	40.36	39.94	40.07	0.65	ppb
Lead	207-1	38.07	39.24	38.55	38.62	1.52	ppb
Lead	208-1	38.80	39.76	39.34	39.30	1.23	ppb
Lithium	6-1				102		%
Magnesium	24-2	23326.84	23661.16	23383.69	23457.23	0.76	ppb
Manganese	55-2	2652.57	2648.21	2653.00	2651.26	0.10	ppb
Molybdenum	94-1	22.95	23.26	23.95	23.38	2.19	ppb
Molybdenum	95-1	1.06	1.06	1.10	1.07	2.22	ppb
Molybdenum	96-1	3.98	3.91	4.19	4.03	3.73	ppb
Molybdenum	97-1	1.05	1.07	1.06	1.06	1.07	ppb
Molybdenum	98-1	0.99	1.04	1.05	1.03	3.04	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	104.18	104.57	102.20	103.65	1.22	ppb
Phosphorus	31-2	2399.55	2417.67	2379.79	2399.00	0.79	ppb
Potassium	39-2	8599.85	8615.45	8675.04	8630.11	0.46	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				101		%
Scandium	45-2				99		%
Selenium	82-1	1.26	1.12	1.36	1.25	9.64	ppb
Selenium	77-2	16.76	15.71	14.96	15.81	5.71	ppb
Selenium	78-2	2.50	2.74	3.21	2.82	12.79	ppb
Silicon	28-1	608.11	624.08	617.76	616.65	1.30	ppb
Silver	107-1	0.19	0.20	0.21	0.20	4.14	ppb
Silver	109-1	0.19	0.20	0.19	0.19	2.52	ppb
Sodium	23-2	158.06	162.00	158.90	159.65	1.30	ppb
Strontium	86-1	63.94	63.22	66.02	64.39	2.26	ppb
Strontium	88-1	64.16	64.29	65.84	64.76	1.44	ppb
Sulfur	34-1	-1526.37	-1539.03	-1605.71	-1557.04		ppb
Terbium	159-1				97		%
Terbium	159-2				98		%
Thallium	203-1	0.23	0.25	0.23	0.24	4.57	ppb
Thallium	205-1	0.23	0.23	0.23	0.23	0.73	ppb
Tin	118-1	2.39	2.44	2.40	2.41	0.95	ppb
Titanium	47-1	1086.00	1105.20	1115.56	1102.25	1.36	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.83	0.87	0.86	0.85	2.53	ppb
Vanadium	51-2	261.81	267.39	263.89	264.36	1.07	ppb
Yttrium	89-1				101		%
Yttrium	89-2				100		%
Zinc	66-2	205.02	204.26	201.29	203.52	0.97	ppb
Zirconium	90-1	13.40	13.62	13.97	13.66	2.10	ppb
Zirconium	91-1	13.62	13.47	14.15	13.75	2.61	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	67787.57	68205.67	68562.60	68185.28	0.57	ppb
Antimony	121-1	2.30	2.28	2.32	2.30	0.74	ppb
Arsenic	75-2	185.27	184.33	185.45	185.02	0.32	ppb
Barium	135-1	290.49	292.31	292.99	291.93	0.44	ppb
Barium	137-1	302.48	309.14	312.68	308.10	1.68	ppb
Beryllium	9-1	1.31	1.39	1.33	1.35	3.18	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	4.45	3.96	3.88	4.10	7.52	ppb
Cadmium	106-1	4.39	3.71	3.89	4.00	8.91	ppb
Cadmium	111-1	3.55	3.60	3.62	3.59	0.96	ppb
Calcium	43-1	5043.13	5179.29	5199.50	5140.64	1.65	ppb
Calcium	44-1	4790.16	4912.83	4886.94	4863.31	1.33	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	133.37	133.05	134.20	133.54	0.45	ppb
Cobalt	59-2	82.23	82.23	82.35	82.27	0.08	ppb
Copper	63-2	495.34	503.87	506.65	501.95	1.17	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				95		%
Indium	115-2				94		%
Iron	56-2	183134.80	181347.47	183617.96	182700.08	0.65	ppb
Iron	57-2	178133.82	177069.34	179954.13	178385.76	0.82	ppb
Iron	54-2	185412.33	183059.58	182079.08	183517.00	0.93	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	134.37	138.16	135.19	135.91	1.47	ppb
Lead	207-1	133.94	135.17	134.17	134.42	0.49	ppb
Lead	208-1	141.61	145.03	143.72	143.45	1.20	ppb
Lithium	6-1				98		%
Magnesium	24-2	46557.57	46468.83	46146.68	46391.03	0.47	ppb
Manganese	55-2	3132.94	3155.91	3109.78	3132.88	0.74	ppb
Molybdenum	94-1	10.67	10.74	10.81	10.74	0.68	ppb
Molybdenum	95-1	1.70	1.75	1.75	1.73	1.41	ppb
Molybdenum	96-1	3.89	3.71	3.67	3.75	3.07	ppb
Molybdenum	97-1	1.71	1.65	1.73	1.70	2.33	ppb
Molybdenum	98-1	1.64	1.68	1.67	1.66	1.39	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	100.42	101.32	102.61	101.45	1.09	ppb
Phosphorus	31-2	1503.91	1532.43	1547.53	1527.96	1.45	ppb
Potassium	39-2	7568.50	7599.12	7494.28	7553.97	0.71	ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				108		%
Scandium	45-2				106		%
Selenium	82-1	1.50	2.00	1.74	1.74	14.24	ppb
Selenium	77-2	15.39	12.60	15.17	14.39	10.80	ppb
Selenium	78-2	3.03	1.96	4.18	3.06	36.30	ppb
Silicon	28-1	501.03	523.39	513.94	512.79	2.19	ppb
Silver	107-1	0.74	0.74	0.77	0.75	2.81	ppb
Silver	109-1	0.75	0.76	0.75	0.75	0.81	ppb
Sodium	23-2	109.54	110.12	111.34	110.33	0.84	ppb
Strontium	86-1	38.08	38.60	38.32	38.33	0.67	ppb
Strontium	88-1	38.56	38.06	39.14	38.59	1.41	ppb
Sulfur	34-1	-1746.10	-1603.74	-1625.33	-1658.39		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.23	0.24	0.24	0.24	0.71	ppb
Thallium	205-1	0.24	0.25	0.24	0.24	1.49	ppb
Tin	118-1	2.81	2.82	2.91	2.85	2.03	ppb
Titanium	47-1	529.06	535.93	537.49	534.16	0.84	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.68	0.68	0.68	0.68	0.37	ppb
Vanadium	51-2	560.96	551.56	547.64	553.39	1.24	ppb
Yttrium	89-1				101		%
Yttrium	89-2				100		%
Zinc	66-2	412.89	415.09	415.49	414.49	0.34	ppb
Zirconium	90-1	5.49	5.61	5.55	5.55	1.11	ppb
Zirconium	91-1	5.69	5.69	5.56	5.65	1.29	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	29674.39	29041.34	29689.14	29468.29	1.25	ppb
Antimony	121-1	1.01	1.05	1.07	1.04	2.56	ppb
Arsenic	75-2	76.53	75.06	75.17	75.59	1.08	ppb
Barium	135-1	285.71	288.72	286.37	286.93	0.55	ppb
Barium	137-1	300.95	302.83	299.08	300.95	0.62	ppb
Beryllium	9-1	1.14	1.13	1.19	1.15	2.69	ppb
Bismuth	209-1				98		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.27	1.62	1.27	1.38	14.40	ppb
Cadmium	106-1	1.44	0.81	1.34	1.20	28.55	ppb
Cadmium	111-1	0.93	0.91	0.93	0.92	1.19	ppb
Calcium	43-1	11617.61	12002.39	12053.67	11891.22	2.00	ppb
Calcium	44-1	11138.86	11434.63	11158.53	11244.00	1.47	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	57.51	58.11	57.45	57.69	0.64	ppb
Cobalt	59-2	38.20	38.14	37.88	38.07	0.45	ppb
Copper	63-2	231.72	231.36	234.87	232.65	0.83	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				95		%
Iron	56-2	92000.23	94229.41	93039.63	93089.76	1.20	ppb
Iron	57-2	90448.15	92177.80	90947.97	91191.31	0.98	ppb
Iron	54-2	94625.48	94135.91	95211.63	94657.67	0.57	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	83.96	83.91	86.94	84.94	2.04	ppb
Lead	207-1	78.34	77.98	80.23	78.85	1.54	ppb
Lead	208-1	80.41	80.18	88.05	82.88	5.41	ppb
Lithium	6-1				100		%
Magnesium	24-2	18839.19	18810.19	18929.67	18859.68	0.33	ppb
Manganese	55-2	1584.26	1591.08	1603.88	1593.08	0.63	ppb
Molybdenum	94-1	9.07	9.02	9.00	9.03	0.40	ppb
Molybdenum	95-1	0.88	0.89	0.91	0.90	1.77	ppb
Molybdenum	96-1	2.26	2.30	2.30	2.29	0.96	ppb
Molybdenum	97-1	0.91	0.92	0.92	0.92	0.57	ppb
Molybdenum	98-1	0.86	0.86	0.92	0.88	3.72	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	48.68	48.68	48.49	48.62	0.22	ppb
Phosphorus	31-2	2230.08	2212.51	2219.32	2220.64	0.40	ppb
Potassium	39-2	5876.76	5938.71	5942.45	5919.30	0.62	ppb
Rhodium	103-1				95		%
Rhodium	103-2				96		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	1.00	1.10	1.12	1.07	6.10	ppb
Selenium	77-2	11.02	11.75	10.90	11.22	4.07	ppb
Selenium	78-2	3.00	2.03	1.87	2.30	26.60	ppb
Silicon	28-1	564.92	575.40	559.39	566.57	1.44	ppb
Silver	107-1	0.11	0.11	0.10	0.11	3.99	ppb
Silver	109-1	0.11	0.10	0.10	0.10	7.72	ppb
Sodium	23-2	168.30	167.64	169.02	168.32	0.41	ppb
Strontium	86-1	70.84	71.17	70.36	70.79	0.57	ppb
Strontium	88-1	71.67	71.24	71.75	71.55	0.38	ppb
Sulfur	34-1	-1397.83	-1380.60	-1396.65	-1391.70		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.25	0.24	0.26	0.25	2.37	ppb
Thallium	205-1	0.24	0.24	0.26	0.25	3.60	ppb
Tin	118-1	2.42	2.44	2.47	2.44	1.00	ppb
Titanium	47-1	989.78	1027.55	975.73	997.69	2.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.61	0.61	0.63	0.61	1.62	ppb
Vanadium	51-2	214.42	218.72	217.79	216.98	1.04	ppb
Yttrium	89-1				100		%
Yttrium	89-2				101		%
Zinc	66-2	196.59	195.53	197.53	196.55	0.51	ppb
Zirconium	90-1	4.90	5.02	4.86	4.93	1.67	ppb
Zirconium	91-1	5.11	5.15	5.06	5.11	0.95	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	67778.93	68039.20	69036.12	68284.75	0.97	ppb
Antimony	121-1	1.03	1.07	1.07	1.05	2.01	ppb
Arsenic	75-2	187.26	190.87	187.21	188.44	1.11	ppb
Barium	135-1	398.58	399.41	405.07	401.02	0.88	ppb
Barium	137-1	425.86	426.46	426.21	426.18	0.07	ppb
Beryllium	9-1	1.50	1.45	1.43	1.46	2.60	ppb
Bismuth	209-1				96		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.67	1.61	1.76	1.68	4.69	ppb
Cadmium	106-1	1.28	1.12	2.74	1.72	52.17	ppb
Cadmium	111-1	1.08	1.16	1.30	1.18	9.46	ppb
Calcium	43-1	13982.83	14146.00	14266.23	14131.69	1.01	ppb
Calcium	44-1	13208.71	13527.75	13456.10	13397.52	1.25	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	148.70	148.90	150.46	149.35	0.64	ppb
Cobalt	59-2	86.48	86.26	87.73	86.82	0.91	ppb
Copper	63-2	317.91	312.02	314.04	314.66	0.95	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	170659.06	171565.32	173570.44	171931.61	0.87	ppb
Iron	57-2	168373.58	165856.33	171162.57	168464.16	1.58	ppb
Iron	54-2	174513.67	173589.32	175268.18	174457.06	0.48	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	64.66	65.73	65.68	65.36	0.92	ppb
Lead	207-1	62.68	63.57	64.30	63.52	1.28	ppb
Lead	208-1	63.52	64.62	64.97	64.37	1.17	ppb
Lithium	6-1				97		%
Magnesium	24-2	45641.22	45024.91	46227.66	45631.26	1.32	ppb
Manganese	55-2	3123.76	3154.55	3183.58	3153.96	0.95	ppb
Molybdenum	94-1	9.37	9.52	9.34	9.41	1.01	ppb
Molybdenum	95-1	2.43	2.44	2.47	2.45	0.77	ppb
Molybdenum	96-1	4.13	4.23	4.21	4.19	1.20	ppb
Molybdenum	97-1	2.45	2.44	2.38	2.43	1.50	ppb
Molybdenum	98-1	2.37	2.48	2.37	2.41	2.57	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	126.34	126.04	128.47	126.95	1.04	ppb
Phosphorus	31-2	1629.91	1638.32	1621.75	1629.99	0.51	ppb
Potassium	39-2	7221.21	7231.11	7161.21	7204.51	0.53	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				106		%
Scandium	45-2				105		%
Selenium	82-1	1.00	1.21	1.10	1.10	9.34	ppb
Selenium	77-2	12.47	11.96	10.99	11.81	6.35	ppb
Selenium	78-2	2.16	1.65	1.76	1.86	14.42	ppb
Silicon	28-1	534.13	541.67	543.27	539.69	0.90	ppb
Silver	107-1	0.22	0.22	0.22	0.22	1.50	ppb
Silver	109-1	0.21	0.23	0.22	0.22	3.41	ppb
Sodium	23-2	133.66	134.55	138.78	135.66	2.02	ppb
Strontium	86-1	75.90	76.21	75.30	75.80	0.61	ppb
Strontium	88-1	75.87	77.18	76.96	76.67	0.92	ppb
Sulfur	34-1	-1703.63	-1625.53	-1615.98	-1648.38		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.19	0.21	0.21	0.21	5.36	ppb
Thallium	205-1	0.20	0.19	0.20	0.20	2.29	ppb
Tin	118-1	3.98	4.01	4.04	4.01	0.83	ppb
Titanium	47-1	1170.47	1188.92	1198.98	1186.12	1.22	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.51	0.52	0.53	0.52	1.78	ppb
Vanadium	51-2	515.91	517.38	527.61	520.30	1.22	ppb
Yttrium	89-1				103		%
Yttrium	89-2				101		%
Zinc	66-2	300.69	298.68	300.60	299.99	0.38	ppb
Zirconium	90-1	4.40	4.48	4.39	4.43	1.14	ppb
Zirconium	91-1	4.39	4.51	4.46	4.45	1.31	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	36813.29	36395.32	36275.69	36494.77	0.77	ppb
Antimony	121-1	1.50	1.50	1.53	1.51	1.20	ppb
Arsenic	75-2	117.97	116.15	120.80	118.30	1.98	ppb
Barium	135-1	495.21	501.94	511.29	502.81	1.61	ppb
Barium	137-1	512.39	511.74	514.81	512.98	0.32	ppb
Beryllium	9-1	1.78	1.75	1.67	1.73	3.40	ppb
Bismuth	209-1				97		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.48	1.59	1.68	1.58	6.33	ppb
Cadmium	106-1	2.58	1.25	1.55	1.79	38.77	ppb
Cadmium	111-1	1.02	0.99	1.01	1.01	1.44	ppb
Calcium	43-1	14438.24	14329.25	14793.55	14520.35	1.67	ppb
Calcium	44-1	13794.36	13770.52	13958.39	13841.09	0.74	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	116.95	118.34	117.62	117.64	0.59	ppb
Cobalt	59-2	58.07	58.37	57.93	58.12	0.38	ppb
Copper	63-2	171.42	172.09	171.84	171.78	0.20	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				96		%
Indium	115-2				95		%
Iron	56-2	112888.78	114346.48	112677.61	113304.29	0.80	ppb
Iron	57-2	109601.33	111362.70	109932.61	110298.88	0.85	ppb
Iron	54-2	113308.00	116393.39	113760.19	114487.20	1.46	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	34.93	35.12	35.52	35.19	0.86	ppb
Lead	207-1	34.49	34.81	35.06	34.78	0.81	ppb
Lead	208-1	34.50	35.08	35.03	34.87	0.92	ppb
Lithium	6-1				103		%
Magnesium	24-2	21171.07	21388.27	21272.09	21277.14	0.51	ppb
Manganese	55-2	4097.12	4181.53	4116.64	4131.76	1.07	ppb
Molybdenum	94-1	9.53	9.67	9.88	9.69	1.78	ppb
Molybdenum	95-1	1.49	1.49	1.56	1.51	2.58	ppb
Molybdenum	96-1	2.91	2.92	2.96	2.93	0.87	ppb
Molybdenum	97-1	1.41	1.43	1.46	1.43	1.93	ppb
Molybdenum	98-1	1.44	1.46	1.46	1.45	0.96	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	96.70	96.60	97.21	96.84	0.34	ppb
Phosphorus	31-2	2634.65	2655.66	2638.32	2642.88	0.42	ppb
Potassium	39-2	10046.13	10256.92	10077.87	10126.98	1.12	ppb
Rhodium	103-1				95		%
Rhodium	103-2				96		%
Scandium	45-1				101		%
Scandium	45-2				100		%
Selenium	82-1	0.87	1.27	1.55	1.23	27.90	ppb
Selenium	77-2	14.57	13.71	13.60	13.96	3.84	ppb
Selenium	78-2	2.67	1.84	1.20	1.90	38.73	ppb
Silicon	28-1	825.33	817.88	859.35	834.19	2.65	ppb
Silver	107-1	0.21	0.21	0.22	0.21	3.78	ppb
Silver	109-1	0.21	0.22	0.22	0.22	1.33	ppb
Sodium	23-2	169.52	173.42	171.03	171.32	1.15	ppb
Strontium	86-1	104.42	104.75	106.83	105.34	1.24	ppb
Strontium	88-1	107.14	105.46	107.24	106.61	0.94	ppb
Sulfur	34-1	-867.12	-1017.24	-931.27	-938.54		ppb
Terbium	159-1				99		%
Terbium	159-2				100		%
Thallium	203-1	0.24	0.26	0.25	0.25	4.56	ppb
Thallium	205-1	0.24	0.25	0.24	0.24	2.46	ppb
Tin	118-1	2.23	2.25	2.29	2.25	1.47	ppb
Titanium	47-1	886.72	897.45	897.32	893.83	0.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.72	0.73	0.74	0.73	1.19	ppb
Vanadium	51-2	220.99	224.08	225.56	223.54	1.04	ppb
Yttrium	89-1				102		%
Yttrium	89-2				100		%
Zinc	66-2	258.85	265.59	260.22	261.55	1.36	ppb
Zirconium	90-1	5.03	5.08	5.17	5.09	1.34	ppb
Zirconium	91-1	5.11	5.17	5.28	5.19	1.64	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	28503.41	28424.21	28424.23	28450.62	0.16	ppb
Antimony	121-1	1.28	1.30	1.31	1.30	1.47	ppb
Arsenic	75-2	103.51	102.87	102.70	103.03	0.42	ppb
Barium	135-1	257.80	263.25	263.69	261.58	1.25	ppb
Barium	137-1	259.83	278.68	264.38	267.63	3.68	ppb
Beryllium	9-1	1.01	0.93	0.87	0.94	7.42	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.36	1.63	1.36	1.45	10.71	ppb
Cadmium	106-1	2.19	1.25	1.29	1.58	33.55	ppb
Cadmium	111-1	1.03	0.91	0.97	0.97	6.07	ppb
Calcium	43-1	7306.73	7460.64	7375.98	7381.12	1.04	ppb
Calcium	44-1	6894.60	7036.69	6974.81	6968.70	1.02	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	92.22	91.56	91.85	91.88	0.36	ppb
Cobalt	59-2	41.80	40.68	41.52	41.33	1.41	ppb
Copper	63-2	294.47	295.32	304.97	298.25	1.96	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				96		%
Iron	56-2	92141.93	91949.83	93484.18	92525.31	0.90	ppb
Iron	57-2	91183.24	89656.44	91503.22	90780.97	1.09	ppb
Iron	54-2	91140.76	93597.98	94163.54	92967.43	1.73	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	40.03	40.88	40.54	40.48	1.05	ppb
Lead	207-1	39.59	39.30	39.67	39.52	0.50	ppb
Lead	208-1	39.55	39.73	39.70	39.66	0.25	ppb
Lithium	6-1				101		%
Magnesium	24-2	18379.11	17958.06	18115.28	18150.82	1.17	ppb
Manganese	55-2	1731.05	1735.95	1759.73	1742.24	0.88	ppb
Molybdenum	94-1	10.90	11.03	10.68	10.87	1.61	ppb
Molybdenum	95-1	1.84	1.91	1.80	1.85	3.14	ppb
Molybdenum	96-1	3.32	3.24	3.20	3.26	1.85	ppb
Molybdenum	97-1	1.80	1.79	1.75	1.78	1.45	ppb
Molybdenum	98-1	1.78	1.76	1.76	1.77	0.62	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	70.66	70.72	71.36	70.91	0.55	ppb
Phosphorus	31-2	1477.28	1475.89	1483.23	1478.80	0.26	ppb
Potassium	39-2	5826.17	5670.71	5734.43	5743.77	1.36	ppb
Rhodium	103-1				94		%
Rhodium	103-2				96		%
Scandium	45-1				98		%
Scandium	45-2				97		%
Selenium	82-1	0.97	0.75	0.70	0.81	17.70	ppb
Selenium	77-2	8.73	6.86	9.30	8.30	15.37	ppb
Selenium	78-2	2.24	0.23	1.02	1.16	87.05	ppb
Silicon	28-1	865.44	900.12	861.20	875.59	2.44	ppb
Silver	107-1	0.22	0.24	0.24	0.23	5.05	ppb
Silver	109-1	0.23	0.24	0.22	0.23	3.88	ppb
Sodium	23-2	126.33	128.23	130.21	128.26	1.51	ppb
Strontium	86-1	41.04	41.24	40.55	40.94	0.87	ppb
Strontium	88-1	40.96	42.00	40.81	41.26	1.57	ppb
Sulfur	34-1	-1645.79	-1625.82	-1694.07	-1655.23		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.14	0.14	0.14	0.14	3.10	ppb
Thallium	205-1	0.14	0.15	0.15	0.14	4.23	ppb
Tin	118-1	2.30	2.37	2.40	2.36	2.04	ppb
Titanium	47-1	1010.37	1048.72	1010.19	1023.09	2.17	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.51	0.52	0.52	0.51	1.43	ppb
Vanadium	51-2	192.48	192.89	194.75	193.37	0.63	ppb
Yttrium	89-1				99		%
Yttrium	89-2				98		%
Zinc	66-2	169.35	168.78	170.58	169.57	0.54	ppb
Zirconium	90-1	5.60	5.64	5.55	5.60	0.80	ppb
Zirconium	91-1	5.80	5.70	5.64	5.71	1.43	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	45637.25	45867.55	45896.67	45800.49	0.31	ppb
Antimony	121-1	1.10	1.09	1.09	1.09	0.24	ppb
Arsenic	75-2	67.15	67.89	68.45	67.83	0.96	ppb
Barium	135-1	378.55	387.66	389.63	385.28	1.53	ppb
Barium	137-1	406.29	405.22	402.69	404.73	0.46	ppb
Beryllium	9-1	2.33	2.31	2.44	2.36	2.94	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.83	1.86	1.80	1.83	1.61	ppb
Cadmium	106-1	2.53	3.24	2.91	2.89	12.23	ppb
Cadmium	111-1	0.84	0.88	0.88	0.87	2.64	ppb
Calcium	43-1	20379.28	21270.73	21148.77	20932.92	2.31	ppb
Calcium	44-1	19522.16	20072.43	19934.14	19842.91	1.44	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	69.72	70.64	69.94	70.10	0.69	ppb
Cobalt	59-2	50.97	52.23	51.90	51.70	1.26	ppb
Copper	63-2	139.70	140.69	140.66	140.35	0.40	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				97		%
Indium	115-1				95		%
Indium	115-2				94		%
Iron	56-2	102511.23	105330.57	103272.81	103704.87	1.41	ppb
Iron	57-2	101937.13	101648.16	100339.92	101308.40	0.84	ppb
Iron	54-2	104952.79	104508.83	104163.00	104541.54	0.38	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	52.87	54.05	53.21	53.38	1.14	ppb
Lead	207-1	48.90	50.33	49.77	49.67	1.46	ppb
Lead	208-1	50.36	51.50	51.01	50.96	1.12	ppb
Lithium	6-1				98		%
Magnesium	24-2	24597.52	24807.19	24819.18	24741.30	0.50	ppb
Manganese	55-2	2240.87	2265.20	2230.94	2245.67	0.79	ppb
Molybdenum	94-1	21.41	21.60	22.09	21.70	1.62	ppb
Molybdenum	95-1	0.96	1.00	1.01	0.99	2.30	ppb
Molybdenum	96-1	3.68	3.70	3.76	3.71	1.22	ppb
Molybdenum	97-1	0.97	1.00	1.01	0.99	1.89	ppb
Molybdenum	98-1	0.93	0.94	0.96	0.94	1.56	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	59.49	60.72	60.06	60.09	1.03	ppb
Phosphorus	31-2	2707.82	2708.21	2703.75	2706.59	0.09	ppb
Potassium	39-2	5557.43	5659.27	5494.22	5570.31	1.49	ppb
Rhodium	103-1				94		%
Rhodium	103-2				94		%
Scandium	45-1				99		%
Scandium	45-2				98		%
Selenium	82-1	1.27	1.90	1.44	1.54	21.28	ppb
Selenium	77-2	22.28	20.46	20.09	20.94	5.61	ppb
Selenium	78-2	4.38	3.00	4.86	4.08	23.67	ppb
Silicon	28-1	746.17	765.88	777.57	763.21	2.08	ppb
Silver	107-1	0.11	0.10	0.11	0.11	4.79	ppb
Silver	109-1	0.09	0.10	0.09	0.09	5.21	ppb
Sodium	23-2	266.83	271.35	269.61	269.27	0.85	ppb
Strontium	86-1	165.21	165.25	168.59	166.35	1.17	ppb
Strontium	88-1	170.70	167.92	172.71	170.45	1.41	ppb
Sulfur	34-1	-1663.14	-1594.41	-1633.88	-1630.48		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.23	0.25	0.23	0.24	6.14	ppb
Thallium	205-1	0.23	0.23	0.23	0.23	0.64	ppb
Tin	118-1	2.72	2.81	2.77	2.77	1.69	ppb
Titanium	47-1	812.37	835.53	835.62	827.84	1.62	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.97	1.01	0.98	0.99	2.42	ppb
Vanadium	51-2	193.26	195.75	196.18	195.06	0.81	ppb
Yttrium	89-1				106		%
Yttrium	89-2				103		%
Zinc	66-2	240.14	241.16	241.81	241.04	0.35	ppb
Zirconium	90-1	12.28	12.44	12.54	12.42	1.06	ppb
Zirconium	91-1	12.59	12.56	12.93	12.69	1.62	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	31414.80	31039.45	31229.75	31228.00	0.60	ppb
Antimony	121-1	1.69	1.69	1.67	1.68	0.78	ppb
Arsenic	75-2	114.89	115.41	113.92	114.74	0.66	ppb
Barium	135-1	587.30	582.18	605.32	591.60	2.05	ppb
Barium	137-1	589.13	584.21	606.00	593.11	1.93	ppb
Beryllium	9-1	1.74	1.54	1.47	1.58	8.62	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.88	2.08	1.90	1.95	5.58	ppb
Cadmium	106-1	1.99	1.91	1.63	1.84	10.18	ppb
Cadmium	111-1	1.09	1.10	1.06	1.08	1.72	ppb
Calcium	43-1	8079.78	7867.33	8073.23	8006.78	1.51	ppb
Calcium	44-1	7585.72	7477.43	7781.07	7614.74	2.02	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	108.66	107.46	110.18	108.77	1.26	ppb
Cobalt	59-2	52.31	51.63	52.87	52.27	1.19	ppb
Copper	63-2	172.04	167.59	169.91	169.85	1.31	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	131715.75	131397.56	135593.34	132902.21	1.76	ppb
Iron	57-2	128767.45	130525.78	130537.01	129943.41	0.78	ppb
Iron	54-2	133341.59	133355.92	132997.67	133231.73	0.15	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	53.60	53.92	52.41	53.31	1.49	ppb
Lead	207-1	53.73	53.13	52.43	53.09	1.23	ppb
Lead	208-1	52.99	53.27	52.53	52.93	0.71	ppb
Lithium	6-1				95		%
Magnesium	24-2	17258.11	16918.70	17331.77	17169.53	1.28	ppb
Manganese	55-2	6003.74	6012.57	6132.04	6049.45	1.18	ppb
Molybdenum	94-1	18.70	18.59	18.75	18.68	0.45	ppb
Molybdenum	95-1	1.42	1.46	1.57	1.48	5.18	ppb
Molybdenum	96-1	3.86	4.02	3.99	3.96	2.12	ppb
Molybdenum	97-1	1.40	1.49	1.41	1.43	3.17	ppb
Molybdenum	98-1	1.33	1.39	1.43	1.38	3.40	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	89.44	88.10	90.12	89.22	1.16	ppb
Phosphorus	31-2	1870.68	1860.06	1869.37	1866.70	0.31	ppb
Potassium	39-2	6767.95	6771.66	6877.84	6805.81	0.92	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				99		%
Scandium	45-2				97		%
Selenium	82-1	0.82	1.04	1.24	1.03	20.47	ppb
Selenium	77-2	14.30	11.82	11.35	12.49	12.69	ppb
Selenium	78-2	2.11	2.58	1.28	1.99	32.96	ppb
Silicon	28-1	1013.24	1021.68	1033.19	1022.70	0.98	ppb
Silver	107-1	0.23	0.23	0.26	0.24	6.30	ppb
Silver	109-1	0.23	0.26	0.24	0.24	5.19	ppb
Sodium	23-2	172.45	173.21	175.20	173.62	0.82	ppb
Strontium	86-1	70.90	71.60	69.64	70.71	1.40	ppb
Strontium	88-1	72.82	70.71	70.92	71.48	1.63	ppb
Sulfur	34-1	-1517.96	-1652.68	-1670.48	-1613.71		ppb
Terbium	159-1				99		%
Terbium	159-2				98		%
Thallium	203-1	0.30	0.26	0.27	0.28	6.04	ppb
Thallium	205-1	0.27	0.27	0.28	0.27	1.07	ppb
Tin	118-1	2.43	2.45	2.42	2.43	0.59	ppb
Titanium	47-1	804.66	827.08	834.32	822.02	1.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.74	0.73	0.72	0.73	1.82	ppb
Vanadium	51-2	235.25	231.52	235.18	233.98	0.91	ppb
Yttrium	89-1				100		%
Yttrium	89-2				100		%
Zinc	66-2	230.54	227.00	230.42	229.32	0.88	ppb
Zirconium	90-1	10.16	10.39	10.50	10.35	1.64	ppb
Zirconium	91-1	10.30	10.95	10.49	10.58	3.17	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	37259.32	36886.69	36572.76	36906.26	0.93	ppb
Antimony	121-1	0.67	0.72	0.73	0.71	4.66	ppb
Arsenic	75-2	48.97	48.37	47.78	48.37	1.22	ppb
Barium	135-1	272.19	279.27	279.89	277.12	1.54	ppb
Barium	137-1	286.74	295.21	299.29	293.75	2.18	ppb
Beryllium	9-1	1.65	1.81	1.80	1.75	5.03	ppb
Bismuth	209-1				98		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.16	1.20	1.38	1.25	9.39	ppb
Cadmium	106-1	1.63	1.67	0.89	1.40	31.46	ppb
Cadmium	111-1	0.64	0.65	0.58	0.62	6.03	ppb
Calcium	43-1	12595.10	12555.36	12678.37	12609.61	0.50	ppb
Calcium	44-1	11908.31	12056.61	12265.27	12076.73	1.48	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	44.92	45.04	44.00	44.65	1.27	ppb
Cobalt	59-2	33.97	33.72	33.13	33.61	1.28	ppb
Copper	63-2	88.86	88.46	88.07	88.46	0.45	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				99		%
Indium	115-1				95		%
Indium	115-2				94		%
Iron	56-2	77415.51	77009.34	76581.76	77002.20	0.54	ppb
Iron	57-2	76449.99	76214.30	75546.06	76070.12	0.62	ppb
Iron	54-2	77381.78	77111.02	77945.98	77479.60	0.55	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	33.36	32.91	33.21	33.16	0.68	ppb
Lead	207-1	32.22	31.74	32.07	32.01	0.76	ppb
Lead	208-1	32.60	32.18	32.26	32.35	0.69	ppb
Lithium	6-1				97		%
Magnesium	24-2	16757.28	16732.97	16477.51	16655.92	0.93	ppb
Manganese	55-2	1556.79	1567.86	1553.25	1559.30	0.49	ppb
Molybdenum	94-1	16.03	16.14	15.82	16.00	1.02	ppb
Molybdenum	95-1	0.77	0.77	0.76	0.76	0.99	ppb
Molybdenum	96-1	2.71	2.77	2.82	2.77	1.94	ppb
Molybdenum	97-1	0.77	0.73	0.74	0.75	2.87	ppb
Molybdenum	98-1	0.74	0.76	0.73	0.74	2.34	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	41.00	40.90	40.57	40.82	0.54	ppb
Phosphorus	31-2	1986.05	2007.29	1955.53	1982.96	1.31	ppb
Potassium	39-2	7323.09	7581.88	7293.44	7399.47	2.14	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				97		%
Scandium	45-2				95		%
Selenium	82-1	1.11	0.97	1.06	1.05	7.07	ppb
Selenium	77-2	15.39	17.42	17.24	16.68	6.73	ppb
Selenium	78-2	4.48	2.70	2.73	3.30	30.82	ppb
Silicon	28-1	963.81	948.94	972.09	961.61	1.22	ppb
Silver	107-1	0.19	0.19	0.20	0.19	2.10	ppb
Silver	109-1	0.18	0.17	0.19	0.18	5.33	ppb
Sodium	23-2	156.12	157.30	157.84	157.09	0.56	ppb
Strontium	86-1	86.83	88.55	86.53	87.31	1.25	ppb
Strontium	88-1	87.20	88.91	87.07	87.73	1.17	ppb
Sulfur	34-1	-1864.19	-1935.27	-1926.40	-1908.62		ppb
Terbium	159-1				98		%
Terbium	159-2				99		%
Thallium	203-1	0.20	0.21	0.20	0.20	2.66	ppb
Thallium	205-1	0.20	0.19	0.20	0.19	1.30	ppb
Tin	118-1	2.80	2.86	2.85	2.84	1.26	ppb
Titanium	47-1	780.79	789.49	778.29	782.86	0.75	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.73	0.71	0.73	0.73	1.36	ppb
Vanadium	51-2	134.61	134.92	132.29	133.94	1.07	ppb
Yttrium	89-1				101		%
Yttrium	89-2				101		%
Zinc	66-2	199.09	198.60	194.10	197.26	1.39	ppb
Zirconium	90-1	9.16	9.39	9.22	9.26	1.32	ppb
Zirconium	91-1	9.52	9.51	9.30	9.44	1.33	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	38147.45	37825.38	38445.33	38139.39	0.81	ppb
Antimony	121-1	20.28	20.41	20.04	20.24	0.93	ppb
Arsenic	75-2	187.15	185.09	190.81	187.68	1.54	ppb
Barium	135-1	339.22	343.33	345.23	342.59	0.90	ppb
Barium	137-1	353.22	358.14	361.04	357.47	1.11	ppb
Beryllium	9-1	1.27	1.25	1.24	1.26	1.22	ppb
Bismuth	209-1				96		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.56	2.50	2.65	2.57	2.83	ppb
Cadmium	106-1	2.25	1.91	1.96	2.04	9.03	ppb
Cadmium	111-1	1.42	1.33	1.41	1.38	3.65	ppb
Calcium	43-1	12583.70	12652.92	12853.33	12696.65	1.10	ppb
Calcium	44-1	11747.29	11708.89	11786.63	11747.60	0.33	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	187.36	192.06	191.69	190.37	1.37	ppb
Cobalt	59-2	75.27	74.82	75.54	75.21	0.49	ppb
Copper	63-2	273.48	270.14	275.49	273.04	0.99	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				95		%
Iron	56-2	130838.19	132602.41	133464.16	132301.58	1.01	ppb
Iron	57-2	130370.07	127837.79	130609.79	129605.88	1.19	ppb
Iron	54-2	132467.79	132762.66	135458.13	133562.86	1.23	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	56.70	57.04	56.45	56.73	0.52	ppb
Lead	207-1	55.12	55.73	56.00	55.62	0.81	ppb
Lead	208-1	55.10	55.58	55.52	55.40	0.48	ppb
Lithium	6-1				95		%
Magnesium	24-2	26824.86	26688.27	27024.78	26845.97	0.63	ppb
Manganese	55-2	2817.46	2868.60	2863.14	2849.73	0.99	ppb
Molybdenum	94-1	19.68	19.68	19.55	19.64	0.38	ppb
Molybdenum	95-1	3.27	3.33	3.32	3.31	0.92	ppb
Molybdenum	96-1	5.60	5.67	5.68	5.65	0.75	ppb
Molybdenum	97-1	3.36	3.28	3.26	3.30	1.69	ppb
Molybdenum	98-1	3.26	3.24	3.28	3.26	0.58	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	119.49	119.36	121.11	119.99	0.81	ppb
Phosphorus	31-2	1714.01	1677.84	1759.17	1717.01	2.37	ppb
Potassium	39-2	6252.13	6214.24	6299.06	6255.14	0.68	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				98		%
Scandium	45-2				99		%
Selenium	82-1	0.81	1.22	1.32	1.12	24.16	ppb
Selenium	77-2	12.12	9.27	11.94	11.11	14.36	ppb
Selenium	78-2	1.80	1.98	2.65	2.14	20.84	ppb
Silicon	28-1	596.62	608.11	605.99	603.58	1.01	ppb
Silver	107-1	0.35	0.38	0.36	0.37	3.73	ppb
Silver	109-1	0.37	0.36	0.36	0.37	1.74	ppb
Sodium	23-2	247.25	246.52	252.15	248.64	1.23	ppb
Strontium	86-1	56.13	55.43	55.36	55.64	0.77	ppb
Strontium	88-1	57.34	57.03	56.98	57.12	0.34	ppb
Sulfur	34-1	-1263.70	-1164.81	-1089.75	-1172.76		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	0.16	0.17	0.17	0.17	2.99	ppb
Thallium	205-1	0.17	0.17	0.17	0.17	1.03	ppb
Tin	118-1	5.62	5.81	6.02	5.82	3.47	ppb
Titanium	47-1	1025.25	1046.48	1057.07	1042.93	1.55	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.60	0.60	0.62	0.61	1.89	ppb
Vanadium	51-2	279.56	278.39	277.19	278.38	0.43	ppb
Yttrium	89-1				101		%
Yttrium	89-2				99		%
Zinc	66-2	483.52	478.98	487.97	483.49	0.93	ppb
Zirconium	90-1	10.12	10.16	10.14	10.14	0.24	ppb
Zirconium	91-1	10.11	9.93	10.18	10.07	1.25	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	33077.91	33470.89	33259.50	33269.44	0.59	ppb
Antimony	121-1	20.20	19.86	20.37	20.15	1.29	ppb
Arsenic	75-2	153.29	155.19	155.53	154.67	0.78	ppb
Barium	135-1	341.80	344.15	344.71	343.55	0.45	ppb
Barium	137-1	365.27	369.89	364.69	366.62	0.78	ppb
Beryllium	9-1	1.21	1.19	1.23	1.21	1.55	ppb
Bismuth	209-1				98		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.01	1.82	2.28	2.04	11.28	ppb
Cadmium	106-1	2.50	2.33	2.17	2.33	7.13	ppb
Cadmium	111-1	1.09	0.98	0.96	1.01	6.91	ppb
Calcium	43-1	7036.38	6930.97	7214.48	7060.61	2.03	ppb
Calcium	44-1	6595.31	6559.93	6707.07	6620.77	1.16	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	120.47	120.67	120.89	120.67	0.18	ppb
Cobalt	59-2	62.43	63.03	63.66	63.04	0.98	ppb
Copper	63-2	221.27	217.75	219.67	219.57	0.80	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				93		%
Iron	56-2	130229.06	128740.29	129677.97	129549.11	0.58	ppb
Iron	57-2	127160.86	127146.53	127157.55	127154.98	0.01	ppb
Iron	54-2	130558.73	131287.58	130925.52	130923.94	0.28	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	120.25	116.84	119.60	118.90	1.53	ppb
Lead	207-1	114.72	112.64	114.01	113.79	0.93	ppb
Lead	208-1	123.97	123.94	124.14	124.02	0.09	ppb
Lithium	6-1				99		%
Magnesium	24-2	22212.11	22044.07	22337.99	22198.06	0.66	ppb
Manganese	55-2	3059.40	3062.65	3078.30	3066.78	0.33	ppb
Molybdenum	94-1	12.85	13.58	13.24	13.22	2.73	ppb
Molybdenum	95-1	1.05	1.13	1.05	1.08	4.37	ppb
Molybdenum	96-1	3.00	3.10	3.08	3.06	1.61	ppb
Molybdenum	97-1	1.09	1.12	1.16	1.12	3.20	ppb
Molybdenum	98-1	0.98	1.06	1.02	1.02	3.94	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	129.92	130.34	130.32	130.19	0.18	ppb
Phosphorus	31-2	1777.21	1783.45	1782.31	1780.99	0.19	ppb
Potassium	39-2	6101.09	5994.33	6105.98	6067.13	1.04	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				99		%
Scandium	45-2				97		%
Selenium	82-1	0.79	1.09	1.04	0.97	16.46	ppb
Selenium	77-2	11.15	9.57	10.72	10.48	7.77	ppb
Selenium	78-2	1.56	2.20	2.22	1.99	18.65	ppb
Silicon	28-1	712.18	760.18	754.61	742.32	3.54	ppb
Silver	107-1	0.20	0.19	0.19	0.19	2.91	ppb
Silver	109-1	0.20	0.20	0.19	0.20	2.29	ppb
Sodium	23-2	133.38	134.32	133.85	133.85	0.35	ppb
Strontium	86-1	45.10	47.64	45.90	46.21	2.81	ppb
Strontium	88-1	46.14	46.90	47.66	46.90	1.62	ppb
Sulfur	34-1	-1632.31	-1556.50	-1464.34	-1551.05		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.18	0.17	0.17	0.17	1.76	ppb
Thallium	205-1	0.17	0.17	0.17	0.17	1.08	ppb
Tin	118-1	2.03	2.03	2.00	2.02	0.92	ppb
Titanium	47-1	944.09	964.96	947.54	952.20	1.18	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.69	0.65	0.68	0.67	3.31	ppb
Vanadium	51-2	274.34	273.84	270.14	272.77	0.84	ppb
Yttrium	89-1				101		%
Yttrium	89-2				98		%
Zinc	66-2	231.16	227.39	231.85	230.13	1.04	ppb
Zirconium	90-1	7.04	7.41	7.21	7.22	2.60	ppb
Zirconium	91-1	7.20	7.73	7.27	7.40	3.91	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	32403.30	32727.39	32185.74	32438.81	0.84	ppb
Antimony	121-1	1.35	1.36	1.40	1.37	2.13	ppb
Arsenic	75-2	107.57	105.39	105.36	106.11	1.20	ppb
Barium	135-1	206.03	209.04	209.88	208.31	0.97	ppb
Barium	137-1	206.25	211.54	212.79	210.19	1.65	ppb
Beryllium	9-1	0.97	0.92	0.93	0.94	2.94	ppb
Bismuth	209-1				97		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.45	1.59	1.52	1.52	4.60	ppb
Cadmium	106-1	1.40	0.53	0.61	0.85	56.81	ppb
Cadmium	111-1	0.61	0.56	0.57	0.58	4.56	ppb
Calcium	43-1	7734.39	7794.96	7935.15	7821.50	1.32	ppb
Calcium	44-1	7482.52	7482.13	7455.25	7473.30	0.21	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	98.79	99.45	98.81	99.02	0.38	ppb
Cobalt	59-2	47.11	46.76	46.85	46.91	0.38	ppb
Copper	63-2	153.10	152.02	153.19	152.77	0.42	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	86798.61	85868.77	86179.94	86282.44	0.55	ppb
Iron	57-2	83915.39	85293.51	84410.26	84539.72	0.83	ppb
Iron	54-2	87423.28	86400.23	86526.91	86783.47	0.64	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	33.17	33.52	33.52	33.41	0.61	ppb
Lead	207-1	32.56	32.43	32.58	32.52	0.25	ppb
Lead	208-1	32.53	32.62	32.67	32.61	0.23	ppb
Lithium	6-1				102		%
Magnesium	24-2	22084.88	22560.80	22344.34	22330.00	1.07	ppb
Manganese	55-2	1675.03	1670.33	1679.04	1674.80	0.26	ppb
Molybdenum	94-1	8.39	8.34	8.39	8.37	0.39	ppb
Molybdenum	95-1	0.69	0.70	0.72	0.70	1.82	ppb
Molybdenum	96-1	1.98	2.00	1.98	1.99	0.46	ppb
Molybdenum	97-1	0.70	0.71	0.71	0.71	0.84	ppb
Molybdenum	98-1	0.67	0.68	0.67	0.67	1.21	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	73.81	74.11	73.60	73.84	0.35	ppb
Phosphorus	31-2	1242.53	1255.57	1233.58	1243.90	0.89	ppb
Potassium	39-2	3780.93	3800.86	3725.58	3769.13	1.03	ppb
Rhodium	103-1				95		%
Rhodium	103-2				94		%
Scandium	45-1				99		%
Scandium	45-2				97		%
Selenium	82-1	0.62	1.06	0.84	0.84	25.80	ppb
Selenium	77-2	7.60	9.34	8.89	8.61	10.51	ppb
Selenium	78-2	1.07	3.17	2.07	2.11	49.95	ppb
Silicon	28-1	984.62	987.72	988.69	987.01	0.22	ppb
Silver	107-1	0.11	0.12	0.12	0.12	5.59	ppb
Silver	109-1	0.11	0.11	0.13	0.12	9.53	ppb
Sodium	23-2	126.78	130.66	130.37	129.27	1.67	ppb
Strontium	86-1	43.40	43.85	43.66	43.64	0.51	ppb
Strontium	88-1	43.90	44.98	43.61	44.17	1.63	ppb
Sulfur	34-1	-1673.62	-1721.87	-1698.39	-1697.96		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.11	0.11	0.11	0.11	1.81	ppb
Thallium	205-1	0.10	0.11	0.11	0.11	5.16	ppb
Tin	118-1	2.51	2.57	2.48	2.52	1.88	ppb
Titanium	47-1	913.77	906.61	909.68	910.02	0.39	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.48	0.49	0.50	0.49	1.92	ppb
Vanadium	51-2	193.08	194.97	193.52	193.86	0.51	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	151.17	154.85	153.64	153.22	1.22	ppb
Zirconium	90-1	4.66	4.70	4.68	4.68	0.38	ppb
Zirconium	91-1	4.91	4.73	4.80	4.81	1.98	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	32433.55	33212.26	32789.02	32811.61	1.19	ppb
Antimony	121-1	1.03	1.07	1.10	1.07	3.37	ppb
Arsenic	75-2	165.89	169.97	169.50	168.45	1.32	ppb
Barium	135-1	264.41	268.30	270.51	267.74	1.15	ppb
Barium	137-1	264.07	290.16	270.36	274.87	4.95	ppb
Beryllium	9-1	1.02	1.07	1.08	1.06	3.36	ppb
Bismuth	209-1				97		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.85	2.00	2.12	1.99	6.71	ppb
Cadmium	106-1	1.65	1.65	1.42	1.57	8.57	ppb
Cadmium	111-1	0.46	0.49	0.47	0.47	3.29	ppb
Calcium	43-1	8890.91	8910.49	8927.77	8909.72	0.21	ppb
Calcium	44-1	8289.05	8392.00	8466.35	8382.47	1.06	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	107.30	108.20	109.33	108.28	0.94	ppb
Cobalt	59-2	55.97	56.76	57.14	56.62	1.06	ppb
Copper	63-2	149.44	151.74	152.04	151.07	0.94	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	108524.85	112181.31	109536.32	110080.83	1.72	ppb
Iron	57-2	107249.37	107953.97	107238.59	107480.64	0.38	ppb
Iron	54-2	110282.00	110340.35	111134.08	110585.48	0.43	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	19.75	20.03	19.73	19.84	0.85	ppb
Lead	207-1	18.38	18.66	18.30	18.45	1.02	ppb
Lead	208-1	18.78	19.19	19.06	19.01	1.10	ppb
Lithium	6-1				100		%
Magnesium	24-2	19607.68	19843.30	19742.60	19731.19	0.60	ppb
Manganese	55-2	2305.46	2346.03	2317.35	2322.95	0.90	ppb
Molybdenum	94-1	6.11	6.04	6.29	6.15	2.14	ppb
Molybdenum	95-1	0.90	0.93	0.90	0.91	2.14	ppb
Molybdenum	96-1	2.09	2.00	2.03	2.04	2.22	ppb
Molybdenum	97-1	0.94	0.86	0.89	0.90	4.33	ppb
Molybdenum	98-1	0.83	0.86	0.88	0.86	2.93	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	81.64	82.33	81.79	81.92	0.44	ppb
Phosphorus	31-2	2347.28	2367.51	2352.51	2355.77	0.45	ppb
Potassium	39-2	4299.08	4329.71	4328.63	4319.14	0.40	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				100		%
Scandium	45-2				98		%
Selenium	82-1	0.54	1.03	0.91	0.83	30.37	ppb
Selenium	77-2	14.83	13.97	13.45	14.08	4.95	ppb
Selenium	78-2	1.79	2.39	1.38	1.86	27.43	ppb
Silicon	28-1	907.10	904.07	921.73	910.97	1.04	ppb
Silver	107-1	0.09	0.09	0.09	0.09	0.81	ppb
Silver	109-1	0.08	0.10	0.09	0.09	11.60	ppb
Sodium	23-2	114.41	117.05	117.24	116.23	1.36	ppb
Strontium	86-1	47.04	47.04	47.57	47.22	0.65	ppb
Strontium	88-1	47.54	47.67	48.78	48.00	1.42	ppb
Sulfur	34-1	-1563.39	-1687.03	-1672.02	-1640.81		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.11	0.11	0.11	0.11	2.53	ppb
Thallium	205-1	0.11	0.12	0.12	0.12	5.81	ppb
Tin	118-1	2.07	2.07	2.07	2.07	0.19	ppb
Titanium	47-1	661.74	664.24	664.20	663.40	0.22	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.86	0.85	0.84	0.85	1.27	ppb
Vanadium	51-2	229.84	231.53	234.63	232.00	1.05	ppb
Yttrium	89-1				102		%
Yttrium	89-2				100		%
Zinc	66-2	158.23	162.58	160.92	160.57	1.37	ppb
Zirconium	90-1	3.21	3.18	3.28	3.22	1.56	ppb
Zirconium	91-1	3.35	3.29	3.45	3.36	2.39	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	18968.47	19142.04	19195.92	19102.14	0.62	ppb
Antimony	121-1	1.86	1.91	1.89	1.88	1.51	ppb
Arsenic	75-2	180.41	177.31	178.04	178.59	0.91	ppb
Barium	135-1	336.92	343.31	343.26	341.16	1.08	ppb
Barium	137-1	364.18	361.40	363.66	363.08	0.41	ppb
Beryllium	9-1	0.95	0.93	0.98	0.95	2.65	ppb
Bismuth	209-1				98		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.25	1.06	1.07	1.13	9.18	ppb
Cadmium	106-1	0.66	0.36	1.05	0.69	50.20	ppb
Cadmium	111-1	0.44	0.50	0.49	0.48	6.10	ppb
Calcium	43-1	7113.59	6998.21	7184.83	7098.88	1.33	ppb
Calcium	44-1	6821.54	6728.12	6740.06	6763.24	0.75	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	53.26	54.03	54.11	53.80	0.87	ppb
Cobalt	59-2	32.47	32.85	33.06	32.79	0.91	ppb
Copper	63-2	100.54	100.90	101.58	101.01	0.53	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				95		%
Indium	115-2				94		%
Iron	56-2	73124.73	73237.07	72790.90	73050.90	0.32	ppb
Iron	57-2	70231.46	71754.83	71454.40	71146.90	1.13	ppb
Iron	54-2	73440.13	72351.03	73323.55	73038.24	0.82	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	25.35	26.02	25.41	25.60	1.45	ppb
Lead	207-1	23.94	24.56	24.12	24.21	1.31	ppb
Lead	208-1	24.21	25.00	24.36	24.52	1.71	ppb
Lithium	6-1				102		%
Magnesium	24-2	10594.85	10691.02	10589.40	10625.09	0.54	ppb
Manganese	55-2	2577.40	2586.81	2565.22	2576.48	0.42	ppb
Molybdenum	94-1	9.95	10.18	10.09	10.07	1.14	ppb
Molybdenum	95-1	1.24	1.24	1.28	1.26	1.59	ppb
Molybdenum	96-1	2.49	2.63	2.60	2.57	2.87	ppb
Molybdenum	97-1	1.20	1.25	1.27	1.24	3.00	ppb
Molybdenum	98-1	1.18	1.20	1.24	1.20	2.66	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	39.09	38.33	39.10	38.84	1.15	ppb
Phosphorus	31-2	1367.87	1368.73	1401.85	1379.48	1.40	ppb
Potassium	39-2	4655.70	4658.05	4670.94	4661.57	0.18	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				96		%
Scandium	45-2				93		%
Selenium	82-1	0.81	0.55	0.90	0.75	24.31	ppb
Selenium	77-2	8.23	9.37	12.56	10.05	22.35	ppb
Selenium	78-2	1.79	1.48	1.32	1.53	15.79	ppb
Silicon	28-1	569.18	548.00	547.91	555.03	2.21	ppb
Silver	107-1	0.08	0.08	0.08	0.08	2.93	ppb
Silver	109-1	0.08	0.08	0.09	0.08	9.16	ppb
Sodium	23-2	134.49	136.79	139.02	136.77	1.66	ppb
Strontium	86-1	51.40	51.39	51.12	51.31	0.31	ppb
Strontium	88-1	52.21	52.51	52.14	52.29	0.37	ppb
Sulfur	34-1	-1496.10	-1612.64	-1460.11	-1522.95		ppb
Terbium	159-1				98		%
Terbium	159-2				97		%
Thallium	203-1	0.40	0.40	0.38	0.40	2.37	ppb
Thallium	205-1	0.38	0.39	0.38	0.38	1.81	ppb
Tin	118-1	1.86	1.93	1.89	1.89	1.84	ppb
Titanium	47-1	537.79	525.45	534.95	532.73	1.21	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.66	0.65	0.64	0.65	1.28	ppb
Vanadium	51-2	132.76	133.30	134.63	133.56	0.72	ppb
Yttrium	89-1				99		%
Yttrium	89-2				97		%
Zinc	66-2	151.54	151.97	152.64	152.05	0.36	ppb
Zirconium	90-1	5.48	5.42	5.42	5.44	0.62	ppb
Zirconium	91-1	5.48	5.58	5.50	5.52	0.91	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	86569.88	88519.93	86506.45	87198.75	1.31	ppb
Antimony	121-1	1.03	1.03	1.03	1.03	0.18	ppb
Arsenic	75-2	0.38	0.49	0.38	0.42	15.30	ppb
Barium	135-1	1.40	1.30	1.30	1.34	4.25	ppb
Barium	137-1	1.32	1.37	1.35	1.35	2.02	ppb
Beryllium	9-1	0.39	0.43	0.50	0.44	12.70	ppb
Bismuth	209-1				93		%
Bismuth	209-2				95		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	8.06	7.63	7.18	7.62	5.82	ppb
Cadmium	106-1	-0.95	-1.08	-0.89	-0.97		ppb
Cadmium	111-1	0.21	0.18	0.23	0.20	13.16	ppb
Calcium	43-1	97705.85	95595.43	94391.07	95897.45	1.75	ppb
Calcium	44-1	96579.74	97118.26	97037.84	96911.95	0.30	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	19.90	19.77	19.94	19.87	0.44	ppb
Cobalt	59-2	1.22	1.23	1.20	1.22	1.39	ppb
Copper	63-2	8.97	8.94	8.94	8.95	0.18	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				92		%
Indium	115-2				91		%
Iron	56-2	101900.95	101231.51	100843.36	101325.27	0.53	ppb
Iron	57-2	99236.15	99046.44	99575.32	99285.97	0.27	ppb
Iron	54-2	101578.42	101903.90	100964.28	101482.20	0.47	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	4.10	4.09	4.07	4.08	0.37	ppb
Lead	207-1	3.61	3.68	3.60	3.63	1.14	ppb
Lead	208-1	3.78	3.78	3.76	3.78	0.31	ppb
Lithium	6-1				98		%
Magnesium	24-2	95080.19	96067.11	96103.00	95750.10	0.61	ppb
Manganese	55-2	7.85	7.77	7.89	7.83	0.80	ppb
Molybdenum	94-1	1454.40	1457.30	1452.58	1454.76	0.16	ppb
Molybdenum	95-1	1729.66	1754.92	1750.61	1745.06	0.77	ppb
Molybdenum	96-1	1712.80	1741.55	1748.50	1734.28	1.09	ppb
Molybdenum	97-1	1739.53	1779.99	1761.61	1760.37	1.15	ppb
Molybdenum	98-1	1724.25	1776.43	1747.42	1749.37	1.49	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	6.48	6.53	6.36	6.46	1.37	ppb
Phosphorus	31-2	93127.84	94802.47	94697.33	94209.21	1.00	ppb
Potassium	39-2	91435.38	91338.89	90294.06	91022.78	0.70	ppb
Rhodium	103-1				90		%
Rhodium	103-2				90		%
Scandium	45-1				91		%
Scandium	45-2				90		%
Selenium	82-1	0.81	0.39	0.70	0.63	34.29	ppb
Selenium	77-2	0.41	0.27	0.11	0.26	58.92	ppb
Selenium	78-2	-1.13	0.40	-0.35	-0.36		ppb
Silicon	28-1	3.82	3.82	3.83	3.82	0.19	ppb
Silver	107-1	0.01	0.01	0.02	0.01	14.29	ppb
Silver	109-1	0.02	0.01	0.01	0.01	7.64	ppb
Sodium	23-2	97413.93	98775.46	97595.14	97928.18	0.75	ppb
Strontium	86-1	33.52	34.07	33.64	33.74	0.86	ppb
Strontium	88-1	33.25	33.94	34.09	33.76	1.33	ppb
Sulfur	34-1	97408.91	96216.19	96124.43	96583.18	0.74	ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	0.00	0.00	0.00	0.00	50.36	ppb
Thallium	205-1	0.00	0.00	0.00	0.00		ppb
Tin	118-1	0.12	0.13	0.16	0.14	14.22	ppb
Titanium	47-1	1813.52	1790.05	1818.59	1807.39	0.84	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.01	0.02	0.01	0.02	7.79	ppb
Vanadium	51-2	0.18	0.17	0.17	0.17	2.69	ppb
Yttrium	89-1				94		%
Yttrium	89-2				93		%
Zinc	66-2	10.65	10.92	10.41	10.66	2.43	ppb
Zirconium	90-1	0.01	0.01	0.02	0.02	28.94	ppb
Zirconium	91-1	0.02	0.01	0.02	0.02	14.07	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	88052.70	87684.20	87947.11	87894.67	0.22	ppb
Antimony	121-1	19.83	19.92	19.97	19.90	0.35	ppb
Arsenic	75-2	19.94	20.21	20.39	20.18	1.12	ppb
Barium	135-1	19.75	19.82	19.77	19.78	0.19	ppb
Barium	137-1	19.71	19.74	19.82	19.75	0.28	ppb
Beryllium	9-1	19.38	19.93	20.18	19.83	2.05	ppb
Bismuth	209-1				94		%
Bismuth	209-2				94		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	24.85	25.21	24.58	24.88	1.28	ppb
Cadmium	106-1	15.74	17.07	16.48	16.43	4.06	ppb
Cadmium	111-1	19.03	18.85	19.47	19.12	1.68	ppb
Calcium	43-1	96855.54	96480.65	97171.04	96835.75	0.36	ppb
Calcium	44-1	97136.62	97122.38	98703.40	97654.13	0.93	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	39.90	40.12	39.90	39.97	0.31	ppb
Cobalt	59-2	21.01	21.04	21.12	21.06	0.28	ppb
Copper	63-2	25.21	25.43	25.55	25.39	0.68	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				94		%
Indium	115-2				93		%
Iron	56-2	100407.49	101198.31	101144.73	100916.84	0.44	ppb
Iron	57-2	98892.32	100172.56	99297.90	99454.26	0.66	ppb
Iron	54-2	101527.17	101214.30	101880.33	101540.60	0.33	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	24.21	24.51	24.52	24.41	0.71	ppb
Lead	207-1	23.22	23.03	23.24	23.16	0.51	ppb
Lead	208-1	23.57	23.53	23.72	23.61	0.43	ppb
Lithium	6-1				99		%
Magnesium	24-2	94779.90	94855.62	95533.46	95056.33	0.44	ppb
Manganese	55-2	27.07	27.34	27.48	27.30	0.77	ppb
Molybdenum	94-1	1455.25	1464.39	1436.87	1452.17	0.97	ppb
Molybdenum	95-1	1747.55	1760.94	1754.24	1754.24	0.38	ppb
Molybdenum	96-1	1726.05	1730.02	1743.38	1733.15	0.52	ppb
Molybdenum	97-1	1742.10	1766.65	1765.12	1757.96	0.78	ppb
Molybdenum	98-1	1722.74	1763.45	1755.68	1747.29	1.24	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	25.21	25.00	25.13	25.12	0.43	ppb
Phosphorus	31-2	96815.69	95577.83	96032.43	96141.99	0.65	ppb
Potassium	39-2	92487.63	93054.19	91809.16	92450.33	0.67	ppb
Rhodium	103-1				92		%
Rhodium	103-2				91		%
Scandium	45-1				93		%
Scandium	45-2				91		%
Selenium	82-1	18.80	19.70	20.00	19.50	3.22	ppb
Selenium	77-2	17.15	21.07	21.67	19.96	12.31	ppb
Selenium	78-2	17.60	19.97	18.07	18.55	6.74	ppb
Silicon	28-1	3.66	3.89	4.04	3.87	4.95	ppb
Silver	107-1	18.26	18.18	18.63	18.36	1.32	ppb
Silver	109-1	18.07	18.14	18.34	18.18	0.75	ppb
Sodium	23-2	96875.19	97596.66	98481.15	97651.00	0.82	ppb
Strontium	86-1	33.39	34.03	34.12	33.85	1.17	ppb
Strontium	88-1	33.45	33.97	33.73	33.72	0.77	ppb
Sulfur	34-1	94644.71	96184.72	97062.98	95964.13	1.28	ppb
Terbium	159-1				98		%
Terbium	159-2				99		%
Thallium	203-1	20.32	20.18	20.29	20.26	0.37	ppb
Thallium	205-1	20.46	20.07	20.46	20.33	1.10	ppb
Tin	118-1	0.12	0.13	0.14	0.13	11.24	ppb
Titanium	47-1	1781.75	1792.25	1818.44	1797.48	1.05	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.01	11.15	ppb
Vanadium	51-2	20.18	20.42	20.22	20.27	0.63	ppb
Yttrium	89-1				96		%
Yttrium	89-2				94		%
Zinc	66-2	29.41	30.44	29.89	29.91	1.72	ppb
Zirconium	90-1	0.01	0.01	0.02	0.01	43.05	ppb
Zirconium	91-1	0.01	0.02	0.03	0.02	52.49	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	48676.90	49410.58	48543.97	48877.15	0.95	ppb
Antimony	121-1	489.04	495.31	498.41	494.25	0.97	ppb
Arsenic	75-2	495.98	491.01	492.42	493.13	0.52	ppb
Barium	135-1	2490.08	2511.10	2553.31	2518.16	1.28	ppb
Barium	137-1	2524.12	2549.98	2510.98	2528.36	0.78	ppb
Beryllium	9-1	496.56	500.82	505.55	500.98	0.90	ppb
Bismuth	209-1				91		%
Bismuth	209-2				91		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	504.88	511.19	510.43	508.83	0.68	ppb
Cadmium	106-1	500.14	505.02	512.60	505.92	1.24	ppb
Cadmium	111-1	504.90	507.32	490.08	500.77	1.86	ppb
Calcium	43-1	251239.30	251593.74	248450.65	250427.90	0.69	ppb
Calcium	44-1	243688.60	250112.73	250993.02	248264.78	1.61	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	511.71	506.71	513.35	510.59	0.68	ppb
Cobalt	59-2	534.04	540.82	539.86	538.24	0.68	ppb
Copper	63-2	5294.70	5294.79	5310.29	5299.93	0.17	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				96		%
Holmium	165-2				97		%
Indium	115-1				90		%
Indium	115-2				89		%
Iron	56-2	127932.47	128163.13	129321.54	128472.38	0.58	ppb
Iron	57-2	127393.54	127313.90	126651.64	127119.69	0.32	ppb
Iron	54-2	130537.72	128261.19	131347.93	130048.94	1.23	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2596.99	2527.05	2562.64	2562.23	1.36	ppb
Lead	207-1	2546.11	2501.53	2560.43	2536.03	1.21	ppb
Lead	208-1	2537.75	2527.31	2551.45	2538.84	0.48	ppb
Lithium	6-1				103		%
Magnesium	24-2	241817.36	246680.16	242544.73	243680.75	1.08	ppb
Manganese	55-2	5033.79	5003.33	5103.90	5047.01	1.02	ppb
Molybdenum	94-1	5058.84	5126.74	5111.95	5099.18	0.70	ppb
Molybdenum	95-1	5014.12	5097.16	5143.98	5085.08	1.29	ppb
Molybdenum	96-1	4969.82	5040.59	5101.33	5037.24	1.31	ppb
Molybdenum	97-1	5014.81	5075.16	5086.71	5058.90	0.76	ppb
Molybdenum	98-1	5010.76	5095.94	5155.94	5087.54	1.43	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	524.14	520.88	522.41	522.47	0.31	ppb
Phosphorus	31-2	10108.07	10098.57	10124.41	10110.35	0.13	ppb
Potassium	39-2	119881.67	120467.47	121542.86	120630.67	0.70	ppb
Rhodium	103-1				87		%
Rhodium	103-2				86		%
Scandium	45-1				92		%
Scandium	45-2				86		%
Selenium	82-1	480.84	486.61	487.39	484.94	0.74	ppb
Selenium	77-2	496.31	478.95	475.46	483.57	2.31	ppb
Selenium	78-2	494.76	475.66	483.35	484.59	1.98	ppb
Silicon	28-1	400.86	410.01	397.64	402.84	1.59	ppb
Silver	107-1	518.53	519.63	519.32	519.16	0.11	ppb
Silver	109-1	511.73	513.48	521.63	515.62	1.02	ppb
Sodium	23-2	249404.85	246593.69	250182.84	248727.13	0.76	ppb
Strontium	86-1	12438.32	12438.50	12733.94	12536.92	1.36	ppb
Strontium	88-1	12360.70	12456.04	12804.61	12540.45	1.86	ppb
Sulfur	34-1	8852.82	9111.09	8942.72	8968.88	1.46	ppb
Terbium	159-1				95		%
Terbium	159-2				96		%
Thallium	203-1	519.77	504.89	515.01	513.22	1.48	ppb
Thallium	205-1	521.20	506.70	507.34	511.75	1.60	ppb
Tin	118-1	491.69	495.36	508.38	498.47	1.76	ppb
Titanium	47-1	5121.99	5083.51	4950.40	5051.96	1.78	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	535.44	532.83	530.90	533.06	0.43	ppb
Vanadium	51-2	517.45	513.50	515.20	515.38	0.38	ppb
Yttrium	89-1				95		%
Yttrium	89-2				90		%
Zinc	66-2	5229.77	5239.07	5256.90	5241.91	0.26	ppb
Zirconium	90-1	507.29	513.46	506.68	509.14	0.74	ppb
Zirconium	91-1	504.84	510.06	521.86	512.25	1.70	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1.80	1.57	1.98	1.78	11.47	ppb
Antimony	121-1	0.33	0.33	0.37	0.34	6.83	ppb
Arsenic	75-2	0.03	0.04	0.00	0.02	100.95	ppb
Barium	135-1	0.14	0.10	0.10	0.11	16.45	ppb
Barium	137-1	0.16	0.13	0.12	0.14	14.01	ppb
Beryllium	9-1	0.06	0.03	0.01	0.03	65.92	ppb
Bismuth	209-1				100		%
Bismuth	209-2				103		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.08	0.13	0.02	0.08	74.07	ppb
Cadmium	106-1	1.39	0.25	0.18	0.61	112.16	ppb
Cadmium	111-1	0.13	0.04	0.04	0.07	71.01	ppb
Calcium	43-1	12.41	6.13	8.57	9.04	35.00	ppb
Calcium	44-1	-7.87	-10.00	-11.19	-9.69		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.00	0.03	0.02	0.02	91.97	ppb
Cobalt	59-2	0.00	0.00	0.01	0.00	95.21	ppb
Copper	63-2	0.00	-0.06	-0.05	-0.04		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				100		%
Indium	115-1				97		%
Indium	115-2				96		%
Iron	56-2	4.07	3.90	3.60	3.86	6.22	ppb
Iron	57-2	1.42	1.21	1.31	1.31	7.99	ppb
Iron	54-2	5.42	4.70	3.78	4.63	17.78	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.25	0.20	0.19	0.21	14.86	ppb
Lead	207-1	0.24	0.20	0.19	0.21	11.52	ppb
Lead	208-1	0.24	0.21	0.18	0.21	14.09	ppb
Lithium	6-1				112		%
Magnesium	24-2	6.74	6.19	5.94	6.29	6.53	ppb
Manganese	55-2	0.05	0.00	0.01	0.02	110.64	ppb
Molybdenum	94-1	0.45	0.43	0.39	0.42	7.69	ppb
Molybdenum	95-1	0.37	0.33	0.29	0.33	12.34	ppb
Molybdenum	96-1	0.40	0.33	0.33	0.35	12.18	ppb
Molybdenum	97-1	0.38	0.35	0.32	0.35	8.84	ppb
Molybdenum	98-1	0.38	0.34	0.31	0.35	9.82	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	0.00	0.03	0.00	0.01	187.66	ppb
Phosphorus	31-2	-16.75	-14.05	-15.65	-15.48		ppb
Potassium	39-2	4.71	5.71	1.95	4.12	47.13	ppb
Rhodium	103-1				96		%
Rhodium	103-2				96		%
Scandium	45-1				92		%
Scandium	45-2				87		%
Selenium	82-1	-0.08	0.58	0.66	0.39	104.36	ppb
Selenium	77-2	-0.05	-0.05	0.11	0.00	2431.82	ppb
Selenium	78-2	-0.71	-0.96	-0.58	-0.75		ppb
Silicon	28-1	0.05	0.06	0.12	0.08	48.28	ppb
Silver	107-1	0.07	0.05	0.04	0.06	26.83	ppb
Silver	109-1	0.07	0.05	0.05	0.05	17.08	ppb
Sodium	23-2	18.50	16.31	14.81	16.54	11.24	ppb
Strontium	86-1	0.57	0.45	0.40	0.47	18.99	ppb
Strontium	88-1	0.59	0.47	0.38	0.48	22.22	ppb
Sulfur	34-1	-875.39	-797.62	-693.26	-788.76		ppb
Terbium	159-1				97		%
Terbium	159-2				99		%
Thallium	203-1	0.06	0.06	0.04	0.06	19.38	ppb
Thallium	205-1	0.07	0.06	0.05	0.06	21.14	ppb
Tin	118-1	0.07	0.10	0.11	0.09	22.18	ppb
Titanium	47-1	0.29	0.27	0.27	0.28	4.65	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.01	0.02	17.89	ppb
Vanadium	51-2	0.01	0.01	0.01	0.01	15.71	ppb
Yttrium	89-1				96		%
Yttrium	89-2				94		%
Zinc	66-2	0.46	0.44	0.35	0.42	14.76	ppb
Zirconium	90-1	0.08	0.08	0.07	0.08	8.27	ppb
Zirconium	91-1	0.08	0.09	0.09	0.09	3.71	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	35992.83	35581.42	35633.60	35735.95	0.63	ppb
Antimony	121-1	16.68	16.83	17.02	16.85	1.01	ppb
Arsenic	75-2	181.32	182.13	177.84	180.43	1.26	ppb
Barium	135-1	382.72	388.63	389.98	387.11	1.00	ppb
Barium	137-1	408.74	418.92	413.29	413.65	1.23	ppb
Beryllium	9-1	1.24	1.34	1.36	1.31	4.65	ppb
Bismuth	209-1				97		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.87	1.78	1.49	1.72	11.65	ppb
Cadmium	106-1	2.81	2.71	2.12	2.55	14.62	ppb
Cadmium	111-1	0.81	0.80	0.78	0.80	1.68	ppb
Calcium	43-1	8422.86	8769.59	8676.46	8622.97	2.08	ppb
Calcium	44-1	8094.92	8259.37	8382.12	8245.47	1.75	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	153.53	154.59	153.73	153.95	0.37	ppb
Cobalt	59-2	60.28	61.15	60.72	60.72	0.72	ppb
Copper	63-2	160.49	162.03	160.07	160.86	0.64	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				101		%
Indium	115-1				96		%
Indium	115-2				97		%
Iron	56-2	124270.39	122714.18	121301.89	122762.15	1.21	ppb
Iron	57-2	119819.76	121529.06	118342.20	119897.01	1.33	ppb
Iron	54-2	124913.85	124402.62	123871.90	124396.12	0.42	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	40.16	40.09	40.45	40.23	0.48	ppb
Lead	207-1	38.21	38.30	38.58	38.37	0.50	ppb
Lead	208-1	38.92	38.93	39.23	39.03	0.46	ppb
Lithium	6-1				103		%
Magnesium	24-2	22799.42	22694.77	22557.97	22684.05	0.53	ppb
Manganese	55-2	3298.25	3295.29	3261.76	3285.10	0.62	ppb
Molybdenum	94-1	10.07	9.85	10.09	10.00	1.35	ppb
Molybdenum	95-1	1.34	1.31	1.27	1.31	2.56	ppb
Molybdenum	96-1	2.89	2.95	2.86	2.90	1.50	ppb
Molybdenum	97-1	1.28	1.31	1.26	1.28	1.83	ppb
Molybdenum	98-1	1.25	1.27	1.27	1.26	1.03	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	106.44	106.54	106.55	106.51	0.06	ppb
Phosphorus	31-2	2036.92	2096.03	2107.83	2080.26	1.83	ppb
Potassium	39-2	6652.17	6615.76	6523.10	6597.01	1.01	ppb
Rhodium	103-1				97		%
Rhodium	103-2				97		%
Scandium	45-1				102		%
Scandium	45-2				99		%
Selenium	82-1	1.25	1.15	0.96	1.12	12.98	ppb
Selenium	77-2	14.99	14.14	11.80	13.64	12.11	ppb
Selenium	78-2	2.88	2.19	1.80	2.29	23.85	ppb
Silicon	28-1	627.23	639.89	641.44	636.19	1.23	ppb
Silver	107-1	0.20	0.18	0.17	0.19	7.89	ppb
Silver	109-1	0.20	0.17	0.16	0.18	9.06	ppb
Sodium	23-2	125.06	128.80	127.13	127.00	1.48	ppb
Strontium	86-1	62.32	60.91	61.96	61.73	1.19	ppb
Strontium	88-1	64.57	61.62	62.37	62.85	2.45	ppb
Sulfur	34-1	-1006.15	-1082.70	-1239.32	-1109.39		ppb
Terbium	159-1				99		%
Terbium	159-2				101		%
Thallium	203-1	0.22	0.23	0.22	0.22	3.99	ppb
Thallium	205-1	0.22	0.21	0.22	0.21	2.21	ppb
Tin	118-1	2.46	2.50	2.51	2.49	1.23	ppb
Titanium	47-1	674.44	684.78	677.27	678.83	0.79	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.76	0.76	0.76	0.76	0.06	ppb
Vanadium	51-2	249.61	250.99	243.47	248.02	1.61	ppb
Yttrium	89-1				103		%
Yttrium	89-2				102		%
Zinc	66-2	206.51	210.83	208.15	208.50	1.05	ppb
Zirconium	90-1	5.28	5.31	5.32	5.30	0.37	ppb
Zirconium	91-1	5.49	5.42	5.38	5.43	1.03	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	30680.47	30509.81	30888.66	30692.98	0.62	ppb
Antimony	121-1	1.93	1.98	1.91	1.94	1.86	ppb
Arsenic	75-2	109.17	109.34	105.96	108.16	1.76	ppb
Barium	135-1	349.57	358.17	353.38	353.71	1.22	ppb
Barium	137-1	371.59	380.25	378.06	376.63	1.20	ppb
Beryllium	9-1	1.35	1.30	1.31	1.32	1.72	ppb
Bismuth	209-1				97		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.54	2.65	2.38	2.53	5.50	ppb
Cadmium	106-1	3.22	3.60	2.81	3.21	12.36	ppb
Cadmium	111-1	1.88	1.93	1.84	1.88	2.41	ppb
Calcium	43-1	8146.16	8324.36	8409.25	8293.26	1.62	ppb
Calcium	44-1	7866.02	7869.78	7915.48	7883.76	0.35	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	109.74	110.46	109.91	110.04	0.34	ppb
Cobalt	59-2	51.45	51.98	52.39	51.94	0.91	ppb
Copper	63-2	142.83	142.01	144.48	143.11	0.88	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				96		%
Iron	56-2	107902.26	108488.65	108016.86	108135.92	0.29	ppb
Iron	57-2	104460.15	106178.14	105256.19	105298.16	0.82	ppb
Iron	54-2	109237.66	109082.74	109869.57	109396.66	0.38	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	63.70	63.28	64.31	63.76	0.81	ppb
Lead	207-1	59.40	59.33	59.89	59.54	0.51	ppb
Lead	208-1	60.82	60.37	61.34	60.85	0.79	ppb
Lithium	6-1				103		%
Magnesium	24-2	19256.66	19031.30	19142.55	19143.50	0.59	ppb
Manganese	55-2	2832.83	2892.48	2878.95	2868.09	1.09	ppb
Molybdenum	94-1	14.06	14.35	14.46	14.29	1.44	ppb
Molybdenum	95-1	1.24	1.22	1.28	1.25	2.21	ppb
Molybdenum	96-1	3.19	3.18	3.27	3.22	1.52	ppb
Molybdenum	97-1	1.25	1.27	1.18	1.23	3.93	ppb
Molybdenum	98-1	1.21	1.19	1.24	1.21	2.29	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	76.64	76.63	76.68	76.65	0.03	ppb
Phosphorus	31-2	1918.57	1873.46	1909.63	1900.55	1.26	ppb
Potassium	39-2	5093.83	5172.07	5135.97	5133.96	0.76	ppb
Rhodium	103-1				95		%
Rhodium	103-2				96		%
Scandium	45-1				100		%
Scandium	45-2				97		%
Selenium	82-1	1.13	1.20	1.19	1.17	3.45	ppb
Selenium	77-2	15.85	17.54	17.80	17.06	6.20	ppb
Selenium	78-2	1.34	3.26	3.27	2.62	42.52	ppb
Silicon	28-1	601.46	604.13	611.49	605.70	0.86	ppb
Silver	107-1	0.11	0.12	0.13	0.12	5.91	ppb
Silver	109-1	0.13	0.12	0.12	0.12	5.33	ppb
Sodium	23-2	173.25	173.91	175.47	174.21	0.65	ppb
Strontium	86-1	51.16	51.83	52.26	51.75	1.08	ppb
Strontium	88-1	52.54	52.23	52.45	52.41	0.31	ppb
Sulfur	34-1	-1543.61	-1544.50	-1546.75	-1544.96		ppb
Terbium	159-1				99		%
Terbium	159-2				100		%
Thallium	203-1	0.18	0.17	0.19	0.18	4.60	ppb
Thallium	205-1	0.18	0.18	0.18	0.18	0.77	ppb
Tin	118-1	3.28	3.33	3.33	3.31	0.93	ppb
Titanium	47-1	858.47	851.63	869.40	859.83	1.04	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.39	1.36	1.39	1.38	1.09	ppb
Vanadium	51-2	212.70	212.00	209.66	211.45	0.75	ppb
Yttrium	89-1				103		%
Yttrium	89-2				102		%
Zinc	66-2	226.52	226.75	226.15	226.47	0.13	ppb
Zirconium	90-1	7.83	8.03	7.88	7.91	1.33	ppb
Zirconium	91-1	8.06	7.97	8.05	8.03	0.59	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	34660.65	34753.19	34565.81	34659.88	0.27	ppb
Antimony	121-1	1.33	1.36	1.40	1.36	2.60	ppb
Arsenic	75-2	143.15	148.96	142.58	144.90	2.44	ppb
Barium	135-1	290.69	295.96	294.84	293.83	0.95	ppb
Barium	137-1	311.45	316.67	311.06	313.06	1.00	ppb
Beryllium	9-1	1.07	1.20	1.21	1.16	6.92	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.55	1.32	1.35	1.41	8.93	ppb
Cadmium	106-1	1.22	0.69	0.70	0.87	34.89	ppb
Cadmium	111-1	0.63	0.60	0.61	0.61	2.72	ppb
Calcium	43-1	16814.93	16690.50	17103.13	16869.52	1.25	ppb
Calcium	44-1	15923.88	16209.05	16147.06	16093.33	0.93	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	102.68	103.12	103.99	103.26	0.65	ppb
Cobalt	59-2	54.09	54.41	54.60	54.36	0.48	ppb
Copper	63-2	175.95	176.23	177.31	176.50	0.41	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				96		%
Iron	56-2	97684.29	98306.22	99692.58	98561.03	1.04	ppb
Iron	57-2	97447.14	97728.86	96491.80	97222.60	0.67	ppb
Iron	54-2	97065.24	99206.00	98063.13	98111.45	1.09	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	25.38	25.43	25.93	25.58	1.18	ppb
Lead	207-1	25.10	24.64	25.25	25.00	1.28	ppb
Lead	208-1	25.07	24.81	25.30	25.06	0.98	ppb
Lithium	6-1				100		%
Magnesium	24-2	21721.94	21645.85	21479.91	21615.90	0.57	ppb
Manganese	55-2	2209.64	2206.94	2236.20	2217.59	0.73	ppb
Molybdenum	94-1	4.84	4.94	4.99	4.92	1.54	ppb
Molybdenum	95-1	0.97	0.93	0.94	0.95	2.41	ppb
Molybdenum	96-1	1.97	1.85	1.94	1.92	3.32	ppb
Molybdenum	97-1	0.91	0.89	0.98	0.93	4.70	ppb
Molybdenum	98-1	0.92	0.88	0.95	0.92	3.87	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	81.57	82.88	82.60	82.35	0.84	ppb
Phosphorus	31-2	3051.02	3082.61	3116.05	3083.23	1.05	ppb
Potassium	39-2	7250.08	7206.34	7187.05	7214.49	0.45	ppb
Rhodium	103-1				96		%
Rhodium	103-2				95		%
Scandium	45-1				101		%
Scandium	45-2				98		%
Selenium	82-1	1.04	1.08	1.30	1.14	12.45	ppb
Selenium	77-2	6.87	11.37	7.69	8.64	27.70	ppb
Selenium	78-2	0.36	1.49	1.51	1.12	58.57	ppb
Silicon	28-1	761.81	757.62	759.61	759.68	0.28	ppb
Silver	107-1	0.16	0.17	0.18	0.17	5.52	ppb
Silver	109-1	0.16	0.17	0.17	0.17	2.36	ppb
Sodium	23-2	186.42	189.44	193.31	189.72	1.82	ppb
Strontium	86-1	68.71	67.96	68.38	68.35	0.55	ppb
Strontium	88-1	69.93	69.53	69.75	69.73	0.29	ppb
Sulfur	34-1	-1000.89	-1150.76	-1042.33	-1064.66		ppb
Terbium	159-1				99		%
Terbium	159-2				98		%
Thallium	203-1	0.17	0.16	0.17	0.16	3.16	ppb
Thallium	205-1	0.16	0.15	0.16	0.16	3.08	ppb
Tin	118-1	4.01	3.99	3.94	3.98	0.86	ppb
Titanium	47-1	663.28	663.26	695.13	673.89	2.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.48	0.47	0.46	0.47	2.64	ppb
Vanadium	51-2	232.61	235.88	235.20	234.57	0.74	ppb
Yttrium	89-1				102		%
Yttrium	89-2				99		%
Zinc	66-2	224.77	224.29	226.21	225.09	0.44	ppb
Zirconium	90-1	2.45	2.49	2.55	2.50	2.00	ppb
Zirconium	91-1	2.47	2.51	2.55	2.51	1.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	55390.17	56647.21	55227.24	55754.88	1.39	ppb
Antimony	121-1	0.89	0.91	0.89	0.90	1.33	ppb
Arsenic	75-2	137.04	139.62	133.43	136.70	2.28	ppb
Barium	135-1	310.23	319.41	315.17	314.94	1.46	ppb
Barium	137-1	324.67	340.61	333.33	332.87	2.40	ppb
Beryllium	9-1	1.29	1.34	1.27	1.30	2.82	ppb
Bismuth	209-1				96		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.04	1.31	1.20	1.18	11.77	ppb
Cadmium	106-1	1.21	1.48	0.81	1.17	28.80	ppb
Cadmium	111-1	0.79	0.81	0.74	0.78	4.21	ppb
Calcium	43-1	13639.34	13782.18	13536.88	13652.80	0.90	ppb
Calcium	44-1	13069.30	13024.05	13022.45	13038.60	0.20	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	116.15	116.54	114.91	115.87	0.73	ppb
Cobalt	59-2	72.36	73.22	71.95	72.51	0.89	ppb
Copper	63-2	258.95	250.68	251.48	253.70	1.80	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				94		%
Indium	115-2				94		%
Iron	56-2	150102.21	150594.94	147487.95	149395.03	1.12	ppb
Iron	57-2	148999.73	146106.27	145498.88	146868.30	1.27	ppb
Iron	54-2	152199.41	150166.56	148545.64	150303.87	1.22	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	23.48	24.02	24.00	23.83	1.29	ppb
Lead	207-1	23.03	23.66	23.75	23.48	1.68	ppb
Lead	208-1	23.17	23.77	23.76	23.57	1.47	ppb
Lithium	6-1				99		%
Magnesium	24-2	38736.07	38505.89	38366.67	38536.21	0.48	ppb
Manganese	55-2	2715.97	2708.79	2677.99	2700.92	0.75	ppb
Molybdenum	94-1	6.37	6.33	6.45	6.38	0.95	ppb
Molybdenum	95-1	1.18	1.20	1.27	1.22	3.97	ppb
Molybdenum	96-1	2.55	2.54	2.66	2.58	2.61	ppb
Molybdenum	97-1	1.23	1.21	1.27	1.23	2.59	ppb
Molybdenum	98-1	1.18	1.18	1.20	1.19	0.71	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	106.00	105.45	104.70	105.39	0.62	ppb
Phosphorus	31-2	3191.89	3172.15	3128.57	3164.20	1.02	ppb
Potassium	39-2	8484.18	8464.40	8299.56	8416.05	1.20	ppb
Rhodium	103-1				93		%
Rhodium	103-2				93		%
Scandium	45-1				101		%
Scandium	45-2				100		%
Selenium	82-1	1.31	0.88	1.23	1.14	19.99	ppb
Selenium	77-2	7.94	8.60	11.11	9.22	18.16	ppb
Selenium	78-2	1.47	2.39	2.20	2.02	24.02	ppb
Silicon	28-1	690.18	705.31	705.53	700.34	1.26	ppb
Silver	107-1	0.14	0.15	0.16	0.15	6.11	ppb
Silver	109-1	0.15	0.15	0.16	0.16	5.53	ppb
Sodium	23-2	168.40	168.93	167.62	168.31	0.39	ppb
Strontium	86-1	87.88	86.20	86.56	86.88	1.02	ppb
Strontium	88-1	87.85	88.23	87.45	87.84	0.44	ppb
Sulfur	34-1	-1362.89	-1309.45	-1172.03	-1281.45		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.15	0.15	0.14	0.15	2.35	ppb
Thallium	205-1	0.14	0.14	0.15	0.14	3.33	ppb
Tin	118-1	3.23	3.27	3.21	3.24	0.95	ppb
Titanium	47-1	853.06	867.98	872.81	864.62	1.19	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.37	0.38	0.38	0.38	0.88	ppb
Vanadium	51-2	441.81	439.16	438.00	439.66	0.44	ppb
Yttrium	89-1				100		%
Yttrium	89-2				99		%
Zinc	66-2	253.61	252.33	250.80	252.25	0.56	ppb
Zirconium	90-1	3.20	3.25	3.25	3.23	0.80	ppb
Zirconium	91-1	3.31	3.35	3.34	3.33	0.68	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	38692.86	38664.70	39049.75	38802.43	0.55	ppb
Antimony	121-1	12.94	13.29	13.14	13.12	1.33	ppb
Arsenic	75-2	133.90	134.39	135.26	134.52	0.51	ppb
Barium	135-1	419.43	425.78	423.18	422.80	0.75	ppb
Barium	137-1	439.33	451.94	445.34	445.54	1.42	ppb
Beryllium	9-1	1.42	1.48	1.48	1.46	2.32	ppb
Bismuth	209-1				97		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.44	2.67	2.54	2.55	4.59	ppb
Cadmium	106-1	2.76	2.64	1.92	2.44	18.76	ppb
Cadmium	111-1	1.42	1.37	1.34	1.38	2.89	ppb
Calcium	43-1	8006.25	8199.24	8282.37	8162.62	1.74	ppb
Calcium	44-1	7676.39	7844.53	7812.54	7777.82	1.15	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	112.92	113.34	112.29	112.85	0.47	ppb
Cobalt	59-2	59.87	59.46	59.96	59.77	0.44	ppb
Copper	63-2	260.40	265.86	265.47	263.91	1.15	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				95		%
Indium	115-2				93		%
Iron	56-2	114214.25	113166.61	114974.33	114118.40	0.80	ppb
Iron	57-2	111159.63	112241.61	112482.80	111961.35	0.63	ppb
Iron	54-2	113393.67	114919.73	115257.88	114523.76	0.87	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	53.68	55.62	54.28	54.52	1.82	ppb
Lead	207-1	52.35	53.69	52.94	52.99	1.27	ppb
Lead	208-1	52.68	54.35	53.47	53.50	1.57	ppb
Lithium	6-1				100		%
Magnesium	24-2	21000.76	20908.81	21167.74	21025.77	0.62	ppb
Manganese	55-2	2442.50	2453.88	2486.07	2460.82	0.92	ppb
Molybdenum	94-1	20.75	21.12	21.22	21.03	1.17	ppb
Molybdenum	95-1	1.00	1.02	1.03	1.02	1.38	ppb
Molybdenum	96-1	3.69	3.70	3.76	3.72	1.03	ppb
Molybdenum	97-1	0.93	1.04	1.02	1.00	5.58	ppb
Molybdenum	98-1	0.94	0.99	0.99	0.97	2.92	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	111.45	113.18	112.72	112.45	0.79	ppb
Phosphorus	31-2	1835.35	1853.24	1879.36	1855.99	1.19	ppb
Potassium	39-2	9629.51	9649.51	9636.83	9638.62	0.10	ppb
Rhodium	103-1				92		%
Rhodium	103-2				94		%
Scandium	45-1				99		%
Scandium	45-2				95		%
Selenium	82-1	1.09	1.56	1.46	1.37	18.10	ppb
Selenium	77-2	13.27	14.97	14.46	14.23	6.14	ppb
Selenium	78-2	2.42	3.00	2.56	2.66	11.40	ppb
Silicon	28-1	676.31	684.47	690.19	683.66	1.02	ppb
Silver	107-1	0.44	0.46	0.46	0.45	1.86	ppb
Silver	109-1	0.46	0.47	0.45	0.46	3.03	ppb
Sodium	23-2	127.74	129.67	134.06	130.49	2.48	ppb
Strontium	86-1	53.25	54.50	54.71	54.15	1.46	ppb
Strontium	88-1	53.75	55.16	54.80	54.57	1.33	ppb
Sulfur	34-1	-1719.50	-1668.85	-1622.26	-1670.20		ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	0.28	0.29	0.25	0.27	6.67	ppb
Thallium	205-1	0.27	0.27	0.27	0.27	0.38	ppb
Tin	118-1	3.18	3.19	3.07	3.14	2.14	ppb
Titanium	47-1	1019.35	1032.81	1030.65	1027.60	0.70	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.82	0.86	0.83	0.83	2.51	ppb
Vanadium	51-2	254.76	252.75	254.65	254.06	0.44	ppb
Yttrium	89-1				99		%
Yttrium	89-2				97		%
Zinc	66-2	225.73	226.20	227.29	226.41	0.35	ppb
Zirconium	90-1	11.90	12.09	12.23	12.08	1.35	ppb
Zirconium	91-1	12.00	12.28	12.52	12.27	2.13	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49593.84	50369.18	49703.72	49888.91	0.84	ppb
Antimony	121-1	1.48	1.50	1.53	1.50	1.90	ppb
Arsenic	75-2	161.40	162.23	161.89	161.84	0.26	ppb
Barium	135-1	692.32	688.01	693.30	691.21	0.41	ppb
Barium	137-1	706.46	677.54	712.68	698.89	2.68	ppb
Beryllium	9-1	1.53	1.68	1.70	1.64	5.49	ppb
Bismuth	209-1				95		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	2.65	2.33	2.70	2.56	7.76	ppb
Cadmium	106-1	3.60	3.44	4.66	3.90	16.94	ppb
Cadmium	111-1	1.42	1.41	1.48	1.44	2.63	ppb
Calcium	43-1	11876.84	12842.65	12664.24	12461.24	4.12	ppb
Calcium	44-1	11696.52	12190.02	11905.68	11930.74	2.08	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	120.85	122.98	121.05	121.63	0.97	ppb
Cobalt	59-2	70.80	71.24	70.29	70.78	0.67	ppb
Copper	63-2	291.42	290.15	286.00	289.19	0.98	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				93		%
Indium	115-2				93		%
Iron	56-2	146953.95	149633.20	146389.61	147658.92	1.17	ppb
Iron	57-2	144804.59	144586.41	144844.46	144745.16	0.10	ppb
Iron	54-2	148664.91	148378.04	147233.25	148092.07	0.51	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	51.98	54.12	53.67	53.26	2.11	ppb
Lead	207-1	50.41	53.29	51.23	51.64	2.87	ppb
Lead	208-1	51.54	52.62	51.54	51.90	1.21	ppb
Lithium	6-1				98		%
Magnesium	24-2	31285.19	31314.73	31298.71	31299.54	0.05	ppb
Manganese	55-2	2428.36	2437.79	2378.59	2414.91	1.32	ppb
Molybdenum	94-1	29.04	29.81	30.26	29.70	2.08	ppb
Molybdenum	95-1	1.13	1.14	1.18	1.15	2.17	ppb
Molybdenum	96-1	4.93	4.91	5.30	5.05	4.30	ppb
Molybdenum	97-1	1.09	1.12	1.23	1.15	6.44	ppb
Molybdenum	98-1	1.12	1.08	1.11	1.10	1.95	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	119.59	120.20	119.49	119.76	0.32	ppb
Phosphorus	31-2	3010.23	3064.33	3025.16	3033.24	0.92	ppb
Potassium	39-2	9338.06	9335.83	9290.00	9321.30	0.29	ppb
Rhodium	103-1				92		%
Rhodium	103-2				93		%
Scandium	45-1				100		%
Scandium	45-2				98		%
Selenium	82-1	1.28	1.28	1.23	1.26	2.30	ppb
Selenium	77-2	15.81	16.58	10.69	14.36	22.31	ppb
Selenium	78-2	2.52	3.44	3.62	3.19	18.38	ppb
Silicon	28-1	636.44	662.06	672.64	657.05	2.83	ppb
Silver	107-1	0.34	0.35	0.35	0.35	1.94	ppb
Silver	109-1	0.35	0.34	0.37	0.35	4.26	ppb
Sodium	23-2	133.11	134.53	135.61	134.42	0.93	ppb
Strontium	86-1	71.43	74.68	75.40	73.84	2.87	ppb
Strontium	88-1	73.38	74.12	74.16	73.89	0.60	ppb
Sulfur	34-1	-1669.28	-1375.99	-1384.33	-1476.53		ppb
Terbium	159-1				97		%
Terbium	159-2				98		%
Thallium	203-1	0.21	0.23	0.22	0.22	3.68	ppb
Thallium	205-1	0.23	0.23	0.23	0.23	1.09	ppb
Tin	118-1	3.82	3.74	3.93	3.83	2.37	ppb
Titanium	47-1	1157.29	1187.80	1183.93	1176.34	1.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.75	0.77	0.74	0.75	2.01	ppb
Vanadium	51-2	386.78	396.47	385.61	389.62	1.53	ppb
Yttrium	89-1				99		%
Yttrium	89-2				98		%
Zinc	66-2	279.40	280.90	279.60	279.97	0.29	ppb
Zirconium	90-1	17.29	17.05	17.31	17.22	0.85	ppb
Zirconium	91-1	17.40	17.34	17.92	17.55	1.80	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	25817.40	26168.32	25544.12	25843.28	1.21	ppb
Antimony	121-1	1.85	1.92	1.95	1.91	2.56	ppb
Arsenic	75-2	109.18	111.32	111.72	110.74	1.23	ppb
Barium	135-1	486.20	514.67	505.42	502.09	2.89	ppb
Barium	137-1	492.99	505.92	510.68	503.20	1.82	ppb
Beryllium	9-1	1.40	1.35	1.43	1.39	2.91	ppb
Bismuth	209-1				98		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.71	1.59	1.46	1.59	7.86	ppb
Cadmium	106-1	2.79	1.40	2.36	2.18	32.61	ppb
Cadmium	111-1	1.05	0.96	1.10	1.04	6.86	ppb
Calcium	43-1	25044.95	26129.61	25730.13	25634.89	2.14	ppb
Calcium	44-1	25358.47	25956.06	25766.74	25693.76	1.19	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	74.04	74.79	74.33	74.39	0.51	ppb
Cobalt	59-2	39.58	40.21	40.04	39.94	0.82	ppb
Copper	63-2	183.69	185.38	183.27	184.11	0.61	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				95		%
Iron	56-2	89062.62	91132.94	89208.26	89801.27	1.29	ppb
Iron	57-2	87028.48	87866.19	87698.57	87531.08	0.51	ppb
Iron	54-2	90223.33	88792.23	90711.49	89909.02	1.11	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	45.90	46.56	46.28	46.25	0.71	ppb
Lead	207-1	44.26	44.57	44.59	44.47	0.42	ppb
Lead	208-1	44.75	45.20	45.08	45.01	0.53	ppb
Lithium	6-1				101		%
Magnesium	24-2	15510.54	15769.64	15455.41	15578.53	1.08	ppb
Manganese	55-2	2157.91	2187.79	2170.63	2172.11	0.69	ppb
Molybdenum	94-1	8.86	9.06	8.97	8.96	1.12	ppb
Molybdenum	95-1	1.14	1.19	1.18	1.17	2.34	ppb
Molybdenum	96-1	2.45	2.50	2.49	2.48	1.03	ppb
Molybdenum	97-1	1.15	1.16	1.18	1.16	1.12	ppb
Molybdenum	98-1	1.10	1.18	1.17	1.15	3.63	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	66.37	66.83	66.59	66.60	0.35	ppb
Phosphorus	31-2	2679.98	2699.15	2714.15	2697.76	0.63	ppb
Potassium	39-2	8138.83	8290.54	8192.41	8207.26	0.94	ppb
Rhodium	103-1				97		%
Rhodium	103-2				96		%
Scandium	45-1				100		%
Scandium	45-2				97		%
Selenium	82-1	1.33	0.96	1.27	1.19	16.83	ppb
Selenium	77-2	10.26	9.62	11.10	10.33	7.19	ppb
Selenium	78-2	0.15	0.28	2.39	0.94	134.04	ppb
Silicon	28-1	794.62	786.88	821.73	801.08	2.28	ppb
Silver	107-1	0.21	0.22	0.22	0.21	2.15	ppb
Silver	109-1	0.23	0.22	0.21	0.22	5.25	ppb
Sodium	23-2	889.04	916.17	895.89	900.36	1.57	ppb
Strontium	86-1	125.64	126.79	126.72	126.38	0.51	ppb
Strontium	88-1	128.01	129.33	128.95	128.76	0.53	ppb
Sulfur	34-1	-964.33	-923.02	-891.19	-926.18		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.12	0.13	0.13	0.13	3.34	ppb
Thallium	205-1	0.12	0.13	0.13	0.13	3.00	ppb
Tin	118-1	3.91	4.04	4.08	4.01	2.27	ppb
Titanium	47-1	776.73	796.60	805.43	792.92	1.85	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.55	0.56	0.55	0.55	1.42	ppb
Vanadium	51-2	202.30	205.33	202.42	203.35	0.84	ppb
Yttrium	89-1				101		%
Yttrium	89-2				100		%
Zinc	66-2	655.98	660.14	655.46	657.19	0.39	ppb
Zirconium	90-1	4.77	4.91	4.87	4.85	1.50	ppb
Zirconium	91-1	4.96	5.03	5.04	5.01	0.89	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	53240.10	54877.40	53941.82	54019.77	1.52	ppb
Antimony	121-1	1.84	1.85	1.84	1.84	0.24	ppb
Arsenic	75-2	177.47	175.57	179.99	177.68	1.25	ppb
Barium	135-1	540.22	547.50	540.80	542.84	0.75	ppb
Barium	137-1	537.41	550.79	546.73	544.98	1.26	ppb
Beryllium	9-1	2.04	2.19	2.12	2.12	3.65	ppb
Bismuth	209-1				94		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.11	3.07	3.29	3.15	3.81	ppb
Cadmium	106-1	4.49	4.05	2.91	3.81	21.31	ppb
Cadmium	111-1	2.01	2.07	1.86	1.98	5.48	ppb
Calcium	43-1	9698.33	10460.11	10118.92	10092.45	3.78	ppb
Calcium	44-1	9370.45	9845.60	9524.43	9580.16	2.53	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	129.88	130.10	129.16	129.72	0.38	ppb
Cobalt	59-2	64.43	65.42	65.07	64.98	0.77	ppb
Copper	63-2	276.26	280.18	276.11	277.52	0.83	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				98		%
Indium	115-1				94		%
Indium	115-2				93		%
Iron	56-2	133113.33	130666.93	130862.13	131547.46	1.03	ppb
Iron	57-2	129533.50	129272.51	129587.06	129464.36	0.13	ppb
Iron	54-2	132651.72	132797.46	131179.00	132209.39	0.68	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	64.99	66.33	66.28	65.87	1.16	ppb
Lead	207-1	63.32	66.76	65.85	65.31	2.73	ppb
Lead	208-1	63.86	65.58	65.63	65.02	1.55	ppb
Lithium	6-1				96		%
Magnesium	24-2	29538.29	29478.25	29482.78	29499.77	0.11	ppb
Manganese	55-2	3011.03	2966.32	2947.46	2974.93	1.10	ppb
Molybdenum	94-1	28.44	28.58	28.51	28.51	0.24	ppb
Molybdenum	95-1	1.22	1.21	1.23	1.22	0.79	ppb
Molybdenum	96-1	4.90	4.77	4.68	4.78	2.40	ppb
Molybdenum	97-1	1.17	1.22	1.22	1.20	2.61	ppb
Molybdenum	98-1	1.19	1.18	1.18	1.18	0.40	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	114.44	114.01	111.88	113.44	1.21	ppb
Phosphorus	31-2	1954.86	1889.32	1936.16	1926.78	1.75	ppb
Potassium	39-2	8599.39	8548.21	8465.31	8537.64	0.79	ppb
Rhodium	103-1				92		%
Rhodium	103-2				93		%
Scandium	45-1				99		%
Scandium	45-2				97		%
Selenium	82-1	0.78	1.66	1.37	1.27	35.46	ppb
Selenium	77-2	18.61	16.88	19.12	18.20	6.47	ppb
Selenium	78-2	4.37	4.11	3.52	4.00	10.89	ppb
Silicon	28-1	1379.58	1477.25	1424.90	1427.24	3.42	ppb
Silver	107-1	0.44	0.45	0.43	0.44	2.36	ppb
Silver	109-1	0.43	0.41	0.41	0.42	3.71	ppb
Sodium	23-2	164.85	165.05	166.99	165.63	0.71	ppb
Strontium	86-1	113.26	112.66	111.30	112.40	0.89	ppb
Strontium	88-1	111.81	111.08	112.60	111.83	0.68	ppb
Sulfur	34-1	-1715.22	-1604.51	-1776.75	-1698.83		ppb
Terbium	159-1				96		%
Terbium	159-2				98		%
Thallium	203-1	0.43	0.45	0.42	0.43	3.56	ppb
Thallium	205-1	0.41	0.43	0.43	0.42	2.27	ppb
Tin	118-1	3.37	3.48	3.31	3.39	2.63	ppb
Titanium	47-1	1357.12	1407.86	1375.26	1380.08	1.86	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	1.07	1.11	1.11	1.10	1.88	ppb
Vanadium	51-2	286.27	287.23	287.79	287.10	0.27	ppb
Yttrium	89-1				101		%
Yttrium	89-2				100		%
Zinc	66-2	276.79	277.02	275.33	276.38	0.33	ppb
Zirconium	90-1	16.47	16.02	16.34	16.28	1.41	ppb
Zirconium	91-1	16.89	16.53	16.34	16.59	1.68	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	48589.85	47959.90	48102.24	48217.33	0.69	ppb
Antimony	121-1	501.53	506.83	508.46	505.61	0.72	ppb
Arsenic	75-2	482.16	485.67	481.14	482.99	0.49	ppb
Barium	135-1	2491.40	2463.20	2479.34	2477.98	0.57	ppb
Barium	137-1	2499.31	2480.68	2520.30	2500.10	0.79	ppb
Beryllium	9-1	530.24	522.00	507.04	519.76	2.26	ppb
Bismuth	209-1				91		%
Bismuth	209-2				92		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	495.88	499.53	503.83	499.75	0.80	ppb
Cadmium	106-1	516.30	514.98	519.62	516.96	0.46	ppb
Cadmium	111-1	507.84	503.64	492.58	501.35	1.57	ppb
Calcium	43-1	255535.02	256048.39	248223.63	253269.01	1.73	ppb
Calcium	44-1	251840.88	252206.42	247555.24	250534.18	1.03	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	506.93	498.65	510.39	505.32	1.19	ppb
Cobalt	59-2	541.84	533.25	535.48	536.85	0.83	ppb
Copper	63-2	5316.57	5247.66	5264.70	5276.31	0.68	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				96		%
Holmium	165-2				97		%
Indium	115-1				90		%
Indium	115-2				88		%
Iron	56-2	127401.38	127810.95	127616.94	127609.76	0.16	ppb
Iron	57-2	126985.21	126956.79	125927.98	126623.33	0.48	ppb
Iron	54-2	129573.69	127730.66	129399.94	128901.43	0.79	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2556.33	2587.89	2551.83	2565.35	0.77	ppb
Lead	207-1	2546.51	2593.59	2569.54	2569.88	0.92	ppb
Lead	208-1	2545.30	2574.24	2564.35	2561.30	0.57	ppb
Lithium	6-1				102		%
Magnesium	24-2	245137.42	240858.66	241186.09	242394.06	0.98	ppb
Manganese	55-2	4977.52	4977.01	4951.95	4968.82	0.29	ppb
Molybdenum	94-1	5025.16	5019.94	5198.03	5081.04	1.99	ppb
Molybdenum	95-1	4959.08	5033.32	5241.65	5078.02	2.88	ppb
Molybdenum	96-1	5087.25	5056.77	5135.20	5093.08	0.78	ppb
Molybdenum	97-1	5106.10	5041.92	5129.15	5092.39	0.89	ppb
Molybdenum	98-1	5103.08	5034.00	5132.75	5089.95	1.00	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	521.21	515.22	520.04	518.82	0.61	ppb
Phosphorus	31-2	10150.52	9943.77	10001.63	10031.97	1.06	ppb
Potassium	39-2	119685.46	119211.98	119847.23	119581.55	0.28	ppb
Rhodium	103-1				88		%
Rhodium	103-2				86		%
Scandium	45-1				91		%
Scandium	45-2				86		%
Selenium	82-1	489.38	492.86	498.37	493.54	0.92	ppb
Selenium	77-2	466.94	477.84	470.64	471.81	1.17	ppb
Selenium	78-2	471.78	486.34	481.70	479.94	1.55	ppb
Silicon	28-1	401.40	406.31	399.21	402.31	0.90	ppb
Silver	107-1	516.61	519.20	523.48	519.76	0.67	ppb
Silver	109-1	501.52	504.54	510.31	505.46	0.88	ppb
Sodium	23-2	247659.46	243174.51	247515.76	246116.58	1.04	ppb
Strontium	86-1	12730.06	12578.65	12738.03	12682.25	0.71	ppb
Strontium	88-1	12688.94	12597.53	12981.57	12756.01	1.57	ppb
Sulfur	34-1	9769.83	9723.51	9472.02	9655.12	1.66	ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	513.90	512.90	511.13	512.64	0.27	ppb
Thallium	205-1	515.75	514.92	521.96	517.54	0.74	ppb
Tin	118-1	492.65	485.71	497.43	491.93	1.20	ppb
Titanium	47-1	5006.98	4937.90	4932.49	4959.12	0.84	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	513.30	523.67	522.58	519.85	1.10	ppb
Vanadium	51-2	509.62	500.12	508.40	506.05	1.02	ppb
Yttrium	89-1				94		%
Yttrium	89-2				91		%
Zinc	66-2	5230.41	5273.13	5231.81	5245.12	0.46	ppb
Zirconium	90-1	501.73	504.15	510.93	505.60	0.94	ppb
Zirconium	91-1	505.46	505.38	522.85	511.23	1.97	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	1.95	1.87	2.00	1.94	3.44	ppb
Antimony	121-1	0.35	0.37	0.39	0.37	5.03	ppb
Arsenic	75-2	0.03	0.03	0.02	0.03	26.15	ppb
Barium	135-1	0.09	0.09	0.05	0.08	29.98	ppb
Barium	137-1	0.12	0.09	0.08	0.10	25.05	ppb
Beryllium	9-1	0.04	0.02	0.03	0.03	42.84	ppb
Bismuth	209-1				96		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.04	0.06	0.01	0.04	78.69	ppb
Cadmium	106-1	0.15	-0.28	0.39	0.09	398.50	ppb
Cadmium	111-1	0.05	0.01	0.06	0.04	71.80	ppb
Calcium	43-1	14.13	13.60	14.29	14.01	2.57	ppb
Calcium	44-1	-2.63	-4.91	-7.12	-4.89		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.01	0.02	0.04	0.02	61.47	ppb
Cobalt	59-2	0.02	0.01	0.01	0.01	22.20	ppb
Copper	63-2	-0.08	-0.09	-0.08	-0.08		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				94		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				94		%
Iron	56-2	5.50	5.23	5.25	5.33	2.81	ppb
Iron	57-2	3.11	4.60	3.60	3.77	20.12	ppb
Iron	54-2	6.47	6.38	6.30	6.38	1.28	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.25	0.21	0.16	0.21	20.49	ppb
Lead	207-1	0.24	0.21	0.18	0.21	15.08	ppb
Lead	208-1	0.23	0.20	0.17	0.20	15.85	ppb
Lithium	6-1				105		%
Magnesium	24-2	7.83	7.62	7.65	7.70	1.49	ppb
Manganese	55-2	0.07	0.09	0.07	0.08	17.82	ppb
Molybdenum	94-1	0.59	0.49	0.48	0.52	10.88	ppb
Molybdenum	95-1	0.39	0.32	0.28	0.33	16.14	ppb
Molybdenum	96-1	0.42	0.34	0.33	0.36	12.88	ppb
Molybdenum	97-1	0.40	0.29	0.31	0.34	17.23	ppb
Molybdenum	98-1	0.36	0.32	0.30	0.33	10.22	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	-0.01	0.01	-0.01	0.00		ppb
Phosphorus	31-2	-19.19	-18.53	-16.71	-18.14		ppb
Potassium	39-2	1.48	-0.31	-1.18	-0.01		ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				89		%
Scandium	45-2				87		%
Selenium	82-1	0.19	0.29	0.41	0.30	37.77	ppb
Selenium	77-2	-0.05	0.27	-0.05	0.06	319.01	ppb
Selenium	78-2	-0.41	0.02	-1.00	-0.46		ppb
Silicon	28-1	0.99	0.74	0.69	0.81	19.91	ppb
Silver	107-1	0.08	0.05	0.05	0.06	31.06	ppb
Silver	109-1	0.07	0.05	0.04	0.06	23.19	ppb
Sodium	23-2	18.16	16.47	15.58	16.74	7.83	ppb
Strontium	86-1	0.62	0.52	0.42	0.52	19.57	ppb
Strontium	88-1	0.63	0.49	0.41	0.51	22.22	ppb
Sulfur	34-1	-513.54	-554.16	-602.56	-556.75		ppb
Terbium	159-1				95		%
Terbium	159-2				97		%
Thallium	203-1	0.07	0.06	0.05	0.06	19.91	ppb
Thallium	205-1	0.06	0.05	0.04	0.05	17.17	ppb
Tin	118-1	0.13	0.15	0.16	0.15	8.41	ppb
Titanium	47-1	0.32	0.25	0.25	0.27	14.61	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.02	0.02	0.02	11.99	ppb
Vanadium	51-2	0.02	0.02	0.02	0.02	8.80	ppb
Yttrium	89-1				93		%
Yttrium	89-2				93		%
Zinc	66-2	0.38	0.24	0.39	0.34	25.82	ppb
Zirconium	90-1	0.16	0.14	0.13	0.15	11.08	ppb
Zirconium	91-1	0.18	0.15	0.16	0.16	11.97	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	63820.41	62628.96	62369.24	62939.54	1.23	ppb
Antimony	121-1	0.87	0.89	0.92	0.89	2.84	ppb
Arsenic	75-2	99.37	99.04	100.73	99.72	0.90	ppb
Barium	135-1	282.32	281.72	287.55	283.86	1.13	ppb
Barium	137-1	302.12	296.18	308.27	302.19	2.00	ppb
Beryllium	9-1	1.08	1.09	0.98	1.05	5.93	ppb
Bismuth	209-1				95		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.47	1.67	1.38	1.50	9.86	ppb
Cadmium	106-1	1.79	1.17	0.81	1.26	39.35	ppb
Cadmium	111-1	1.32	1.27	1.30	1.29	1.70	ppb
Calcium	43-1	6396.10	6653.39	6669.92	6573.14	2.34	ppb
Calcium	44-1	6177.44	6219.04	6273.55	6223.34	0.77	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	129.41	127.57	128.07	128.35	0.74	ppb
Cobalt	59-2	77.10	75.72	76.39	76.41	0.90	ppb
Copper	63-2	282.85	280.76	283.45	282.35	0.50	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				97		%
Indium	115-1				95		%
Indium	115-2				93		%
Iron	56-2	163130.41	160366.65	161619.88	161705.65	0.86	ppb
Iron	57-2	158759.82	158426.45	158147.86	158444.71	0.19	ppb
Iron	54-2	164368.60	163838.32	164711.11	164306.01	0.27	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	47.10	48.98	47.63	47.90	2.03	ppb
Lead	207-1	46.28	48.00	46.96	47.08	1.84	ppb
Lead	208-1	46.55	48.37	47.03	47.32	1.99	ppb
Lithium	6-1				97		%
Magnesium	24-2	46209.61	44753.49	44956.99	45306.69	1.74	ppb
Manganese	55-2	2620.18	2616.43	2629.44	2622.01	0.26	ppb
Molybdenum	94-1	5.14	5.20	5.26	5.20	1.17	ppb
Molybdenum	95-1	1.21	1.21	1.23	1.22	1.04	ppb
Molybdenum	96-1	2.69	2.67	2.68	2.68	0.39	ppb
Molybdenum	97-1	1.21	1.21	1.30	1.24	4.25	ppb
Molybdenum	98-1	1.21	1.22	1.21	1.21	0.31	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	110.31	108.87	108.49	109.22	0.88	ppb
Phosphorus	31-2	1618.63	1557.70	1550.77	1575.70	2.37	ppb
Potassium	39-2	6951.35	6823.65	6893.09	6889.36	0.93	ppb
Rhodium	103-1				93		%
Rhodium	103-2				93		%
Scandium	45-1				106		%
Scandium	45-2				104		%
Selenium	82-1	1.07	0.88	1.48	1.14	26.92	ppb
Selenium	77-2	10.78	8.41	8.91	9.37	13.33	ppb
Selenium	78-2	2.81	0.39	1.14	1.45	85.38	ppb
Silicon	28-1	695.51	706.23	717.15	706.30	1.53	ppb
Silver	107-1	0.27	0.21	0.22	0.23	13.34	ppb
Silver	109-1	0.25	0.23	0.22	0.23	6.03	ppb
Sodium	23-2	177.70	176.37	178.53	177.54	0.61	ppb
Strontium	86-1	45.71	45.26	46.51	45.83	1.37	ppb
Strontium	88-1	46.73	46.11	46.26	46.37	0.70	ppb
Sulfur	34-1	-1474.06	-1494.83	-1537.59	-1502.16		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.21	0.22	0.20	0.21	2.74	ppb
Thallium	205-1	0.19	0.21	0.19	0.20	5.62	ppb
Tin	118-1	3.33	3.32	3.33	3.33	0.30	ppb
Titanium	47-1	566.91	572.89	576.91	572.24	0.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.36	0.38	0.37	0.37	2.02	ppb
Vanadium	51-2	522.51	514.63	514.44	517.19	0.89	ppb
Yttrium	89-1				100		%
Yttrium	89-2				98		%
Zinc	66-2	325.57	318.58	323.33	322.50	1.11	ppb
Zirconium	90-1	2.41	2.46	2.52	2.46	2.31	ppb
Zirconium	91-1	2.53	2.53	2.60	2.55	1.55	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	77092.50	77497.86	77679.45	77423.27	0.39	ppb
Antimony	121-1	0.77	0.80	0.81	0.79	3.10	ppb
Arsenic	75-2	102.32	103.41	104.05	103.26	0.85	ppb
Barium	135-1	383.10	386.11	388.05	385.75	0.65	ppb
Barium	137-1	404.21	412.88	406.62	407.90	1.10	ppb
Beryllium	9-1	1.35	1.26	1.34	1.32	3.82	ppb
Bismuth	209-1				94		%
Bismuth	209-2				94		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.86	1.57	1.45	1.63	12.74	ppb
Cadmium	106-1	1.49	1.67	2.08	1.75	17.21	ppb
Cadmium	111-1	1.45	1.39	1.46	1.43	2.28	ppb
Calcium	43-1	7514.71	7591.23	7520.31	7542.08	0.57	ppb
Calcium	44-1	7032.40	7119.46	6996.43	7049.43	0.90	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	152.36	154.23	154.93	153.84	0.86	ppb
Cobalt	59-2	92.38	92.17	93.06	92.54	0.50	ppb
Copper	63-2	324.85	325.65	322.19	324.23	0.56	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				97		%
Indium	115-1				93		%
Indium	115-2				92		%
Iron	56-2	193932.27	193324.41	193122.67	193459.78	0.22	ppb
Iron	57-2	189640.68	188085.34	190772.91	189499.64	0.71	ppb
Iron	54-2	195376.51	194015.75	194074.54	194488.94	0.40	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	46.31	47.21	45.63	46.38	1.70	ppb
Lead	207-1	45.56	46.98	45.37	45.97	1.92	ppb
Lead	208-1	45.49	46.78	45.31	45.86	1.75	ppb
Lithium	6-1				97		%
Magnesium	24-2	57417.99	56639.70	57520.17	57192.62	0.84	ppb
Manganese	55-2	4640.75	4684.39	4629.53	4651.56	0.62	ppb
Molybdenum	94-1	5.54	5.70	5.68	5.64	1.54	ppb
Molybdenum	95-1	1.31	1.45	1.38	1.38	5.24	ppb
Molybdenum	96-1	3.02	3.10	2.92	3.01	3.03	ppb
Molybdenum	97-1	1.37	1.34	1.45	1.39	4.11	ppb
Molybdenum	98-1	1.32	1.32	1.34	1.33	1.00	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	130.11	130.39	132.04	130.85	0.80	ppb
Phosphorus	31-2	2060.08	2070.79	2021.09	2050.66	1.28	ppb
Potassium	39-2	7898.48	7951.13	7866.46	7905.36	0.54	ppb
Rhodium	103-1				91		%
Rhodium	103-2				92		%
Scandium	45-1				108		%
Scandium	45-2				105		%
Selenium	82-1	1.23	1.04	0.81	1.03	20.35	ppb
Selenium	77-2	10.71	12.53	16.43	13.22	22.07	ppb
Selenium	78-2	2.66	2.59	2.39	2.54	5.43	ppb
Silicon	28-1	723.70	712.54	718.98	718.41	0.78	ppb
Silver	107-1	0.21	0.22	0.21	0.21	1.69	ppb
Silver	109-1	0.21	0.21	0.22	0.21	4.10	ppb
Sodium	23-2	140.91	143.40	144.90	143.07	1.41	ppb
Strontium	86-1	60.40	60.92	60.15	60.49	0.65	ppb
Strontium	88-1	60.59	62.00	61.38	61.32	1.15	ppb
Sulfur	34-1	-1664.05	-1674.55	-1693.68	-1677.43		ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	0.32	0.34	0.31	0.32	4.68	ppb
Thallium	205-1	0.31	0.34	0.30	0.32	5.68	ppb
Tin	118-1	2.28	2.26	2.31	2.28	1.05	ppb
Titanium	47-1	566.35	572.15	572.41	570.30	0.60	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.44	0.45	0.43	0.44	1.86	ppb
Vanadium	51-2	602.31	604.97	622.14	609.81	1.77	ppb
Yttrium	89-1				99		%
Yttrium	89-2				98		%
Zinc	66-2	348.40	346.47	351.54	348.80	0.73	ppb
Zirconium	90-1	2.62	2.67	2.68	2.66	1.10	ppb
Zirconium	91-1	2.64	2.72	2.76	2.71	2.20	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	85236.86	84403.35	85172.58	84937.59	0.55	ppb
Antimony	121-1	0.84	0.80	0.83	0.82	2.57	ppb
Arsenic	75-2	154.42	157.62	157.76	156.60	1.21	ppb
Barium	135-1	429.88	437.37	440.40	435.89	1.24	ppb
Barium	137-1	458.62	462.38	459.40	460.13	0.43	ppb
Beryllium	9-1	1.42	1.51	1.50	1.47	3.45	ppb
Bismuth	209-1				95		%
Bismuth	209-2				95		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.55	1.57	1.76	1.63	6.92	ppb
Cadmium	106-1	1.65	1.48	2.21	1.78	21.48	ppb
Cadmium	111-1	1.18	1.16	1.25	1.20	3.76	ppb
Calcium	43-1	9674.03	9693.07	9755.66	9707.59	0.44	ppb
Calcium	44-1	9092.14	9245.70	9204.23	9180.69	0.87	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	171.07	167.92	169.08	169.35	0.94	ppb
Cobalt	59-2	112.76	110.52	110.86	111.38	1.09	ppb
Copper	63-2	398.07	385.70	384.77	389.51	1.91	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				98		%
Indium	115-1				93		%
Indium	115-2				92		%
Iron	56-2	218199.54	214149.57	214150.99	215500.03	1.08	ppb
Iron	57-2	215122.75	210956.39	210110.47	212063.20	1.27	ppb
Iron	54-2	218871.81	214361.64	214146.19	215793.21	1.24	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	43.12	43.69	43.64	43.48	0.73	ppb
Lead	207-1	42.60	43.50	43.30	43.13	1.10	ppb
Lead	208-1	42.71	43.37	43.26	43.11	0.82	ppb
Lithium	6-1				99		%
Magnesium	24-2	59919.78	59346.06	59548.84	59604.90	0.49	ppb
Manganese	55-2	3622.79	3534.44	3555.11	3570.78	1.29	ppb
Molybdenum	94-1	7.38	7.64	7.60	7.54	1.90	ppb
Molybdenum	95-1	1.41	1.49	1.46	1.45	2.66	ppb
Molybdenum	96-1	3.35	3.50	3.46	3.44	2.30	ppb
Molybdenum	97-1	1.40	1.43	1.45	1.42	1.84	ppb
Molybdenum	98-1	1.39	1.39	1.37	1.38	0.81	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	152.32	152.29	151.45	152.02	0.32	ppb
Phosphorus	31-2	1688.85	1701.63	1672.99	1687.83	0.85	ppb
Potassium	39-2	5644.72	5519.19	5504.16	5556.02	1.39	ppb
Rhodium	103-1				92		%
Rhodium	103-2				92		%
Scandium	45-1				111		%
Scandium	45-2				108		%
Selenium	82-1	1.11	1.70	1.56	1.46	21.21	ppb
Selenium	77-2	17.39	14.37	15.92	15.89	9.50	ppb
Selenium	78-2	2.18	1.90	2.43	2.17	12.34	ppb
Silicon	28-1	570.42	569.32	567.01	568.92	0.31	ppb
Silver	107-1	0.21	0.22	0.24	0.22	7.11	ppb
Silver	109-1	0.21	0.22	0.22	0.22	2.36	ppb
Sodium	23-2	143.17	142.78	145.45	143.80	1.00	ppb
Strontium	86-1	61.90	63.10	63.05	62.68	1.08	ppb
Strontium	88-1	63.20	63.49	62.97	63.22	0.41	ppb
Sulfur	34-1	-1894.44	-1914.26	-1914.89	-1907.86		ppb
Terbium	159-1				98		%
Terbium	159-2				97		%
Thallium	203-1	0.22	0.19	0.20	0.20	7.46	ppb
Thallium	205-1	0.20	0.19	0.18	0.19	6.23	ppb
Tin	118-1	3.15	3.12	3.22	3.16	1.62	ppb
Titanium	47-1	813.17	818.33	821.43	817.64	0.51	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.51	0.52	0.51	0.51	1.10	ppb
Vanadium	51-2	718.17	699.51	709.68	709.12	1.32	ppb
Yttrium	89-1				100		%
Yttrium	89-2				101		%
Zinc	66-2	301.50	295.24	299.26	298.67	1.06	ppb
Zirconium	90-1	3.71	3.79	3.79	3.76	1.16	ppb
Zirconium	91-1	3.82	3.91	3.92	3.88	1.49	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	16513.00	16281.04	16291.01	16361.68	0.80	ppb
Antimony	121-1	8.56	8.89	8.69	8.71	1.91	ppb
Arsenic	75-2	47.14	45.68	46.52	46.45	1.58	ppb
Barium	135-1	123.44	124.85	124.43	124.24	0.58	ppb
Barium	137-1	123.70	125.13	123.87	124.23	0.63	ppb
Beryllium	9-1	0.59	0.59	0.63	0.61	3.62	ppb
Bismuth	209-1				98		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.86	0.88	0.93	0.89	4.03	ppb
Cadmium	106-1	0.57	0.14	1.05	0.59	77.96	ppb
Cadmium	111-1	0.47	0.46	0.54	0.49	8.66	ppb
Calcium	43-1	7674.26	7874.07	7810.85	7786.40	1.31	ppb
Calcium	44-1	7394.51	7658.73	7337.30	7463.52	2.30	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	45.52	44.96	44.44	44.97	1.20	ppb
Cobalt	59-2	23.23	23.33	23.33	23.30	0.25	ppb
Copper	63-2	82.34	81.05	81.17	81.52	0.87	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				99		%
Indium	115-1				95		%
Indium	115-2				94		%
Iron	56-2	54637.75	54615.96	54355.42	54536.37	0.29	ppb
Iron	57-2	53615.58	52993.16	53362.98	53323.91	0.59	ppb
Iron	54-2	55534.72	54535.53	55302.18	55124.15	0.95	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	42.77	43.81	42.45	43.01	1.66	ppb
Lead	207-1	39.12	40.35	38.87	39.45	2.01	ppb
Lead	208-1	40.46	41.52	40.28	40.76	1.65	ppb
Lithium	6-1				102		%
Magnesium	24-2	9700.13	9763.35	9626.71	9696.73	0.71	ppb
Manganese	55-2	818.85	815.93	818.23	817.67	0.19	ppb
Molybdenum	94-1	6.65	6.89	6.84	6.79	1.84	ppb
Molybdenum	95-1	0.59	0.59	0.59	0.59	0.31	ppb
Molybdenum	96-1	1.48	1.59	1.59	1.55	4.09	ppb
Molybdenum	97-1	0.60	0.60	0.58	0.59	1.29	ppb
Molybdenum	98-1	0.55	0.59	0.58	0.58	3.68	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	48.17	47.71	47.89	47.92	0.49	ppb
Phosphorus	31-2	1179.92	1153.48	1137.46	1156.95	1.85	ppb
Potassium	39-2	2658.93	2626.91	2642.09	2642.64	0.61	ppb
Rhodium	103-1				94		%
Rhodium	103-2				96		%
Scandium	45-1				96		%
Scandium	45-2				92		%
Selenium	82-1	0.51	0.87	0.69	0.69	25.54	ppb
Selenium	77-2	7.42	6.89	6.30	6.87	8.20	ppb
Selenium	78-2	1.10	1.40	0.91	1.14	21.74	ppb
Silicon	28-1	422.54	429.39	422.08	424.67	0.96	ppb
Silver	107-1	0.08	0.08	0.09	0.08	7.01	ppb
Silver	109-1	0.08	0.08	0.08	0.08	2.25	ppb
Sodium	23-2	207.43	204.65	205.77	205.95	0.68	ppb
Strontium	86-1	30.40	31.00	30.68	30.69	0.97	ppb
Strontium	88-1	30.10	30.85	30.44	30.46	1.23	ppb
Sulfur	34-1	-1413.50	-1363.40	-1461.01	-1412.64		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	0.10	0.09	0.09	0.09	4.09	ppb
Thallium	205-1	0.09	0.08	0.09	0.09	2.41	ppb
Tin	118-1	1.83	1.86	1.86	1.85	0.81	ppb
Titanium	47-1	542.80	539.19	545.46	542.48	0.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.46	0.47	0.46	0.46	0.80	ppb
Vanadium	51-2	136.03	135.55	135.11	135.57	0.34	ppb
Yttrium	89-1				99		%
Yttrium	89-2				96		%
Zinc	66-2	128.88	127.56	125.76	127.40	1.23	ppb
Zirconium	90-1	3.71	3.86	3.75	3.77	1.99	ppb
Zirconium	91-1	3.68	3.89	3.78	3.78	2.76	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	79371.70	79858.28	79023.04	79417.67	0.53	ppb
Antimony	121-1	0.83	0.81	0.80	0.82	1.71	ppb
Arsenic	75-2	218.81	219.90	218.87	219.19	0.28	ppb
Barium	135-1	540.25	542.85	534.21	539.10	0.82	ppb
Barium	137-1	557.96	548.09	534.58	546.88	2.15	ppb
Beryllium	9-1	1.88	1.77	1.74	1.80	3.95	ppb
Bismuth	209-1				96		%
Bismuth	209-2				95		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.25	1.31	1.06	1.21	10.43	ppb
Cadmium	106-1	2.54	1.81	0.92	1.76	46.38	ppb
Cadmium	111-1	0.61	0.54	0.54	0.56	7.53	ppb
Calcium	43-1	11553.69	12335.64	11970.13	11953.15	3.27	ppb
Calcium	44-1	11271.46	11511.60	11525.19	11436.08	1.25	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	155.06	154.46	155.02	154.85	0.22	ppb
Cobalt	59-2	97.86	97.27	98.11	97.74	0.44	ppb
Copper	63-2	330.99	330.38	334.52	331.96	0.67	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				93		%
Iron	56-2	197692.53	197815.99	199105.44	198204.66	0.39	ppb
Iron	57-2	193580.31	194705.76	196687.27	194991.11	0.81	ppb
Iron	54-2	198843.84	198879.00	201233.18	199652.01	0.69	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	9.33	9.47	9.32	9.37	0.91	ppb
Lead	207-1	8.51	8.99	8.79	8.76	2.75	ppb
Lead	208-1	8.90	9.13	9.06	9.03	1.29	ppb
Lithium	6-1				102		%
Magnesium	24-2	47913.00	48083.20	48303.75	48099.98	0.41	ppb
Manganese	55-2	3736.67	3690.02	3740.66	3722.45	0.76	ppb
Molybdenum	94-1	13.11	13.48	13.29	13.29	1.41	ppb
Molybdenum	95-1	4.08	4.01	4.11	4.06	1.30	ppb
Molybdenum	96-1	6.14	6.17	6.19	6.17	0.38	ppb
Molybdenum	97-1	3.90	4.08	4.12	4.04	2.92	ppb
Molybdenum	98-1	3.98	3.96	3.97	3.97	0.34	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	136.20	136.51	136.60	136.43	0.15	ppb
Phosphorus	31-2	1624.94	1579.40	1599.70	1601.35	1.42	ppb
Potassium	39-2	15653.12	15804.70	15832.11	15763.31	0.61	ppb
Rhodium	103-1				92		%
Rhodium	103-2				93		%
Scandium	45-1				104		%
Scandium	45-2				99		%
Selenium	82-1	0.97	0.96	1.25	1.06	15.68	ppb
Selenium	77-2	10.88	13.36	12.13	12.12	10.22	ppb
Selenium	78-2	2.20	2.20	2.51	2.30	7.63	ppb
Silicon	28-1	512.32	530.66	516.98	519.99	1.83	ppb
Silver	107-1	0.13	0.12	0.12	0.12	4.33	ppb
Silver	109-1	0.12	0.12	0.13	0.13	3.12	ppb
Sodium	23-2	237.36	239.03	237.95	238.11	0.36	ppb
Strontium	86-1	71.32	72.76	72.52	72.20	1.07	ppb
Strontium	88-1	72.48	73.66	72.21	72.78	1.06	ppb
Sulfur	34-1	-1621.96	-1407.02	-1418.78	-1482.59		ppb
Terbium	159-1				97		%
Terbium	159-2				99		%
Thallium	203-1	0.17	0.20	0.19	0.19	6.27	ppb
Thallium	205-1	0.18	0.18	0.19	0.18	1.52	ppb
Tin	118-1	2.09	2.11	2.03	2.08	2.05	ppb
Titanium	47-1	1080.44	1082.79	1082.36	1081.86	0.12	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.54	0.55	0.55	0.55	1.01	ppb
Vanadium	51-2	601.54	600.95	611.12	604.54	0.94	ppb
Yttrium	89-1				101		%
Yttrium	89-2				99		%
Zinc	66-2	227.74	225.44	229.46	227.55	0.89	ppb
Zirconium	90-1	5.91	5.85	5.95	5.90	0.85	ppb
Zirconium	91-1	6.05	6.11	6.06	6.07	0.53	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	23861.68	23925.50	23531.62	23772.93	0.89	ppb
Antimony	121-1	1.22	1.19	1.22	1.21	1.48	ppb
Arsenic	75-2	83.59	84.49	86.34	84.81	1.65	ppb
Barium	135-1	253.40	250.59	257.10	253.69	1.29	ppb
Barium	137-1	252.41	252.86	255.72	253.66	0.71	ppb
Beryllium	9-1	0.98	0.97	0.94	0.96	2.43	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.08	1.06	1.04	1.06	2.06	ppb
Cadmium	106-1	0.88	0.57	0.80	0.75	21.93	ppb
Cadmium	111-1	0.50	0.50	0.46	0.49	5.07	ppb
Calcium	43-1	6401.18	6524.15	6477.13	6467.48	0.96	ppb
Calcium	44-1	6092.79	6227.98	6228.66	6183.14	1.27	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	84.55	84.43	84.53	84.50	0.08	ppb
Cobalt	59-2	33.46	33.75	33.64	33.61	0.44	ppb
Copper	63-2	97.73	99.61	100.12	99.15	1.27	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				92		%
Iron	56-2	75036.47	76426.77	76312.20	75925.14	1.02	ppb
Iron	57-2	72764.23	74257.81	73716.95	73579.66	1.03	ppb
Iron	54-2	76272.99	75585.18	75235.74	75697.97	0.70	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	22.02	22.71	22.26	22.33	1.57	ppb
Lead	207-1	21.25	21.64	21.37	21.42	0.95	ppb
Lead	208-1	21.48	22.01	21.59	21.69	1.31	ppb
Lithium	6-1				102		%
Magnesium	24-2	14583.34	15112.80	14971.06	14889.07	1.84	ppb
Manganese	55-2	1988.03	2004.25	1992.01	1994.76	0.42	ppb
Molybdenum	94-1	10.82	10.81	11.06	10.90	1.29	ppb
Molybdenum	95-1	0.78	0.75	0.76	0.76	2.09	ppb
Molybdenum	96-1	2.18	2.20	2.22	2.20	1.09	ppb
Molybdenum	97-1	0.74	0.71	0.73	0.73	2.12	ppb
Molybdenum	98-1	0.69	0.70	0.69	0.69	1.00	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	67.09	67.19	67.78	67.35	0.55	ppb
Phosphorus	31-2	1155.13	1219.29	1178.96	1184.46	2.74	ppb
Potassium	39-2	4225.98	4303.40	4299.82	4276.40	1.02	ppb
Rhodium	103-1				93		%
Rhodium	103-2				94		%
Scandium	45-1				94		%
Scandium	45-2				91		%
Selenium	82-1	0.93	0.57	0.42	0.64	40.26	ppb
Selenium	77-2	8.42	8.17	7.77	8.12	4.07	ppb
Selenium	78-2	0.52	0.87	1.29	0.89	43.02	ppb
Silicon	28-1	1155.67	1172.51	1186.26	1171.48	1.31	ppb
Silver	107-1	0.08	0.08	0.08	0.08	1.00	ppb
Silver	109-1	0.07	0.07	0.09	0.08	10.21	ppb
Sodium	23-2	117.27	122.71	122.13	120.70	2.47	ppb
Strontium	86-1	42.25	42.29	42.10	42.21	0.24	ppb
Strontium	88-1	42.69	43.15	43.74	43.19	1.22	ppb
Sulfur	34-1	-1639.25	-1766.51	-1827.60	-1744.45		ppb
Terbium	159-1				98		%
Terbium	159-2				98		%
Thallium	203-1	0.12	0.12	0.11	0.12	4.54	ppb
Thallium	205-1	0.11	0.12	0.12	0.11	1.77	ppb
Tin	118-1	2.25	2.25	2.23	2.24	0.47	ppb
Titanium	47-1	686.93	673.62	689.99	683.51	1.27	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.43	0.45	0.43	0.44	2.69	ppb
Vanadium	51-2	144.27	146.43	147.67	146.12	1.18	ppb
Yttrium	89-1				98		%
Yttrium	89-2				95		%
Zinc	66-2	197.49	197.62	197.78	197.63	0.08	ppb
Zirconium	90-1	6.17	6.12	6.27	6.18	1.23	ppb
Zirconium	91-1	6.26	6.22	6.33	6.27	0.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	67128.84	67601.67	67691.30	67473.94	0.45	ppb
Antimony	121-1	0.57	0.54	0.56	0.56	2.52	ppb
Arsenic	75-2	118.08	117.62	115.59	117.10	1.13	ppb
Barium	135-1	445.01	445.42	452.57	447.67	0.95	ppb
Barium	137-1	469.57	473.82	474.78	472.72	0.59	ppb
Beryllium	9-1	1.41	1.53	1.53	1.49	4.55	ppb
Bismuth	209-1				95		%
Bismuth	209-2				95		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.95	1.39	1.12	1.15	18.88	ppb
Cadmium	106-1	1.97	1.38	1.36	1.57	22.01	ppb
Cadmium	111-1	0.77	0.73	0.76	0.76	3.02	ppb
Calcium	43-1	11367.43	11670.83	11604.16	11547.47	1.38	ppb
Calcium	44-1	10789.83	11042.24	11052.33	10961.47	1.36	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	130.00	129.55	131.24	130.26	0.67	ppb
Cobalt	59-2	92.50	92.48	92.92	92.63	0.27	ppb
Copper	63-2	275.24	276.44	279.77	277.15	0.85	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				91		%
Iron	56-2	171869.36	171890.01	173369.79	172376.38	0.50	ppb
Iron	57-2	168189.13	166925.93	167778.79	167631.28	0.38	ppb
Iron	54-2	172556.77	173598.99	174411.70	173522.49	0.54	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	17.57	18.03	18.16	17.92	1.73	ppb
Lead	207-1	17.12	17.38	17.51	17.34	1.15	ppb
Lead	208-1	17.27	17.64	17.72	17.54	1.38	ppb
Lithium	6-1				100		%
Magnesium	24-2	48035.49	47344.35	48254.89	47878.24	0.99	ppb
Manganese	55-2	3329.41	3340.44	3357.45	3342.43	0.42	ppb
Molybdenum	94-1	8.82	9.04	9.21	9.02	2.17	ppb
Molybdenum	95-1	1.60	1.61	1.62	1.61	0.58	ppb
Molybdenum	96-1	3.32	3.23	3.32	3.29	1.52	ppb
Molybdenum	97-1	1.59	1.58	1.63	1.60	1.67	ppb
Molybdenum	98-1	1.55	1.55	1.58	1.56	1.08	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	129.22	129.58	129.83	129.54	0.24	ppb
Phosphorus	31-2	2612.67	2671.91	2675.72	2653.43	1.33	ppb
Potassium	39-2	13356.38	13392.65	13653.30	13467.44	1.20	ppb
Rhodium	103-1				91		%
Rhodium	103-2				92		%
Scandium	45-1				102		%
Scandium	45-2				99		%
Selenium	82-1	0.77	1.30	0.66	0.91	38.02	ppb
Selenium	77-2	13.51	15.79	15.67	14.99	8.57	ppb
Selenium	78-2	2.16	1.50	3.29	2.32	39.10	ppb
Silicon	28-1	838.64	835.83	841.77	838.75	0.35	ppb
Silver	107-1	0.13	0.14	0.13	0.14	3.49	ppb
Silver	109-1	0.14	0.14	0.15	0.14	6.17	ppb
Sodium	23-2	331.23	332.06	336.94	333.41	0.93	ppb
Strontium	86-1	69.95	69.74	71.33	70.34	1.23	ppb
Strontium	88-1	71.05	71.39	72.78	71.74	1.28	ppb
Sulfur	34-1	-1731.27	-1587.35	-1610.31	-1642.98		ppb
Terbium	159-1				98		%
Terbium	159-2				97		%
Thallium	203-1	0.24	0.26	0.26	0.25	3.92	ppb
Thallium	205-1	0.25	0.25	0.25	0.25	1.23	ppb
Tin	118-1	3.11	3.12	3.12	3.12	0.16	ppb
Titanium	47-1	1413.27	1460.06	1432.96	1435.43	1.64	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.43	0.46	0.45	0.45	2.61	ppb
Vanadium	51-2	489.99	481.52	491.32	487.61	1.09	ppb
Yttrium	89-1				101		%
Yttrium	89-2				98		%
Zinc	66-2	274.50	272.92	279.74	275.72	1.29	ppb
Zirconium	90-1	4.55	4.52	4.67	4.58	1.71	ppb
Zirconium	91-1	4.62	4.66	4.80	4.70	2.00	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	36402.68	35566.79	35298.12	35755.86	1.61	ppb
Antimony	121-1	0.69	0.73	0.74	0.72	3.58	ppb
Arsenic	75-2	98.58	96.95	99.52	98.35	1.32	ppb
Barium	135-1	240.29	244.85	244.67	243.27	1.06	ppb
Barium	137-1	241.11	246.64	244.93	244.22	1.16	ppb
Beryllium	9-1	1.29	1.36	1.30	1.32	2.78	ppb
Bismuth	209-1				97		%
Bismuth	209-2				96		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.45	1.45	1.77	1.55	11.82	ppb
Cadmium	106-1	1.36	0.83	0.48	0.89	50.05	ppb
Cadmium	111-1	0.70	0.67	0.66	0.68	3.33	ppb
Calcium	43-1	10805.56	10980.21	11064.25	10950.01	1.21	ppb
Calcium	44-1	10253.18	10413.58	10468.30	10378.35	1.08	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	99.92	98.41	99.17	99.17	0.76	ppb
Cobalt	59-2	49.60	48.67	49.55	49.27	1.07	ppb
Copper	63-2	164.34	162.16	162.98	163.16	0.68	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				92		%
Iron	56-2	88986.27	87493.34	88775.09	88418.23	0.91	ppb
Iron	57-2	87290.27	86035.72	87559.12	86961.70	0.94	ppb
Iron	54-2	88948.91	87337.79	88017.36	88101.35	0.92	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	41.71	41.21	41.55	41.49	0.61	ppb
Lead	207-1	39.29	39.04	39.69	39.34	0.83	ppb
Lead	208-1	40.10	39.76	40.33	40.07	0.71	ppb
Lithium	6-1				99		%
Magnesium	24-2	22210.27	21889.45	21678.85	21926.19	1.22	ppb
Manganese	55-2	1837.32	1808.03	1818.52	1821.29	0.81	ppb
Molybdenum	94-1	9.57	9.52	9.87	9.65	1.92	ppb
Molybdenum	95-1	0.63	0.62	0.64	0.63	1.85	ppb
Molybdenum	96-1	2.05	2.04	2.10	2.06	1.65	ppb
Molybdenum	97-1	0.59	0.62	0.64	0.61	4.22	ppb
Molybdenum	98-1	0.59	0.60	0.62	0.61	2.78	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	70.88	70.67	71.38	70.98	0.51	ppb
Phosphorus	31-2	1427.76	1408.92	1428.32	1421.67	0.78	ppb
Potassium	39-2	5118.39	5098.72	5137.54	5118.22	0.38	ppb
Rhodium	103-1				93		%
Rhodium	103-2				93		%
Scandium	45-1				97		%
Scandium	45-2				94		%
Selenium	82-1	0.86	0.58	1.06	0.83	28.46	ppb
Selenium	77-2	11.44	9.15	8.77	9.79	14.76	ppb
Selenium	78-2	1.86	2.04	1.47	1.79	16.40	ppb
Silicon	28-1	1012.91	995.11	1011.86	1006.63	0.99	ppb
Silver	107-1	0.14	0.14	0.15	0.15	4.81	ppb
Silver	109-1	0.14	0.15	0.15	0.15	2.45	ppb
Sodium	23-2	131.37	130.26	133.13	131.59	1.10	ppb
Strontium	86-1	74.79	74.42	75.68	74.96	0.86	ppb
Strontium	88-1	76.06	74.46	78.39	76.30	2.59	ppb
Sulfur	34-1	-1587.95	-1654.35	-1672.28	-1638.19		ppb
Terbium	159-1				98		%
Terbium	159-2				97		%
Thallium	203-1	0.17	0.16	0.16	0.16	3.00	ppb
Thallium	205-1	0.17	0.16	0.16	0.16	2.48	ppb
Tin	118-1	1.81	1.90	1.91	1.87	2.93	ppb
Titanium	47-1	905.75	889.12	931.58	908.82	2.35	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.51	0.53	0.52	0.52	1.81	ppb
Vanadium	51-2	194.39	191.45	195.46	193.77	1.07	ppb
Yttrium	89-1				99		%
Yttrium	89-2				97		%
Zinc	66-2	195.53	190.41	195.16	193.70	1.47	ppb
Zirconium	90-1	5.43	5.37	5.48	5.43	0.95	ppb
Zirconium	91-1	5.46	5.56	5.59	5.54	1.26	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	36988.46	36314.53	36754.60	36685.86	0.93	ppb
Antimony	121-1	0.71	0.74	0.77	0.74	3.79	ppb
Arsenic	75-2	98.06	99.57	98.23	98.62	0.84	ppb
Barium	135-1	248.21	255.41	256.68	253.43	1.80	ppb
Barium	137-1	249.43	258.50	257.65	255.19	1.96	ppb
Beryllium	9-1	1.31	1.42	1.28	1.34	5.64	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.26	1.47	1.61	1.44	12.24	ppb
Cadmium	106-1	0.34	1.00	0.72	0.69	48.54	ppb
Cadmium	111-1	0.62	0.68	0.71	0.67	6.58	ppb
Calcium	43-1	11702.15	11902.10	12085.88	11896.71	1.61	ppb
Calcium	44-1	11234.49	11362.93	11479.02	11358.82	1.08	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	100.61	101.11	101.11	100.95	0.28	ppb
Cobalt	59-2	50.72	50.69	50.83	50.75	0.15	ppb
Copper	63-2	165.08	165.41	166.93	165.81	0.60	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				98		%
Holmium	165-2				97		%
Indium	115-1				95		%
Indium	115-2				91		%
Iron	56-2	89504.08	90299.79	88577.51	89460.46	0.96	ppb
Iron	57-2	87898.38	88814.66	87526.12	88079.72	0.75	ppb
Iron	54-2	89965.55	90859.45	91291.66	90705.55	0.75	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	41.44	41.91	41.42	41.59	0.67	ppb
Lead	207-1	39.39	39.95	39.72	39.68	0.71	ppb
Lead	208-1	40.09	40.56	40.43	40.36	0.59	ppb
Lithium	6-1				97		%
Magnesium	24-2	22645.38	22340.35	22578.57	22521.43	0.71	ppb
Manganese	55-2	1872.12	1880.03	1875.45	1875.87	0.21	ppb
Molybdenum	94-1	9.79	10.12	10.02	9.98	1.66	ppb
Molybdenum	95-1	0.65	0.65	0.65	0.65	0.46	ppb
Molybdenum	96-1	2.15	2.10	2.16	2.14	1.58	ppb
Molybdenum	97-1	0.63	0.66	0.63	0.64	2.54	ppb
Molybdenum	98-1	0.63	0.62	0.63	0.63	1.08	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	71.62	72.89	72.92	72.48	1.02	ppb
Phosphorus	31-2	1485.48	1470.07	1471.70	1475.75	0.57	ppb
Potassium	39-2	5248.07	5186.83	5243.04	5225.98	0.65	ppb
Rhodium	103-1				93		%
Rhodium	103-2				93		%
Scandium	45-1				96		%
Scandium	45-2				94		%
Selenium	82-1	0.67	1.22	1.30	1.06	32.24	ppb
Selenium	77-2	9.22	11.23	10.37	10.27	9.80	ppb
Selenium	78-2	1.47	1.51	1.22	1.40	11.15	ppb
Silicon	28-1	1014.66	1051.86	1052.17	1039.57	2.07	ppb
Silver	107-1	0.14	0.15	0.15	0.15	3.03	ppb
Silver	109-1	0.13	0.16	0.15	0.15	10.08	ppb
Sodium	23-2	158.10	162.92	163.03	161.35	1.75	ppb
Strontium	86-1	78.20	76.88	78.35	77.81	1.04	ppb
Strontium	88-1	77.73	78.97	78.93	78.54	0.90	ppb
Sulfur	34-1	-1746.82	-1757.07	-1730.23	-1744.71		ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	0.15	0.18	0.17	0.17	9.15	ppb
Thallium	205-1	0.16	0.16	0.17	0.17	2.35	ppb
Tin	118-1	2.24	2.35	2.42	2.34	3.82	ppb
Titanium	47-1	939.14	941.97	943.92	941.68	0.25	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.54	0.54	0.54	0.54	0.44	ppb
Vanadium	51-2	196.88	196.02	197.82	196.91	0.46	ppb
Yttrium	89-1				98		%
Yttrium	89-2				96		%
Zinc	66-2	229.40	227.91	233.72	230.35	1.31	ppb
Zirconium	90-1	5.59	5.60	5.71	5.63	1.13	ppb
Zirconium	91-1	5.74	5.76	5.73	5.75	0.25	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	8671.51	7054.45	7056.05	7594.00	12.29	ppb
Antimony	121-1	0.13	0.13	0.14	0.14	3.34	ppb
Arsenic	75-2	23.88	19.05	18.61	20.51	14.24	ppb
Barium	135-1	45.28	48.79	46.57	46.88	3.78	ppb
Barium	137-1	46.22	48.17	46.86	47.08	2.11	ppb
Beryllium	9-1	0.23	0.23	0.23	0.23	0.82	ppb
Bismuth	209-1				99		%
Bismuth	209-2				93		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.11	0.28	0.28	0.23	42.82	ppb
Cadmium	106-1	-0.29	-0.45	-1.28	-0.67		ppb
Cadmium	111-1	0.08	0.10	0.04	0.07	39.78	ppb
Calcium	43-1	2195.13	2218.50	2166.12	2193.25	1.20	ppb
Calcium	44-1	2043.20	2151.28	2118.93	2104.47	2.64	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	24.28	19.47	19.06	20.93	13.86	ppb
Cobalt	59-2	11.93	9.43	9.58	10.31	13.59	ppb
Copper	63-2	39.96	31.85	32.12	34.65	13.30	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				91		%
Indium	115-1				95		%
Indium	115-2				88		%
Iron	56-2	21613.56	17083.80	17541.45	18746.27	13.30	ppb
Iron	57-2	21084.97	16640.88	17209.11	18311.65	13.21	ppb
Iron	54-2	21520.10	17556.72	17395.06	18823.96	12.41	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	7.77	7.95	7.49	7.74	3.01	ppb
Lead	207-1	7.48	7.54	7.17	7.40	2.68	ppb
Lead	208-1	7.55	7.69	7.33	7.52	2.46	ppb
Lithium	6-1				104		%
Magnesium	24-2	5304.07	4227.75	4293.71	4608.51	13.09	ppb
Manganese	55-2	449.76	359.53	369.52	392.94	12.59	ppb
Molybdenum	94-1	1.85	1.87	1.81	1.84	1.65	ppb
Molybdenum	95-1	0.12	0.12	0.13	0.12	6.87	ppb
Molybdenum	96-1	0.42	0.39	0.42	0.41	4.39	ppb
Molybdenum	97-1	0.13	0.15	0.13	0.14	6.96	ppb
Molybdenum	98-1	0.11	0.12	0.12	0.12	7.95	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	17.07	14.03	13.61	14.91	12.68	ppb
Phosphorus	31-2	327.37	249.71	267.55	281.54	14.45	ppb
Potassium	39-2	1343.63	1056.92	1041.12	1147.22	14.84	ppb
Rhodium	103-1				95		%
Rhodium	103-2				89		%
Scandium	45-1				92		%
Scandium	45-2				85		%
Selenium	82-1	0.14	0.47	0.67	0.43	62.87	ppb
Selenium	77-2	3.09	2.84	3.86	3.26	16.32	ppb
Selenium	78-2	1.66	-0.94	-0.36	0.12	1101.86	ppb
Silicon	28-1	205.04	208.33	205.72	206.37	0.84	ppb
Silver	107-1	0.03	0.03	0.03	0.03	5.92	ppb
Silver	109-1	0.03	0.03	0.03	0.03	6.50	ppb
Sodium	23-2	52.29	29.21	29.86	37.12	35.41	ppb
Strontium	86-1	14.61	14.76	14.42	14.60	1.17	ppb
Strontium	88-1	14.53	14.80	14.40	14.58	1.42	ppb
Sulfur	34-1	-1846.45	-1808.60	-1912.71	-1855.92		ppb
Terbium	159-1				96		%
Terbium	159-2				94		%
Thallium	203-1	0.03	0.03	0.02	0.03	18.44	ppb
Thallium	205-1	0.02	0.03	0.02	0.03	10.40	ppb
Tin	118-1	0.41	0.49	0.41	0.44	9.55	ppb
Titanium	47-1	185.77	190.39	184.45	186.87	1.67	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.10	0.10	0.10	0.10	1.18	ppb
Vanadium	51-2	46.29	36.83	37.15	40.09	13.40	ppb
Yttrium	89-1				96		%
Yttrium	89-2				88		%
Zinc	66-2	47.63	37.64	37.77	41.01	13.97	ppb
Zirconium	90-1	1.03	1.05	1.06	1.05	1.53	ppb
Zirconium	91-1	1.03	1.10	1.09	1.07	3.67	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	37252.07	36810.41	37937.57	37333.35	1.52	ppb
Antimony	121-1	57.50	58.13	58.09	57.91	0.61	ppb
Arsenic	75-2	120.40	121.86	119.54	120.60	0.97	ppb
Barium	135-1	1512.07	1495.37	1512.04	1506.49	0.64	ppb
Barium	137-1	1511.00	1516.64	1522.20	1516.61	0.37	ppb
Beryllium	9-1	31.60	32.82	33.43	32.62	2.86	ppb
Bismuth	209-1				100		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	28.50	29.53	29.72	29.25	2.25	ppb
Cadmium	106-1	28.12	26.88	27.92	27.64	2.40	ppb
Cadmium	111-1	29.94	30.20	30.13	30.09	0.45	ppb
Calcium	43-1	11208.16	11136.03	10977.06	11107.08	1.06	ppb
Calcium	44-1	10583.91	10685.89	10493.03	10587.61	0.91	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	231.54	223.89	224.96	226.80	1.83	ppb
Cobalt	59-2	367.79	375.09	370.25	371.04	1.00	ppb
Copper	63-2	323.26	316.59	324.88	321.58	1.37	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				101		%
Indium	115-1				98		%
Indium	115-2				95		%
Iron	56-2	91166.44	89744.77	91167.62	90692.94	0.91	ppb
Iron	57-2	87439.87	87906.80	88923.70	88090.13	0.86	ppb
Iron	54-2	91312.93	89019.63	91604.44	90645.67	1.56	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	51.38	53.24	52.08	52.23	1.80	ppb
Lead	207-1	48.67	50.24	50.30	49.74	1.86	ppb
Lead	208-1	49.66	51.20	50.91	50.59	1.61	ppb
Lithium	6-1				103		%
Magnesium	24-2	22344.34	22009.87	22417.32	22257.18	0.98	ppb
Manganese	55-2	2201.45	2137.28	2203.02	2180.58	1.72	ppb
Molybdenum	94-1	9.20	9.33	9.36	9.30	0.88	ppb
Molybdenum	95-1	0.63	0.68	0.66	0.65	3.74	ppb
Molybdenum	96-1	2.04	2.08	2.11	2.07	1.64	ppb
Molybdenum	97-1	0.62	0.64	0.61	0.62	2.29	ppb
Molybdenum	98-1	0.60	0.63	0.63	0.62	2.39	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	388.16	390.02	392.41	390.20	0.55	ppb
Phosphorus	31-2	1464.57	1422.26	1439.22	1442.02	1.48	ppb
Potassium	39-2	5126.88	5183.26	5114.96	5141.70	0.71	ppb
Rhodium	103-1				97		%
Rhodium	103-2				98		%
Scandium	45-1				100		%
Scandium	45-2				96		%
Selenium	82-1	41.64	43.19	43.73	42.85	2.54	ppb
Selenium	77-2	55.62	49.43	52.62	52.56	5.89	ppb
Selenium	78-2	45.61	44.90	43.17	44.56	2.83	ppb
Silicon	28-1	1008.26	1002.88	973.67	994.93	1.87	ppb
Silver	107-1	27.41	27.46	27.53	27.47	0.22	ppb
Silver	109-1	26.98	27.75	27.54	27.42	1.44	ppb
Sodium	23-2	116.46	118.91	120.55	118.64	1.74	ppb
Strontium	86-1	72.64	75.19	75.80	74.54	2.25	ppb
Strontium	88-1	74.77	76.73	76.58	76.03	1.44	ppb
Sulfur	34-1	-1785.59	-1860.52	-1890.49	-1845.54		ppb
Terbium	159-1				101		%
Terbium	159-2				100		%
Thallium	203-1	26.50	27.10	27.38	26.99	1.67	ppb
Thallium	205-1	26.38	27.48	27.25	27.03	2.14	ppb
Tin	118-1	1.85	1.88	1.89	1.87	0.93	ppb
Titanium	47-1	911.82	928.56	891.29	910.56	2.05	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.52	0.52	0.53	0.52	1.82	ppb
Vanadium	51-2	506.03	505.34	496.49	502.62	1.06	ppb
Yttrium	89-1				103		%
Yttrium	89-2				101		%
Zinc	66-2	511.40	504.47	518.50	511.46	1.37	ppb
Zirconium	90-1	5.07	5.20	5.26	5.18	1.83	ppb
Zirconium	91-1	5.33	5.40	5.32	5.35	0.86	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	39660.57	39786.23	39570.11	39672.30	0.27	ppb
Antimony	121-1	271.90	270.13	271.15	271.06	0.33	ppb
Arsenic	75-2	200.26	200.91	199.12	200.10	0.45	ppb
Barium	135-1	5862.63	5873.88	5817.45	5851.32	0.51	ppb
Barium	137-1	5871.51	5914.44	5840.11	5875.35	0.64	ppb
Beryllium	9-1	139.33	139.61	142.94	140.63	1.43	ppb
Bismuth	209-1				101		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	126.03	125.59	124.75	125.46	0.52	ppb
Cadmium	106-1	122.94	121.11	122.79	122.28	0.83	ppb
Cadmium	111-1	133.30	134.04	136.43	134.59	1.22	ppb
Calcium	43-1	10573.54	10633.59	10732.11	10646.41	0.75	ppb
Calcium	44-1	10106.52	10119.37	9987.68	10071.19	0.72	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	659.91	661.65	652.66	658.07	0.72	ppb
Cobalt	59-2	1486.08	1464.53	1481.24	1477.28	0.77	ppb
Copper	63-2	855.70	855.74	840.17	850.54	1.06	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				94		%
Iron	56-2	88530.82	89412.56	88170.13	88704.50	0.72	ppb
Iron	57-2	86832.56	87053.17	86405.36	86763.70	0.38	ppb
Iron	54-2	89868.74	89020.42	88781.78	89223.65	0.64	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	85.12	87.46	88.84	87.14	2.16	ppb
Lead	207-1	83.21	85.03	85.45	84.56	1.40	ppb
Lead	208-1	90.52	91.16	92.01	91.23	0.82	ppb
Lithium	6-1				105		%
Magnesium	24-2	21212.53	21553.92	21190.22	21318.89	0.96	ppb
Manganese	55-2	3166.53	3121.89	3123.85	3137.42	0.80	ppb
Molybdenum	94-1	9.16	9.27	9.10	9.18	0.96	ppb
Molybdenum	95-1	0.59	0.61	0.65	0.62	4.52	ppb
Molybdenum	96-1	1.93	1.96	2.00	1.96	1.81	ppb
Molybdenum	97-1	0.61	0.62	0.58	0.61	3.23	ppb
Molybdenum	98-1	0.61	0.62	0.63	0.62	1.97	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1542.00	1536.98	1527.05	1535.34	0.50	ppb
Phosphorus	31-2	1398.58	1381.56	1353.56	1377.90	1.65	ppb
Potassium	39-2	4921.65	4934.94	4927.32	4927.97	0.14	ppb
Rhodium	103-1				96		%
Rhodium	103-2				96		%
Scandium	45-1				99		%
Scandium	45-2				96		%
Selenium	82-1	307.11	306.24	310.04	307.80	0.65	ppb
Selenium	77-2	317.53	328.37	325.37	323.76	1.73	ppb
Selenium	78-2	318.69	314.51	310.80	314.66	1.26	ppb
Silicon	28-1	984.94	991.01	976.38	984.11	0.75	ppb
Silver	107-1	152.52	116.11	121.29	129.97	15.15	ppb
Silver	109-1	118.58	118.96	137.56	125.03	8.68	ppb
Sodium	23-2	117.61	121.44	119.57	119.54	1.60	ppb
Strontium	86-1	71.48	72.86	71.68	72.01	1.04	ppb
Strontium	88-1	74.06	72.88	74.30	73.75	1.03	ppb
Sulfur	34-1	-1754.58	-1834.57	-1845.21	-1811.45		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	119.02	121.38	122.86	121.09	1.60	ppb
Thallium	205-1	136.61	139.07	135.42	137.03	1.36	ppb
Tin	118-1	1.75	1.79	1.81	1.78	1.76	ppb
Titanium	47-1	886.15	884.81	870.76	880.57	0.97	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.51	0.50	0.51	0.50	1.12	ppb
Vanadium	51-2	1558.69	1569.92	1543.26	1557.29	0.86	ppb
Yttrium	89-1				102		%
Yttrium	89-2				99		%
Zinc	66-2	1632.34	1625.54	1628.85	1628.91	0.21	ppb
Zirconium	90-1	5.08	5.13	5.22	5.14	1.36	ppb
Zirconium	91-1	5.13	5.39	5.34	5.28	2.61	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	15132.80	15032.27	14887.99	15017.69	0.82	ppb
Antimony	121-1	2.01	2.05	2.07	2.04	1.63	ppb
Arsenic	75-2	140.03	136.98	141.46	139.49	1.64	ppb
Barium	135-1	530.40	535.54	535.37	533.77	0.55	ppb
Barium	137-1	532.98	540.72	545.86	539.85	1.20	ppb
Beryllium	9-1	1.23	1.21	1.32	1.26	4.77	ppb
Bismuth	209-1				99		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.87	0.98	0.94	0.93	5.96	ppb
Cadmium	106-1	0.70	0.55	0.48	0.57	19.56	ppb
Cadmium	111-1	0.31	0.31	0.29	0.30	3.17	ppb
Calcium	43-1	6232.29	6229.06	6203.37	6221.57	0.25	ppb
Calcium	44-1	5887.02	5892.32	5902.55	5893.96	0.13	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	23.01	23.30	23.15	23.15	0.63	ppb
Cobalt	59-2	35.70	36.07	35.80	35.86	0.54	ppb
Copper	63-2	136.39	136.74	137.12	136.75	0.27	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				98		%
Indium	115-2				95		%
Iron	56-2	92214.80	93767.89	93121.37	93034.69	0.84	ppb
Iron	57-2	90064.02	91520.53	91310.32	90964.96	0.87	ppb
Iron	54-2	92679.83	94256.38	93030.45	93322.22	0.89	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	10.94	11.03	11.21	11.06	1.23	ppb
Lead	207-1	10.99	10.91	11.07	10.99	0.74	ppb
Lead	208-1	10.93	11.03	11.15	11.04	0.97	ppb
Lithium	6-1				102		%
Magnesium	24-2	3724.16	3764.41	3734.62	3741.06	0.56	ppb
Manganese	55-2	7091.62	7158.24	7109.37	7119.75	0.48	ppb
Molybdenum	94-1	8.17	8.51	8.22	8.30	2.22	ppb
Molybdenum	95-1	2.08	2.15	2.07	2.10	1.91	ppb
Molybdenum	96-1	3.10	3.24	3.11	3.15	2.56	ppb
Molybdenum	97-1	1.95	2.04	1.98	1.99	2.25	ppb
Molybdenum	98-1	1.92	2.02	1.95	1.96	2.52	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	42.11	41.89	41.26	41.75	1.05	ppb
Phosphorus	31-2	510.92	508.39	518.59	512.63	1.04	ppb
Potassium	39-2	1729.46	1759.73	1783.17	1757.45	1.53	ppb
Rhodium	103-1				96		%
Rhodium	103-2				95		%
Scandium	45-1				94		%
Scandium	45-2				92		%
Selenium	82-1	1.14	0.73	1.19	1.02	24.52	ppb
Selenium	77-2	14.32	14.39	14.80	14.50	1.79	ppb
Selenium	78-2	2.38	2.92	2.72	2.67	10.13	ppb
Silicon	28-1	884.53	880.31	881.31	882.05	0.25	ppb
Silver	107-1	0.16	0.09	0.08	0.11	38.92	ppb
Silver	109-1	0.15	0.10	0.09	0.11	31.74	ppb
Sodium	23-2	163.07	167.19	167.51	165.92	1.49	ppb
Strontium	86-1	59.64	62.25	60.49	60.79	2.19	ppb
Strontium	88-1	60.96	63.07	62.36	62.13	1.72	ppb
Sulfur	34-1	-1248.34	-1374.62	-1460.01	-1360.99		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	0.15	0.16	0.16	0.16	1.79	ppb
Thallium	205-1	0.15	0.15	0.14	0.15	3.58	ppb
Tin	118-1	4.79	5.01	4.99	4.93	2.43	ppb
Titanium	47-1	89.53	90.26	88.91	89.57	0.76	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.86	0.86	0.87	0.86	0.96	ppb
Vanadium	51-2	87.26	88.09	87.21	87.52	0.57	ppb
Yttrium	89-1				100		%
Yttrium	89-2				97		%
Zinc	66-2	192.98	194.82	192.53	193.44	0.63	ppb
Zirconium	90-1	3.90	4.02	3.86	3.93	2.11	ppb
Zirconium	91-1	3.95	4.02	3.96	3.97	0.97	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	16330.97	16554.53	16553.65	16479.72	0.78	ppb
Antimony	121-1	1.43	1.50	1.47	1.47	2.18	ppb
Arsenic	75-2	125.62	122.94	127.94	125.50	1.99	ppb
Barium	135-1	315.60	320.68	316.35	317.54	0.86	ppb
Barium	137-1	328.53	341.44	342.83	337.60	2.34	ppb
Beryllium	9-1	1.09	1.20	1.17	1.15	5.05	ppb
Bismuth	209-1				99		%
Bismuth	209-2				100		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.16	0.77	0.77	0.90	24.81	ppb
Cadmium	106-1	0.42	0.05	-0.08	0.13	195.03	ppb
Cadmium	111-1	0.25	0.22	0.21	0.23	10.75	ppb
Calcium	43-1	4980.03	5114.62	5087.32	5060.66	1.41	ppb
Calcium	44-1	4824.86	4778.60	4807.95	4803.80	0.49	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	32.24	32.20	31.68	32.04	0.97	ppb
Cobalt	59-2	41.69	41.52	41.19	41.47	0.61	ppb
Copper	63-2	137.21	136.42	135.20	136.28	0.74	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				97		%
Indium	115-2				95		%
Iron	56-2	105043.48	103782.04	102594.23	103806.59	1.18	ppb
Iron	57-2	101267.85	101198.99	101218.08	101228.30	0.04	ppb
Iron	54-2	104623.04	103889.17	103591.87	104034.70	0.51	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	14.39	14.40	14.47	14.42	0.29	ppb
Lead	207-1	14.38	14.46	14.44	14.43	0.31	ppb
Lead	208-1	14.31	14.32	14.47	14.36	0.64	ppb
Lithium	6-1				98		%
Magnesium	24-2	5925.42	5912.98	5926.79	5921.73	0.13	ppb
Manganese	55-2	6714.90	6658.06	6640.89	6671.28	0.58	ppb
Molybdenum	94-1	9.53	9.79	9.94	9.76	2.14	ppb
Molybdenum	95-1	1.26	1.32	1.35	1.31	3.42	ppb
Molybdenum	96-1	2.62	2.75	2.77	2.71	2.94	ppb
Molybdenum	97-1	1.23	1.29	1.28	1.26	2.30	ppb
Molybdenum	98-1	1.20	1.25	1.25	1.23	2.51	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	55.35	55.50	55.74	55.53	0.35	ppb
Phosphorus	31-2	662.73	660.12	647.74	656.86	1.22	ppb
Potassium	39-2	1771.90	1782.06	1793.36	1782.44	0.60	ppb
Rhodium	103-1				97		%
Rhodium	103-2				96		%
Scandium	45-1				95		%
Scandium	45-2				92		%
Selenium	82-1	1.36	1.31	1.51	1.39	7.27	ppb
Selenium	77-2	15.71	15.91	14.72	15.45	4.12	ppb
Selenium	78-2	3.23	2.17	2.72	2.71	19.53	ppb
Silicon	28-1	769.57	792.61	799.02	787.07	1.97	ppb
Silver	107-1	0.07	0.07	0.07	0.07	2.11	ppb
Silver	109-1	0.07	0.07	0.06	0.06	0.87	ppb
Sodium	23-2	105.72	108.97	107.96	107.55	1.55	ppb
Strontium	86-1	63.66	66.57	67.03	65.75	2.78	ppb
Strontium	88-1	65.14	67.29	68.27	66.90	2.39	ppb
Sulfur	34-1	-1933.25	-2006.27	-1987.37	-1975.63		ppb
Terbium	159-1				100		%
Terbium	159-2				99		%
Thallium	203-1	0.10	0.10	0.11	0.11	4.03	ppb
Thallium	205-1	0.09	0.09	0.10	0.09	5.86	ppb
Tin	118-1	2.35	2.41	2.42	2.39	1.54	ppb
Titanium	47-1	90.49	93.45	92.82	92.25	1.69	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.74	0.74	0.75	0.75	1.07	ppb
Vanadium	51-2	80.13	79.93	79.08	79.71	0.70	ppb
Yttrium	89-1				99		%
Yttrium	89-2				99		%
Zinc	66-2	196.65	198.14	195.54	196.78	0.66	ppb
Zirconium	90-1	5.08	5.30	5.33	5.24	2.62	ppb
Zirconium	91-1	5.16	5.53	5.43	5.37	3.56	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	66954.89	67492.27	67619.43	67355.53	0.52	ppb
Antimony	121-1	1.12	1.11	1.20	1.14	4.03	ppb
Arsenic	75-2	67.97	69.01	68.73	68.57	0.78	ppb
Barium	135-1	2135.85	2114.94	2188.96	2146.58	1.78	ppb
Barium	137-1	2134.41	2173.28	2191.45	2166.38	1.34	ppb
Beryllium	9-1	5.52	6.04	5.89	5.81	4.55	ppb
Bismuth	209-1				99		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.08	6.92	7.93	7.31	7.38	ppb
Cadmium	106-1	11.34	11.84	12.60	11.93	5.31	ppb
Cadmium	111-1	2.59	2.66	2.65	2.63	1.41	ppb
Calcium	43-1	26106.84	26354.85	26608.95	26356.88	0.95	ppb
Calcium	44-1	26440.32	26481.41	26305.50	26409.08	0.35	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	220.58	224.92	216.33	220.61	1.95	ppb
Cobalt	59-2	62.21	63.58	63.06	62.95	1.10	ppb
Copper	63-2	299.59	307.80	299.39	302.26	1.59	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	87208.20	86670.09	88163.45	87347.25	0.87	ppb
Iron	57-2	85428.90	87385.93	85509.27	86108.03	1.29	ppb
Iron	54-2	87518.05	89598.20	87956.70	88357.65	1.24	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	97.97	99.30	99.68	98.98	0.91	ppb
Lead	207-1	95.63	96.86	97.15	96.55	0.84	ppb
Lead	208-1	103.24	104.52	104.84	104.20	0.81	ppb
Lithium	6-1				97		%
Magnesium	24-2	25984.22	26584.54	26717.77	26428.84	1.48	ppb
Manganese	55-2	2082.68	2099.20	2080.24	2087.37	0.49	ppb
Molybdenum	94-1	128.84	129.33	132.12	130.10	1.36	ppb
Molybdenum	95-1	0.73	0.74	0.79	0.75	4.44	ppb
Molybdenum	96-1	14.64	14.73	15.13	14.83	1.77	ppb
Molybdenum	97-1	0.76	0.72	0.74	0.74	2.60	ppb
Molybdenum	98-1	0.69	0.72	0.73	0.71	3.47	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	295.19	298.77	298.32	297.43	0.66	ppb
Phosphorus	31-2	6142.64	6185.71	6048.22	6125.52	1.15	ppb
Potassium	39-2	4513.70	4673.48	4579.16	4588.78	1.75	ppb
Rhodium	103-1				95		%
Rhodium	103-2				94		%
Scandium	45-1				101		%
Scandium	45-2				98		%
Selenium	82-1	1.93	2.22	2.59	2.25	14.80	ppb
Selenium	77-2	53.38	45.35	49.26	49.33	8.14	ppb
Selenium	78-2	9.15	10.39	10.67	10.07	8.02	ppb
Silicon	28-1	738.23	746.48	758.13	747.61	1.34	ppb
Silver	107-1	0.91	0.90	0.97	0.93	4.11	ppb
Silver	109-1	0.85	0.88	0.90	0.88	2.71	ppb
Sodium	23-2	430.16	434.94	437.68	434.26	0.88	ppb
Strontium	86-1	431.26	433.86	434.87	433.33	0.43	ppb
Strontium	88-1	430.28	436.55	437.50	434.78	0.90	ppb
Sulfur	34-1	-1933.23	-1976.19	-1952.34	-1953.92		ppb
Terbium	159-1				101		%
Terbium	159-2				99		%
Thallium	203-1	0.32	0.30	0.31	0.31	2.89	ppb
Thallium	205-1	0.30	0.31	0.30	0.30	2.21	ppb
Tin	118-1	3.55	3.57	3.62	3.58	1.00	ppb
Titanium	47-1	2435.09	2484.18	2455.85	2458.37	1.00	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.21	2.22	2.24	2.22	0.71	ppb
Vanadium	51-2	181.29	183.55	182.97	182.60	0.64	ppb
Yttrium	89-1				106		%
Yttrium	89-2				103		%
Zinc	66-2	241.29	246.13	243.14	243.52	1.00	ppb
Zirconium	90-1	77.10	77.93	78.70	77.91	1.03	ppb
Zirconium	91-1	76.46	77.93	79.22	77.87	1.77	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	94813.93	93697.95	96197.83	94903.24	1.32	ppb
Antimony	121-1	1.55	1.57	1.61	1.58	1.87	ppb
Arsenic	75-2	64.18	64.83	64.26	64.42	0.55	ppb
Barium	135-1	2728.59	2734.68	2794.80	2752.69	1.33	ppb
Barium	137-1	2728.61	2779.23	2769.98	2759.27	0.98	ppb
Beryllium	9-1	7.79	7.68	7.89	7.79	1.34	ppb
Bismuth	209-1				98		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	9.52	10.09	9.60	9.74	3.16	ppb
Cadmium	106-1	17.69	16.53	16.85	17.02	3.53	ppb
Cadmium	111-1	2.73	2.71	2.74	2.73	0.65	ppb
Calcium	43-1	34577.87	34574.23	34397.55	34516.55	0.30	ppb
Calcium	44-1	34343.19	34852.99	34516.83	34571.00	0.75	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	302.64	300.28	302.22	301.71	0.42	ppb
Cobalt	59-2	81.36	80.99	81.43	81.26	0.29	ppb
Copper	63-2	284.66	284.03	277.32	282.00	1.44	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				99		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	119737.02	117389.25	118743.90	118623.39	0.99	ppb
Iron	57-2	116147.20	116130.05	117552.90	116610.05	0.70	ppb
Iron	54-2	121075.92	119652.09	120748.39	120492.13	0.62	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	91.07	90.68	92.01	91.25	0.75	ppb
Lead	207-1	87.13	87.80	88.77	87.90	0.94	ppb
Lead	208-1	95.00	95.53	96.16	95.56	0.60	ppb
Lithium	6-1				96		%
Magnesium	24-2	34204.92	33957.08	33845.49	34002.50	0.54	ppb
Manganese	55-2	2742.31	2711.22	2726.12	2726.55	0.57	ppb
Molybdenum	94-1	183.43	188.40	186.47	186.10	1.35	ppb
Molybdenum	95-1	0.92	0.97	0.90	0.93	4.08	ppb
Molybdenum	96-1	20.68	21.28	20.99	20.98	1.44	ppb
Molybdenum	97-1	0.91	0.94	0.89	0.91	2.70	ppb
Molybdenum	98-1	0.89	0.92	0.89	0.90	2.08	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	390.89	387.57	390.24	389.57	0.45	ppb
Phosphorus	31-2	7403.16	7474.56	7428.65	7435.46	0.49	ppb
Potassium	39-2	5532.65	5648.31	5674.70	5618.56	1.34	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				103		%
Scandium	45-2				100		%
Selenium	82-1	2.37	2.80	2.89	2.68	10.39	ppb
Selenium	77-2	57.28	59.94	59.25	58.82	2.34	ppb
Selenium	78-2	10.39	13.20	13.13	12.24	13.11	ppb
Silicon	28-1	697.82	701.72	700.18	699.91	0.28	ppb
Silver	107-1	0.90	0.94	0.93	0.92	2.23	ppb
Silver	109-1	0.84	0.84	0.87	0.85	1.77	ppb
Sodium	23-2	785.20	789.84	802.86	792.63	1.15	ppb
Strontium	86-1	562.83	568.32	565.57	565.57	0.49	ppb
Strontium	88-1	556.12	569.95	562.70	562.92	1.23	ppb
Sulfur	34-1	-1605.99	-1534.72	-1643.97	-1594.89		ppb
Terbium	159-1				101		%
Terbium	159-2				100		%
Thallium	203-1	0.41	0.38	0.41	0.40	4.55	ppb
Thallium	205-1	0.39	0.40	0.41	0.40	2.56	ppb
Tin	118-1	5.18	5.36	5.31	5.29	1.79	ppb
Titanium	47-1	3673.14	3731.62	3742.49	3715.75	1.00	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	3.00	2.96	3.04	3.00	1.36	ppb
Vanadium	51-2	242.78	246.45	244.37	244.53	0.75	ppb
Yttrium	89-1				108		%
Yttrium	89-2				105		%
Zinc	66-2	276.65	275.38	277.15	276.40	0.33	ppb
Zirconium	90-1	109.84	112.54	112.63	111.67	1.42	ppb
Zirconium	91-1	111.62	113.84	111.76	112.41	1.11	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	74281.02	73852.16	73474.85	73869.35	0.55	ppb
Antimony	121-1	0.80	0.86	0.90	0.85	5.92	ppb
Arsenic	75-2	47.81	46.50	48.44	47.58	2.08	ppb
Barium	135-1	3181.17	3341.28	3282.42	3268.29	2.48	ppb
Barium	137-1	3239.85	3322.10	3289.33	3283.76	1.26	ppb
Beryllium	9-1	6.32	6.78	6.74	6.62	3.89	ppb
Bismuth	209-1				99		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.03	8.45	8.89	8.13	11.93	ppb
Cadmium	106-1	15.36	16.18	15.99	15.84	2.71	ppb
Cadmium	111-1	2.41	2.39	2.35	2.38	1.22	ppb
Calcium	43-1	125724.15	125176.34	127156.67	126019.05	0.81	ppb
Calcium	44-1	123928.99	125406.85	126729.12	125354.99	1.12	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	231.63	237.48	230.61	233.24	1.59	ppb
Cobalt	59-2	74.55	74.30	74.03	74.29	0.35	ppb
Copper	63-2	241.17	245.01	234.77	240.32	2.15	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				95		%
Iron	56-2	93124.50	92436.73	90892.05	92151.09	1.24	ppb
Iron	57-2	93365.57	91225.19	90493.21	91694.65	1.63	ppb
Iron	54-2	93182.89	93630.85	92912.09	93241.94	0.39	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	74.06	76.85	76.31	75.74	1.96	ppb
Lead	207-1	71.68	74.65	74.79	73.71	2.38	ppb
Lead	208-1	72.81	75.64	75.53	74.66	2.15	ppb
Lithium	6-1				101		%
Magnesium	24-2	27413.49	27608.48	27163.83	27395.26	0.81	ppb
Manganese	55-2	2629.91	2654.45	2610.36	2631.57	0.84	ppb
Molybdenum	94-1	145.18	147.68	151.43	148.10	2.12	ppb
Molybdenum	95-1	0.66	0.67	0.66	0.66	0.47	ppb
Molybdenum	96-1	16.36	16.71	17.12	16.73	2.26	ppb
Molybdenum	97-1	0.65	0.65	0.69	0.66	3.29	ppb
Molybdenum	98-1	0.61	0.65	0.63	0.63	3.23	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	309.04	311.14	304.82	308.33	1.05	ppb
Phosphorus	31-2	6314.66	6279.50	6297.41	6297.19	0.28	ppb
Potassium	39-2	3778.03	3821.93	3855.31	3818.42	1.02	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				102		%
Scandium	45-2				99		%
Selenium	82-1	2.62	2.69	3.03	2.78	7.90	ppb
Selenium	77-2	53.07	52.41	54.22	53.23	1.72	ppb
Selenium	78-2	11.45	9.78	11.89	11.04	10.10	ppb
Silicon	28-1	802.86	788.78	812.62	801.42	1.50	ppb
Silver	107-1	0.68	0.71	0.71	0.70	2.90	ppb
Silver	109-1	0.65	0.66	0.66	0.65	0.88	ppb
Sodium	23-2	596.57	604.15	599.07	599.93	0.64	ppb
Strontium	86-1	548.91	553.09	556.91	552.97	0.72	ppb
Strontium	88-1	540.48	546.00	555.08	547.19	1.35	ppb
Sulfur	34-1	-496.32	-411.42	-261.86	-389.87		ppb
Terbium	159-1				102		%
Terbium	159-2				100		%
Thallium	203-1	0.32	0.35	0.34	0.34	4.69	ppb
Thallium	205-1	0.32	0.34	0.33	0.33	3.36	ppb
Tin	118-1	4.37	4.62	4.55	4.51	2.91	ppb
Titanium	47-1	2767.63	2847.58	2857.26	2824.15	1.74	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.49	2.60	2.57	2.55	2.18	ppb
Vanadium	51-2	194.01	193.90	191.81	193.24	0.64	ppb
Yttrium	89-1				107		%
Yttrium	89-2				104		%
Zinc	66-2	205.27	205.50	203.64	204.80	0.50	ppb
Zirconium	90-1	88.03	89.85	88.99	88.95	1.02	ppb
Zirconium	91-1	87.37	89.82	90.55	89.25	1.86	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	68900.22	69429.16	69259.57	69196.32	0.39	ppb
Antimony	121-1	0.65	0.64	0.67	0.65	2.81	ppb
Arsenic	75-2	46.27	44.84	45.97	45.69	1.66	ppb
Barium	135-1	2141.25	2178.59	2202.26	2174.04	1.41	ppb
Barium	137-1	2211.58	2161.51	2222.13	2198.40	1.47	ppb
Beryllium	9-1	5.50	5.75	5.74	5.66	2.53	ppb
Bismuth	209-1				98		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	7.17	7.37	7.25	7.26	1.36	ppb
Cadmium	106-1	14.06	13.65	14.09	13.94	1.76	ppb
Cadmium	111-1	2.21	2.10	2.22	2.18	3.01	ppb
Calcium	43-1	56803.56	57761.84	57957.44	57507.61	1.07	ppb
Calcium	44-1	57386.76	58662.71	56972.86	57674.11	1.53	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	208.56	213.79	212.90	211.75	1.32	ppb
Cobalt	59-2	57.99	58.68	59.04	58.57	0.91	ppb
Copper	63-2	215.02	214.65	213.59	214.42	0.35	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				101		%
Indium	115-1				97		%
Indium	115-2				94		%
Iron	56-2	84880.69	84964.22	83856.20	84567.04	0.73	ppb
Iron	57-2	83161.54	83208.52	83613.53	83327.87	0.30	ppb
Iron	54-2	84647.21	85780.29	86410.73	85612.74	1.04	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	71.88	70.78	73.30	71.99	1.75	ppb
Lead	207-1	68.73	68.59	70.11	69.14	1.22	ppb
Lead	208-1	69.80	69.38	71.21	70.13	1.37	ppb
Lithium	6-1				101		%
Magnesium	24-2	25448.50	25583.44	25178.40	25403.45	0.81	ppb
Manganese	55-2	1934.88	1929.94	1933.78	1932.87	0.13	ppb
Molybdenum	94-1	127.18	132.38	131.00	130.19	2.07	ppb
Molybdenum	95-1	0.53	0.54	0.52	0.53	2.02	ppb
Molybdenum	96-1	14.37	14.88	14.72	14.66	1.78	ppb
Molybdenum	97-1	0.53	0.53	0.57	0.54	4.22	ppb
Molybdenum	98-1	0.52	0.54	0.51	0.52	2.50	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	282.90	282.44	282.03	282.46	0.15	ppb
Phosphorus	31-2	5682.86	5742.01	5782.98	5735.95	0.88	ppb
Potassium	39-2	3702.86	3682.43	3708.26	3697.85	0.37	ppb
Rhodium	103-1				95		%
Rhodium	103-2				94		%
Scandium	45-1				102		%
Scandium	45-2				99		%
Selenium	82-1	2.13	1.74	1.86	1.91	10.41	ppb
Selenium	77-2	50.65	48.51	47.87	49.01	2.97	ppb
Selenium	78-2	8.62	7.85	9.80	8.76	11.23	ppb
Silicon	28-1	876.72	885.33	883.89	881.98	0.52	ppb
Silver	107-1	0.65	0.69	0.69	0.67	3.56	ppb
Silver	109-1	0.62	0.62	0.65	0.63	3.13	ppb
Sodium	23-2	552.38	559.64	561.14	557.72	0.84	ppb
Strontium	86-1	452.12	458.94	450.31	453.79	1.00	ppb
Strontium	88-1	447.92	449.33	458.13	451.79	1.22	ppb
Sulfur	34-1	-913.46	-960.76	-1010.83	-961.68		ppb
Terbium	159-1				101		%
Terbium	159-2				100		%
Thallium	203-1	0.28	0.29	0.29	0.29	2.38	ppb
Thallium	205-1	0.27	0.28	0.30	0.29	4.45	ppb
Tin	118-1	6.15	6.00	6.12	6.09	1.32	ppb
Titanium	47-1	2661.49	2749.92	2720.57	2710.66	1.66	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.21	2.20	2.24	2.22	0.93	ppb
Vanadium	51-2	174.03	175.75	175.20	175.00	0.50	ppb
Yttrium	89-1				107		%
Yttrium	89-2				104		%
Zinc	66-2	186.33	189.22	189.16	188.24	0.88	ppb
Zirconium	90-1	76.54	79.18	78.41	78.04	1.74	ppb
Zirconium	91-1	77.50	80.31	79.60	79.14	1.84	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	69759.07	70191.22	69892.54	69947.61	0.32	ppb
Antimony	121-1	0.64	0.66	0.64	0.65	1.81	ppb
Arsenic	75-2	46.54	47.29	45.92	46.58	1.47	ppb
Barium	135-1	2135.63	2173.11	2188.74	2165.83	1.26	ppb
Barium	137-1	2163.85	2187.44	2161.63	2170.97	0.66	ppb
Beryllium	9-1	5.61	5.93	6.14	5.89	4.46	ppb
Bismuth	209-1				98		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	6.83	7.11	7.15	7.03	2.49	ppb
Cadmium	106-1	12.42	12.81	13.13	12.79	2.78	ppb
Cadmium	111-1	2.01	2.06	2.08	2.05	1.75	ppb
Calcium	43-1	54268.48	55227.78	55173.87	54890.04	0.98	ppb
Calcium	44-1	55376.69	54792.89	55782.79	55317.46	0.90	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	209.40	211.42	215.11	211.97	1.37	ppb
Cobalt	59-2	59.20	59.72	59.41	59.44	0.45	ppb
Copper	63-2	212.32	219.64	217.04	216.33	1.72	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				101		%
Holmium	165-2				100		%
Indium	115-1				97		%
Indium	115-2				96		%
Iron	56-2	85711.32	84664.89	84513.20	84963.14	0.77	ppb
Iron	57-2	83381.73	83731.47	84066.16	83726.46	0.41	ppb
Iron	54-2	85490.17	85712.97	85192.82	85465.32	0.31	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	70.75	71.98	69.94	70.89	1.44	ppb
Lead	207-1	68.83	69.45	67.85	68.71	1.17	ppb
Lead	208-1	69.24	70.29	68.93	69.48	1.02	ppb
Lithium	6-1				99		%
Magnesium	24-2	26228.76	26191.42	26082.10	26167.43	0.29	ppb
Manganese	55-2	1964.08	1929.71	1961.69	1951.83	0.98	ppb
Molybdenum	94-1	127.46	126.78	127.93	127.39	0.45	ppb
Molybdenum	95-1	0.55	0.56	0.55	0.55	1.00	ppb
Molybdenum	96-1	14.45	14.32	14.41	14.39	0.47	ppb
Molybdenum	97-1	0.59	0.56	0.51	0.55	7.02	ppb
Molybdenum	98-1	0.51	0.51	0.48	0.50	4.15	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	289.84	290.21	291.78	290.61	0.35	ppb
Phosphorus	31-2	5815.66	5940.35	5927.31	5894.44	1.16	ppb
Potassium	39-2	3728.58	3702.19	3708.40	3713.05	0.37	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				101		%
Scandium	45-2				99		%
Selenium	82-1	2.06	1.72	1.80	1.86	9.39	ppb
Selenium	77-2	50.20	51.67	47.93	49.93	3.78	ppb
Selenium	78-2	9.66	10.12	8.64	9.47	8.00	ppb
Silicon	28-1	883.38	877.59	882.41	881.13	0.35	ppb
Silver	107-1	0.66	0.63	0.67	0.65	2.57	ppb
Silver	109-1	0.60	0.60	0.62	0.60	1.92	ppb
Sodium	23-2	565.97	572.78	565.21	567.99	0.73	ppb
Strontium	86-1	459.48	465.02	460.15	461.55	0.66	ppb
Strontium	88-1	459.26	448.55	466.77	458.19	2.00	ppb
Sulfur	34-1	-1040.36	-1083.77	-1066.19	-1063.44		ppb
Terbium	159-1				102		%
Terbium	159-2				101		%
Thallium	203-1	0.28	0.30	0.27	0.28	5.70	ppb
Thallium	205-1	0.29	0.27	0.28	0.28	2.80	ppb
Tin	118-1	5.61	5.74	5.85	5.73	2.16	ppb
Titanium	47-1	2744.81	2723.08	2701.96	2723.28	0.79	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.26	2.24	2.25	2.25	0.43	ppb
Vanadium	51-2	174.90	176.40	176.62	175.97	0.53	ppb
Yttrium	89-1				107		%
Yttrium	89-2				103		%
Zinc	66-2	186.03	189.59	192.85	189.49	1.80	ppb
Zirconium	90-1	76.29	76.79	77.40	76.83	0.72	ppb
Zirconium	91-1	77.25	76.41	77.47	77.05	0.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	13828.39	13991.12	13787.34	13868.95	0.78	ppb
Antimony	121-1	0.12	0.12	0.12	0.12	1.60	ppb
Arsenic	75-2	9.55	9.24	9.65	9.48	2.28	ppb
Barium	135-1	385.88	397.27	388.77	390.64	1.52	ppb
Barium	137-1	414.58	420.43	411.35	415.45	1.11	ppb
Beryllium	9-1	1.01	1.06	1.01	1.03	2.47	ppb
Bismuth	209-1				99		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.44	1.43	1.02	1.30	18.43	ppb
Cadmium	106-1	1.34	1.61	0.81	1.26	32.51	ppb
Cadmium	111-1	0.31	0.33	0.31	0.32	3.14	ppb
Calcium	43-1	11903.27	12221.99	12225.52	12116.93	1.53	ppb
Calcium	44-1	11292.57	11426.95	11522.74	11414.09	1.01	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	43.77	44.46	42.85	43.69	1.85	ppb
Cobalt	59-2	11.67	12.00	11.68	11.78	1.58	ppb
Copper	63-2	42.97	43.13	42.75	42.95	0.44	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				98		%
Indium	115-2				96		%
Iron	56-2	17096.42	17280.94	17126.17	17167.85	0.58	ppb
Iron	57-2	16798.61	17156.50	17092.39	17015.83	1.12	ppb
Iron	54-2	17615.11	17531.13	17624.81	17590.35	0.29	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	13.29	13.50	13.66	13.48	1.38	ppb
Lead	207-1	13.02	13.17	13.20	13.13	0.74	ppb
Lead	208-1	13.02	13.22	13.28	13.17	1.04	ppb
Lithium	6-1				106		%
Magnesium	24-2	5003.68	5034.90	5056.87	5031.82	0.53	ppb
Manganese	55-2	394.71	393.10	397.03	394.94	0.50	ppb
Molybdenum	94-1	25.32	26.20	26.44	25.99	2.29	ppb
Molybdenum	95-1	0.10	0.11	0.10	0.10	3.12	ppb
Molybdenum	96-1	2.95	2.92	2.98	2.95	1.04	ppb
Molybdenum	97-1	0.10	0.11	0.11	0.11	6.29	ppb
Molybdenum	98-1	0.10	0.09	0.10	0.10	3.04	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	58.79	59.57	57.25	58.54	2.02	ppb
Phosphorus	31-2	1147.42	1119.11	1152.68	1139.74	1.58	ppb
Potassium	39-2	774.24	799.29	766.67	780.07	2.19	ppb
Rhodium	103-1				97		%
Rhodium	103-2				96		%
Scandium	45-1				96		%
Scandium	45-2				92		%
Selenium	82-1	0.89	0.79	0.61	0.76	18.98	ppb
Selenium	77-2	9.37	6.96	10.29	8.88	19.35	ppb
Selenium	78-2	1.18	0.96	1.28	1.14	14.45	ppb
Silicon	28-1	173.86	185.63	175.87	178.45	3.53	ppb
Silver	107-1	0.13	0.13	0.13	0.13	1.57	ppb
Silver	109-1	0.12	0.12	0.11	0.11	4.28	ppb
Sodium	23-2	115.55	116.35	113.39	115.10	1.33	ppb
Strontium	86-1	88.66	90.78	90.60	90.01	1.30	ppb
Strontium	88-1	90.15	93.21	92.41	91.93	1.73	ppb
Sulfur	34-1	-1482.44	-1326.01	-1368.62	-1392.36		ppb
Terbium	159-1				100		%
Terbium	159-2				101		%
Thallium	203-1	0.05	0.06	0.05	0.05	3.72	ppb
Thallium	205-1	0.04	0.05	0.05	0.05	7.75	ppb
Tin	118-1	1.09	1.14	1.12	1.12	2.42	ppb
Titanium	47-1	533.69	537.56	541.95	537.74	0.77	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.40	0.42	0.41	0.41	2.64	ppb
Vanadium	51-2	34.79	35.65	34.74	35.06	1.45	ppb
Yttrium	89-1				99		%
Yttrium	89-2				95		%
Zinc	66-2	38.96	40.04	38.74	39.24	1.77	ppb
Zirconium	90-1	15.22	15.61	15.85	15.56	2.04	ppb
Zirconium	91-1	15.62	15.75	16.19	15.85	1.88	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	70869.04	70438.50	71030.01	70779.18	0.43	ppb
Antimony	121-1	58.21	60.41	59.63	59.42	1.87	ppb
Arsenic	75-2	69.29	69.25	70.48	69.67	1.00	ppb
Barium	135-1	3384.51	3480.20	3468.02	3444.25	1.51	ppb
Barium	137-1	3309.93	3464.74	3481.50	3418.72	2.77	ppb
Beryllium	9-1	35.28	36.19	37.92	36.46	3.69	ppb
Bismuth	209-1				97		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	32.85	34.90	34.71	34.15	3.33	ppb
Cadmium	106-1	38.57	40.61	38.57	39.25	2.99	ppb
Cadmium	111-1	31.47	32.62	31.84	31.98	1.83	ppb
Calcium	43-1	56180.06	56432.14	58061.65	56891.28	1.80	ppb
Calcium	44-1	55637.96	56305.79	56795.43	56246.40	1.03	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	338.78	335.18	339.77	337.91	0.72	ppb
Cobalt	59-2	364.23	366.42	363.33	364.66	0.44	ppb
Copper	63-2	365.50	367.29	364.51	365.77	0.39	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				98		%
Indium	115-1				96		%
Indium	115-2				93		%
Iron	56-2	86263.34	85836.82	85822.78	85974.32	0.29	ppb
Iron	57-2	85841.51	85227.36	84097.70	85055.52	1.04	ppb
Iron	54-2	87525.14	86463.86	86419.85	86802.95	0.72	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	82.25	83.05	84.08	83.13	1.11	ppb
Lead	207-1	79.74	80.16	80.36	80.09	0.39	ppb
Lead	208-1	80.83	81.34	81.86	81.34	0.63	ppb
Lithium	6-1				100		%
Magnesium	24-2	25575.94	25806.73	25610.13	25664.27	0.49	ppb
Manganese	55-2	2273.91	2266.41	2251.81	2264.04	0.50	ppb
Molybdenum	94-1	129.23	126.17	128.60	128.00	1.26	ppb
Molybdenum	95-1	0.55	0.55	0.51	0.54	5.03	ppb
Molybdenum	96-1	14.50	14.26	14.50	14.42	0.95	ppb
Molybdenum	97-1	0.58	0.52	0.53	0.54	5.72	ppb
Molybdenum	98-1	0.53	0.51	0.55	0.53	3.40	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	608.34	603.22	606.84	606.13	0.43	ppb
Phosphorus	31-2	5835.67	5900.73	5841.83	5859.41	0.61	ppb
Potassium	39-2	3656.26	3735.17	3672.84	3688.09	1.13	ppb
Rhodium	103-1				94		%
Rhodium	103-2				93		%
Scandium	45-1				100		%
Scandium	45-2				97		%
Selenium	82-1	71.30	72.73	72.72	72.25	1.14	ppb
Selenium	77-2	121.95	124.04	119.39	121.79	1.91	ppb
Selenium	78-2	83.77	77.98	83.24	81.66	3.92	ppb
Silicon	28-1	903.47	877.50	911.03	897.33	1.96	ppb
Silver	107-1	26.75	27.63	27.50	27.29	1.73	ppb
Silver	109-1	26.46	27.49	27.61	27.19	2.32	ppb
Sodium	23-2	556.16	562.83	564.36	561.12	0.78	ppb
Strontium	86-1	451.34	455.05	459.26	455.22	0.87	ppb
Strontium	88-1	454.63	450.15	454.16	452.98	0.54	ppb
Sulfur	34-1	-1198.33	-1219.90	-1133.14	-1183.79		ppb
Terbium	159-1				100		%
Terbium	159-2				98		%
Thallium	203-1	27.81	27.61	28.02	27.82	0.74	ppb
Thallium	205-1	27.73	28.00	28.08	27.93	0.66	ppb
Tin	118-1	5.84	6.15	6.07	6.02	2.69	ppb
Titanium	47-1	2702.34	2686.44	2740.21	2709.67	1.02	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.24	2.23	2.23	2.23	0.28	ppb
Vanadium	51-2	471.49	477.02	470.73	473.08	0.73	ppb
Yttrium	89-1				106		%
Yttrium	89-2				101		%
Zinc	66-2	488.53	491.35	488.45	489.44	0.34	ppb
Zirconium	90-1	76.49	76.26	77.03	76.60	0.51	ppb
Zirconium	91-1	77.98	76.73	77.56	77.43	0.82	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	72340.81	72472.84	72468.87	72427.50	0.10	ppb
Antimony	121-1	276.36	278.40	273.82	276.20	0.83	ppb
Arsenic	75-2	148.53	150.18	147.66	148.79	0.86	ppb
Barium	135-1	7465.26	7518.16	7449.31	7477.58	0.48	ppb
Barium	137-1	7312.82	7520.66	7464.11	7432.53	1.45	ppb
Beryllium	9-1	136.53	142.47	139.64	139.55	2.13	ppb
Bismuth	209-1				98		%
Bismuth	209-2				97		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	128.94	130.93	131.52	130.46	1.04	ppb
Cadmium	106-1	131.17	133.93	130.88	131.99	1.28	ppb
Cadmium	111-1	133.96	137.95	137.59	136.50	1.62	ppb
Calcium	43-1	54062.34	52936.37	54567.78	53855.50	1.55	ppb
Calcium	44-1	53570.07	53454.42	54141.42	53721.97	0.68	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	732.64	731.05	730.01	731.23	0.18	ppb
Cobalt	59-2	1378.32	1386.34	1351.34	1372.00	1.34	ppb
Copper	63-2	841.29	844.87	839.15	841.77	0.34	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				99		%
Holmium	165-2				99		%
Indium	115-1				95		%
Indium	115-2				92		%
Iron	56-2	85729.08	85916.41	85898.77	85848.09	0.12	ppb
Iron	57-2	84203.24	82976.65	82951.11	83377.00	0.86	ppb
Iron	54-2	85901.32	86795.85	86818.95	86505.37	0.60	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	115.82	118.96	121.35	118.71	2.34	ppb
Lead	207-1	112.69	114.97	116.39	114.69	1.63	ppb
Lead	208-1	122.09	125.30	126.46	124.62	1.81	ppb
Lithium	6-1				97		%
Magnesium	24-2	25290.29	25056.56	24856.93	25067.93	0.87	ppb
Manganese	55-2	3186.16	3182.57	3173.83	3180.85	0.20	ppb
Molybdenum	94-1	124.12	126.18	122.90	124.40	1.33	ppb
Molybdenum	95-1	0.59	0.58	0.55	0.57	3.43	ppb
Molybdenum	96-1	13.97	14.12	14.01	14.03	0.58	ppb
Molybdenum	97-1	0.56	0.53	0.54	0.54	2.77	ppb
Molybdenum	98-1	0.56	0.56	0.54	0.55	1.38	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	1628.65	1637.59	1638.89	1635.04	0.34	ppb
Phosphorus	31-2	5592.02	5608.57	5639.74	5613.44	0.43	ppb
Potassium	39-2	3499.51	3625.19	3596.39	3573.70	1.84	ppb
Rhodium	103-1				94		%
Rhodium	103-2				93		%
Scandium	45-1				99		%
Scandium	45-2				96		%
Selenium	82-1	265.96	266.02	264.00	265.32	0.43	ppb
Selenium	77-2	321.43	333.28	315.77	323.49	2.76	ppb
Selenium	78-2	282.65	287.36	283.68	284.56	0.87	ppb
Silicon	28-1	832.65	845.14	882.40	853.40	3.03	ppb
Silver	107-1	115.65	120.32	118.60	118.19	2.00	ppb
Silver	109-1	120.30	120.14	118.45	119.63	0.86	ppb
Sodium	23-2	546.75	549.40	550.18	548.78	0.33	ppb
Strontium	86-1	444.50	446.72	439.57	443.60	0.83	ppb
Strontium	88-1	441.23	445.52	438.37	441.71	0.81	ppb
Sulfur	34-1	-1309.18	-1335.60	-1384.36	-1343.05		ppb
Terbium	159-1				99		%
Terbium	159-2				99		%
Thallium	203-1	121.28	122.89	125.24	123.14	1.62	ppb
Thallium	205-1	138.11	142.47	141.22	140.60	1.60	ppb
Tin	118-1	5.69	5.91	5.95	5.85	2.44	ppb
Titanium	47-1	2604.78	2631.44	2629.88	2622.03	0.57	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.07	2.16	2.19	2.14	3.04	ppb
Vanadium	51-2	1440.22	1436.22	1439.41	1438.61	0.15	ppb
Yttrium	89-1				105		%
Yttrium	89-2				100		%
Zinc	66-2	1506.19	1476.37	1527.26	1503.27	1.70	ppb
Zirconium	90-1	75.14	75.69	73.43	74.75	1.57	ppb
Zirconium	91-1	75.09	74.33	73.97	74.46	0.77	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	55864.71	55718.00	55863.44	55815.38	0.15	ppb
Antimony	121-1	3.55	3.56	3.62	3.58	1.07	ppb
Arsenic	75-2	140.82	139.67	140.38	140.29	0.41	ppb
Barium	135-1	2239.66	2278.71	2293.83	2270.74	1.23	ppb
Barium	137-1	2248.71	2283.10	2330.80	2287.53	1.80	ppb
Beryllium	9-1	5.77	6.25	6.21	6.08	4.39	ppb
Bismuth	209-1				100		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	9.28	9.08	9.28	9.21	1.24	ppb
Cadmium	106-1	11.38	12.07	11.76	11.74	2.93	ppb
Cadmium	111-1	6.83	6.92	6.81	6.85	0.84	ppb
Calcium	43-1	29618.03	30620.94	29507.35	29915.44	2.05	ppb
Calcium	44-1	29561.88	30454.61	30192.40	30069.63	1.53	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	179.62	180.73	180.89	180.41	0.38	ppb
Cobalt	59-2	61.11	61.19	61.05	61.12	0.11	ppb
Copper	63-2	672.42	669.24	683.17	674.94	1.08	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				96		%
Indium	115-2				94		%
Iron	56-2	77193.57	77485.35	77070.80	77249.91	0.28	ppb
Iron	57-2	76258.69	77123.13	76129.76	76503.86	0.71	ppb
Iron	54-2	76691.63	77637.91	77530.43	77286.66	0.67	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	229.18	235.88	237.98	234.35	1.96	ppb
Lead	207-1	234.87	235.00	235.01	234.96	0.03	ppb
Lead	208-1	231.90	234.67	234.21	233.59	0.64	ppb
Lithium	6-1				99		%
Magnesium	24-2	35962.05	35878.06	36561.62	36133.91	1.03	ppb
Manganese	55-2	1968.68	1976.46	1981.29	1975.48	0.32	ppb
Molybdenum	94-1	69.84	71.98	70.32	70.72	1.58	ppb
Molybdenum	95-1	1.18	1.16	1.13	1.16	2.23	ppb
Molybdenum	96-1	8.74	9.00	9.00	8.91	1.66	ppb
Molybdenum	97-1	1.14	1.15	1.08	1.12	3.50	ppb
Molybdenum	98-1	1.08	1.14	1.08	1.10	2.89	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	331.78	334.12	333.25	333.05	0.36	ppb
Phosphorus	31-2	8303.94	8365.28	8279.10	8316.10	0.53	ppb
Potassium	39-2	4088.81	4121.62	4068.70	4093.04	0.65	ppb
Rhodium	103-1				95		%
Rhodium	103-2				95		%
Scandium	45-1				96		%
Scandium	45-2				94		%
Selenium	82-1	3.21	2.82	3.29	3.11	8.10	ppb
Selenium	77-2	41.38	40.50	48.35	43.41	9.91	ppb
Selenium	78-2	11.97	10.02	11.07	11.02	8.88	ppb
Silicon	28-1	529.60	540.94	554.70	541.75	2.32	ppb
Silver	107-1	2.20	2.16	2.17	2.18	0.98	ppb
Silver	109-1	2.19	2.23	2.14	2.18	2.10	ppb
Sodium	23-2	5079.19	5101.67	5091.48	5090.78	0.22	ppb
Strontium	86-1	619.87	629.10	618.19	622.39	0.94	ppb
Strontium	88-1	621.91	633.45	616.97	624.11	1.36	ppb
Sulfur	34-1	-1135.11	-1069.62	-1066.56	-1090.43		ppb
Terbium	159-1				98		%
Terbium	159-2				100		%
Thallium	203-1	0.32	0.33	0.32	0.32	1.64	ppb
Thallium	205-1	0.32	0.32	0.31	0.32	0.73	ppb
Tin	118-1	5.89	5.94	6.04	5.96	1.30	ppb
Titanium	47-1	1622.39	1687.69	1694.89	1668.33	2.39	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.19	2.21	2.23	2.21	0.93	ppb
Vanadium	51-2	153.09	154.60	154.01	153.90	0.49	ppb
Yttrium	89-1				104		%
Yttrium	89-2				102		%
Zinc	66-2	528.75	527.56	531.85	529.39	0.42	ppb
Zirconium	90-1	41.62	42.61	42.47	42.23	1.27	ppb
Zirconium	91-1	42.21	43.10	43.15	42.82	1.23	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	79296.45	80315.47	79018.20	79543.37	0.86	ppb
Antimony	121-1	0.63	0.64	0.63	0.63	0.93	ppb
Arsenic	75-2	33.91	32.97	33.54	33.47	1.41	ppb
Barium	135-1	2533.16	2583.88	2628.74	2581.93	1.85	ppb
Barium	137-1	2611.95	2611.57	2607.28	2610.27	0.10	ppb
Beryllium	9-1	6.24	6.59	6.44	6.43	2.69	ppb
Bismuth	209-1				98		%
Bismuth	209-2				99		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.35	3.53	3.46	3.45	2.67	ppb
Cadmium	106-1	5.24	5.30	5.40	5.31	1.51	ppb
Cadmium	111-1	0.90	0.91	0.85	0.89	3.91	ppb
Calcium	43-1	31983.45	31993.04	32597.95	32191.48	1.09	ppb
Calcium	44-1	31748.99	31833.90	31921.92	31834.94	0.27	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	214.43	223.23	219.83	219.16	2.02	ppb
Cobalt	59-2	69.26	70.79	69.70	69.92	1.13	ppb
Copper	63-2	146.09	146.81	145.76	146.22	0.37	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				101		%
Indium	115-1				97		%
Indium	115-2				94		%
Iron	56-2	92555.07	93070.06	92814.47	92813.20	0.28	ppb
Iron	57-2	91404.83	90803.29	90661.81	90956.64	0.43	ppb
Iron	54-2	93112.54	93303.52	93534.59	93316.88	0.23	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	36.56	37.79	37.35	37.23	1.68	ppb
Lead	207-1	34.52	35.77	35.53	35.27	1.88	ppb
Lead	208-1	35.48	36.58	36.32	36.13	1.59	ppb
Lithium	6-1				104		%
Magnesium	24-2	35031.51	35318.96	34943.49	35097.99	0.56	ppb
Manganese	55-2	2313.94	2308.29	2338.51	2320.25	0.69	ppb
Molybdenum	94-1	57.39	58.04	58.02	57.82	0.64	ppb
Molybdenum	95-1	0.68	0.66	0.67	0.67	1.22	ppb
Molybdenum	96-1	7.12	7.21	6.97	7.10	1.70	ppb
Molybdenum	97-1	0.66	0.64	0.69	0.66	3.78	ppb
Molybdenum	98-1	0.64	0.62	0.64	0.63	2.04	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	419.24	423.98	415.51	419.58	1.01	ppb
Phosphorus	31-2	7966.46	8096.17	7915.22	7992.62	1.17	ppb
Potassium	39-2	3458.72	3501.17	3427.54	3462.47	1.07	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				100		%
Scandium	45-2				96		%
Selenium	82-1	2.39	2.98	2.54	2.64	11.56	ppb
Selenium	77-2	51.80	52.92	45.36	50.02	8.16	ppb
Selenium	78-2	9.64	11.67	12.65	11.32	13.57	ppb
Silicon	28-1	568.49	560.06	563.51	564.02	0.75	ppb
Silver	107-1	0.37	0.37	0.35	0.36	1.98	ppb
Silver	109-1	0.36	0.37	0.34	0.36	4.40	ppb
Sodium	23-2	1046.44	1066.96	1019.87	1044.42	2.26	ppb
Strontium	86-1	548.93	536.89	542.48	542.77	1.11	ppb
Strontium	88-1	529.56	541.57	526.03	532.39	1.53	ppb
Sulfur	34-1	-1417.00	-1545.74	-1521.11	-1494.62		ppb
Terbium	159-1				101		%
Terbium	159-2				101		%
Thallium	203-1	0.28	0.30	0.32	0.30	5.24	ppb
Thallium	205-1	0.30	0.31	0.30	0.30	1.56	ppb
Tin	118-1	3.01	3.11	3.00	3.04	2.05	ppb
Titanium	47-1	2041.75	2056.78	2033.31	2043.95	0.58	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	2.46	2.49	2.49	2.48	0.57	ppb
Vanadium	51-2	186.20	188.17	185.42	186.60	0.76	ppb
Yttrium	89-1				107		%
Yttrium	89-2				104		%
Zinc	66-2	177.32	178.52	175.79	177.21	0.77	ppb
Zirconium	90-1	33.82	34.16	34.08	34.02	0.52	ppb
Zirconium	91-1	34.30	34.80	34.50	34.54	0.73	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	27146.88	27090.69	26936.58	27058.05	0.40	ppb
Antimony	121-1	1.80	1.87	1.87	1.84	2.02	ppb
Arsenic	75-2	86.98	84.74	85.59	85.77	1.32	ppb
Barium	135-1	578.11	592.01	591.64	587.25	1.35	ppb
Barium	137-1	583.27	593.94	592.15	589.79	0.97	ppb
Beryllium	9-1	1.61	1.65	1.61	1.62	1.35	ppb
Bismuth	209-1				101		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	3.28	3.29	2.87	3.15	7.52	ppb
Cadmium	106-1	3.99	3.98	3.49	3.82	7.44	ppb
Cadmium	111-1	2.08	2.18	2.18	2.14	2.60	ppb
Calcium	43-1	16723.27	16755.65	16974.74	16817.89	0.81	ppb
Calcium	44-1	16017.60	16125.88	16183.26	16108.91	0.52	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	91.46	91.76	91.67	91.63	0.16	ppb
Cobalt	59-2	35.01	35.02	34.75	34.92	0.43	ppb
Copper	63-2	276.56	279.70	274.48	276.91	0.95	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				100		%
Indium	115-1				98		%
Indium	115-2				94		%
Iron	56-2	62266.68	60730.95	60909.71	61302.45	1.37	ppb
Iron	57-2	60417.28	60417.89	60559.49	60464.89	0.14	ppb
Iron	54-2	62336.88	60970.99	61805.03	61704.30	1.12	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	78.96	80.75	80.12	79.94	1.14	ppb
Lead	207-1	78.34	79.67	78.02	78.67	1.11	ppb
Lead	208-1	78.69	79.83	79.09	79.20	0.73	ppb
Lithium	6-1				105		%
Magnesium	24-2	16029.69	16028.62	15793.56	15950.62	0.85	ppb
Manganese	55-2	1274.89	1245.06	1243.49	1254.48	1.41	ppb
Molybdenum	94-1	31.97	32.71	32.45	32.38	1.16	ppb
Molybdenum	95-1	0.68	0.73	0.74	0.72	4.44	ppb
Molybdenum	96-1	4.27	4.40	4.33	4.33	1.50	ppb
Molybdenum	97-1	0.72	0.73	0.73	0.73	0.56	ppb
Molybdenum	98-1	0.72	0.72	0.74	0.73	1.27	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	102.50	101.25	101.79	101.85	0.61	ppb
Phosphorus	31-2	2488.77	2424.55	2471.00	2461.44	1.35	ppb
Potassium	39-2	3534.75	3469.96	3521.00	3508.57	0.97	ppb
Rhodium	103-1				98		%
Rhodium	103-2				96		%
Scandium	45-1				99		%
Scandium	45-2				94		%
Selenium	82-1	1.65	1.58	1.59	1.61	2.23	ppb
Selenium	77-2	21.72	16.14	18.89	18.92	14.76	ppb
Selenium	78-2	3.15	2.83	3.73	3.24	14.07	ppb
Silicon	28-1	860.65	878.15	865.06	867.95	1.05	ppb
Silver	107-1	0.69	0.70	0.68	0.69	1.53	ppb
Silver	109-1	0.65	0.68	0.66	0.66	2.11	ppb
Sodium	23-2	492.42	485.81	486.29	488.17	0.76	ppb
Strontium	86-1	119.12	123.20	120.98	121.10	1.69	ppb
Strontium	88-1	123.99	125.00	125.37	124.79	0.57	ppb
Sulfur	34-1	-1651.71	-1705.12	-1733.05	-1696.63		ppb
Terbium	159-1				100		%
Terbium	159-2				100		%
Thallium	203-1	0.15	0.15	0.16	0.15	2.48	ppb
Thallium	205-1	0.14	0.15	0.15	0.15	2.20	ppb
Tin	118-1	2.96	2.74	2.73	2.81	4.65	ppb
Titanium	47-1	982.13	1008.66	1003.43	998.07	1.41	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.77	0.78	0.76	0.77	1.10	ppb
Vanadium	51-2	123.80	123.10	122.92	123.27	0.38	ppb
Yttrium	89-1				102		%
Yttrium	89-2				99		%
Zinc	66-2	246.80	244.68	245.59	245.69	0.43	ppb
Zirconium	90-1	18.95	19.39	19.30	19.22	1.21	ppb
Zirconium	91-1	18.94	19.76	19.41	19.37	2.12	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	33900.00	33736.58	33799.88	33812.15	0.24	ppb
Antimony	121-1	2.02	2.15	2.01	2.06	3.76	ppb
Arsenic	75-2	79.59	80.47	79.50	79.85	0.67	ppb
Barium	135-1	343.85	343.84	341.37	343.02	0.42	ppb
Barium	137-1	357.10	368.54	345.36	357.00	3.25	ppb
Beryllium	9-1	1.40	1.50	1.66	1.52	8.75	ppb
Bismuth	209-1				98		%
Bismuth	209-2				98		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	1.81	1.58	1.52	1.64	9.30	ppb
Cadmium	106-1	2.36	2.31	1.88	2.18	11.95	ppb
Cadmium	111-1	0.69	0.68	0.65	0.67	3.14	ppb
Calcium	43-1	30680.67	30993.07	30451.06	30708.27	0.89	ppb
Calcium	44-1	30784.00	31279.70	30729.27	30930.99	0.98	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	85.39	86.40	85.00	85.60	0.84	ppb
Cobalt	59-2	38.72	38.98	38.39	38.70	0.76	ppb
Copper	63-2	110.15	109.99	111.32	110.49	0.66	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				100		%
Holmium	165-2				99		%
Indium	115-1				98		%
Indium	115-2				94		%
Iron	56-2	84507.57	84632.21	83673.73	84271.17	0.62	ppb
Iron	57-2	82710.45	81558.85	82541.48	82270.26	0.76	ppb
Iron	54-2	84168.99	85703.01	84749.06	84873.69	0.91	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	32.76	32.79	33.49	33.01	1.27	ppb
Lead	207-1	33.30	32.40	33.73	33.14	2.05	ppb
Lead	208-1	32.58	32.60	33.15	32.78	0.99	ppb
Lithium	6-1				97		%
Magnesium	24-2	17836.32	17959.21	17677.64	17824.39	0.79	ppb
Manganese	55-2	1746.04	1745.21	1738.36	1743.20	0.24	ppb
Molybdenum	94-1	23.02	23.82	23.49	23.44	1.71	ppb
Molybdenum	95-1	0.88	0.85	0.87	0.87	2.13	ppb
Molybdenum	96-1	3.55	3.80	3.59	3.65	3.68	ppb
Molybdenum	97-1	0.85	0.83	0.85	0.84	1.37	ppb
Molybdenum	98-1	0.81	0.81	0.83	0.82	1.54	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	94.85	94.96	93.76	94.52	0.70	ppb
Phosphorus	31-2	1729.27	1746.88	1753.78	1743.31	0.73	ppb
Potassium	39-2	4333.94	4332.62	4284.36	4316.97	0.65	ppb
Rhodium	103-1				94		%
Rhodium	103-2				95		%
Scandium	45-1				98		%
Scandium	45-2				95		%
Selenium	82-1	1.07	0.88	0.80	0.92	14.93	ppb
Selenium	77-2	14.99	14.25	15.92	15.05	5.58	ppb
Selenium	78-2	2.97	1.81	2.59	2.46	24.16	ppb
Silicon	28-1	916.46	1024.16	967.02	969.21	5.56	ppb
Silver	107-1	0.18	0.18	0.18	0.18	1.60	ppb
Silver	109-1	0.18	0.18	0.18	0.18	1.13	ppb
Sodium	23-2	196.34	197.06	197.78	197.06	0.36	ppb
Strontium	86-1	67.99	73.20	69.66	70.28	3.78	ppb
Strontium	88-1	70.07	72.28	72.15	71.50	1.74	ppb
Sulfur	34-1	-1478.98	-1259.43	-1332.72	-1357.04		ppb
Terbium	159-1				101		%
Terbium	159-2				98		%
Thallium	203-1	0.21	0.21	0.21	0.21	1.43	ppb
Thallium	205-1	0.20	0.21	0.21	0.21	1.97	ppb
Tin	118-1	3.94	4.06	3.87	3.96	2.49	ppb
Titanium	47-1	815.25	823.49	806.87	815.20	1.02	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.70	0.67	0.69	0.68	2.02	ppb
Vanadium	51-2	169.00	170.01	169.01	169.34	0.34	ppb
Yttrium	89-1				102		%
Yttrium	89-2				98		%
Zinc	66-2	195.07	193.99	193.67	194.25	0.38	ppb
Zirconium	90-1	13.83	13.66	13.65	13.71	0.75	ppb
Zirconium	91-1	13.52	14.38	13.77	13.89	3.19	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	49329.28	49190.96	48259.64	48926.63	1.19	ppb
Antimony	121-1	493.23	515.75	517.76	508.91	2.68	ppb
Arsenic	75-2	488.26	477.10	481.11	482.16	1.17	ppb
Barium	135-1	2492.39	2511.59	2517.22	2507.07	0.52	ppb
Barium	137-1	2492.66	2487.84	2523.11	2501.20	0.76	ppb
Beryllium	9-1	509.26	505.09	494.69	503.02	1.49	ppb
Bismuth	209-1				93		%
Bismuth	209-2				93		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	500.30	503.41	516.44	506.72	1.69	ppb
Cadmium	106-1	503.85	504.43	520.32	509.53	1.83	ppb
Cadmium	111-1	512.19	503.78	518.33	511.43	1.43	ppb
Calcium	43-1	248191.83	255739.78	250682.36	251537.99	1.53	ppb
Calcium	44-1	248961.40	256273.14	248860.19	251364.91	1.69	ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	515.67	511.57	516.24	514.49	0.50	ppb
Cobalt	59-2	541.55	547.07	545.75	544.79	0.53	ppb
Copper	63-2	5330.21	5350.70	5386.97	5355.96	0.54	ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				97		%
Holmium	165-2				98		%
Indium	115-1				92		%
Indium	115-2				88		%
Iron	56-2	129324.39	128640.63	130222.66	129395.89	0.61	ppb
Iron	57-2	128637.20	128473.61	128129.30	128413.37	0.20	ppb
Iron	54-2	131300.34	131251.40	130388.92	130980.22	0.39	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	2479.59	2570.99	2519.70	2523.42	1.82	ppb
Lead	207-1	2491.24	2588.04	2555.75	2545.01	1.94	ppb
Lead	208-1	2490.17	2594.69	2558.31	2547.72	2.08	ppb
Lithium	6-1				105		%
Magnesium	24-2	245260.76	242361.76	242097.26	243239.92	0.72	ppb
Manganese	55-2	5070.74	5079.44	5049.23	5066.47	0.31	ppb
Molybdenum	94-1	5075.50	5167.10	5177.78	5140.12	1.09	ppb
Molybdenum	95-1	5043.14	5235.06	5143.33	5140.51	1.87	ppb
Molybdenum	96-1	5051.11	5249.21	5064.25	5121.52	2.16	ppb
Molybdenum	97-1	5117.35	5298.18	5061.41	5158.98	2.40	ppb
Molybdenum	98-1	5096.66	5275.75	5063.61	5145.34	2.22	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	529.46	526.35	527.97	527.93	0.29	ppb
Phosphorus	31-2	10106.72	10087.72	10084.80	10093.08	0.12	ppb
Potassium	39-2	120558.45	119195.92	119564.84	119773.07	0.59	ppb
Rhodium	103-1				88		%
Rhodium	103-2				86		%
Scandium	45-1				91		%
Scandium	45-2				83		%
Selenium	82-1	490.35	496.14	487.69	491.40	0.88	ppb
Selenium	77-2	482.16	475.65	464.98	474.26	1.83	ppb
Selenium	78-2	473.70	463.72	470.76	469.40	1.09	ppb
Silicon	28-1	396.37	402.85	409.97	403.06	1.69	ppb
Silver	107-1	508.02	507.70	537.73	517.82	3.33	ppb
Silver	109-1	513.40	519.56	521.84	518.27	0.84	ppb
Sodium	23-2	247686.82	247544.87	249529.48	248253.73	0.45	ppb
Strontium	86-1	12780.96	13026.98	12549.69	12785.88	1.87	ppb
Strontium	88-1	12729.11	12908.61	12526.65	12721.46	1.50	ppb
Sulfur	34-1	9561.31	9682.61	9612.85	9618.92	0.63	ppb
Terbium	159-1				97		%
Terbium	159-2				97		%
Thallium	203-1	508.25	516.79	509.58	511.54	0.90	ppb
Thallium	205-1	502.87	516.66	514.27	511.26	1.44	ppb
Tin	118-1	493.83	501.28	504.95	500.02	1.13	ppb
Titanium	47-1	4911.40	5046.13	5083.24	5013.59	1.80	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	502.01	516.53	529.74	516.10	2.69	ppb
Vanadium	51-2	510.71	521.23	511.36	514.44	1.15	ppb
Yttrium	89-1				94		%
Yttrium	89-2				90		%
Zinc	66-2	5306.18	5216.79	5344.37	5289.11	1.24	ppb
Zirconium	90-1	501.78	509.99	511.04	507.60	1.00	ppb
Zirconium	91-1	506.14	514.43	518.84	513.14	1.26	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Aluminium	27-2	3.15	2.67	3.60	3.14	14.70	ppb
Antimony	121-1	0.36	0.37	0.39	0.38	3.80	ppb
Arsenic	75-2	0.02	0.03	0.02	0.02	18.96	ppb
Barium	135-1	0.11	0.09	0.06	0.09	31.02	ppb
Barium	137-1	0.13	0.09	0.08	0.10	26.67	ppb
Beryllium	9-1	0.03	0.02	0.02	0.03	22.57	ppb
Bismuth	209-1				97		%
Bismuth	209-2				101		%
Bromine	81-1						cps
Bromine	81-2						cps
Cadmium	108-1	0.02	0.02	0.02	0.02	3.18	ppb
Cadmium	106-1	-0.18	-0.90	-0.31	-0.46		ppb
Cadmium	111-1	0.04	-0.03	0.00	0.00	1592.20	ppb
Calcium	43-1	15.41	14.01	11.73	13.72	13.55	ppb
Calcium	44-1	-8.54	-11.13	-13.10	-10.92		ppb
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	0.03	0.06	0.04	0.04	31.02	ppb
Cobalt	59-2	0.01	0.00	0.00	0.00	34.43	ppb
Copper	63-2	-0.07	-0.09	-0.12	-0.09		ppb
Dysprosium	156-1						cps
Dysprosium	156-2						cps
Erbium	164-1						cps
Erbium	164-2						cps
Gadolinium	160-1						cps
Gadolinium	160-2						cps
Holmium	165-1				95		%
Holmium	165-2				97		%
Indium	115-1				94		%
Indium	115-2				92		%
Iron	56-2	4.16	3.94	3.67	3.92	6.28	ppb
Iron	57-2	1.64	2.72	2.41	2.26	24.70	ppb
Iron	54-2	5.32	4.92	5.47	5.23	5.38	ppb
Krypton	83-1						cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Lead	206-1	0.24	0.18	0.16	0.19	21.14	ppb
Lead	207-1	0.26	0.19	0.19	0.21	18.93	ppb
Lead	208-1	0.24	0.20	0.17	0.21	17.56	ppb
Lithium	6-1				107		%
Magnesium	24-2	5.37	5.04	3.98	4.79	15.19	ppb
Manganese	55-2	0.04	0.05	0.03	0.04	20.64	ppb
Molybdenum	94-1	0.63	0.51	0.48	0.54	15.12	ppb
Molybdenum	95-1	0.34	0.29	0.26	0.29	13.38	ppb
Molybdenum	96-1	0.39	0.33	0.29	0.34	15.52	ppb
Molybdenum	97-1	0.35	0.33	0.26	0.31	13.93	ppb
Molybdenum	98-1	0.35	0.30	0.27	0.31	12.84	ppb
Neodymium	150-1						cps
Neodymium	150-2						cps
Nickel	60-2	0.01	0.00	-0.02	0.00		ppb
Phosphorus	31-2	-15.00	-19.44	-19.15	-17.87		ppb
Potassium	39-2	-5.61	-5.72	-5.91	-5.75		ppb
Rhodium	103-1				92		%
Rhodium	103-2				93		%
Scandium	45-1				89		%
Scandium	45-2				84		%
Selenium	82-1	0.68	0.60	0.62	0.63	6.69	ppb
Selenium	77-2	-0.05	0.27	-0.05	0.06	316.14	ppb
Selenium	78-2	-1.54	-1.21	-0.14	-0.96		ppb
Silicon	28-1	0.63	0.65	0.57	0.62	6.20	ppb
Silver	107-1	0.08	0.07	0.06	0.07	18.72	ppb
Silver	109-1	0.07	0.06	0.06	0.06	13.38	ppb
Sodium	23-2	9.49	9.59	7.12	8.73	16.02	ppb
Strontium	86-1	0.61	0.42	0.32	0.45	32.72	ppb
Strontium	88-1	0.54	0.41	0.31	0.42	28.30	ppb
Sulfur	34-1	-732.01	-711.58	-772.98	-738.86		ppb
Terbium	159-1				95		%
Terbium	159-2				96		%
Thallium	203-1	0.06	0.05	0.04	0.05	20.16	ppb
Thallium	205-1	0.06	0.05	0.04	0.05	22.43	ppb
Tin	118-1	0.12	0.15	0.16	0.15	16.55	ppb
Titanium	47-1	0.31	0.27	0.26	0.28	10.44	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	ConRep1	ConRep2	ConRep3	Avg. Conc.	ConcRSD	Units
Uranium	238-1	0.02	0.01	0.01	0.01	22.70	ppb
Vanadium	51-2	0.02	0.02	0.02	0.02	16.48	ppb
Yttrium	89-1				92		%
Yttrium	89-2				92		%
Zinc	66-2	0.66	0.31	0.37	0.45	41.29	ppb
Zirconium	90-1	0.20	0.17	0.15	0.17	15.02	ppb
Zirconium	91-1	0.23	0.19	0.17	0.19	14.82	ppb

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	723	717	607	682	9.60	cps
Antimony	121-1	127	137	187	150	21.43	cps
Arsenic	75-2	10	3	3	6	69.34	cps
Barium	135-1	97	80	57	78	25.83	cps
Barium	137-1	123	113	97	111	12.13	cps
Beryllium	9-1	34	30	30	31	6.15	cps
Bismuth	209-1	9882932	9800308	9754543	9812594	0.66	cps
Bismuth	209-2	7793927	7865541	7690721	7783396	1.13	cps
Bromine	81-1	12082	12058	11708	11949	1.75	cps
Bromine	81-2	120	177	157	151	19.02	cps
Cadmium	108-1	13	13	10	12	15.73	cps
Cadmium	106-1	4758	4701	4674	4711	0.90	cps
Cadmium	111-1	3328	3298	3265	3297	0.95	cps
Calcium	43-1	533	627	550	570	8.73	cps
Calcium	44-1	56386	56787	56928	56701	0.50	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1597	1713	1587	1632	4.31	cps
Cobalt	59-2	283	130	177	197	39.97	cps
Copper	63-2	5541	5124	5054	5240	5.02	cps
Dysprosium	156-1	10	13	27	17	52.93	cps
Dysprosium	156-2	37	7	10	18	92.48	cps
Erbium	164-1	167	110	137	138	20.58	cps
Erbium	164-2	97	103	67	89	21.97	cps
Gadolinium	160-1	63	70	53	62	13.48	cps
Gadolinium	160-2	400	487	280	389	26.69	cps
Holmium	165-1	16465571	16327554	16373058	16388728	0.43	cps
Holmium	165-2	11156087	11534487	11250182	11313585	1.74	cps
Indium	115-1	14736238	14724713	14371698	14610883	1.42	cps
Indium	115-2	4880895	4899333	4839652	4873293	0.63	cps
Iron	56-2	36004	22123	21469	26532	30.94	cps
Iron	57-2	3014	2544	2557	2705	9.90	cps
Iron	54-2	2824	2677	2694	2731	2.94	cps
Krypton	83-1	377	393	327	366	9.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	527	527	440	498	10.05	cps
Lead	207-1	393	353	333	360	8.49	cps
Lead	208-1	1987	1887	1683	1852	8.35	cps
Lithium	6-1	2037214	2036571	2024250	2032678	0.36	cps
Magnesium	24-2	1683	1470	1393	1516	9.92	cps
Manganese	55-2	1207	1193	1067	1156	6.69	cps
Molybdenum	94-1	457	443	570	490	14.21	cps
Molybdenum	95-1	197	170	257	208	21.36	cps
Molybdenum	96-1	183	207	230	207	11.29	cps
Molybdenum	97-1	103	100	103	102	1.88	cps
Molybdenum	98-1	267	270	223	253	10.28	cps
Neodymium	150-1	13	13	13	13	0.00	cps
Neodymium	150-2	13	3	13	10	57.75	cps
Nickel	60-2	360	353	350	354	1.44	cps
Phosphorus	31-2	303	243	247	264	12.75	cps
Potassium	39-2	105526	106835	107318	106559	0.87	cps
Rhodium	103-1	14572929	14436815	14464045	14491263	0.50	cps
Rhodium	103-2	8828819	8856558	8710829	8798735	0.88	cps
Scandium	45-1	10751008	10909829	10629619	10763485	1.31	cps
Scandium	45-2	959526	967870	954369	960588	0.71	cps
Selenium	82-1	520	429	544	497	12.17	cps
Selenium	77-2	0	0	3	1	173.21	cps
Selenium	78-2	520	437	480	479	8.70	cps
Silicon	28-1	405608	403162	402225	403665	0.43	cps
Silver	107-1	150	143	130	141	7.22	cps
Silver	109-1	73	73	77	74	2.59	cps
Sodium	23-2	75983	75195	75319	75499	0.56	cps
Strontium	86-1	553	657	623	611	8.63	cps
Strontium	88-1	567	570	573	570	0.59	cps
Sulfur	34-1	374220	376188	378226	376211	0.53	cps
Terbium	159-1	17238994	17240797	17054097	17177963	0.62	cps
Terbium	159-2	11325648	11407572	11362376	11365198	0.36	cps
Thallium	203-1	127	143	133	134	6.24	cps
Thallium	205-1	423	370	403	399	6.75	cps
Tin	118-1	2100	2040	2027	2056	1.90	cps
Titanium	47-1	317	260	320	299	11.28	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S0 Instrumnet Name : P7
Client Sample ID : S0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:08:40 DataFile Name : 004CALB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30	47	47	41	23.41	cps
Vanadium	51-2	17	20	23	20	16.65	cps
Yttrium	89-1	24320269	24204574	24099067	24207970	0.46	cps
Yttrium	89-2	5899726	5851032	5877001	5875920	0.41	cps
Zinc	66-2	2720	2580	2680	2660	2.71	cps
Zirconium	90-1	973	1200	1023	1066	11.18	cps
Zirconium	91-1	230	230	177	212	14.51	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	8176	8256	8332	8255	0.95	cps
Antimony	121-1	25232	25840	24781	25284	2.10	cps
Arsenic	75-2	867	813	897	859	4.91	cps
Barium	135-1	30102	30476	31057	30545	1.58	cps
Barium	137-1	53155	53269	53162	53196	0.12	cps
Beryllium	9-1	2553	2540	2413	2502	3.08	cps
Bismuth	209-1	10090261	9966887	9938583	9998577	0.81	cps
Bismuth	209-2	7792346	8006085	7723645	7840692	1.88	cps
Bromine	81-1	11311	11638	11628	11526	1.61	cps
Bromine	81-2	87	107	73	89	18.88	cps
Cadmium	108-1	303	263	200	256	20.39	cps
Cadmium	106-1	5021	5121	5038	5060	1.06	cps
Cadmium	111-1	6749	6987	6843	6860	1.75	cps
Calcium	43-1	24380	24573	25037	24663	1.37	cps
Calcium	44-1	444831	451039	450506	448792	0.77	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	15705	16436	15675	15939	2.70	cps
Cobalt	59-2	11685	11344	11414	11481	1.56	cps
Copper	63-2	17837	17857	18091	17929	0.79	cps
Dysprosium	156-1	43	23	43	37	31.49	cps
Dysprosium	156-2	10	10	7	9	21.63	cps
Erbium	164-1	137	137	90	121	22.25	cps
Erbium	164-2	70	53	90	71	25.82	cps
Gadolinium	160-1	97	70	87	84	15.95	cps
Gadolinium	160-2	387	360	250	332	21.81	cps
Holmium	165-1	16696881	16473730	16527850	16566154	0.70	cps
Holmium	165-2	11270141	11186435	11357030	11271202	0.76	cps
Indium	115-1	14809194	14904222	14899626	14871014	0.36	cps
Indium	115-2	4981199	4931825	4854366	4922463	1.30	cps
Iron	56-2	340939	335668	336237	337615	0.86	cps
Iron	57-2	10781	10677	10550	10669	1.08	cps
Iron	54-2	20354	20491	20404	20416	0.34	cps
Krypton	83-1	373	397	307	359	13.02	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	8703	8763	8753	8740	0.37	cps
Lead	207-1	7892	7659	7779	7777	1.50	cps
Lead	208-1	35135	35282	34954	35124	0.47	cps
Lithium	6-1	2076095	2098080	2068059	2080745	0.75	cps
Magnesium	24-2	372531	369433	373169	371711	0.54	cps
Manganese	55-2	6335	6215	6431	6327	1.72	cps
Molybdenum	94-1	29807	29319	29546	29558	0.83	cps
Molybdenum	95-1	35209	36248	36459	35972	1.86	cps
Molybdenum	96-1	39861	40620	39988	40156	1.01	cps
Molybdenum	97-1	22330	22574	22754	22553	0.94	cps
Molybdenum	98-1	56894	57496	56522	56971	0.86	cps
Neodymium	150-1	30	17	13	20	44.10	cps
Neodymium	150-2	13	3	3	7	86.65	cps
Nickel	60-2	3284	3320	3290	3298	0.59	cps
Phosphorus	31-2	967	903	1047	972	7.39	cps
Potassium	39-2	541060	536316	535401	537592	0.57	cps
Rhodium	103-1	14526154	14582229	14501065	14536483	0.29	cps
Rhodium	103-2	8687968	8939511	8838241	8821907	1.43	cps
Scandium	45-1	10811521	10860682	10780619	10817607	0.37	cps
Scandium	45-2	962490	957320	957112	958974	0.32	cps
Selenium	82-1	1819	1797	1930	1848	3.86	cps
Selenium	77-2	103	127	130	120	12.11	cps
Selenium	78-2	863	927	823	871	5.98	cps
Silicon	28-1	451799	451029	454918	452582	0.46	cps
Silver	107-1	16553	16299	16590	16481	0.96	cps
Silver	109-1	15081	15468	15285	15278	1.27	cps
Sodium	23-2	685494	681243	680154	682297	0.41	cps
Strontium	86-1	5514	5424	5451	5463	0.85	cps
Strontium	88-1	42515	42227	43143	42628	1.10	cps
Sulfur	34-1	380680	382944	381419	381681	0.30	cps
Terbium	159-1	17367091	17291251	17395313	17351218	0.31	cps
Terbium	159-2	11403666	11475657	11437596	11438973	0.31	cps
Thallium	203-1	9690	9780	9837	9769	0.76	cps
Thallium	205-1	24071	23494	23434	23666	1.49	cps
Tin	118-1	53720	54850	54824	54465	1.18	cps
Titanium	47-1	11107	11598	11645	11450	2.60	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S02 Instrumnet Name : P7
Client Sample ID : S02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:11:57 DataFile Name : 005CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	28835	28928	29222	28995	0.70	cps
Vanadium	51-2	31910	32188	31914	32004	0.50	cps
Yttrium	89-1	25010544	24451843	23842718	24435035	2.39	cps
Yttrium	89-2	6029800	5901976	5915441	5949072	1.18	cps
Zinc	66-2	9980	10167	9466	9871	3.67	cps
Zirconium	90-1	26394	25819	26347	26187	1.22	cps
Zirconium	91-1	5528	5564	5841	5644	3.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	422959	414534	427081	421525	1.52	cps
Antimony	121-1	648341	655024	662544	655303	1.08	cps
Arsenic	75-2	41926	42026	41618	41857	0.51	cps
Barium	135-1	820865	833862	813183	822637	1.27	cps
Barium	137-1	1413448	1420242	1411689	1415126	0.32	cps
Beryllium	9-1	138311	140134	138864	139103	0.67	cps
Bismuth	209-1	10023371	9941538	9968303	9977737	0.42	cps
Bismuth	209-2	7853138	7965314	7815676	7878043	0.99	cps
Bromine	81-1	11448	11595	11304	11449	1.27	cps
Bromine	81-2	137	130	170	146	14.72	cps
Cadmium	108-1	13119	13393	13800	13437	2.55	cps
Cadmium	106-1	23820	23295	24047	23721	1.62	cps
Cadmium	111-1	180524	182895	182289	181903	0.68	cps
Calcium	43-1	284858	287774	293515	288715	1.53	cps
Calcium	44-1	4179281	4226572	4228963	4211605	0.67	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	372063	373804	369016	371628	0.65	cps
Cobalt	59-2	558253	559337	548859	555483	1.04	cps
Copper	63-2	4187388	4029770	4108405	4108521	1.92	cps
Dysprosium	156-1	40	30	40	37	15.75	cps
Dysprosium	156-2	57	53	57	56	3.47	cps
Erbium	164-1	100	117	120	112	9.55	cps
Erbium	164-2	97	73	90	87	13.87	cps
Gadolinium	160-1	120	80	80	93	24.74	cps
Gadolinium	160-2	393	383	363	380	4.02	cps
Holmium	165-1	16808896	16758817	16389662	16652458	1.37	cps
Holmium	165-2	11607289	11315472	11256205	11392989	1.65	cps
Indium	115-1	14793001	14520062	14448121	14587061	1.25	cps
Indium	115-2	4877220	4836525	4735825	4816523	1.51	cps
Iron	56-2	15288228	15360129	15592408	15413588	1.03	cps
Iron	57-2	407709	403148	399561	403472	1.01	cps
Iron	54-2	888310	891291	905126	894909	1.00	cps
Krypton	83-1	380	307	453	380	19.30	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2331187	2359945	2347842	2346325	0.62	cps
Lead	207-1	2038935	2071624	2087442	2066000	1.20	cps
Lead	208-1	9370406	9414869	9495393	9426889	0.67	cps
Lithium	6-1	2088255	2146089	2138096	2124147	1.48	cps
Magnesium	24-2	3477776	3407077	3419153	3434669	1.10	cps
Manganese	55-2	2515229	2498885	2518371	2510829	0.42	cps
Molybdenum	94-1	2839772	2856161	2843902	2846612	0.30	cps
Molybdenum	95-1	4137311	4171796	4185514	4164874	0.60	cps
Molybdenum	96-1	4524345	4543383	4561486	4543071	0.41	cps
Molybdenum	97-1	2558631	2571268	2596116	2575338	0.74	cps
Molybdenum	98-1	6540847	6596805	6597084	6578245	0.49	cps
Neodymium	150-1	53	37	37	42	22.78	cps
Neodymium	150-2	17	3	20	13	66.16	cps
Nickel	60-2	143142	142442	145115	143566	0.97	cps
Phosphorus	31-2	22777	22263	21822	22287	2.14	cps
Potassium	39-2	2244119	2216518	2176054	2212230	1.55	cps
Rhodium	103-1	14667146	14576579	14517821	14587182	0.52	cps
Rhodium	103-2	8811783	8818836	8601348	8743989	1.41	cps
Scandium	45-1	10897398	10909282	10530287	10778989	2.00	cps
Scandium	45-2	942238	942191	942099	942176	0.01	cps
Selenium	82-1	14166	14274	14164	14201	0.45	cps
Selenium	77-2	1210	1333	1240	1261	5.10	cps
Selenium	78-2	4567	4464	4484	4505	1.22	cps
Silicon	28-1	2396974	2398013	2434836	2409941	0.89	cps
Silver	107-1	892797	911122	907147	903689	1.07	cps
Silver	109-1	834279	850303	858762	847781	1.47	cps
Sodium	23-2	6111105	6149383	6087613	6116034	0.51	cps
Strontium	86-1	6318018	6264003	6220958	6267660	0.78	cps
Strontium	88-1	54634561	54729829	54763716	54709369	0.12	cps
Sulfur	34-1	456050	457069	454468	455863	0.29	cps
Terbium	159-1	17398393	17233286	16977431	17203037	1.23	cps
Terbium	159-2	11308073	11239030	11134254	11227119	0.78	cps
Thallium	203-1	514383	518689	523274	518782	0.86	cps
Thallium	205-1	1223277	1226972	1237518	1229256	0.60	cps
Tin	118-1	557331	564774	560582	560896	0.67	cps
Titanium	47-1	1257915	1245040	1237154	1246703	0.84	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S03 Instrumnet Name : P7
Client Sample ID : S03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:15:16 DataFile Name : 006CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	1518440	1760602	1766066	1681703	8.41	cps
Vanadium	51-2	328222	324673	328343	327079	0.64	cps
Yttrium	89-1	24412473	24339522	24210050	24320682	0.42	cps
Yttrium	89-2	5890320	5826873	5821461	5846218	0.65	cps
Zinc	66-2	626576	623975	617269	622607	0.77	cps
Zirconium	90-1	1310378	1303485	1328544	1314136	0.99	cps
Zirconium	91-1	290042	292075	292309	291475	0.43	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	979650	974800	978443	977631	0.26	cps
Antimony	121-1	1694072	1723277	1704043	1707131	0.87	cps
Arsenic	75-2	103484	103132	103914	103510	0.38	cps
Barium	135-1	2112843	2152504	2109715	2125021	1.12	cps
Barium	137-1	3754517	3716875	3785527	3752306	0.92	cps
Beryllium	9-1	349614	352233	355338	352395	0.81	cps
Bismuth	209-1	10140355	9885845	9907344	9977848	1.41	cps
Bismuth	209-2	7709660	7952661	7768870	7810397	1.62	cps
Bromine	81-1	11104	10841	11338	11094	2.24	cps
Bromine	81-2	93	73	87	84	12.06	cps
Cadmium	108-1	32967	32901	32443	32770	0.87	cps
Cadmium	106-1	52113	51742	51889	51915	0.36	cps
Cadmium	111-1	440949	443067	446300	443438	0.61	cps
Calcium	43-1	705453	707260	707692	706802	0.17	cps
Calcium	44-1	10244751	10305739	10161258	10237249	0.71	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	901522	903787	896050	900453	0.44	cps
Cobalt	59-2	1355836	1354025	1350083	1353315	0.22	cps
Copper	63-2	9899114	9751742	9886412	9845756	0.83	cps
Dysprosium	156-1	47	40	30	39	21.57	cps
Dysprosium	156-2	73	130	100	101	28.04	cps
Erbium	164-1	177	150	180	169	9.74	cps
Erbium	164-2	77	87	73	79	8.80	cps
Gadolinium	160-1	123	67	103	98	29.39	cps
Gadolinium	160-2	367	363	367	366	0.53	cps
Holmium	165-1	16698311	16588832	16690381	16659175	0.37	cps
Holmium	165-2	11358612	11518875	11337585	11405024	0.87	cps
Indium	115-1	14934009	14414830	14443378	14597406	2.00	cps
Indium	115-2	4803244	4727592	4744091	4758309	0.84	cps
Iron	56-2	37582070	37587038	38127285	37765464	0.83	cps
Iron	57-2	980767	973089	976437	976764	0.39	cps
Iron	54-2	2135434	2081869	2114303	2110535	1.28	cps
Krypton	83-1	380	303	380	354	12.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	5884034	5842883	5887397	5871438	0.42	cps
Lead	207-1	5232644	5153540	5166910	5184365	0.82	cps
Lead	208-1	23608864	23493853	23565230	23555982	0.25	cps
Lithium	6-1	2300971	2181960	2228823	2237251	2.68	cps
Magnesium	24-2	8438149	8412319	8386774	8412414	0.31	cps
Manganese	55-2	6232046	6129449	6287175	6216223	1.29	cps
Molybdenum	94-1	7125834	7076454	7014308	7072199	0.79	cps
Molybdenum	95-1	10287200	10257042	10365314	10303185	0.54	cps
Molybdenum	96-1	11410328	11185008	11331206	11308847	1.01	cps
Molybdenum	97-1	6412677	6323101	6425610	6387129	0.87	cps
Molybdenum	98-1	16254491	16176512	16237696	16222900	0.25	cps
Neodymium	150-1	87	100	83	90	9.80	cps
Neodymium	150-2	17	27	43	29	46.62	cps
Nickel	60-2	350332	347164	349375	348957	0.47	cps
Phosphorus	31-2	54172	53931	54262	54122	0.32	cps
Potassium	39-2	5239535	5216914	5191918	5216123	0.46	cps
Rhodium	103-1	14275945	14132041	14274173	14227386	0.58	cps
Rhodium	103-2	8664879	8666686	8503237	8611601	1.09	cps
Scandium	45-1	10697292	10565085	10518474	10593617	0.88	cps
Scandium	45-2	930227	925174	927415	927605	0.27	cps
Selenium	82-1	33687	33928	33961	33859	0.44	cps
Selenium	77-2	3007	2874	2937	2939	2.27	cps
Selenium	78-2	10147	10077	10107	10110	0.35	cps
Silicon	28-1	4845902	4840716	4895124	4860580	0.62	cps
Silver	107-1	2260987	2266791	2334264	2287347	1.78	cps
Silver	109-1	2145404	2150613	2137853	2144623	0.30	cps
Sodium	23-2	14861194	14667433	14947567	14825398	0.97	cps
Strontium	86-1	15322771	15417466	15750450	15496896	1.45	cps
Strontium	88-1	134733061	137007818	134553448	135431442	1.01	cps
Sulfur	34-1	552678	549654	546984	549772	0.52	cps
Terbium	159-1	17330983	17295400	17404683	17343689	0.32	cps
Terbium	159-2	11598459	11486191	11251573	11445408	1.55	cps
Thallium	203-1	1287133	1290130	1305602	1294289	0.77	cps
Thallium	205-1	3414470	3516270	3466083	3465608	1.47	cps
Tin	118-1	1384167	1388432	1400176	1390925	0.60	cps
Titanium	47-1	3070574	3143582	3068973	3094376	1.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S04 Instrumnet Name : P7
Client Sample ID : S04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:18:13 DataFile Name : 007CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	4412578	4413359	4423351	4416429	0.14	cps
Vanadium	51-2	807726	802215	805681	805207	0.35	cps
Yttrium	89-1	24347102	24077190	23888216	24104169	0.96	cps
Yttrium	89-2	5827981	5787830	5747547	5787786	0.69	cps
Zinc	66-2	1500832	1512772	1505574	1506393	0.40	cps
Zirconium	90-1	3268038	3303121	3225642	3265600	1.19	cps
Zirconium	91-1	718753	716458	722295	719169	0.41	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1919471	1846219	1877745	1881145	1.95	cps
Antimony	121-1	3334876	3453480	3417504	3401953	1.79	cps
Arsenic	75-2	202739	202300	200991	202010	0.45	cps
Barium	135-1	4247589	4304872	4271265	4274575	0.67	cps
Barium	137-1	7317654	7449190	7321450	7362765	1.02	cps
Beryllium	9-1	690019	701733	691361	694371	0.92	cps
Bismuth	209-1	9893192	10052799	9879956	9941982	0.97	cps
Bismuth	209-2	8035992	7759213	7800338	7865181	1.90	cps
Bromine	81-1	10657	11064	11124	10949	2.32	cps
Bromine	81-2	107	113	83	101	15.58	cps
Cadmium	108-1	63763	65762	65149	64891	1.58	cps
Cadmium	106-1	96961	97438	96841	97080	0.33	cps
Cadmium	111-1	869735	873956	876818	873503	0.41	cps
Calcium	43-1	1365962	1354065	1353725	1357917	0.51	cps
Calcium	44-1	20430795	20676722	20388637	20498718	0.76	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1752837	1688324	1775443	1738868	2.60	cps
Cobalt	59-2	2679103	2789572	2679860	2716178	2.34	cps
Copper	63-2	20109247	19236287	19577397	19640977	2.24	cps
Dysprosium	156-1	70	100	90	87	17.63	cps
Dysprosium	156-2	183	153	170	169	8.90	cps
Erbium	164-1	173	157	157	162	5.93	cps
Erbium	164-2	120	110	97	109	10.75	cps
Gadolinium	160-1	117	117	113	116	1.66	cps
Gadolinium	160-2	430	323	347	367	15.29	cps
Holmium	165-1	16619295	16648271	16689809	16652458	0.21	cps
Holmium	165-2	11845767	11524822	11338672	11569754	2.22	cps
Indium	115-1	14504891	14605262	14565795	14558650	0.35	cps
Indium	115-2	4829601	4713517	4569650	4704256	2.77	cps
Iron	56-2	75593229	75153422	73075542	74607398	1.80	cps
Iron	57-2	1866838	1901589	1828564	1865664	1.96	cps
Iron	54-2	4187257	4107099	4101288	4131881	1.16	cps
Krypton	83-1	360	390	353	368	5.31	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	11706383	11780853	11760925	11749387	0.33	cps
Lead	207-1	10339927	10540237	10390214	10423459	1.00	cps
Lead	208-1	46730403	47499604	47452501	47227503	0.91	cps
Lithium	6-1	2200281	2344073	2228512	2257622	3.37	cps
Magnesium	24-2	16650810	16339045	16321334	16437063	1.13	cps
Manganese	55-2	12340647	12114096	12047204	12167316	1.26	cps
Molybdenum	94-1	14158752	14329991	14263405	14250716	0.61	cps
Molybdenum	95-1	20619586	20639877	20569548	20609670	0.18	cps
Molybdenum	96-1	22593071	22589641	22486655	22556455	0.27	cps
Molybdenum	97-1	12698227	12909777	12728507	12778837	0.90	cps
Molybdenum	98-1	32372635	32418120	32548490	32446415	0.28	cps
Neodymium	150-1	180	167	180	176	4.38	cps
Neodymium	150-2	40	23	43	36	30.14	cps
Nickel	60-2	680513	687605	688372	685497	0.63	cps
Phosphorus	31-2	105040	105564	103668	104758	0.93	cps
Potassium	39-2	10030903	10099184	10258530	10129539	1.15	cps
Rhodium	103-1	14058089	14143534	14093372	14098331	0.30	cps
Rhodium	103-2	8806449	8364859	8526098	8565802	2.61	cps
Scandium	45-1	10712414	10547693	10517409	10592505	0.99	cps
Scandium	45-2	946496	916510	920144	927716	1.76	cps
Selenium	82-1	66603	66699	67129	66810	0.42	cps
Selenium	77-2	5768	5508	5991	5756	4.20	cps
Selenium	78-2	20244	19339	19423	19669	2.54	cps
Silicon	28-1	9733107	9789567	9834710	9785795	0.52	cps
Silver	107-1	4519671	4601367	4563228	4561422	0.90	cps
Silver	109-1	4289171	4314544	4273112	4292276	0.49	cps
Sodium	23-2	29524133	28882743	28479297	28962058	1.82	cps
Strontium	86-1	31247260	30981494	30481331	30903362	1.26	cps
Strontium	88-1	270973723	269793843	265866169	268877912	0.99	cps
Sulfur	34-1	711581	707984	700155	706573	0.83	cps
Terbium	159-1	17456996	17538149	17203281	17399475	1.00	cps
Terbium	159-2	11440619	11088626	11210113	11246453	1.59	cps
Thallium	203-1	2919114	2874032	2948058	2913735	1.28	cps
Thallium	205-1	6895285	6910477	6873198	6892986	0.27	cps
Tin	118-1	2856412	2942343	2914880	2904545	1.51	cps
Titanium	47-1	6062303	6123083	6099494	6094960	0.50	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S05 Instrumnet Name : P7
Client Sample ID : S05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:21:05 DataFile Name : 008CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	8829186	8949127	8800156	8859490	0.89	cps
Vanadium	51-2	1563503	1550718	1539839	1551353	0.76	cps
Yttrium	89-1	24399285	24493804	24526913	24473334	0.27	cps
Yttrium	89-2	5964266	5672379	5789818	5808821	2.53	cps
Zinc	66-2	3111498	2973384	3010803	3031895	2.36	cps
Zirconium	90-1	6394699	6488297	6559989	6480995	1.28	cps
Zirconium	91-1	1407666	1441804	1436164	1428545	1.28	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	3769925	3727042	3714922	3737297	0.77	cps
Antimony	121-1	6694052	6753145	6800160	6749119	0.79	cps
Arsenic	75-2	404821	406927	402988	404912	0.49	cps
Barium	135-1	8607091	8521636	8736214	8621647	1.25	cps
Barium	137-1	14572830	15122245	14804635	14833236	1.86	cps
Beryllium	9-1	1289662	1301969	1303511	1298381	0.58	cps
Bismuth	209-1	9641783	9692814	9865054	9733217	1.20	cps
Bismuth	209-2	7686704	7832471	7691428	7736868	1.07	cps
Bromine	81-1	10921	10801	10704	10809	1.00	cps
Bromine	81-2	113	83	87	94	17.41	cps
Cadmium	108-1	126846	128120	129660	128209	1.10	cps
Cadmium	106-1	184516	188013	189373	187301	1.34	cps
Cadmium	111-1	1742630	1779974	1791428	1771344	1.44	cps
Calcium	43-1	2694535	2713392	2739220	2715716	0.83	cps
Calcium	44-1	39427551	40226284	39911857	39855231	1.01	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3488106	3489514	3471396	3483005	0.29	cps
Cobalt	59-2	5387151	5331448	5284301	5334300	0.97	cps
Copper	63-2	38199020	37926591	38041574	38055728	0.36	cps
Dysprosium	156-1	193	110	150	151	27.58	cps
Dysprosium	156-2	297	380	373	350	13.23	cps
Erbium	164-1	190	197	177	188	5.42	cps
Erbium	164-2	130	133	147	137	6.45	cps
Gadolinium	160-1	117	170	130	139	19.98	cps
Gadolinium	160-2	423	383	353	387	9.08	cps
Holmium	165-1	16693202	16498645	16808495	16666781	0.94	cps
Holmium	165-2	11240746	11328283	11379048	11316025	0.62	cps
Indium	115-1	14209293	14070118	14335223	14204878	0.93	cps
Indium	115-2	4644113	4591546	4712211	4649290	1.30	cps
Iron	56-2	149370081	146022471	148042421	147811658	1.14	cps
Iron	57-2	3683748	3667647	3690832	3680743	0.32	cps
Iron	54-2	8203869	8293063	8156404	8217778	0.84	cps
Krypton	83-1	343	360	433	379	12.64	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	23204400	23101040	23464655	23256698	0.81	cps
Lead	207-1	20222169	20458556	20540431	20407052	0.81	cps
Lead	208-1	91912151	93131114	93686354	92909873	0.98	cps
Lithium	6-1	2190649	2297896	2353116	2280553	3.62	cps
Magnesium	24-2	33051379	32961267	32803496	32938714	0.38	cps
Manganese	55-2	24511838	24006731	24381150	24299907	1.08	cps
Molybdenum	94-1	28034922	28534450	28340130	28303167	0.89	cps
Molybdenum	95-1	40304796	41423562	41263629	40997329	1.48	cps
Molybdenum	96-1	43716481	45607753	45377374	44900536	2.30	cps
Molybdenum	97-1	25056347	25461265	25681432	25399681	1.25	cps
Molybdenum	98-1	64940542	64761074	64984867	64895495	0.18	cps
Neodymium	150-1	240	337	323	300	17.46	cps
Neodymium	150-2	67	53	87	69	24.36	cps
Nickel	60-2	1333313	1334720	1316743	1328259	0.75	cps
Phosphorus	31-2	208882	206142	204912	206646	0.98	cps
Potassium	39-2	20175221	20083819	19938592	20065877	0.59	cps
Rhodium	103-1	13991470	14024911	13946766	13987716	0.28	cps
Rhodium	103-2	8461357	8374176	8316891	8384141	0.87	cps
Scandium	45-1	10187996	10338674	10454542	10327071	1.29	cps
Scandium	45-2	917579	910451	901200	909743	0.90	cps
Selenium	82-1	128357	130086	130598	129680	0.91	cps
Selenium	77-2	11571	11478	12182	11744	3.26	cps
Selenium	78-2	38156	38102	38139	38132	0.07	cps
Silicon	28-1	18866286	18988101	19432816	19095734	1.56	cps
Silver	107-1	8821190	8865944	9087210	8924781	1.60	cps
Silver	109-1	8313764	8401766	8544191	8419907	1.38	cps
Sodium	23-2	58556692	58465802	58150329	58390941	0.37	cps
Strontium	86-1	59781906	61034276	62142469	60986217	1.94	cps
Strontium	88-1	530916885	534352245	543534685	536267939	1.22	cps
Sulfur	34-1	1026751	1035448	1036194	1032797	0.51	cps
Terbium	159-1	17375127	17337273	17497498	17403299	0.48	cps
Terbium	159-2	11625779	11558764	11410520	11531688	0.96	cps
Thallium	203-1	5800205	5787961	5912233	5833466	1.17	cps
Thallium	205-1	13677957	13778876	13742477	13733104	0.37	cps
Tin	118-1	5679390	5659687	5737803	5692293	0.71	cps
Titanium	47-1	11811210	12135473	11948809	11965164	1.36	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S06 Instrumnet Name : P7
Client Sample ID : S06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:23:50 DataFile Name : 009CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17693569	17647578	17964104	17768417	0.96	cps
Vanadium	51-2	3073623	3066371	3109784	3083259	0.75	cps
Yttrium	89-1	24224414	24540915	23985800	24250376	1.15	cps
Yttrium	89-2	5702163	5801979	5553456	5685866	2.20	cps
Zinc	66-2	5867975	5813214	5748390	5809860	1.03	cps
Zirconium	90-1	12947858	13018265	13004589	12990237	0.29	cps
Zirconium	91-1	2840115	2838910	2905347	2861458	1.33	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	7476922	7376884	7418119	7423975	0.68	cps
Antimony	121-1	13082039	13469876	13227457	13259790	1.48	cps
Arsenic	75-2	785313	786111	786199	785875	0.06	cps
Barium	135-1	16956969	16647761	16969499	16858076	1.08	cps
Barium	137-1	28997431	28851340	29033930	28960900	0.33	cps
Beryllium	9-1	2498402	2514455	2474129	2495662	0.81	cps
Bismuth	209-1	9767134	9609774	9597204	9658037	0.98	cps
Bismuth	209-2	7535317	7452298	7529990	7505868	0.62	cps
Bromine	81-1	11301	11061	10731	11031	2.60	cps
Bromine	81-2	160	123	140	141	13.01	cps
Cadmium	108-1	243123	247696	248167	246328	1.13	cps
Cadmium	106-1	355211	357073	356147	356144	0.26	cps
Cadmium	111-1	3409667	3475957	3428715	3438113	0.99	cps
Calcium	43-1	5220491	5397554	5272226	5296757	1.72	cps
Calcium	44-1	78066716	82326747	80128159	80173874	2.66	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	6818268	6859953	6866371	6848197	0.38	cps
Cobalt	59-2	10308120	10288521	10306376	10301006	0.11	cps
Copper	63-2	72851574	73709162	73412211	73324316	0.59	cps
Dysprosium	156-1	263	260	217	247	10.56	cps
Dysprosium	156-2	627	673	597	632	6.11	cps
Erbium	164-1	277	210	283	257	15.80	cps
Erbium	164-2	147	157	180	161	10.62	cps
Gadolinium	160-1	177	243	173	198	19.97	cps
Gadolinium	160-2	370	553	313	412	30.43	cps
Holmium	165-1	16583494	16663540	16607438	16618157	0.25	cps
Holmium	165-2	11514243	11366885	11427868	11436332	0.65	cps
Indium	115-1	13917080	14062789	13845420	13941763	0.79	cps
Indium	115-2	4594542	4545978	4500107	4546876	1.04	cps
Iron	56-2	287662429	286180622	288542756	287461936	0.42	cps
Iron	57-2	7033813	7114224	7038919	7062319	0.64	cps
Iron	54-2	16150699	16223280	16018802	16130927	0.64	cps
Krypton	83-1	337	360	390	362	7.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	45596444	45740516	45810431	45715797	0.24	cps
Lead	207-1	39976516	40426056	40327752	40243441	0.59	cps
Lead	208-1	182092262	183396114	182157931	182548769	0.40	cps
Lithium	6-1	2203913	2197795	2163017	2188242	1.01	cps
Magnesium	24-2	65670036	65903972	65171942	65581983	0.57	cps
Manganese	55-2	48157194	47751308	47870344	47926282	0.44	cps
Molybdenum	94-1	54772879	55748891	55295361	55272377	0.88	cps
Molybdenum	95-1	79095515	80179182	79924309	79733002	0.71	cps
Molybdenum	96-1	86525052	87947979	87056412	87176481	0.82	cps
Molybdenum	97-1	48955438	49874424	49746893	49525585	1.01	cps
Molybdenum	98-1	124983411	128057418	128212391	127084407	1.43	cps
Neodymium	150-1	563	563	623	583	5.94	cps
Neodymium	150-2	113	160	123	132	18.58	cps
Nickel	60-2	2663565	2628119	2618481	2636722	0.90	cps
Phosphorus	31-2	407687	405338	405476	406167	0.32	cps
Potassium	39-2	39911085	39135669	39502399	39516384	0.98	cps
Rhodium	103-1	13828706	13550740	13794036	13724494	1.10	cps
Rhodium	103-2	8276099	8128353	8197586	8200679	0.90	cps
Scandium	45-1	10487517	10449819	10488834	10475390	0.21	cps
Scandium	45-2	920827	911395	910975	914399	0.61	cps
Selenium	82-1	245391	246880	247084	246452	0.37	cps
Selenium	77-2	22173	21993	21970	22045	0.51	cps
Selenium	78-2	74349	74299	72614	73754	1.34	cps
Silicon	28-1	44946039	44514809	44198554	44553134	0.84	cps
Silver	107-1	16862026	17318247	17077137	17085803	1.34	cps
Silver	109-1	16141504	15965851	16316232	16141196	1.09	cps
Sodium	23-2	113500415	114731465	113333805	113855228	0.67	cps
Strontium	86-1	118988188	120611642	120795835	120131888	0.83	cps
Strontium	88-1	1037433958	1067481877	1042892251	1049269362	1.53	cps
Sulfur	34-1	1737555	1766647	1761650	1755284	0.89	cps
Terbium	159-1	17272249	17340240	16977450	17196646	1.12	cps
Terbium	159-2	11283381	11519464	11357775	11386873	1.06	cps
Thallium	203-1	11329773	11278986	11549372	11386044	1.26	cps
Thallium	205-1	27026606	27128825	26714817	26956749	0.80	cps
Tin	118-1	10988558	11279604	11079638	11115933	1.34	cps
Titanium	47-1	23488292	24348940	24290200	24042478	2.00	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S07 Instrumnet Name : P7
Client Sample ID : S07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:26:38 DataFile Name : 010CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	34608756	35232781	35212838	35018125	1.01	cps
Vanadium	51-2	6106910	6145972	6021854	6091579	1.04	cps
Yttrium	89-1	24134883	24395242	23849581	24126569	1.13	cps
Yttrium	89-2	5679225	5703369	5668352	5683649	0.32	cps
Zinc	66-2	11236431	11240113	11232595	11236380	0.03	cps
Zirconium	90-1	25610601	26132330	25370726	25704552	1.51	cps
Zirconium	91-1	5635441	5721453	5554925	5637273	1.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	37807667	38137306	38125893	38023622	0.49	cps
Antimony	121-1	9403	8926	9737	9355	4.35	cps
Arsenic	75-2	373	427	417	406	6.99	cps
Barium	135-1	6842	6862	6718	6807	1.14	cps
Barium	137-1	12402	11878	11435	11905	4.07	cps
Beryllium	9-1	307	297	309	304	2.10	cps
Bismuth	209-1	8727512	8524887	8312687	8521695	2.43	cps
Bismuth	209-2	6829021	6939407	6922279	6896902	0.86	cps
Bromine	81-1	12228	11992	11958	12059	1.22	cps
Bromine	81-2	187	180	193	187	3.57	cps
Cadmium	108-1	77	133	93	101	28.81	cps
Cadmium	106-1	4711	4764	4627	4701	1.47	cps
Cadmium	111-1	3711	3705	3554	3656	2.43	cps
Calcium	43-1	21972937	21999238	22114582	22028919	0.34	cps
Calcium	44-1	352766381	354721888	356085301	354524524	0.47	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	22834	22825	28737	24799	13.76	cps
Cobalt	59-2	26654	26667	26938	26753	0.60	cps
Copper	63-2	18091	17664	18645	18133	2.71	cps
Dysprosium	156-1	433	440	400	424	5.05	cps
Dysprosium	156-2	357	367	347	357	2.80	cps
Erbium	164-1	543	523	593	553	6.52	cps
Erbium	164-2	337	383	387	369	7.58	cps
Gadolinium	160-1	437	447	430	438	1.92	cps
Gadolinium	160-2	577	683	620	627	8.56	cps
Holmium	165-1	16069709	15870329	15593458	15844498	1.51	cps
Holmium	165-2	11099298	11226353	11347632	11224428	1.11	cps
Indium	115-1	13046970	13193201	12884548	13041573	1.18	cps
Indium	115-2	4571144	4589263	4588443	4582950	0.22	cps
Iron	56-2	1390685366	1409952086	1408182326	1402939926	0.76	cps
Iron	57-2	35482305	34898680	35235418	35205468	0.83	cps
Iron	54-2	76298187	76551192	77054092	76634491	0.50	cps
Krypton	83-1	423	343	387	384	10.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CAL.S.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	8239	7706	7589	7845	4.42	cps
Lead	207-1	7232	6575	6218	6675	7.70	cps
Lead	208-1	33166	30280	29069	30838	6.83	cps
Lithium	6-1	2049020	2144696	2039046	2077587	2.81	cps
Magnesium	24-2	328694188	330526288	330206482	329808986	0.30	cps
Manganese	55-2	25665	25552	25538	25585	0.27	cps
Molybdenum	94-1	13940	12879	13156	13325	4.13	cps
Molybdenum	95-1	13093	12499	12389	12660	2.99	cps
Molybdenum	96-1	24471	23526	23609	23868	2.19	cps
Molybdenum	97-1	8132	7462	7402	7665	5.29	cps
Molybdenum	98-1	20942	18498	17691	19044	8.89	cps
Neodymium	150-1	187	257	247	230	16.46	cps
Neodymium	150-2	170	130	140	147	14.19	cps
Nickel	60-2	10944	10827	10404	10725	2.65	cps
Phosphorus	31-2	420	437	423	427	2.07	cps
Potassium	39-2	205044297	203106137	206938804	205029746	0.93	cps
Rhodium	103-1	12373208	12160843	12160456	12231502	1.00	cps
Rhodium	103-2	7685201	7651883	7629513	7655533	0.37	cps
Scandium	45-1	10190462	10168096	10144062	10167540	0.23	cps
Scandium	45-2	919205	909413	921068	916562	0.68	cps
Selenium	82-1	680	798	729	736	8.07	cps
Selenium	77-2	3	7	7	6	34.70	cps
Selenium	78-2	520	497	520	512	2.63	cps
Silicon	28-1	527907	523202	516408	522506	1.11	cps
Silver	107-1	2757	2334	2200	2430	11.96	cps
Silver	109-1	2584	2087	2114	2261	12.36	cps
Sodium	23-2	554821512	558050205	557872578	556914765	0.33	cps
Strontium	86-1	21926	20825	20334	21028	3.88	cps
Strontium	88-1	189691	178725	174021	180812	4.45	cps
Sulfur	34-1	309682	326194	330474	322117	3.41	cps
Terbium	159-1	16554104	16379665	16296370	16410046	0.80	cps
Terbium	159-2	11203372	11254220	11146328	11201307	0.48	cps
Thallium	203-1	1417	1350	1147	1305	10.78	cps
Thallium	205-1	3337	2927	2674	2979	11.24	cps
Tin	118-1	6935	6878	6805	6873	0.95	cps
Titanium	47-1	3164	3030	3410	3201	6.02	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : S08 Instrumnet Name : P7
Client Sample ID : S08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:29:24 DataFile Name : 011CALS.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	2427	2064	1887	2126	12.95	cps
Vanadium	51-2	1390	1363	1483	1412	4.46	cps
Yttrium	89-1	22922209	22789951	22656796	22789652	0.58	cps
Yttrium	89-2	5775114	5741988	5795084	5770729	0.46	cps
Zinc	66-2	7702	7719	7669	7696	0.33	cps
Zirconium	90-1	15535	15091	15655	15427	1.93	cps
Zirconium	91-1	3387	3667	3420	3492	4.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	203920	205116	203103	204046	0.50	cps
Antimony	121-1	2674510	2717609	2720523	2704214	0.95	cps
Arsenic	75-2	176334	177886	175430	176550	0.70	cps
Barium	135-1	310925	320174	321502	317533	1.81	cps
Barium	137-1	549299	544611	545227	546379	0.47	cps
Beryllium	9-1	245834	255018	254679	251844	2.07	cps
Bismuth	209-1	9413600	9471499	9419990	9435030	0.34	cps
Bismuth	209-2	7631927	7665351	7785124	7694134	1.05	cps
Bromine	81-1	11725	11888	11461	11691	1.84	cps
Bromine	81-2	163	113	163	147	19.68	cps
Cadmium	108-1	23048	23108	23115	23091	0.16	cps
Cadmium	106-1	36208	36763	37248	36740	1.42	cps
Cadmium	111-1	350858	354663	352164	352562	0.55	cps
Calcium	43-1	101352	99356	100578	100429	1.00	cps
Calcium	44-1	1569386	1595227	1632698	1599104	1.99	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	782938	767633	770873	773815	1.04	cps
Cobalt	59-2	1150130	1159242	1152130	1153834	0.42	cps
Copper	63-2	778331	775774	774770	776292	0.24	cps
Dysprosium	156-1	13	13	7	11	34.61	cps
Dysprosium	156-2	17	27	20	21	24.12	cps
Erbium	164-1	103	117	140	120	15.47	cps
Erbium	164-2	63	63	77	68	11.36	cps
Gadolinium	160-1	60	60	77	66	14.68	cps
Gadolinium	160-2	280	360	397	346	17.26	cps
Holmium	165-1	15630649	15961964	15656537	15749717	1.17	cps
Holmium	165-2	11232797	11208491	11095733	11179007	0.65	cps
Indium	115-1	14585278	14159105	13970987	14238457	2.21	cps
Indium	115-2	5013264	4859535	4833326	4902042	1.98	cps
Iron	56-2	12536848	12427961	12417350	12460720	0.53	cps
Iron	57-2	324040	326939	322568	324516	0.69	cps
Iron	54-2	746680	750168	748834	748561	0.24	cps
Krypton	83-1	363	390	307	353	12.05	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	1934483	1905277	1890347	1910036	1.18	cps
Lead	207-1	1417865	1419730	1431259	1422951	0.51	cps
Lead	208-1	7349082	7344510	7291017	7328203	0.44	cps
Lithium	6-1	2090880	2120986	2068284	2093383	1.26	cps
Magnesium	24-2	878868	865456	864382	869569	0.93	cps
Manganese	55-2	531207	527617	527343	528722	0.41	cps
Molybdenum	94-1	1087	1177	1270	1178	7.78	cps
Molybdenum	95-1	437	407	427	423	3.61	cps
Molybdenum	96-1	790	733	833	786	6.38	cps
Molybdenum	97-1	263	267	257	262	1.94	cps
Molybdenum	98-1	697	643	627	656	5.58	cps
Neodymium	150-1	30	27	10	22	48.22	cps
Neodymium	150-2	13	20	3	12	68.66	cps
Nickel	60-2	299171	297351	298123	298215	0.31	cps
Phosphorus	31-2	330	260	350	313	15.08	cps
Potassium	39-2	1816453	1806762	1796329	1806515	0.56	cps
Rhodium	103-1	14378004	14286297	14116865	14260389	0.93	cps
Rhodium	103-2	8858856	8688880	8728269	8758669	1.02	cps
Scandium	45-1	10744828	10751148	10992399	10829458	1.30	cps
Scandium	45-2	976429	969575	963263	969756	0.68	cps
Selenium	82-1	54109	54059	53966	54045	0.13	cps
Selenium	77-2	5341	5314	5384	5347	0.66	cps
Selenium	78-2	17510	17514	17784	17603	0.89	cps
Silicon	28-1	432952	432358	441296	435535	1.15	cps
Silver	107-1	843145	867496	866051	858897	1.59	cps
Silver	109-1	799659	828384	822999	817014	1.87	cps
Sodium	23-2	2453612	2483221	2466212	2467682	0.60	cps
Strontium	86-1	2320	2160	2154	2211	4.27	cps
Strontium	88-1	14484	14400	14707	14531	1.09	cps
Sulfur	34-1	368053	364737	364477	365755	0.55	cps
Terbium	159-1	16811461	16196739	16224980	16411060	2.11	cps
Terbium	159-2	11395367	11277729	11424922	11366006	0.69	cps
Thallium	203-1	2382054	2417109	2360028	2386397	1.21	cps
Thallium	205-1	5539412	5644606	5647205	5610408	1.10	cps
Tin	118-1	2850	2794	2570	2738	5.41	cps
Titanium	47-1	370	337	397	368	8.17	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICV001 Instrumnet Name : P7
Client Sample ID : ICV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 16:54:51 DataFile Name : 012ICV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	97	80	57	78	25.83	cps
Vanadium	51-2	677338	664870	665267	669158	1.06	cps
Yttrium	89-1	23714845	23822879	24052606	23863444	0.72	cps
Yttrium	89-2	6012879	5966972	5849125	5942992	1.42	cps
Zinc	66-2	252860	250519	251025	251468	0.49	cps
Zirconium	90-1	2357	2337	2374	2356	0.78	cps
Zirconium	91-1	797	813	807	806	1.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1260	1193	1110	1188	6.33	cps
Antimony	121-1	410	473	517	467	11.50	cps
Arsenic	75-2	0	10	17	9	94.38	cps
Barium	135-1	87	80	90	86	5.95	cps
Barium	137-1	137	150	157	148	6.89	cps
Beryllium	9-1	20	47	27	31	44.25	cps
Bismuth	209-1	9345046	9267022	9324733	9312267	0.43	cps
Bismuth	209-2	7617899	7566036	7545786	7576574	0.49	cps
Bromine	81-1	11418	12078	11521	11672	3.04	cps
Bromine	81-2	97	97	97	97	0.00	cps
Cadmium	108-1	3	17	10	10	66.70	cps
Cadmium	106-1	4024	3977	3871	3957	1.99	cps
Cadmium	111-1	2814	2782	2706	2768	2.02	cps
Calcium	43-1	677	533	597	602	11.93	cps
Calcium	44-1	53399	53530	53021	53317	0.50	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1470	1513	1407	1463	3.67	cps
Cobalt	59-2	157	113	110	127	20.56	cps
Copper	63-2	7048	7048	7158	7085	0.90	cps
Dysprosium	156-1	23	3	13	13	75.02	cps
Dysprosium	156-2	7	7	23	12	78.69	cps
Erbium	164-1	100	110	90	100	10.00	cps
Erbium	164-2	77	97	93	89	12.05	cps
Gadolinium	160-1	70	73	70	71	2.70	cps
Gadolinium	160-2	377	320	393	363	10.58	cps
Holmium	165-1	15474180	15496960	15741272	15570804	0.95	cps
Holmium	165-2	11008272	10977276	10947614	10977721	0.28	cps
Indium	115-1	13969353	14292221	14271993	14177856	1.28	cps
Indium	115-2	4928292	4910342	4961650	4933428	0.53	cps
Iron	56-2	22807	22050	22320	22392	1.72	cps
Iron	57-2	2527	2530	2687	2581	3.54	cps
Iron	54-2	2740	2720	2520	2660	4.57	cps
Krypton	83-1	417	313	350	360	14.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	647	557	583	596	7.76	cps
Lead	207-1	453	467	590	503	14.97	cps
Lead	208-1	2400	2120	2383	2301	6.83	cps
Lithium	6-1	2046781	2056756	2028289	2043942	0.71	cps
Magnesium	24-2	1447	1547	1497	1497	3.34	cps
Manganese	55-2	1047	1113	1213	1125	7.46	cps
Molybdenum	94-1	603	537	597	579	6.34	cps
Molybdenum	95-1	193	197	153	181	13.31	cps
Molybdenum	96-1	290	263	290	281	5.48	cps
Molybdenum	97-1	127	160	150	146	11.75	cps
Molybdenum	98-1	237	220	240	232	4.61	cps
Neodymium	150-1	10	10	7	9	21.63	cps
Neodymium	150-2	7	0	3	3	100.05	cps
Nickel	60-2	270	270	247	262	5.14	cps
Phosphorus	31-2	210	253	303	256	18.28	cps
Potassium	39-2	108567	108866	108496	108643	0.18	cps
Rhodium	103-1	14031017	14123935	14237294	14130749	0.73	cps
Rhodium	103-2	8764657	8919474	8793168	8825767	0.93	cps
Scandium	45-1	10699199	10685689	10572162	10652350	0.65	cps
Scandium	45-2	974380	963719	968213	968771	0.55	cps
Selenium	82-1	502	577	570	550	7.53	cps
Selenium	77-2	0	0	0	0	0.00	cps
Selenium	78-2	517	440	490	482	8.07	cps
Silicon	28-1	434295	436199	432127	434207	0.47	cps
Silver	107-1	137	167	200	168	18.88	cps
Silver	109-1	113	93	127	111	15.10	cps
Sodium	23-2	83974	83274	83260	83503	0.49	cps
Strontium	86-1	670	643	657	657	2.03	cps
Strontium	88-1	843	880	887	870	2.68	cps
Sulfur	34-1	368316	372351	371297	370655	0.56	cps
Terbium	159-1	16415904	16263473	16253258	16310878	0.56	cps
Terbium	159-2	11336144	11076834	11294102	11235693	1.24	cps
Thallium	203-1	227	283	227	246	13.32	cps
Thallium	205-1	580	527	550	552	4.84	cps
Tin	118-1	2320	2758	2220	2433	11.75	cps
Titanium	47-1	290	257	270	272	6.16	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICB001 Instrumnet Name : P7
Client Sample ID : ICB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:12:25 DataFile Name : 014CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	27	43	37	36	23.58	cps
Vanadium	51-2	20	10	33	21	55.45	cps
Yttrium	89-1	23526834	23738335	23520183	23595117	0.53	cps
Yttrium	89-2	5973982	5874100	5983193	5943758	1.02	cps
Zinc	66-2	2644	2584	2737	2655	2.91	cps
Zirconium	90-1	1207	1277	1313	1266	4.28	cps
Zirconium	91-1	250	253	180	228	18.18	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	35053782	34451664	34703334	34736260	0.87	cps
Antimony	121-1	13680	13733	13847	13753	0.62	cps
Arsenic	75-2	297	300	287	294	2.36	cps
Barium	135-1	4441	4501	4748	4563	3.56	cps
Barium	137-1	7532	7709	7619	7620	1.16	cps
Beryllium	9-1	1187	1133	1070	1130	5.21	cps
Bismuth	209-1	9145813	9042210	9305628	9164550	1.45	cps
Bismuth	209-2	7398728	7328384	7318415	7348509	0.60	cps
Bromine	81-1	12485	12529	12789	12601	1.30	cps
Bromine	81-2	390	360	350	367	5.68	cps
Cadmium	108-1	1893	1987	2144	2008	6.29	cps
Cadmium	106-1	4611	4674	4317	4534	4.20	cps
Cadmium	111-1	4396	4238	3942	4192	5.50	cps
Calcium	43-1	4377686	4434150	4435527	4415788	0.75	cps
Calcium	44-1	70292522	71202771	71669506	71054933	0.99	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	139138	138317	138512	138656	0.31	cps
Cobalt	59-2	12986	13086	12692	12921	1.58	cps
Copper	63-2	71848	71198	70452	71166	0.98	cps
Dysprosium	156-1	40	50	43	44	11.46	cps
Dysprosium	156-2	33	43	33	37	15.75	cps
Erbium	164-1	157	147	183	162	11.68	cps
Erbium	164-2	127	103	70	100	28.48	cps
Gadolinium	160-1	97	103	107	102	4.98	cps
Gadolinium	160-2	370	390	430	397	7.70	cps
Holmium	165-1	16222231	16234527	16430666	16295808	0.72	cps
Holmium	165-2	11484962	11259370	11276927	11340420	1.11	cps
Indium	115-1	13722792	13964838	13648886	13778839	1.20	cps
Indium	115-2	4756029	4675070	4686669	4705923	0.93	cps
Iron	56-2	565153378	571548658	561282165	565994734	0.92	cps
Iron	57-2	14170747	13909809	14055359	14045305	0.93	cps
Iron	54-2	31190059	31436889	31220695	31282548	0.43	cps
Krypton	83-1	390	350	343	361	6.99	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	35526	36455	36121	36034	1.31	cps
Lead	207-1	27651	29058	28006	28238	2.59	cps
Lead	208-1	132286	135110	134702	134033	1.14	cps
Lithium	6-1	2111794	2110937	2177267	2133332	1.78	cps
Magnesium	24-2	66296926	65394019	65028771	65573238	1.00	cps
Manganese	55-2	38736	38202	37777	38239	1.26	cps
Molybdenum	94-1	7903036	7979563	7818625	7900408	1.02	cps
Molybdenum	95-1	13748145	13705334	13832504	13761994	0.47	cps
Molybdenum	96-1	14768814	14587067	14706924	14687602	0.63	cps
Molybdenum	97-1	8560975	8449357	8586808	8532380	0.86	cps
Molybdenum	98-1	21996761	21642855	21896464	21845360	0.83	cps
Neodymium	150-1	53	57	57	56	3.47	cps
Neodymium	150-2	20	50	33	34	43.64	cps
Nickel	60-2	17407	16706	16940	17018	2.10	cps
Phosphorus	31-2	2020769	1984030	1977076	1993958	1.18	cps
Potassium	39-2	79129680	78009824	77702322	78280609	0.96	cps
Rhodium	103-1	13267125	13357306	13464243	13362892	0.74	cps
Rhodium	103-2	8266186	8212657	8132792	8203878	0.82	cps
Scandium	45-1	10531661	10415779	10377605	10441682	0.77	cps
Scandium	45-2	952952	932488	935436	940292	1.18	cps
Selenium	82-1	505	554	585	548	7.35	cps
Selenium	77-2	7	7	0	4	86.60	cps
Selenium	78-2	503	480	443	476	6.36	cps
Silicon	28-1	569129	563554	564046	565576	0.55	cps
Silver	107-1	820	880	863	854	3.63	cps
Silver	109-1	780	850	753	794	6.28	cps
Sodium	23-2	113355482	111994905	112308385	112552924	0.63	cps
Strontium	86-1	159608	159945	160892	160149	0.42	cps
Strontium	88-1	1379582	1377173	1376599	1377785	0.11	cps
Sulfur	34-1	7114508	7177271	7067244	7119675	0.78	cps
Terbium	159-1	16751130	16853390	16669620	16758047	0.55	cps
Terbium	159-2	11375200	11232833	11331976	11313336	0.65	cps
Thallium	203-1	853	890	890	878	2.41	cps
Thallium	205-1	2010	2070	2207	2096	4.81	cps
Tin	118-1	3767	3687	3714	3723	1.09	cps
Titanium	47-1	4296347	4283043	4264171	4281187	0.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA001 Instrumnet Name : P7
Client Sample ID : ICSA001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:15:42 DataFile Name : 015ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	603	550	520	558	7.57	cps
Vanadium	51-2	1120	1110	1020	1083	5.08	cps
Yttrium	89-1	23714389	23426495	23215906	23452264	1.07	cps
Yttrium	89-2	5930260	5780640	5717128	5809343	1.88	cps
Zinc	66-2	14817	14837	14771	14809	0.23	cps
Zirconium	90-1	1537	1660	1470	1556	6.20	cps
Zirconium	91-1	323	350	343	339	4.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	35618982	34741753	35009154	35123296	1.28	cps
Antimony	121-1	266960	268662	264259	266627	0.83	cps
Arsenic	75-2	16830	16603	16289	16574	1.64	cps
Barium	135-1	66843	68045	66983	67290	0.98	cps
Barium	137-1	115806	116033	115300	115713	0.32	cps
Beryllium	9-1	48354	49348	49081	48928	1.05	cps
Bismuth	209-1	9332350	9299530	9437763	9356548	0.77	cps
Bismuth	209-2	7413130	7415295	7500020	7442815	0.67	cps
Bromine	81-1	13536	14130	13536	13734	2.50	cps
Bromine	81-2	530	577	497	534	7.52	cps
Cadmium	108-1	6171	6445	6278	6298	2.19	cps
Cadmium	106-1	10807	10224	10587	10539	2.80	cps
Cadmium	111-1	69175	68209	68132	68505	0.85	cps
Calcium	43-1	4432880	4493760	4488114	4471585	0.75	cps
Calcium	44-1	71506872	72812234	72459074	72259393	0.93	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	280112	280686	282831	281210	0.51	cps
Cobalt	59-2	220889	219919	219513	220107	0.32	cps
Copper	63-2	195026	193140	192553	193573	0.67	cps
Dysprosium	156-1	57	53	53	54	3.54	cps
Dysprosium	156-2	37	60	53	50	24.03	cps
Erbium	164-1	137	193	130	153	22.70	cps
Erbium	164-2	137	77	90	101	31.16	cps
Gadolinium	160-1	137	137	133	136	1.42	cps
Gadolinium	160-2	400	410	460	423	7.59	cps
Holmium	165-1	16393399	16470126	16627187	16496904	0.72	cps
Holmium	165-2	11438257	11474344	11549242	11487281	0.49	cps
Indium	115-1	14139690	13885883	14006860	14010811	0.91	cps
Indium	115-2	4709501	4709158	4652140	4690266	0.70	cps
Iron	56-2	574458538	579740885	570545325	574914916	0.80	cps
Iron	57-2	14230335	14416383	14123089	14256602	1.04	cps
Iron	54-2	32178719	31892379	31863551	31978216	0.54	cps
Krypton	83-1	417	427	380	408	6.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	216457	218535	217935	217642	0.49	cps
Lead	207-1	180029	182198	182306	181511	0.71	cps
Lead	208-1	830656	845465	842836	839652	0.94	cps
Lithium	6-1	2108676	2141193	2130575	2126815	0.78	cps
Magnesium	24-2	66475267	65935116	65616711	66009031	0.66	cps
Manganese	55-2	136223	136580	134798	135867	0.69	cps
Molybdenum	94-1	8069296	7900359	8002074	7990576	1.06	cps
Molybdenum	95-1	14226864	13865677	13836487	13976343	1.56	cps
Molybdenum	96-1	15305322	15189060	14920839	15138407	1.30	cps
Molybdenum	97-1	8633303	8696899	8602021	8644074	0.56	cps
Molybdenum	98-1	22224454	22220542	22158915	22201304	0.17	cps
Neodymium	150-1	57	90	63	70	25.20	cps
Neodymium	150-2	27	37	27	30	19.24	cps
Nickel	60-2	67484	66634	67062	67060	0.63	cps
Phosphorus	31-2	2062930	2028389	2025804	2039041	1.02	cps
Potassium	39-2	80013637	78288851	79120479	79140989	1.09	cps
Rhodium	103-1	13739103	13520931	13311619	13523885	1.58	cps
Rhodium	103-2	8354297	8331261	8201358	8295639	0.99	cps
Scandium	45-1	10474344	10775799	10688927	10646356	1.46	cps
Scandium	45-2	953770	945641	949544	949652	0.43	cps
Selenium	82-1	5124	5149	5549	5274	4.52	cps
Selenium	77-2	470	440	420	443	5.68	cps
Selenium	78-2	2040	1970	1920	1977	3.05	cps
Silicon	28-1	575426	583118	583951	580831	0.81	cps
Silver	107-1	315994	318237	318683	317638	0.45	cps
Silver	109-1	296957	301918	296220	298365	1.04	cps
Sodium	23-2	113097198	113640445	112535938	113091194	0.49	cps
Strontium	86-1	164798	162902	165078	164259	0.72	cps
Strontium	88-1	1411989	1404325	1416770	1411028	0.44	cps
Sulfur	34-1	7077707	7041672	7047192	7055524	0.28	cps
Terbium	159-1	17247932	17334006	17001071	17194336	1.01	cps
Terbium	159-2	11396907	11364760	11326174	11362613	0.31	cps
Thallium	203-1	222333	226812	224667	224604	1.00	cps
Thallium	205-1	527980	533770	531030	530927	0.55	cps
Tin	118-1	3567	3544	3771	3627	3.44	cps
Titanium	47-1	4415216	4396713	4319667	4377199	1.16	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB001 Instrumnet Name : P7
Client Sample ID : ICSAB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:18:48 DataFile Name : 016ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	530	470	473	491	6.87	cps
Vanadium	51-2	126233	125739	126633	126202	0.35	cps
Yttrium	89-1	24410028	23687718	23743602	23947116	1.68	cps
Yttrium	89-2	5855792	5863308	5765724	5828275	0.93	cps
Zinc	66-2	37116	36829	36825	36923	0.45	cps
Zirconium	90-1	1563	1460	1600	1541	4.71	cps
Zirconium	91-1	327	367	470	388	19.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	18647917	18610576	18736434	18664976	0.35	cps
Antimony	121-1	6316962	6363067	6419100	6366376	0.80	cps
Arsenic	75-2	382198	385502	382521	383407	0.48	cps
Barium	135-1	8207084	8212870	8203271	8207742	0.06	cps
Barium	137-1	14050629	14365236	14262571	14226145	1.13	cps
Beryllium	9-1	1242719	1219534	1266454	1242902	1.89	cps
Bismuth	209-1	9039921	9058881	8931511	9010104	0.76	cps
Bismuth	209-2	7171024	7305740	7315334	7264033	1.11	cps
Bromine	81-1	11511	11491	11164	11389	1.71	cps
Bromine	81-2	137	167	103	136	23.37	cps
Cadmium	108-1	121017	121413	122912	121781	0.82	cps
Cadmium	106-1	178733	182326	183076	181378	1.28	cps
Cadmium	111-1	1711325	1718857	1702937	1711040	0.47	cps
Calcium	43-1	11647232	11566684	11585960	11599959	0.36	cps
Calcium	44-1	183841371	186135191	184417131	184797897	0.65	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3355394	3399788	3406175	3387119	0.82	cps
Cobalt	59-2	5310565	5296380	5382692	5329879	0.87	cps
Copper	63-2	36879306	37481480	37862997	37407928	1.33	cps
Dysprosium	156-1	263	243	257	254	4.00	cps
Dysprosium	156-2	500	457	433	463	7.30	cps
Erbium	164-1	340	363	363	356	3.79	cps
Erbium	164-2	220	297	267	261	14.80	cps
Gadolinium	160-1	377	247	330	318	20.72	cps
Gadolinium	160-2	503	550	497	517	5.62	cps
Holmium	165-1	16146075	15995839	16115593	16085836	0.49	cps
Holmium	165-2	11200466	11372528	11453774	11342256	1.14	cps
Indium	115-1	13927666	13616779	13587360	13710602	1.38	cps
Indium	115-2	4560305	4541884	4655490	4585893	1.33	cps
Iron	56-2	705665003	702977883	705707883	704783590	0.22	cps
Iron	57-2	17450091	17684334	17616772	17583733	0.69	cps
Iron	54-2	39200967	39134593	38884064	39073208	0.43	cps
Krypton	83-1	407	380	390	392	3.44	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	21791341	21572257	21954736	21772778	0.88	cps
Lead	207-1	19082835	18958230	19117948	19053004	0.44	cps
Lead	208-1	86132765	86390323	87042920	86522003	0.54	cps
Lithium	6-1	2123729	2161828	2184188	2156582	1.42	cps
Magnesium	24-2	170161291	169212677	169647537	169673835	0.28	cps
Manganese	55-2	23391040	23684685	23754950	23610225	0.82	cps
Molybdenum	94-1	26618160	27160427	27597745	27125444	1.81	cps
Molybdenum	95-1	39033031	39839696	39965584	39612771	1.28	cps
Molybdenum	96-1	43229253	43559121	43743114	43510496	0.60	cps
Molybdenum	97-1	23901632	24656010	25008375	24522006	2.31	cps
Molybdenum	98-1	61619459	62611501	63478546	62569835	1.49	cps
Neodymium	150-1	363	367	430	387	9.71	cps
Neodymium	150-2	103	113	110	109	4.67	cps
Nickel	60-2	1294924	1307764	1309796	1304161	0.62	cps
Phosphorus	31-2	204760	204801	204903	204821	0.04	cps
Potassium	39-2	99417015	98934339	97272675	98541343	1.14	cps
Rhodium	103-1	12860994	13225789	13002967	13029917	1.41	cps
Rhodium	103-2	7887583	8072349	7986291	7982074	1.16	cps
Scandium	45-1	10469425	10425435	10390232	10428364	0.38	cps
Scandium	45-2	911194	922216	917095	916835	0.60	cps
Selenium	82-1	116464	118169	119012	117882	1.10	cps
Selenium	77-2	10791	10617	11188	10865	2.69	cps
Selenium	78-2	35048	35172	36191	35470	1.77	cps
Silicon	28-1	23737334	23485691	24306823	23843283	1.76	cps
Silver	107-1	8882969	8852328	9008904	8914733	0.93	cps
Silver	109-1	8422057	8340042	8330322	8364140	0.60	cps
Sodium	23-2	278672129	274606263	275925176	276401189	0.75	cps
Strontium	86-1	57679026	59399036	58961461	58679841	1.52	cps
Strontium	88-1	504726686	512797339	516835459	511453161	1.21	cps
Sulfur	34-1	978597	986454	994210	986420	0.79	cps
Terbium	159-1	16771991	16925625	16805978	16834531	0.48	cps
Terbium	159-2	11302177	11541321	11359822	11401106	1.09	cps
Thallium	203-1	5378019	5303097	5431430	5370849	1.20	cps
Thallium	205-1	12901365	12775509	13056474	12911116	1.09	cps
Tin	118-1	5361355	5478493	5401728	5413859	1.10	cps
Titanium	47-1	11739775	11921409	11804154	11821779	0.78	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV001 Instrumnet Name : P7
Client Sample ID : CCV001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:21:52 DataFile Name : 017CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16818495	17050319	16992260	16953691	0.71	cps
Vanadium	51-2	3058400	3113286	3099367	3090351	0.92	cps
Yttrium	89-1	23089484	23661537	23456279	23402433	1.24	cps
Yttrium	89-2	5684067	5702847	5725882	5704265	0.37	cps
Zinc	66-2	5714257	5638129	5679264	5677217	0.67	cps
Zirconium	90-1	12385904	12603328	12815449	12601560	1.70	cps
Zirconium	91-1	2795856	2818548	2867484	2827296	1.29	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1203	1170	1137	1170	2.85	cps
Antimony	121-1	3974	4314	4487	4258	6.13	cps
Arsenic	75-2	33	17	17	22	43.28	cps
Barium	135-1	383	337	257	326	19.68	cps
Barium	137-1	720	490	477	562	24.33	cps
Beryllium	9-1	113	89	87	96	15.27	cps
Bismuth	209-1	9883098	9744074	9795168	9807447	0.72	cps
Bismuth	209-2	7965647	8055971	8014347	8011989	0.56	cps
Bromine	81-1	11445	11471	11935	11617	2.37	cps
Bromine	81-2	173	187	190	183	4.81	cps
Cadmium	108-1	10	23	20	18	39.03	cps
Cadmium	106-1	4784	4554	4821	4720	3.06	cps
Cadmium	111-1	3562	3292	3441	3431	3.95	cps
Calcium	43-1	953	913	893	920	3.32	cps
Calcium	44-1	65235	62400	61007	62881	3.43	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1763	1547	1737	1682	7.02	cps
Cobalt	59-2	183	227	183	198	12.65	cps
Copper	63-2	5331	5324	5161	5272	1.83	cps
Dysprosium	156-1	7	7	10	8	24.71	cps
Dysprosium	156-2	13	20	0	11	91.66	cps
Erbium	164-1	103	110	143	119	18.03	cps
Erbium	164-2	53	80	83	72	22.77	cps
Gadolinium	160-1	67	87	70	74	14.39	cps
Gadolinium	160-2	313	397	370	360	11.82	cps
Holmium	165-1	16558846	16323933	16149106	16343962	1.26	cps
Holmium	165-2	11663754	11802723	11462487	11642988	1.47	cps
Indium	115-1	14550714	14481616	14317714	14450014	0.83	cps
Indium	115-2	4988212	4875305	4932392	4931970	1.14	cps
Iron	56-2	39161	38626	37256	38348	2.56	cps
Iron	57-2	2764	2554	2687	2668	3.98	cps
Iron	54-2	3347	3747	3454	3516	5.89	cps
Krypton	83-1	313	420	417	383	15.82	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2180	2017	1663	1954	13.52	cps
Lead	207-1	1677	1723	1313	1571	14.29	cps
Lead	208-1	8464	7558	6321	7448	14.45	cps
Lithium	6-1	2293857	2290460	2217412	2267243	1.90	cps
Magnesium	24-2	5208	4874	4591	4891	6.31	cps
Manganese	55-2	1070	993	1063	1042	4.07	cps
Molybdenum	94-1	2734	2840	2714	2763	2.47	cps
Molybdenum	95-1	3157	2590	2420	2723	14.17	cps
Molybdenum	96-1	3404	2987	2860	3084	9.22	cps
Molybdenum	97-1	1830	1467	1547	1615	11.83	cps
Molybdenum	98-1	4607	4064	3624	4098	12.02	cps
Neodymium	150-1	20	20	20	20	0.00	cps
Neodymium	150-2	0	10	3	4	114.60	cps
Nickel	60-2	283	290	297	290	2.30	cps
Phosphorus	31-2	250	230	243	241	4.22	cps
Potassium	39-2	124877	123157	122061	123365	1.15	cps
Rhodium	103-1	14268260	14308070	14409761	14328697	0.51	cps
Rhodium	103-2	8792238	8777395	8857927	8809186	0.49	cps
Scandium	45-1	10622514	10539915	10541387	10567939	0.45	cps
Scandium	45-2	931613	938743	930339	933565	0.49	cps
Selenium	82-1	568	472	474	505	10.97	cps
Selenium	77-2	3	3	3	3	0.00	cps
Selenium	78-2	520	433	400	451	13.73	cps
Silicon	28-1	409921	405924	404037	406627	0.74	cps
Silver	107-1	1427	1157	1103	1229	14.11	cps
Silver	109-1	1167	1050	923	1047	11.63	cps
Sodium	23-2	97654	96379	94913	96315	1.42	cps
Strontium	86-1	3047	2514	2127	2562	18.03	cps
Strontium	88-1	22427	17294	13336	17686	25.77	cps
Sulfur	34-1	316773	316801	317247	316940	0.08	cps
Terbium	159-1	17100777	16987176	17089530	17059161	0.37	cps
Terbium	159-2	11610664	11518488	11514150	11547767	0.47	cps
Thallium	203-1	1033	923	750	902	15.83	cps
Thallium	205-1	2470	2144	1930	2181	12.47	cps
Tin	118-1	2847	3010	2947	2935	2.81	cps
Titanium	47-1	930	847	890	889	4.69	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB001 Instrumnet Name : P7
Client Sample ID : CCB001 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:24:36 DataFile Name : 018CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	700	580	473	584	19.40	cps
Vanadium	51-2	103	47	93	81	37.29	cps
Yttrium	89-1	24027550	24005380	24109092	24047341	0.23	cps
Yttrium	89-2	6014492	5860536	5871817	5915615	1.45	cps
Zinc	66-2	2850	2877	2730	2819	2.77	cps
Zirconium	90-1	3260	3430	3410	3367	2.76	cps
Zirconium	91-1	763	690	643	699	8.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	773	770	777	773	0.43	cps
Antimony	121-1	1023	1100	1290	1138	12.07	cps
Arsenic	75-2	13	3	17	11	62.48	cps
Barium	135-1	73	70	63	69	7.39	cps
Barium	137-1	130	137	123	130	5.13	cps
Beryllium	9-1	61	41	57	53	20.32	cps
Bismuth	209-1	9951029	9929467	10003558	9961351	0.38	cps
Bismuth	209-2	8030310	8115598	8034452	8060120	0.60	cps
Bromine	81-1	11545	11548	11431	11508	0.58	cps
Bromine	81-2	133	120	97	117	15.91	cps
Cadmium	108-1	20	10	17	16	32.73	cps
Cadmium	106-1	4881	4954	5081	4972	2.04	cps
Cadmium	111-1	3443	3508	3578	3510	1.93	cps
Calcium	43-1	637	617	633	629	1.70	cps
Calcium	44-1	57641	57176	57373	57397	0.41	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1550	1500	1640	1563	4.54	cps
Cobalt	59-2	157	153	120	143	14.15	cps
Copper	63-2	3340	3424	3284	3349	2.10	cps
Dysprosium	156-1	17	17	17	17	0.00	cps
Dysprosium	156-2	7	3	7	6	34.70	cps
Erbium	164-1	107	117	140	121	14.12	cps
Erbium	164-2	87	40	87	71	37.89	cps
Gadolinium	160-1	47	57	70	58	20.26	cps
Gadolinium	160-2	337	383	420	380	10.99	cps
Holmium	165-1	16409068	16461987	16327326	16399460	0.41	cps
Holmium	165-2	11526995	11606316	11673514	11602275	0.63	cps
Indium	115-1	14779310	14641107	14741094	14720504	0.48	cps
Indium	115-2	5011024	4925148	5009509	4981894	0.99	cps
Iron	56-2	24099	23719	23655	23825	1.01	cps
Iron	57-2	2250	2450	2440	2380	4.74	cps
Iron	54-2	2874	2700	2750	2775	3.22	cps
Krypton	83-1	413	323	367	368	12.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	937	810	790	846	9.41	cps
Lead	207-1	650	710	670	677	4.52	cps
Lead	208-1	3527	3220	3207	3318	5.46	cps
Lithium	6-1	2199541	2270522	2209709	2226591	1.72	cps
Magnesium	24-2	2127	2140	2040	2102	2.58	cps
Manganese	55-2	827	780	833	813	3.57	cps
Molybdenum	94-1	967	957	1037	987	4.42	cps
Molybdenum	95-1	540	573	650	588	9.60	cps
Molybdenum	96-1	603	620	680	634	6.36	cps
Molybdenum	97-1	297	280	370	316	15.17	cps
Molybdenum	98-1	830	813	900	848	5.43	cps
Neodymium	150-1	33	10	27	23	51.50	cps
Neodymium	150-2	7	0	3	3	100.05	cps
Nickel	60-2	327	230	283	280	17.29	cps
Phosphorus	31-2	257	283	267	269	5.01	cps
Potassium	39-2	115611	114946	115887	115481	0.42	cps
Rhodium	103-1	14442799	14583825	14689937	14572187	0.85	cps
Rhodium	103-2	8951354	9024674	8965337	8980455	0.43	cps
Scandium	45-1	10854964	10819663	10783885	10819504	0.33	cps
Scandium	45-2	959024	949237	944223	950828	0.79	cps
Selenium	82-1	504	653	606	588	12.98	cps
Selenium	77-2	7	0	0	2	173.21	cps
Selenium	78-2	427	507	397	443	12.83	cps
Silicon	28-1	394197	392540	394680	393806	0.29	cps
Silver	107-1	377	340	310	342	9.76	cps
Silver	109-1	300	233	270	268	12.47	cps
Sodium	23-2	85418	85411	84812	85214	0.41	cps
Strontium	86-1	863	847	740	817	8.19	cps
Strontium	88-1	2240	1917	1640	1932	15.54	cps
Sulfur	34-1	331352	331668	336056	333025	0.79	cps
Terbium	159-1	17384666	17174552	17016186	17191801	1.08	cps
Terbium	159-2	11727626	11733747	11576959	11679444	0.76	cps
Thallium	203-1	503	533	450	496	8.52	cps
Thallium	205-1	1123	1100	1093	1106	1.43	cps
Tin	118-1	2434	2414	2527	2458	2.46	cps
Titanium	47-1	303	343	363	337	9.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BL Instrumnet Name : P7
Client Sample ID : PBS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:27:52 DataFile Name : 019CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	97	93	60	83	24.33	cps
Vanadium	51-2	17	53	33	34	53.29	cps
Yttrium	89-1	24512697	24344118	24441963	24432926	0.35	cps
Yttrium	89-2	5877605	6002690	6059046	5979780	1.55	cps
Zinc	66-2	2917	2810	2910	2879	2.08	cps
Zirconium	90-1	1533	1740	1793	1689	8.13	cps
Zirconium	91-1	310	333	373	339	9.45	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	15441	15238	14787	15155	2.21	cps
Antimony	121-1	45238	45665	44964	45289	0.78	cps
Arsenic	75-2	1610	1643	1630	1628	1.03	cps
Barium	135-1	54062	53948	54524	54178	0.56	cps
Barium	137-1	94465	93643	94102	94070	0.44	cps
Beryllium	9-1	4273	4290	4394	4319	1.51	cps
Bismuth	209-1	9780120	9737019	9741452	9752864	0.24	cps
Bismuth	209-2	7946542	8029915	7983358	7986605	0.52	cps
Bromine	81-1	11711	11288	11892	11630	2.67	cps
Bromine	81-2	170	153	110	144	21.44	cps
Cadmium	108-1	567	530	547	548	3.35	cps
Cadmium	106-1	5618	5328	5388	5444	2.81	cps
Cadmium	111-1	11525	11627	11241	11464	1.75	cps
Calcium	43-1	40918	41644	41176	41246	0.89	cps
Calcium	44-1	710230	716745	712499	713158	0.46	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	30484	29993	30300	30259	0.82	cps
Cobalt	59-2	20407	19943	19810	20053	1.56	cps
Copper	63-2	31196	31720	31009	31308	1.18	cps
Dysprosium	156-1	10	23	20	18	39.03	cps
Dysprosium	156-2	10	10	20	13	43.30	cps
Erbium	164-1	120	100	193	138	35.67	cps
Erbium	164-2	80	90	63	78	17.32	cps
Gadolinium	160-1	110	117	97	108	9.45	cps
Gadolinium	160-2	403	353	403	387	7.47	cps
Holmium	165-1	16494223	16504421	16284434	16427693	0.76	cps
Holmium	165-2	11716768	11353751	11519313	11529944	1.58	cps
Indium	115-1	14772650	14725887	14591038	14696525	0.64	cps
Indium	115-2	4915356	5045265	4910581	4957067	1.54	cps
Iron	56-2	2185325	2174975	2184374	2181558	0.26	cps
Iron	57-2	57667	58082	58145	57965	0.45	cps
Iron	54-2	126517	126341	126207	126355	0.12	cps
Krypton	83-1	373	357	357	362	2.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	14852	15466	15048	15122	2.07	cps
Lead	207-1	13223	13227	13400	13283	0.76	cps
Lead	208-1	60463	60539	60403	60469	0.11	cps
Lithium	6-1	2179420	2181060	2210834	2190438	0.81	cps
Magnesium	24-2	641124	639272	643442	641279	0.33	cps
Manganese	55-2	10260	9973	10003	10079	1.56	cps
Molybdenum	94-1	53648	54166	54518	54111	0.81	cps
Molybdenum	95-1	63802	64160	63778	63913	0.33	cps
Molybdenum	96-1	70733	71457	70851	71013	0.55	cps
Molybdenum	97-1	40559	39650	39403	39871	1.53	cps
Molybdenum	98-1	101473	102339	101110	101641	0.62	cps
Neodymium	150-1	23	17	13	18	28.64	cps
Neodymium	150-2	17	7	3	9	78.08	cps
Nickel	60-2	5378	5604	5504	5496	2.07	cps
Phosphorus	31-2	283	287	273	281	2.47	cps
Potassium	39-2	870734	878123	872961	873939	0.43	cps
Rhodium	103-1	14304386	14708517	14372109	14461671	1.50	cps
Rhodium	103-2	8766166	9051044	8757797	8858336	1.88	cps
Scandium	45-1	10725307	10574067	10692528	10663967	0.75	cps
Scandium	45-2	963635	959568	952735	958646	0.57	cps
Selenium	82-1	2722	3003	2919	2881	5.01	cps
Selenium	77-2	243	233	193	223	11.85	cps
Selenium	78-2	1217	1217	1213	1216	0.16	cps
Silicon	28-1	549931	552449	557920	553433	0.74	cps
Silver	107-1	28602	29911	29644	29385	2.35	cps
Silver	109-1	27496	27550	27920	27655	0.84	cps
Sodium	23-2	1075367	1073097	1104066	1084176	1.59	cps
Strontium	86-1	9256	9320	9273	9283	0.35	cps
Strontium	88-1	75449	75951	76749	76050	0.86	cps
Sulfur	34-1	339377	338499	339394	339090	0.15	cps
Terbium	159-1	17188221	17227258	16922264	17112581	0.97	cps
Terbium	159-2	11702990	11547404	11431269	11560554	1.18	cps
Thallium	203-1	17885	17715	17812	17804	0.48	cps
Thallium	205-1	42065	42078	41453	41865	0.85	cps
Tin	118-1	2487	2377	2424	2429	2.27	cps
Titanium	47-1	20227	20397	20230	20285	0.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BS Instrumnet Name : P7
Client Sample ID : LCS027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:31:12 DataFile Name : 020LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	51593	52055	52111	51920	0.55	cps
Vanadium	51-2	57262	56188	56080	56510	1.16	cps
Yttrium	89-1	24432622	24358806	24588143	24459857	0.48	cps
Yttrium	89-2	6003374	5915197	5934857	5951143	0.78	cps
Zinc	66-2	13616	13857	13987	13820	1.36	cps
Zirconium	90-1	46905	48396	46925	47408	1.80	cps
Zirconium	91-1	10314	10524	10447	10428	1.02	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	8626	8876	9109	8870	2.73	cps
Antimony	121-1	26568	26715	26608	26630	0.29	cps
Arsenic	75-2	947	933	940	940	0.71	cps
Barium	135-1	32009	32263	31739	32004	0.82	cps
Barium	137-1	54136	54384	54839	54453	0.65	cps
Beryllium	9-1	2410	2530	2534	2492	2.83	cps
Bismuth	209-1	9798997	9790006	9846698	9811901	0.31	cps
Bismuth	209-2	7876884	8002672	8063360	7980972	1.19	cps
Bromine	81-1	11581	11895	11912	11796	1.58	cps
Bromine	81-2	153	120	107	127	18.98	cps
Cadmium	108-1	327	387	350	354	8.53	cps
Cadmium	106-1	5411	5441	5294	5382	1.44	cps
Cadmium	111-1	8080	8039	7725	7948	2.44	cps
Calcium	43-1	24006	24790	24570	24455	1.65	cps
Calcium	44-1	440924	448685	444086	444565	0.88	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	18842	19109	18171	18707	2.58	cps
Cobalt	59-2	11825	11788	11571	11728	1.17	cps
Copper	63-2	19636	19323	18755	19238	2.32	cps
Dysprosium	156-1	7	30	23	20	60.08	cps
Dysprosium	156-2	7	10	20	12	56.76	cps
Erbium	164-1	133	117	153	134	13.66	cps
Erbium	164-2	60	117	83	87	32.86	cps
Gadolinium	160-1	93	60	63	72	25.42	cps
Gadolinium	160-2	353	397	387	379	5.99	cps
Holmium	165-1	16548704	16583914	16148229	16426949	1.47	cps
Holmium	165-2	11515272	11510430	11629917	11551873	0.59	cps
Indium	115-1	14716129	14725726	14647914	14696589	0.29	cps
Indium	115-2	5010408	5002735	4980894	4998012	0.31	cps
Iron	56-2	1340134	1338904	1322735	1333924	0.73	cps
Iron	57-2	35158	35345	35058	35187	0.41	cps
Iron	54-2	76493	75625	76181	76100	0.58	cps
Krypton	83-1	353	343	400	366	8.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	12035	11935	11795	11922	1.01	cps
Lead	207-1	10030	10311	9810	10050	2.50	cps
Lead	208-1	46468	46862	45717	46349	1.25	cps
Lithium	6-1	2286153	2230869	2234673	2250565	1.37	cps
Magnesium	24-2	387429	384698	381971	384699	0.71	cps
Manganese	55-2	6375	6305	6441	6374	1.07	cps
Molybdenum	94-1	31861	31487	32443	31930	1.51	cps
Molybdenum	95-1	37739	38049	37491	37760	0.74	cps
Molybdenum	96-1	41709	42301	42682	42231	1.16	cps
Molybdenum	97-1	23836	23052	24237	23708	2.54	cps
Molybdenum	98-1	59363	60739	60458	60187	1.21	cps
Neodymium	150-1	17	20	13	17	20.01	cps
Neodymium	150-2	3	3	7	4	43.40	cps
Nickel	60-2	3380	3677	3464	3507	4.36	cps
Phosphorus	31-2	353	393	407	384	7.22	cps
Potassium	39-2	578126	576256	573898	576093	0.37	cps
Rhodium	103-1	14566438	14641846	14509908	14572731	0.45	cps
Rhodium	103-2	8972460	8989847	8792571	8918293	1.22	cps
Scandium	45-1	10707369	10837461	10675613	10740147	0.80	cps
Scandium	45-2	968339	961530	949253	959707	1.01	cps
Selenium	82-1	2015	2052	1906	1991	3.83	cps
Selenium	77-2	120	143	117	127	11.47	cps
Selenium	78-2	887	953	923	921	3.63	cps
Silicon	28-1	492436	489465	488374	490091	0.43	cps
Silver	107-1	17187	17494	17401	17360	0.91	cps
Silver	109-1	16186	16880	16636	16567	2.13	cps
Sodium	23-2	710050	698392	696033	701492	1.07	cps
Strontium	86-1	5374	5601	5521	5499	2.09	cps
Strontium	88-1	44397	45132	45771	45100	1.52	cps
Sulfur	34-1	343793	342893	344734	343807	0.27	cps
Terbium	159-1	17238807	17185743	17225231	17216594	0.16	cps
Terbium	159-2	11755641	11661512	11641514	11686222	0.52	cps
Thallium	203-1	10588	10771	10501	10620	1.30	cps
Thallium	205-1	24512	24662	24829	24668	0.64	cps
Tin	118-1	2380	2284	2304	2322	2.20	cps
Titanium	47-1	11931	12008	11965	11968	0.32	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164027BSD Instrumnet Name : P7
Client Sample ID : LCSD027 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:34:28 DataFile Name : 021LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30351	30461	30482	30431	0.23	cps
Vanadium	51-2	33791	32789	33140	33240	1.53	cps
Yttrium	89-1	24502541	24258696	24276970	24346069	0.56	cps
Yttrium	89-2	5974716	6023605	5919256	5972526	0.87	cps
Zinc	66-2	10297	10110	9873	10093	2.10	cps
Zirconium	90-1	28140	27836	28658	28212	1.47	cps
Zirconium	91-1	6348	6305	6165	6273	1.53	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	4351	4624	4381	4452	3.37	cps
Antimony	121-1	310	327	340	326	4.62	cps
Arsenic	75-2	10	0	10	7	86.60	cps
Barium	135-1	43	47	40	43	7.70	cps
Barium	137-1	113	110	87	103	14.06	cps
Beryllium	9-1	24	40	24	29	33.01	cps
Bismuth	209-1	10111760	9800329	9920768	9944286	1.58	cps
Bismuth	209-2	8045482	7401892	7737215	7728196	4.17	cps
Bromine	81-1	11892	11615	11978	11828	1.61	cps
Bromine	81-2	147	120	120	129	11.95	cps
Cadmium	108-1	0	33	23	19	90.56	cps
Cadmium	106-1	5044	4821	4594	4820	4.67	cps
Cadmium	111-1	3558	3355	3216	3376	5.09	cps
Calcium	43-1	567	630	563	587	6.40	cps
Calcium	44-1	55165	54989	55034	55063	0.17	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1547	1477	1537	1520	2.49	cps
Cobalt	59-2	143	123	117	128	10.86	cps
Copper	63-2	2584	2534	2450	2522	2.67	cps
Dysprosium	156-1	3	23	10	12	83.33	cps
Dysprosium	156-2	7	3	17	9	78.08	cps
Erbium	164-1	143	120	113	126	12.55	cps
Erbium	164-2	37	23	77	46	60.93	cps
Gadolinium	160-1	87	70	83	80	11.02	cps
Gadolinium	160-2	397	360	403	387	6.03	cps
Holmium	165-1	16683251	16257822	16234946	16392006	1.54	cps
Holmium	165-2	11402457	10657017	11282017	11113831	3.60	cps
Indium	115-1	14578317	14623695	14614722	14605578	0.16	cps
Indium	115-2	4950492	4676258	4807909	4811553	2.85	cps
Iron	56-2	22600	21335	22597	22178	3.29	cps
Iron	57-2	2304	2377	2414	2365	2.37	cps
Iron	54-2	2620	2804	2900	2775	5.13	cps
Krypton	83-1	387	387	320	364	10.56	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	597	553	550	567	4.59	cps
Lead	207-1	493	500	443	479	6.47	cps
Lead	208-1	2407	2217	2247	2290	4.46	cps
Lithium	6-1	2238337	2233055	2195438	2222276	1.05	cps
Magnesium	24-2	1697	1693	1597	1662	3.42	cps
Manganese	55-2	1130	1170	997	1099	8.26	cps
Molybdenum	94-1	637	653	650	647	1.36	cps
Molybdenum	95-1	213	263	273	250	12.86	cps
Molybdenum	96-1	380	333	290	334	13.46	cps
Molybdenum	97-1	173	180	147	167	10.58	cps
Molybdenum	98-1	273	320	387	327	17.44	cps
Neodymium	150-1	7	27	23	19	56.72	cps
Neodymium	150-2	7	3	3	4	43.40	cps
Nickel	60-2	317	227	327	290	18.99	cps
Phosphorus	31-2	230	207	287	241	17.06	cps
Potassium	39-2	110111	109514	109926	109850	0.28	cps
Rhodium	103-1	14548840	14598177	14539226	14562081	0.22	cps
Rhodium	103-2	8952442	8276187	8759008	8662545	4.02	cps
Scandium	45-1	10967987	10679929	10747897	10798604	1.39	cps
Scandium	45-2	955371	901558	931974	929634	2.90	cps
Selenium	82-1	569	562	663	598	9.44	cps
Selenium	77-2	0	0	3	1	173.21	cps
Selenium	78-2	490	497	607	531	12.34	cps
Silicon	28-1	396816	399473	397968	398086	0.33	cps
Silver	107-1	333	280	280	298	10.34	cps
Silver	109-1	230	243	230	234	3.29	cps
Sodium	23-2	80231	80090	79199	79840	0.70	cps
Strontium	86-1	647	740	627	671	9.01	cps
Strontium	88-1	823	717	763	768	6.97	cps
Sulfur	34-1	347225	346314	346370	346636	0.15	cps
Terbium	159-1	17268193	17145147	17003249	17138863	0.77	cps
Terbium	159-2	11602327	10709706	11269317	11193783	4.03	cps
Thallium	203-1	300	283	277	287	4.19	cps
Thallium	205-1	573	690	680	648	9.98	cps
Tin	118-1	2124	2214	2184	2174	2.11	cps
Titanium	47-1	300	283	243	276	10.57	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BL Instrumnet Name : P7
Client Sample ID : PBS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:37:47 DataFile Name : 022CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	40	23	47	37	32.79	cps
Vanadium	51-2	47	27	10	28	66.09	cps
Yttrium	89-1	24251670	24436160	24200580	24296137	0.51	cps
Yttrium	89-2	6061817	5529687	5866666	5819390	4.63	cps
Zinc	66-2	2837	2614	2924	2791	5.73	cps
Zirconium	90-1	1287	1473	1313	1358	7.44	cps
Zirconium	91-1	300	283	277	287	4.19	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14424	14317	14360	14367	0.37	cps
Antimony	121-1	43415	44973	43920	44103	1.80	cps
Arsenic	75-2	1497	1603	1450	1517	5.18	cps
Barium	135-1	53343	52981	53065	53130	0.36	cps
Barium	137-1	91623	92102	91998	91908	0.27	cps
Beryllium	9-1	4176	4180	4006	4121	2.40	cps
Bismuth	209-1	9867073	9970654	9715874	9851200	1.30	cps
Bismuth	209-2	7945251	8028687	7954305	7976081	0.57	cps
Bromine	81-1	11768	11768	11751	11763	0.08	cps
Bromine	81-2	103	127	130	120	12.11	cps
Cadmium	108-1	500	503	670	558	17.43	cps
Cadmium	106-1	5888	5304	5308	5500	6.11	cps
Cadmium	111-1	11440	11290	11272	11334	0.82	cps
Calcium	43-1	40982	40738	40337	40686	0.80	cps
Calcium	44-1	702560	698650	702980	701397	0.34	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	29499	29616	30444	29853	1.73	cps
Cobalt	59-2	19656	19560	19666	19627	0.30	cps
Copper	63-2	30555	30398	29994	30315	0.95	cps
Dysprosium	156-1	13	33	27	24	41.66	cps
Dysprosium	156-2	10	13	7	10	33.30	cps
Erbium	164-1	173	97	90	120	38.59	cps
Erbium	164-2	70	70	67	69	2.79	cps
Gadolinium	160-1	77	113	113	101	20.94	cps
Gadolinium	160-2	343	353	353	350	1.65	cps
Holmium	165-1	16322179	16246670	16308873	16292574	0.25	cps
Holmium	165-2	11474687	11416964	11446169	11445940	0.25	cps
Indium	115-1	14540993	14524004	14698761	14587919	0.66	cps
Indium	115-2	4997876	4958715	4952547	4969712	0.49	cps
Iron	56-2	2160699	2132254	2115479	2136144	1.07	cps
Iron	57-2	57720	56967	57580	57422	0.70	cps
Iron	54-2	125528	125404	125329	125420	0.08	cps
Krypton	83-1	353	420	420	398	9.68	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	14668	14665	14625	14652	0.16	cps
Lead	207-1	12933	12950	12686	12856	1.15	cps
Lead	208-1	58650	58329	58336	58438	0.31	cps
Lithium	6-1	2192384	2179078	2120397	2163953	1.77	cps
Magnesium	24-2	637733	640302	645218	641084	0.59	cps
Manganese	55-2	10060	9880	10357	10099	2.38	cps
Molybdenum	94-1	53216	52791	52852	52953	0.43	cps
Molybdenum	95-1	62018	64016	63018	63017	1.59	cps
Molybdenum	96-1	69065	69645	70466	69725	1.01	cps
Molybdenum	97-1	38882	39700	38945	39176	1.16	cps
Molybdenum	98-1	99305	99469	99180	99318	0.15	cps
Neodymium	150-1	13	3	20	12	68.66	cps
Neodymium	150-2	10	7	0	6	91.64	cps
Nickel	60-2	5534	5471	5448	5484	0.82	cps
Phosphorus	31-2	247	263	267	259	4.14	cps
Potassium	39-2	868800	857354	859305	861820	0.71	cps
Rhodium	103-1	14615494	14804734	14572877	14664368	0.84	cps
Rhodium	103-2	8851312	8854505	8929528	8878448	0.50	cps
Scandium	45-1	10780802	10657310	10641783	10693298	0.71	cps
Scandium	45-2	971503	966252	958743	965499	0.66	cps
Selenium	82-1	2777	2775	2806	2786	0.62	cps
Selenium	77-2	200	290	193	228	23.70	cps
Selenium	78-2	1087	1090	1217	1131	6.55	cps
Silicon	28-1	555062	558036	556338	556479	0.27	cps
Silver	107-1	28802	29584	29537	29307	1.50	cps
Silver	109-1	27389	27252	27683	27442	0.80	cps
Sodium	23-2	1077293	1068940	1115722	1087318	2.29	cps
Strontium	86-1	8796	9236	9023	9018	2.44	cps
Strontium	88-1	73643	75148	74796	74529	1.06	cps
Sulfur	34-1	353962	355170	353268	354133	0.27	cps
Terbium	159-1	17009371	17099106	17142593	17083690	0.40	cps
Terbium	159-2	11562726	11535162	11738573	11612154	0.95	cps
Thallium	203-1	17378	17358	17518	17418	0.50	cps
Thallium	205-1	40855	40871	40991	40906	0.18	cps
Tin	118-1	2274	2490	2490	2418	5.17	cps
Titanium	47-1	20394	20337	19950	20227	1.19	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BS Instrumnet Name : P7
Client Sample ID : LCS032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:41:04 DataFile Name : 023LCSE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	50679	50234	50238	50384	0.51	cps
Vanadium	51-2	56355	55087	55170	55537	1.28	cps
Yttrium	89-1	24642364	24297299	24544161	24494608	0.73	cps
Yttrium	89-2	5974504	6069919	5983372	6009265	0.88	cps
Zinc	66-2	13750	13963	13520	13744	1.61	cps
Zirconium	90-1	46109	46831	45962	46301	1.01	cps
Zirconium	91-1	10420	9810	10474	10235	3.60	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	9116	8976	8749	8947	2.07	cps
Antimony	121-1	26528	26618	27369	26838	1.72	cps
Arsenic	75-2	843	843	910	866	4.45	cps
Barium	135-1	31866	31498	31996	31787	0.81	cps
Barium	137-1	53959	54671	53992	54207	0.74	cps
Beryllium	9-1	2567	2350	2487	2468	4.44	cps
Bismuth	209-1	9782306	9847364	9684053	9771241	0.84	cps
Bismuth	209-2	7830119	7972619	8011517	7938085	1.20	cps
Bromine	81-1	11885	11688	11765	11779	0.84	cps
Bromine	81-2	103	167	167	146	25.12	cps
Cadmium	108-1	350	303	330	328	7.14	cps
Cadmium	106-1	5424	5511	4941	5292	5.81	cps
Cadmium	111-1	7589	7686	7318	7531	2.53	cps
Calcium	43-1	24183	24720	24810	24571	1.38	cps
Calcium	44-1	437588	440535	440129	439417	0.36	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	18738	18258	18552	18516	1.31	cps
Cobalt	59-2	11731	11608	11985	11775	1.63	cps
Copper	63-2	19353	19096	18932	19127	1.11	cps
Dysprosium	156-1	10	17	27	18	47.19	cps
Dysprosium	156-2	7	7	10	8	24.71	cps
Erbium	164-1	140	140	127	136	5.68	cps
Erbium	164-2	83	73	83	80	7.22	cps
Gadolinium	160-1	117	97	100	104	10.26	cps
Gadolinium	160-2	413	413	390	406	3.32	cps
Holmium	165-1	16335561	16360038	16288666	16328088	0.22	cps
Holmium	165-2	11439916	11404039	11527186	11457047	0.55	cps
Indium	115-1	14508970	14680204	14561648	14583607	0.60	cps
Indium	115-2	4959083	4983637	4946626	4963116	0.38	cps
Iron	56-2	1340845	1341952	1339544	1340780	0.09	cps
Iron	57-2	35449	35302	35502	35417	0.29	cps
Iron	54-2	76798	77294	75049	76380	1.54	cps
Krypton	83-1	337	347	383	356	6.91	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	8836	9133	8856	8942	1.86	cps
Lead	207-1	7996	7932	7952	7960	0.41	cps
Lead	208-1	36570	35825	35655	36017	1.35	cps
Lithium	6-1	2177267	2193091	2209677	2193345	0.74	cps
Magnesium	24-2	386931	380779	384218	383976	0.80	cps
Manganese	55-2	6421	6165	6478	6355	2.63	cps
Molybdenum	94-1	31053	31474	31320	31282	0.68	cps
Molybdenum	95-1	37618	37531	37067	37405	0.79	cps
Molybdenum	96-1	42318	42181	41669	42056	0.81	cps
Molybdenum	97-1	23536	22584	22838	22986	2.14	cps
Molybdenum	98-1	58242	60873	58841	59319	2.32	cps
Neodymium	150-1	37	10	23	23	57.15	cps
Neodymium	150-2	13	10	3	9	57.30	cps
Nickel	60-2	3230	3274	3430	3312	3.18	cps
Phosphorus	31-2	353	257	250	287	20.17	cps
Potassium	39-2	562290	559560	562038	561296	0.27	cps
Rhodium	103-1	14469309	14619336	14430096	14506247	0.69	cps
Rhodium	103-2	8869857	9019972	8860102	8916644	1.01	cps
Scandium	45-1	10853661	10921432	10803154	10859416	0.55	cps
Scandium	45-2	964900	964546	970153	966533	0.32	cps
Selenium	82-1	1949	1954	1902	1935	1.47	cps
Selenium	77-2	130	137	157	141	9.84	cps
Selenium	78-2	983	877	827	896	8.94	cps
Silicon	28-1	490415	493828	488820	491021	0.52	cps
Silver	107-1	16803	17487	17651	17314	2.60	cps
Silver	109-1	16109	16403	16509	16340	1.27	cps
Sodium	23-2	704639	701199	702075	702638	0.25	cps
Strontium	86-1	5658	5755	5698	5703	0.85	cps
Strontium	88-1	44544	43952	45042	44513	1.23	cps
Sulfur	34-1	358302	363054	357356	359571	0.85	cps
Terbium	159-1	17450573	17137411	17142481	17243488	1.04	cps
Terbium	159-2	11529247	11666169	11268772	11488063	1.76	cps
Thallium	203-1	10754	10451	10354	10520	1.99	cps
Thallium	205-1	24562	24372	25070	24668	1.46	cps
Tin	118-1	2087	2164	2074	2108	2.30	cps
Titanium	47-1	12308	12098	12132	12179	0.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : PB164032BSD Instrumnet Name : P7
Client Sample ID : LCSD032 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:44:22 DataFile Name : 024LLCC.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30081	30107	29810	29999	0.55	cps
Vanadium	51-2	33313	33988	32772	33358	1.83	cps
Yttrium	89-1	24425759	24428628	24151120	24335169	0.66	cps
Yttrium	89-2	6059763	6033990	5955561	6016438	0.90	cps
Zinc	66-2	9113	9343	9320	9259	1.37	cps
Zirconium	90-1	27790	27890	27933	27871	0.26	cps
Zirconium	91-1	6208	6321	6041	6190	2.28	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	30707865	30125943	30245998	30359935	1.01	cps
Antimony	121-1	11318	11555	11365	11412	1.10	cps
Arsenic	75-2	62913	62946	62759	62872	0.16	cps
Barium	135-1	854316	865460	864643	861473	0.72	cps
Barium	137-1	1474166	1492213	1493369	1486583	0.72	cps
Beryllium	9-1	2787	2880	2911	2859	2.26	cps
Bismuth	209-1	9435536	9361404	9376284	9391075	0.42	cps
Bismuth	209-2	7481831	7601312	7737798	7606980	1.68	cps
Bromine	81-1	26260	27542	27893	27232	3.16	cps
Bromine	81-2	3067	3074	3290	3144	4.04	cps
Cadmium	108-1	680	577	690	649	9.67	cps
Cadmium	106-1	5414	5258	4854	5175	5.58	cps
Cadmium	111-1	3971	4010	3635	3872	5.32	cps
Calcium	43-1	842861	849142	840165	844056	0.55	cps
Calcium	44-1	12869369	12808259	12873259	12850295	0.28	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3180316	3130806	3154978	3155367	0.78	cps
Cobalt	59-2	1245781	1237440	1246791	1243337	0.41	cps
Copper	63-2	2693350	2690300	2698629	2694093	0.16	cps
Dysprosium	156-1	29959	29778	29721	29819	0.42	cps
Dysprosium	156-2	24138	24578	24251	24322	0.94	cps
Erbium	164-1	32591	32949	33470	33003	1.34	cps
Erbium	164-2	22348	22495	22792	22545	1.00	cps
Gadolinium	160-1	30961	31168	30837	30989	0.54	cps
Gadolinium	160-2	23500	23673	22742	23305	2.13	cps
Holmium	165-1	16707785	16500437	16501753	16569991	0.72	cps
Holmium	165-2	11431414	11263907	11451201	11382174	0.90	cps
Indium	115-1	14462723	14481966	14166899	14370529	1.23	cps
Indium	115-2	4747222	4811307	4826141	4794890	0.87	cps
Iron	56-2	823758734	821624441	827114281	824165819	0.34	cps
Iron	57-2	20029455	20299578	20451063	20260032	1.05	cps
Iron	54-2	45366203	45495038	45876471	45579237	0.58	cps
Krypton	83-1	410	477	410	432	8.91	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	67396	68960	68337	68231	1.15	cps
Lead	207-1	55697	56664	55981	56114	0.89	cps
Lead	208-1	259682	264453	262439	262191	0.91	cps
Lithium	6-1	1991336	1989461	1991336	1990711	0.05	cps
Magnesium	24-2	28839593	28776245	28744465	28786768	0.17	cps
Manganese	55-2	11350801	11372809	11412461	11378690	0.27	cps
Molybdenum	94-1	65523	66691	65844	66019	0.91	cps
Molybdenum	95-1	8419	8399	8626	8481	1.48	cps
Molybdenum	96-1	25793	25863	26267	25974	0.99	cps
Molybdenum	97-1	5244	5311	5371	5309	1.19	cps
Molybdenum	98-1	13353	13259	12676	13096	2.80	cps
Neodymium	150-1	48694	49834	48236	48921	1.68	cps
Neodymium	150-2	28041	27821	28856	28239	1.93	cps
Nickel	60-2	605050	604077	599292	602806	0.51	cps
Phosphorus	31-2	11111	10744	10814	10890	1.79	cps
Potassium	39-2	1235846	1223836	1242925	1234202	0.78	cps
Rhodium	103-1	14142814	13843531	13873445	13953263	1.18	cps
Rhodium	103-2	8675406	8465357	8480411	8540391	1.37	cps
Scandium	45-1	11913764	11745077	11724420	11794420	0.88	cps
Scandium	45-2	1052644	1049530	1036718	1046297	0.81	cps
Selenium	82-1	846	743	747	778	7.50	cps
Selenium	77-2	190	130	167	162	18.64	cps
Selenium	78-2	637	760	737	711	9.21	cps
Silicon	28-1	60138229	58819156	61039732	59999039	1.86	cps
Silver	107-1	2790	2480	2267	2512	10.48	cps
Silver	109-1	2617	2150	2004	2257	14.19	cps
Sodium	23-2	368814	365698	366131	366881	0.46	cps
Strontium	86-1	282202	288102	288684	286329	1.25	cps
Strontium	88-1	2488722	2566558	2569276	2541519	1.80	cps
Sulfur	34-1	311890	296579	285077	297849	4.52	cps
Terbium	159-1	16961376	17141523	17345497	17149466	1.12	cps
Terbium	159-2	11503147	11315208	11665361	11494572	1.52	cps
Thallium	203-1	2327	2224	2250	2267	2.37	cps
Thallium	205-1	5104	5528	5645	5426	5.24	cps
Tin	118-1	30776	41514	30516	34269	18.31	cps
Titanium	47-1	7909725	8117357	8056491	8027858	1.33	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-05 Instrumnet Name : P7
Client Sample ID : MYD0T2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:51:07 DataFile Name : 025SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	15870	15609	15529	15669	1.14	cps
Vanadium	51-2	1682838	1684454	1700655	1689315	0.58	cps
Yttrium	89-1	25047028	25067667	25164387	25093027	0.25	cps
Yttrium	89-2	6062013	5975987	6156467	6064822	1.49	cps
Zinc	66-2	186182	187009	187512	186901	0.36	cps
Zirconium	90-1	166854	170502	170073	169143	1.18	cps
Zirconium	91-1	36586	37230	38270	37362	2.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	29010098	28965675	28602752	28859508	0.77	cps
Antimony	121-1	12349	12102	12299	12250	1.07	cps
Arsenic	75-2	68591	67734	67211	67845	1.03	cps
Barium	135-1	1053249	1051482	1049782	1051504	0.16	cps
Barium	137-1	1876847	1924113	1902209	1901056	1.24	cps
Beryllium	9-1	3397	3378	3516	3431	2.17	cps
Bismuth	209-1	9595477	9588588	9571272	9585112	0.13	cps
Bismuth	209-2	7604351	7683728	7615985	7634688	0.56	cps
Bromine	81-1	23051	23712	23900	23555	1.89	cps
Bromine	81-2	2537	2364	2370	2424	4.05	cps
Cadmium	108-1	580	590	617	596	3.18	cps
Cadmium	106-1	5901	5308	5548	5586	5.35	cps
Cadmium	111-1	6432	5806	6069	6102	5.15	cps
Calcium	43-1	664351	664765	670268	666461	0.50	cps
Calcium	44-1	10274266	10203565	10099594	10192475	0.86	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2601334	2607751	2545345	2584810	1.33	cps
Cobalt	59-2	1080980	1074228	1068553	1074587	0.58	cps
Copper	63-2	2414862	2384875	2382070	2393936	0.76	cps
Dysprosium	156-1	46273	47122	47192	46862	1.09	cps
Dysprosium	156-2	37410	37466	36828	37235	0.95	cps
Erbium	164-1	45685	46504	45982	46057	0.90	cps
Erbium	164-2	32043	30724	31476	31414	2.11	cps
Gadolinium	160-1	46400	46437	47082	46640	0.82	cps
Gadolinium	160-2	33650	34265	34345	34087	1.12	cps
Holmium	165-1	16819418	16691830	16477390	16662879	1.04	cps
Holmium	165-2	11426572	11573967	11447045	11482528	0.70	cps
Indium	115-1	14721620	14283914	14404569	14470034	1.56	cps
Indium	115-2	4861796	4826022	4827247	4838355	0.42	cps
Iron	56-2	789596628	758424602	775678415	774566548	2.02	cps
Iron	57-2	19207858	18915654	18940679	19021397	0.85	cps
Iron	54-2	42921029	43058749	43312673	43097484	0.46	cps
Krypton	83-1	510	530	427	489	11.21	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	172338	173296	172230	172621	0.34	cps
Lead	207-1	142902	145294	147481	145226	1.58	cps
Lead	208-1	669012	674769	674104	672628	0.47	cps
Lithium	6-1	2088084	2008468	2033656	2043403	1.99	cps
Magnesium	24-2	27761543	27716885	27876319	27784916	0.30	cps
Manganese	55-2	11344502	11153484	11271450	11256479	0.86	cps
Molybdenum	94-1	58436	60521	60538	59832	2.02	cps
Molybdenum	95-1	6885	6792	6518	6732	2.83	cps
Molybdenum	96-1	22401	22718	22544	22554	0.70	cps
Molybdenum	97-1	4117	4317	4301	4245	2.61	cps
Molybdenum	98-1	10591	10327	10210	10376	1.88	cps
Neodymium	150-1	77505	79211	77827	78181	1.16	cps
Neodymium	150-2	45042	44383	44353	44593	0.87	cps
Nickel	60-2	581534	573359	568150	574348	1.17	cps
Phosphorus	31-2	16045	15588	15318	15650	2.35	cps
Potassium	39-2	1844419	1851815	1842260	1846165	0.27	cps
Rhodium	103-1	13896044	13956187	13996682	13949638	0.36	cps
Rhodium	103-2	8587418	8650720	8609700	8615946	0.37	cps
Scandium	45-1	11828601	11599584	11673466	11700550	1.00	cps
Scandium	45-2	1049021	1058448	1043338	1050269	0.73	cps
Selenium	82-1	866	835	974	892	8.19	cps
Selenium	77-2	270	237	267	258	7.12	cps
Selenium	78-2	703	720	673	699	3.38	cps
Silicon	28-1	63409374	64247752	62676272	63444466	1.24	cps
Silver	107-1	8009	8379	8476	8288	2.97	cps
Silver	109-1	7822	8156	8186	8055	2.51	cps
Sodium	23-2	309447	309821	314098	311122	0.83	cps
Strontium	86-1	284475	288842	290259	287858	1.05	cps
Strontium	88-1	2523698	2582897	2563153	2556583	1.18	cps
Sulfur	34-1	277059	276031	275784	276291	0.24	cps
Terbium	159-1	17635264	17354023	17358285	17449190	0.92	cps
Terbium	159-2	11409769	11415928	11388326	11404674	0.13	cps
Thallium	203-1	2674	3024	3227	2975	9.41	cps
Thallium	205-1	6592	7039	7462	7031	6.19	cps
Tin	118-1	32376	33018	32553	32649	1.01	cps
Titanium	47-1	4660677	4673683	4642358	4658906	0.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-06 Instrumnet Name : P7
Client Sample ID : MYD0T3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:54:13 DataFile Name : 026SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	26102	26583	25929	26205	1.29	cps
Vanadium	51-2	1843614	1816789	1785434	1815279	1.60	cps
Yttrium	89-1	25423475	25462907	25747428	25544604	0.69	cps
Yttrium	89-2	6179257	6089759	6178849	6149288	0.84	cps
Zinc	66-2	201923	200819	202704	201815	0.47	cps
Zirconium	90-1	152716	156380	153389	154161	1.27	cps
Zirconium	91-1	34855	35055	35082	34997	0.35	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	19032040	18970759	19006138	19002979	0.16	cps
Antimony	121-1	21753	22167	22214	22045	1.15	cps
Arsenic	75-2	142961	144186	142991	143379	0.49	cps
Barium	135-1	2014998	2032563	1983019	2010194	1.25	cps
Barium	137-1	3384267	3486821	3494891	3455326	1.78	cps
Beryllium	9-1	5060	5147	4998	5068	1.47	cps
Bismuth	209-1	9769944	9628443	9743658	9714015	0.77	cps
Bismuth	209-2	7600438	7671095	7613550	7628361	0.49	cps
Bromine	81-1	18231	19189	18385	18602	2.77	cps
Bromine	81-2	1527	1570	1567	1555	1.55	cps
Cadmium	108-1	700	717	740	719	2.80	cps
Cadmium	106-1	6635	6698	6218	6517	4.00	cps
Cadmium	111-1	9075	9411	8896	9127	2.87	cps
Calcium	43-1	4981669	5074186	4999851	5018569	0.98	cps
Calcium	44-1	80202384	82087877	81879665	81389975	1.27	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	787921	778211	773255	779796	0.96	cps
Cobalt	59-2	622550	620985	611018	618184	1.01	cps
Copper	63-2	3438591	3378339	3334605	3383845	1.54	cps
Dysprosium	156-1	102813	105456	104418	104229	1.28	cps
Dysprosium	156-2	84522	86635	85458	85538	1.24	cps
Erbium	164-1	81019	81968	82478	81822	0.90	cps
Erbium	164-2	55379	55881	55670	55644	0.45	cps
Gadolinium	160-1	94133	96264	96338	95579	1.31	cps
Gadolinium	160-2	69254	69823	69662	69580	0.42	cps
Holmium	165-1	16685196	16824832	16898663	16802897	0.65	cps
Holmium	165-2	11468968	11518742	11511517	11499742	0.23	cps
Indium	115-1	14618375	14466310	14470904	14518529	0.60	cps
Indium	115-2	4899979	4828975	4820170	4849708	0.90	cps
Iron	56-2	651141284	653560764	641199017	648633688	1.01	cps
Iron	57-2	16322169	16343790	16073604	16246521	0.92	cps
Iron	54-2	35633164	36399748	36049272	36027394	1.07	cps
Krypton	83-1	527	517	567	537	4.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	860154	875190	874777	870040	0.98	cps
Lead	207-1	744352	759550	758986	754296	1.14	cps
Lead	208-1	3612232	3641682	3668524	3640813	0.77	cps
Lithium	6-1	2038735	1927384	1948727	1971615	3.00	cps
Magnesium	24-2	17251919	17375530	17310790	17312746	0.36	cps
Manganese	55-2	27512037	28037465	28093600	27881034	1.15	cps
Molybdenum	94-1	144536	148804	147013	146785	1.46	cps
Molybdenum	95-1	8599	8996	8606	8734	2.60	cps
Molybdenum	96-1	37234	38106	37104	37481	1.45	cps
Molybdenum	97-1	4691	5264	5021	4992	5.77	cps
Molybdenum	98-1	12595	12629	12646	12623	0.20	cps
Neodymium	150-1	194231	198560	200449	197747	1.61	cps
Neodymium	150-2	113853	113970	113755	113859	0.09	cps
Nickel	60-2	316643	317350	313962	315985	0.57	cps
Phosphorus	31-2	65700	67156	65991	66283	1.16	cps
Potassium	39-2	8169383	8202451	8220820	8197551	0.32	cps
Rhodium	103-1	14247154	14138375	14163429	14182986	0.40	cps
Rhodium	103-2	8596506	8601208	8630087	8609267	0.21	cps
Scandium	45-1	11511506	11361276	11343842	11405541	0.81	cps
Scandium	45-2	1024732	1033999	1024599	1027777	0.52	cps
Selenium	82-1	1032	1070	1021	1041	2.48	cps
Selenium	77-2	473	460	543	492	9.09	cps
Selenium	78-2	927	947	937	937	1.07	cps
Silicon	28-1	60237999	61028551	60287636	60518062	0.73	cps
Silver	107-1	19403	20605	20568	20192	3.38	cps
Silver	109-1	18579	18989	19420	18996	2.21	cps
Sodium	23-2	366017	371902	371162	369694	0.87	cps
Strontium	86-1	453235	462631	460537	458801	1.08	cps
Strontium	88-1	4033062	4097814	4036971	4055949	0.90	cps
Sulfur	34-1	389827	395755	394432	393338	0.79	cps
Terbium	159-1	17527916	17625125	17570333	17574458	0.28	cps
Terbium	159-2	11618569	11498434	11512854	11543286	0.57	cps
Thallium	203-1	6868	7279	7485	7211	4.36	cps
Thallium	205-1	16260	16974	16510	16581	2.19	cps
Tin	118-1	53001	53505	53041	53182	0.53	cps
Titanium	47-1	2320789	2305842	2314258	2313630	0.32	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-07 Instrumnet Name : P7
Client Sample ID : MYD0T4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 17:57:18 DataFile Name : 027SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	27241	27585	27722	27516	0.90	cps
Vanadium	51-2	1378070	1339577	1371356	1363001	1.51	cps
Yttrium	89-1	26353355	26296039	25945366	26198253	0.84	cps
Yttrium	89-2	6339228	6393775	6367643	6366882	0.43	cps
Zinc	66-2	434925	434856	431330	433704	0.47	cps
Zirconium	90-1	387351	398447	394717	393505	1.43	cps
Zirconium	91-1	86090	86882	87146	86706	0.63	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16731974	16607477	16586615	16642022	0.47	cps
Antimony	121-1	22922	23219	23049	23063	0.65	cps
Arsenic	75-2	135027	135449	134822	135099	0.24	cps
Barium	135-1	1852678	1829587	1840315	1840860	0.63	cps
Barium	137-1	3167350	3198248	3273238	3212945	1.69	cps
Beryllium	9-1	4319	4463	4261	4348	2.40	cps
Bismuth	209-1	9746093	9865408	9623906	9745136	1.24	cps
Bismuth	209-2	7662333	7675861	7652781	7663658	0.15	cps
Bromine	81-1	18348	18405	19123	18625	2.32	cps
Bromine	81-2	1820	1777	1777	1791	1.40	cps
Cadmium	108-1	587	510	483	527	10.19	cps
Cadmium	106-1	6478	6368	6098	6315	3.10	cps
Cadmium	111-1	8151	8131	7884	8056	1.85	cps
Calcium	43-1	4898798	5093543	4965338	4985893	1.99	cps
Calcium	44-1	79900590	80717325	80647605	80421840	0.56	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	699451	697112	696429	697664	0.23	cps
Cobalt	59-2	513955	513522	514138	513872	0.06	cps
Copper	63-2	1584072	1519552	1544578	1549401	2.10	cps
Dysprosium	156-1	90670	91952	92512	91711	1.03	cps
Dysprosium	156-2	74922	74456	75193	74857	0.50	cps
Erbium	164-1	72326	74239	73116	73227	1.31	cps
Erbium	164-2	49377	49002	49862	49414	0.87	cps
Gadolinium	160-1	84191	86424	85881	85499	1.36	cps
Gadolinium	160-2	62090	60831	61672	61531	1.04	cps
Holmium	165-1	16931204	16866752	16776107	16858021	0.46	cps
Holmium	165-2	11559231	11391839	11410921	11453997	0.80	cps
Indium	115-1	14645953	14840969	14528377	14671766	1.08	cps
Indium	115-2	4915455	4864391	4875792	4885213	0.55	cps
Iron	56-2	541165925	535970339	546685099	541273787	0.99	cps
Iron	57-2	13534923	13598161	13490071	13541051	0.40	cps
Iron	54-2	30486866	29991548	30042523	30173646	0.90	cps
Krypton	83-1	557	510	563	543	5.35	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	625930	637198	634738	632622	0.94	cps
Lead	207-1	543228	553445	549491	548721	0.94	cps
Lead	208-1	2482628	2510189	2510429	2501082	0.64	cps
Lithium	6-1	1958080	1897760	1990961	1948934	2.43	cps
Magnesium	24-2	14783444	14463402	14980813	14742553	1.77	cps
Manganese	55-2	18287917	18015058	18232448	18178474	0.79	cps
Molybdenum	94-1	123426	125230	124692	124449	0.74	cps
Molybdenum	95-1	8929	9366	8869	9055	3.00	cps
Molybdenum	96-1	32964	33665	33154	33261	1.09	cps
Molybdenum	97-1	5234	5348	5171	5251	1.71	cps
Molybdenum	98-1	13083	12886	13453	13140	2.19	cps
Neodymium	150-1	176222	179390	177915	177842	0.89	cps
Neodymium	150-2	100264	98961	100763	99996	0.93	cps
Nickel	60-2	270335	272186	271602	271374	0.35	cps
Phosphorus	31-2	53052	52229	52202	52494	0.92	cps
Potassium	39-2	6216664	6177820	6215976	6203487	0.36	cps
Rhodium	103-1	14256506	14137410	14204730	14199549	0.42	cps
Rhodium	103-2	8632964	8670791	8624333	8642696	0.29	cps
Scandium	45-1	11428964	11265069	11231688	11308574	0.93	cps
Scandium	45-2	1033946	1021409	1019724	1025026	0.76	cps
Selenium	82-1	885	964	967	939	4.97	cps
Selenium	77-2	423	433	420	426	1.63	cps
Selenium	78-2	843	943	870	886	5.85	cps
Silicon	28-1	61437426	60984619	59934491	60785512	1.27	cps
Silver	107-1	10694	10457	10938	10696	2.25	cps
Silver	109-1	10421	10254	10901	10525	3.19	cps
Sodium	23-2	309609	310751	315197	311852	0.95	cps
Strontium	86-1	419190	422090	421420	420900	0.36	cps
Strontium	88-1	3684830	3720947	3690114	3698630	0.53	cps
Sulfur	34-1	371591	368400	369108	369700	0.45	cps
Terbium	159-1	17675503	17622890	17500690	17599694	0.51	cps
Terbium	159-2	11657606	11570368	11568397	11598791	0.44	cps
Thallium	203-1	5404	5921	5711	5679	4.58	cps
Thallium	205-1	12940	13690	13577	13402	3.02	cps
Tin	118-1	56778	57441	57893	57371	0.98	cps
Titanium	47-1	2185230	2221642	2175766	2194212	1.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-08 Instrumnet Name : P7
Client Sample ID : MYD0T5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:00:20 DataFile Name : 028SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	24443	24967	25364	24925	1.85	cps
Vanadium	51-2	1197272	1191175	1196846	1195098	0.28	cps
Yttrium	89-1	26183832	25594465	26054296	25944198	1.19	cps
Yttrium	89-2	6365898	6335169	6384694	6361921	0.39	cps
Zinc	66-2	301715	302543	301177	301812	0.23	cps
Zirconium	90-1	325805	328919	335924	330216	1.57	cps
Zirconium	91-1	74437	73385	74850	74224	1.02	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	18870803	18525014	18321276	18572364	1.50	cps
Antimony	121-1	23910	24371	24391	24224	1.12	cps
Arsenic	75-2	154966	154060	154306	154444	0.30	cps
Barium	135-1	1610516	1583718	1641919	1612051	1.81	cps
Barium	137-1	2824995	2789084	2851895	2821991	1.12	cps
Beryllium	9-1	4838	4841	4992	4890	1.80	cps
Bismuth	209-1	9853733	9823118	9638516	9771789	1.19	cps
Bismuth	209-2	7513069	7510905	7712428	7578801	1.53	cps
Bromine	81-1	21940	22330	22414	22228	1.14	cps
Bromine	81-2	2080	2287	2150	2172	4.84	cps
Cadmium	108-1	397	353	450	400	12.10	cps
Cadmium	106-1	6125	6185	6098	6136	0.72	cps
Cadmium	111-1	6030	6029	5807	5955	2.15	cps
Calcium	43-1	6927537	6867386	7050825	6948583	1.35	cps
Calcium	44-1	113294858	111011092	112872735	112392895	1.08	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	774362	761469	766284	767371	0.85	cps
Cobalt	59-2	548443	547651	547858	547984	0.08	cps
Copper	63-2	981166	980939	960171	974092	1.24	cps
Dysprosium	156-1	96455	96404	97498	96786	0.64	cps
Dysprosium	156-2	79343	78783	79728	79285	0.60	cps
Erbium	164-1	75526	76330	77034	76297	0.99	cps
Erbium	164-2	51016	50384	50752	50717	0.63	cps
Gadolinium	160-1	89678	91872	92178	91243	1.49	cps
Gadolinium	160-2	65100	65707	64186	64998	1.18	cps
Holmium	165-1	16670212	16518070	16732472	16640251	0.66	cps
Holmium	165-2	11533381	11453699	11375540	11454207	0.69	cps
Indium	115-1	14770400	14508800	14764141	14681114	1.02	cps
Indium	115-2	4834638	4788903	4847309	4823617	0.64	cps
Iron	56-2	591649111	588334791	586619738	588867880	0.43	cps
Iron	57-2	14712574	14725792	14832164	14756843	0.44	cps
Iron	54-2	32685028	32235084	32364607	32428240	0.71	cps
Krypton	83-1	363	517	527	469	19.53	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	310402	311094	311668	311055	0.20	cps
Lead	207-1	263949	261693	267933	264525	1.19	cps
Lead	208-1	1205605	1219934	1227174	1217571	0.90	cps
Lithium	6-1	1926816	1990050	1954887	1957251	1.62	cps
Magnesium	24-2	15737428	15781125	15556039	15691531	0.76	cps
Manganese	55-2	13973363	13668125	14013804	13885097	1.36	cps
Molybdenum	94-1	107209	111179	110791	109726	1.99	cps
Molybdenum	95-1	6865	7128	7095	7030	2.04	cps
Molybdenum	96-1	29096	30412	30081	29863	2.29	cps
Molybdenum	97-1	3941	4161	4204	4102	3.44	cps
Molybdenum	98-1	10547	10180	10591	10439	2.16	cps
Neodymium	150-1	190008	192034	193206	191749	0.84	cps
Neodymium	150-2	107785	107902	106928	107539	0.49	cps
Nickel	60-2	303894	302955	304243	303697	0.22	cps
Phosphorus	31-2	48286	47413	46457	47385	1.93	cps
Potassium	39-2	6195447	6301911	6258748	6252035	0.86	cps
Rhodium	103-1	14189484	14171044	14291507	14217345	0.46	cps
Rhodium	103-2	8527993	8590155	8648930	8589026	0.70	cps
Scandium	45-1	11638080	11160315	11511366	11436587	2.16	cps
Scandium	45-2	1023024	1018326	1017353	1019568	0.30	cps
Selenium	82-1	1046	924	950	973	6.65	cps
Selenium	77-2	500	423	460	461	8.32	cps
Selenium	78-2	767	843	813	808	4.78	cps
Silicon	28-1	58262497	60804599	59399674	59488924	2.14	cps
Silver	107-1	3440	3440	3767	3549	5.31	cps
Silver	109-1	3134	3517	3500	3384	6.40	cps
Sodium	23-2	307081	306988	310275	308115	0.61	cps
Strontium	86-1	482386	494712	493639	490246	1.39	cps
Strontium	88-1	4179374	4266906	4304046	4250108	1.51	cps
Sulfur	34-1	367054	363500	365138	365231	0.49	cps
Terbium	159-1	17876230	17676423	17597504	17716719	0.81	cps
Terbium	159-2	11553731	11613612	11455716	11541020	0.69	cps
Thallium	203-1	4864	4921	4854	4880	0.74	cps
Thallium	205-1	10984	11438	11261	11228	2.04	cps
Tin	118-1	37028	37666	38177	37624	1.53	cps
Titanium	47-1	2509309	2433042	2497918	2480090	1.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-09 Instrumnet Name : P7
Client Sample ID : MYD0T6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:03:25 DataFile Name : 029SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	27345	27716	28176	27746	1.50	cps
Vanadium	51-2	1292872	1288713	1278013	1286533	0.60	cps
Yttrium	89-1	25500778	25559107	25718115	25592667	0.44	cps
Yttrium	89-2	6328469	6406604	6296436	6343836	0.89	cps
Zinc	66-2	227311	224351	224378	225347	0.75	cps
Zirconium	90-1	295729	295383	300555	297222	0.97	cps
Zirconium	91-1	63530	65797	67022	65450	2.71	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	20397053	20149274	19992762	20179697	1.01	cps
Antimony	121-1	17284	17968	17411	17554	2.07	cps
Arsenic	75-2	176719	177295	176557	176857	0.22	cps
Barium	135-1	2113116	2141870	2098185	2117724	1.05	cps
Barium	137-1	3625893	3670370	3641480	3645914	0.62	cps
Beryllium	9-1	5613	5488	5604	5568	1.25	cps
Bismuth	209-1	9686737	9730338	9714167	9710414	0.23	cps
Bismuth	209-2	7539209	7544392	7530926	7538176	0.09	cps
Bromine	81-1	21292	22070	23041	22134	3.96	cps
Bromine	81-2	2280	2224	2300	2268	1.75	cps
Cadmium	108-1	407	453	457	439	6.37	cps
Cadmium	106-1	6398	6168	5891	6152	4.13	cps
Cadmium	111-1	5831	5830	5404	5689	4.33	cps
Calcium	43-1	6859646	7135006	7110206	7034953	2.17	cps
Calcium	44-1	113835885	115240328	113909025	114328413	0.69	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	826488	819014	815182	820228	0.70	cps
Cobalt	59-2	633111	631092	633583	632595	0.21	cps
Copper	63-2	957222	948846	942844	949637	0.76	cps
Dysprosium	156-1	106883	107413	107478	107258	0.30	cps
Dysprosium	156-2	86058	86373	86893	86442	0.49	cps
Erbium	164-1	83045	83863	83373	83427	0.49	cps
Erbium	164-2	56711	55479	55908	56033	1.12	cps
Gadolinium	160-1	97691	99544	98218	98484	0.97	cps
Gadolinium	160-2	69799	69896	69655	69784	0.17	cps
Holmium	165-1	17100921	16948856	16873386	16974388	0.68	cps
Holmium	165-2	11340540	11443214	11439401	11407718	0.51	cps
Indium	115-1	14610696	14690619	14504371	14601895	0.64	cps
Indium	115-2	4797329	4867000	4871318	4845216	0.86	cps
Iron	56-2	660885617	655958270	657377417	658073768	0.39	cps
Iron	57-2	16511896	16351717	16418620	16427411	0.49	cps
Iron	54-2	36308593	36150515	36273982	36244363	0.23	cps
Krypton	83-1	617	527	507	550	10.65	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	267018	272456	268611	269362	1.04	cps
Lead	207-1	223486	225159	225895	224847	0.55	cps
Lead	208-1	1036556	1049268	1047434	1044419	0.66	cps
Lithium	6-1	1931145	1974172	1837055	1914124	3.66	cps
Magnesium	24-2	17596972	17500455	17647970	17581799	0.43	cps
Manganese	55-2	19687425	19746763	19838433	19757541	0.39	cps
Molybdenum	94-1	129171	130169	130088	129809	0.43	cps
Molybdenum	95-1	8829	9030	9046	8968	1.35	cps
Molybdenum	96-1	34414	36118	35420	35317	2.43	cps
Molybdenum	97-1	5251	5351	5564	5389	2.97	cps
Molybdenum	98-1	13843	13526	13023	13464	3.07	cps
Neodymium	150-1	200810	204438	202734	202660	0.90	cps
Neodymium	150-2	115878	114289	115976	115381	0.82	cps
Nickel	60-2	336815	332085	333312	334071	0.73	cps
Phosphorus	31-2	48012	48263	48323	48199	0.34	cps
Potassium	39-2	6470718	6525813	6467708	6488080	0.50	cps
Rhodium	103-1	14156727	14010560	13925800	14031029	0.83	cps
Rhodium	103-2	8494675	8645913	8590102	8576897	0.89	cps
Scandium	45-1	11288305	11414095	11451568	11384656	0.75	cps
Scandium	45-2	1016970	1033496	1033045	1027837	0.92	cps
Selenium	82-1	786	1054	1036	959	15.60	cps
Selenium	77-2	467	473	527	489	6.73	cps
Selenium	78-2	883	877	873	878	0.58	cps
Silicon	28-1	58776014	59835027	58332364	58981135	1.31	cps
Silver	107-1	2550	2667	2780	2666	4.31	cps
Silver	109-1	2237	2487	2540	2421	6.69	cps
Sodium	23-2	306152	308562	314398	309704	1.37	cps
Strontium	86-1	557155	561944	566493	561864	0.83	cps
Strontium	88-1	4986956	4969644	4966356	4974319	0.22	cps
Sulfur	34-1	362675	360873	364124	362557	0.45	cps
Terbium	159-1	17628880	17665852	17485161	17593298	0.54	cps
Terbium	159-2	11503973	11424321	11326267	11418187	0.78	cps
Thallium	203-1	5121	5201	5111	5144	0.96	cps
Thallium	205-1	12456	12429	12366	12417	0.37	cps
Tin	118-1	32587	33800	33820	33402	2.11	cps
Titanium	47-1	2347184	2356776	2391998	2365319	1.00	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-10 Instrumnet Name : P7
Client Sample ID : MYD0T7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:06:29 DataFile Name : 030SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30067	30729	29633	30143	1.83	cps
Vanadium	51-2	1475473	1465887	1425906	1455755	1.81	cps
Yttrium	89-1	25830356	25892205	25681697	25801420	0.42	cps
Yttrium	89-2	6370870	6323937	6352922	6349243	0.37	cps
Zinc	66-2	222169	221510	220907	221528	0.28	cps
Zirconium	90-1	344844	348307	348853	347335	0.63	cps
Zirconium	91-1	76387	77634	76434	76819	0.92	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	22668129	22694275	22807385	22723263	0.33	cps
Antimony	121-1	18345	18919	19096	18787	2.09	cps
Arsenic	75-2	205286	203347	204050	204228	0.48	cps
Barium	135-1	2029767	2023974	2030500	2028080	0.18	cps
Barium	137-1	3469354	3568499	3470533	3502795	1.62	cps
Beryllium	9-1	5672	5495	5563	5577	1.61	cps
Bismuth	209-1	9871069	9740390	9813669	9808376	0.67	cps
Bismuth	209-2	7527347	7599564	7580188	7569033	0.49	cps
Bromine	81-1	22350	22744	23015	22703	1.47	cps
Bromine	81-2	2480	2534	2410	2475	2.50	cps
Cadmium	108-1	470	437	467	458	4.01	cps
Cadmium	106-1	6358	6235	6181	6258	1.45	cps
Cadmium	111-1	6409	6159	6147	6238	2.37	cps
Calcium	43-1	7083406	7138519	7086513	7102813	0.44	cps
Calcium	44-1	114272302	116043302	116079655	115465086	0.89	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1008697	998188	990548	999144	0.91	cps
Cobalt	59-2	694715	692154	689435	692101	0.38	cps
Copper	63-2	1155928	1150952	1157267	1154716	0.29	cps
Dysprosium	156-1	115178	115924	115873	115658	0.36	cps
Dysprosium	156-2	94374	95120	93800	94432	0.70	cps
Erbium	164-1	88112	89706	89128	88982	0.91	cps
Erbium	164-2	59058	59529	58940	59176	0.53	cps
Gadolinium	160-1	105423	106843	107300	106522	0.92	cps
Gadolinium	160-2	75814	75013	75331	75386	0.53	cps
Holmium	165-1	16966032	16883622	16971484	16940379	0.29	cps
Holmium	165-2	11394603	11477374	11474115	11448697	0.41	cps
Indium	115-1	14496216	14250453	14635247	14460639	1.35	cps
Indium	115-2	4741513	4850964	4813644	4802041	1.16	cps
Iron	56-2	731198042	731780282	721474283	728150869	0.80	cps
Iron	57-2	18165392	18286163	17962876	18138144	0.90	cps
Iron	54-2	39886580	40273753	40060876	40073736	0.48	cps
Krypton	83-1	590	570	493	551	9.26	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	342939	340714	343417	342357	0.42	cps
Lead	207-1	283878	290780	289513	288057	1.28	cps
Lead	208-1	1319866	1333125	1335089	1329360	0.62	cps
Lithium	6-1	1974612	1841565	1937273	1917817	3.58	cps
Magnesium	24-2	20268541	20308544	19885386	20154157	1.16	cps
Manganese	55-2	17600444	17849020	17672118	17707194	0.72	cps
Molybdenum	94-1	127960	130555	132753	130423	1.84	cps
Molybdenum	95-1	7762	8009	7932	7901	1.60	cps
Molybdenum	96-1	35082	35797	35196	35358	1.09	cps
Molybdenum	97-1	5031	4828	4711	4856	3.34	cps
Molybdenum	98-1	12155	11928	11571	11885	2.48	cps
Neodymium	150-1	218347	220096	221291	219911	0.67	cps
Neodymium	150-2	125860	123168	123721	124250	1.14	cps
Nickel	60-2	374177	375105	375006	374763	0.14	cps
Phosphorus	31-2	56427	56333	56089	56283	0.31	cps
Potassium	39-2	7518855	7486219	7434053	7479709	0.57	cps
Rhodium	103-1	14096179	13741911	14089424	13975838	1.45	cps
Rhodium	103-2	8602454	8643281	8686161	8643965	0.48	cps
Scandium	45-1	11450405	11272987	11495404	11406265	1.03	cps
Scandium	45-2	1020532	1032217	1023710	1025486	0.59	cps
Selenium	82-1	968	916	1100	994	9.55	cps
Selenium	77-2	590	500	550	547	8.25	cps
Selenium	78-2	900	1020	923	948	6.71	cps
Silicon	28-1	60327822	59851282	60536519	60238541	0.58	cps
Silver	107-1	3350	3494	3340	3395	2.53	cps
Silver	109-1	2940	2940	3287	3056	6.55	cps
Sodium	23-2	334526	337638	344713	338959	1.54	cps
Strontium	86-1	525598	532065	533670	530444	0.81	cps
Strontium	88-1	4638506	4724226	4731137	4697956	1.10	cps
Sulfur	34-1	369757	368574	365360	367897	0.62	cps
Terbium	159-1	17687183	17394580	17597428	17559730	0.85	cps
Terbium	159-2	11502828	11473685	11401132	11459215	0.46	cps
Thallium	203-1	6355	6071	6058	6161	2.72	cps
Thallium	205-1	14568	14831	14798	14733	0.97	cps
Tin	118-1	36570	37586	36884	37013	1.41	cps
Titanium	47-1	2486413	2493270	2512681	2497455	0.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-11 Instrumnet Name : P7
Client Sample ID : MYD0T8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:09:35 DataFile Name : 031SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	33679	33058	32994	33244	1.14	cps
Vanadium	51-2	1651178	1647177	1645197	1647851	0.18	cps
Yttrium	89-1	26372266	26318665	26433415	26374782	0.22	cps
Yttrium	89-2	6349629	6438361	6401322	6396437	0.70	cps
Zinc	66-2	263615	266224	266431	265423	0.59	cps
Zirconium	90-1	345774	348336	351674	348595	0.85	cps
Zirconium	91-1	77218	77640	78534	77798	0.86	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	24404340	24204877	24199296	24269505	0.48	cps
Antimony	121-1	10534	10661	10717	10637	0.88	cps
Arsenic	75-2	99538	101128	100309	100325	0.79	cps
Barium	135-1	2295018	2291020	2293264	2293100	0.09	cps
Barium	137-1	3913581	3951665	3984756	3950001	0.90	cps
Beryllium	9-1	6195	6389	6059	6214	2.67	cps
Bismuth	209-1	9952798	10115922	9656039	9908253	2.35	cps
Bismuth	209-2	7697963	7598773	7549990	7615575	0.99	cps
Bromine	81-1	16573	17978	17187	17246	4.08	cps
Bromine	81-2	1350	1383	1323	1352	2.22	cps
Cadmium	108-1	630	617	577	608	4.57	cps
Cadmium	106-1	6782	6385	6355	6507	3.66	cps
Cadmium	111-1	7026	6571	6605	6734	3.77	cps
Calcium	43-1	803235	824058	833926	820406	1.91	cps
Calcium	44-1	12668316	12814080	12468573	12650323	1.37	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1139629	1139738	1137561	1138976	0.11	cps
Cobalt	59-2	816929	807342	814940	813071	0.62	cps
Copper	63-2	1594771	1572324	1569349	1578814	0.88	cps
Dysprosium	156-1	115854	114012	117923	115930	1.69	cps
Dysprosium	156-2	92257	93122	92005	92462	0.63	cps
Erbium	164-1	94188	95453	93023	94221	1.29	cps
Erbium	164-2	62626	62495	62723	62615	0.18	cps
Gadolinium	160-1	104110	107582	108331	106674	2.11	cps
Gadolinium	160-2	76628	75378	76766	76257	1.00	cps
Holmium	165-1	17061881	16958578	16919804	16980087	0.43	cps
Holmium	165-2	11558049	11412923	11375330	11448767	0.84	cps
Indium	115-1	14453458	14658388	14346072	14485973	1.10	cps
Indium	115-2	4842444	4771726	4818184	4810784	0.75	cps
Iron	56-2	840425561	824129454	838181428	834245481	1.06	cps
Iron	57-2	20603866	20474432	20516278	20531525	0.32	cps
Iron	54-2	46048744	45740559	45197043	45662115	0.94	cps
Krypton	83-1	567	607	577	583	3.57	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	424788	422974	419273	422345	0.67	cps
Lead	207-1	354982	359599	369864	361482	2.11	cps
Lead	208-1	1636838	1656202	1650580	1647874	0.60	cps
Lithium	6-1	1851786	1970197	1828601	1883528	4.03	cps
Magnesium	24-2	22183548	22153591	21626408	21987849	1.43	cps
Manganese	55-2	29903220	29476814	29855303	29745112	0.79	cps
Molybdenum	94-1	194264	196389	200253	196969	1.54	cps
Molybdenum	95-1	8996	9043	9263	9101	1.57	cps
Molybdenum	96-1	48728	49366	47708	48601	1.72	cps
Molybdenum	97-1	5271	5324	5491	5362	2.14	cps
Molybdenum	98-1	13253	13883	13283	13473	2.64	cps
Neodymium	150-1	208213	214714	207949	210292	1.82	cps
Neodymium	150-2	117108	116174	117977	117086	0.77	cps
Nickel	60-2	356231	351964	350029	352741	0.90	cps
Phosphorus	31-2	52747	53125	53242	53038	0.49	cps
Potassium	39-2	9479712	9640840	9550531	9557028	0.85	cps
Rhodium	103-1	14692902	14687639	13986927	14455823	2.81	cps
Rhodium	103-2	8664931	8605454	8674897	8648428	0.43	cps
Scandium	45-1	11472351	11679702	11441296	11531116	1.12	cps
Scandium	45-2	1042799	1036667	1030484	1036650	0.59	cps
Selenium	82-1	807	823	890	840	5.24	cps
Selenium	77-2	590	530	463	528	12.01	cps
Selenium	78-2	820	877	903	867	4.91	cps
Silicon	28-1	69253154	70622936	66652882	68842991	2.93	cps
Silver	107-1	3911	4151	4221	4094	3.97	cps
Silver	109-1	3424	3607	3450	3494	2.84	cps
Sodium	23-2	371776	381764	376452	376664	1.33	cps
Strontium	86-1	490468	491204	495979	492550	0.61	cps
Strontium	88-1	4268365	4361114	4437608	4355696	1.95	cps
Sulfur	34-1	314236	288658	276602	293165	6.56	cps
Terbium	159-1	17598874	17766327	18307068	17890757	2.07	cps
Terbium	159-2	11580264	11513944	11379482	11491230	0.89	cps
Thallium	203-1	5341	5758	5688	5596	3.99	cps
Thallium	205-1	12653	13687	12960	13100	4.06	cps
Tin	118-1	37195	38110	36881	37395	1.71	cps
Titanium	47-1	2685304	2720369	2608867	2671513	2.13	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-12 Instrumnet Name : P7
Client Sample ID : MYD0T9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:12:39 DataFile Name : 032SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	38947	39298	39853	39366	1.16	cps
Vanadium	51-2	1818618	1809425	1831871	1819971	0.62	cps
Yttrium	89-1	25905378	26292845	26900500	26366241	1.90	cps
Yttrium	89-2	6392210	6260278	6306706	6319731	1.06	cps
Zinc	66-2	317662	317281	316244	317062	0.23	cps
Zirconium	90-1	519215	539450	529855	529507	1.91	cps
Zirconium	91-1	119022	120729	118430	119394	1.00	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	20896589	21314456	21068884	21093310	1.00	cps
Antimony	121-1	16543	16610	16586	16580	0.20	cps
Arsenic	75-2	125818	125364	125192	125458	0.26	cps
Barium	135-1	1301537	1309530	1313953	1308340	0.48	cps
Barium	137-1	2397742	2411732	2446195	2418556	1.03	cps
Beryllium	9-1	4329	4433	4105	4289	3.91	cps
Bismuth	209-1	9814502	9836729	9898374	9849869	0.44	cps
Bismuth	209-2	7591031	7568533	7608492	7589352	0.26	cps
Bromine	81-1	15228	15155	15208	15197	0.25	cps
Bromine	81-2	1010	1020	897	976	7.02	cps
Cadmium	108-1	850	770	777	799	5.56	cps
Cadmium	106-1	6245	6301	6335	6294	0.72	cps
Cadmium	111-1	6490	6746	6874	6703	2.92	cps
Calcium	43-1	667460	673242	668335	669679	0.47	cps
Calcium	44-1	10108955	10323934	10280966	10237952	1.11	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1058763	1053745	1057082	1056530	0.24	cps
Cobalt	59-2	712771	710643	702666	708693	0.75	cps
Copper	63-2	1782999	1778999	1739566	1767188	1.36	cps
Dysprosium	156-1	79939	81428	79547	80305	1.24	cps
Dysprosium	156-2	63098	63141	63888	63376	0.70	cps
Erbium	164-1	67324	69438	68939	68567	1.61	cps
Erbium	164-2	46571	46263	46611	46482	0.41	cps
Gadolinium	160-1	75861	77027	78227	77038	1.54	cps
Gadolinium	160-2	55961	55446	54174	55194	1.67	cps
Holmium	165-1	17048918	16954041	16993311	16998756	0.28	cps
Holmium	165-2	11392716	11540187	11423369	11452091	0.68	cps
Indium	115-1	14591160	14719891	14603338	14638130	0.49	cps
Indium	115-2	4820575	4877611	4809317	4835834	0.76	cps
Iron	56-2	778836708	773123562	771755935	774572068	0.48	cps
Iron	57-2	19462219	19117710	19253907	19277945	0.90	cps
Iron	54-2	43455216	42345339	42824063	42874873	1.30	cps
Krypton	83-1	570	430	507	502	13.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	357618	357371	363152	359380	0.91	cps
Lead	207-1	310877	314422	312048	312449	0.58	cps
Lead	208-1	1419341	1423986	1427111	1423479	0.27	cps
Lithium	6-1	1994465	1936834	1963619	1964973	1.47	cps
Magnesium	24-2	19607025	19704700	19308000	19539908	1.06	cps
Manganese	55-2	21353245	20902353	20876755	21044118	1.27	cps
Molybdenum	94-1	152780	156834	156824	155479	1.50	cps
Molybdenum	95-1	8826	8743	9583	9051	5.12	cps
Molybdenum	96-1	40820	40783	40717	40773	0.13	cps
Molybdenum	97-1	5211	5198	5484	5298	3.06	cps
Molybdenum	98-1	13470	13466	13066	13334	1.74	cps
Neodymium	150-1	136191	137756	137823	137256	0.67	cps
Neodymium	150-2	77381	77629	77937	77649	0.36	cps
Nickel	60-2	289094	286053	284366	286504	0.84	cps
Phosphorus	31-2	29121	28710	29178	29003	0.88	cps
Potassium	39-2	5550412	5505993	5537873	5531426	0.41	cps
Rhodium	103-1	14201765	14152183	14241522	14198490	0.32	cps
Rhodium	103-2	8675248	8648878	8656194	8660106	0.16	cps
Scandium	45-1	11302655	11452675	11276155	11343828	0.84	cps
Scandium	45-2	1023811	1028453	1031288	1027851	0.37	cps
Selenium	82-1	697	909	825	810	13.17	cps
Selenium	77-2	437	387	347	390	11.56	cps
Selenium	78-2	670	773	720	721	7.17	cps
Silicon	28-1	57550607	57540177	57373079	57487955	0.17	cps
Silver	107-1	4657	4664	5134	4819	5.67	cps
Silver	109-1	4224	4474	4404	4367	2.95	cps
Sodium	23-2	347256	348227	346676	347386	0.23	cps
Strontium	86-1	360110	364933	365308	363450	0.80	cps
Strontium	88-1	3227309	3243530	3171515	3214118	1.18	cps
Sulfur	34-1	259050	261627	260956	260544	0.51	cps
Terbium	159-1	17693980	17408833	17777969	17626927	1.10	cps
Terbium	159-2	11418650	11605181	11394917	11472916	1.00	cps
Thallium	203-1	3277	3267	3497	3347	3.88	cps
Thallium	205-1	8116	8039	7986	8047	0.81	cps
Tin	118-1	33696	33349	34428	33824	1.63	cps
Titanium	47-1	2547350	2588890	2591710	2575983	0.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-13 Instrumnet Name : P7
Client Sample ID : MYD0W0 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:15:45 DataFile Name : 033SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	26566	27191	26640	26799	1.27	cps
Vanadium	51-2	1642792	1636838	1637504	1639045	0.20	cps
Yttrium	89-1	25655321	25796741	25537522	25663195	0.51	cps
Yttrium	89-2	6331338	6246519	6252991	6276949	0.75	cps
Zinc	66-2	277070	277258	273735	276021	0.72	cps
Zirconium	90-1	414715	423647	421238	419867	1.10	cps
Zirconium	91-1	92717	93378	93288	93128	0.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	22623896	22352448	22533365	22503236	0.61	cps
Antimony	121-1	32634	32747	31615	32332	1.93	cps
Arsenic	75-2	159574	157910	154714	157399	1.57	cps
Barium	135-1	2234385	2224272	2260159	2239605	0.83	cps
Barium	137-1	3880102	3812538	3890365	3861002	1.10	cps
Beryllium	9-1	4213	4217	4261	4230	0.63	cps
Bismuth	209-1	9908073	9677372	9819455	9801633	1.19	cps
Bismuth	209-2	7702126	7758901	7779671	7746899	0.52	cps
Bromine	81-1	14714	14460	15208	14794	2.57	cps
Bromine	81-2	980	923	1043	982	6.11	cps
Cadmium	108-1	900	917	867	894	2.85	cps
Cadmium	106-1	6298	6198	6238	6245	0.81	cps
Cadmium	111-1	10494	10292	10668	10485	1.80	cps
Calcium	43-1	611148	604258	619056	611487	1.21	cps
Calcium	44-1	9319615	9331678	9408295	9353196	0.51	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1257413	1239883	1249359	1248885	0.70	cps
Cobalt	59-2	1044053	1021038	1033857	1032983	1.12	cps
Copper	63-2	3361333	3385013	3291045	3345797	1.46	cps
Dysprosium	156-1	84935	86705	86135	85925	1.05	cps
Dysprosium	156-2	67659	67129	67799	67529	0.52	cps
Erbium	164-1	73813	75646	73241	74233	1.69	cps
Erbium	164-2	48982	49380	49665	49342	0.69	cps
Gadolinium	160-1	82578	80285	81810	81557	1.43	cps
Gadolinium	160-2	58943	58230	57789	58321	1.00	cps
Holmium	165-1	17127514	16756281	16991462	16958419	1.11	cps
Holmium	165-2	11654908	11649246	11820833	11708329	0.83	cps
Indium	115-1	14674539	13996686	14734914	14468713	2.83	cps
Indium	115-2	4894579	4884367	4897726	4892224	0.14	cps
Iron	56-2	1015144732	1019316331	1018636038	1017699034	0.22	cps
Iron	57-2	25196691	25208450	25122597	25175913	0.18	cps
Iron	54-2	55956258	55999451	55728273	55894660	0.26	cps
Krypton	83-1	477	543	520	513	6.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	769211	791395	771292	777299	1.58	cps
Lead	207-1	689012	693424	693679	692038	0.38	cps
Lead	208-1	3313496	3125565	3319415	3252825	3.39	cps
Lithium	6-1	1931809	1823083	1864140	1873011	2.93	cps
Magnesium	24-2	22924076	22785150	22921202	22876810	0.35	cps
Manganese	55-2	37305557	37428181	37418446	37384061	0.18	cps
Molybdenum	94-1	148507	152097	152013	150872	1.36	cps
Molybdenum	95-1	24694	24391	24280	24455	0.88	cps
Molybdenum	96-1	55910	57365	57386	56887	1.49	cps
Molybdenum	97-1	14687	14988	14861	14845	1.02	cps
Molybdenum	98-1	37679	37328	38203	37736	1.17	cps
Neodymium	150-1	141293	143980	144217	143163	1.13	cps
Neodymium	150-2	81008	78826	80106	79980	1.37	cps
Nickel	60-2	342607	346548	345443	344866	0.59	cps
Phosphorus	31-2	38184	37359	38204	37916	1.27	cps
Potassium	39-2	5965687	5898405	5944065	5936053	0.58	cps
Rhodium	103-1	14238451	14044509	14114900	14132620	0.69	cps
Rhodium	103-2	8620665	8590786	8676494	8629315	0.50	cps
Scandium	45-1	11502439	11205679	11266667	11324928	1.38	cps
Scandium	45-2	1041282	1030765	1049587	1040545	0.91	cps
Selenium	82-1	940	934	1014	963	4.65	cps
Selenium	77-2	447	427	390	421	6.82	cps
Selenium	78-2	770	777	787	778	1.08	cps
Silicon	28-1	53264529	55009268	54323699	54199165	1.62	cps
Silver	107-1	11788	11725	11501	11671	1.29	cps
Silver	109-1	11044	10971	11121	11045	0.68	cps
Sodium	23-2	331545	332362	334211	332706	0.41	cps
Strontium	86-1	411309	427438	420840	419862	1.93	cps
Strontium	88-1	3620011	3644453	3669582	3644682	0.68	cps
Sulfur	34-1	263895	265207	262464	263855	0.52	cps
Terbium	159-1	17619529	16958504	17793536	17457189	2.52	cps
Terbium	159-2	11515277	11559027	11633252	11569185	0.52	cps
Thallium	203-1	3994	3884	3677	3852	4.17	cps
Thallium	205-1	8936	9247	9016	9066	1.78	cps
Tin	118-1	35734	37459	35684	36293	2.78	cps
Titanium	47-1	2453770	2472387	2480845	2469001	0.56	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-14 Instrumnet Name : P7
Client Sample ID : MYD0W1 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:18:49 DataFile Name : 034SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	28962	28083	29165	28737	2.00	cps
Vanadium	51-2	2032672	2006606	2022035	2020438	0.65	cps
Yttrium	89-1	25833192	24748995	25887640	25489942	2.52	cps
Yttrium	89-2	6173274	6258729	6246209	6226071	0.74	cps
Zinc	66-2	407297	407848	406159	407101	0.21	cps
Zirconium	90-1	377236	375280	382591	378369	1.00	cps
Zirconium	91-1	83167	85615	83905	84229	1.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	23145002	23150313	23187791	23161035	0.10	cps
Antimony	121-1	11651	12305	12325	12094	3.17	cps
Arsenic	75-2	117948	117155	114306	116469	1.64	cps
Barium	135-1	1799684	1804966	1778706	1794452	0.77	cps
Barium	137-1	3058237	3111688	3096727	3088884	0.89	cps
Beryllium	9-1	5386	5256	5454	5366	1.88	cps
Bismuth	209-1	9823742	9660784	9759059	9747862	0.84	cps
Bismuth	209-2	7592925	7742667	7744686	7693426	1.13	cps
Bromine	81-1	15572	15538	15935	15682	1.40	cps
Bromine	81-2	1187	1213	1213	1205	1.28	cps
Cadmium	108-1	513	577	510	533	7.04	cps
Cadmium	106-1	6445	6068	5828	6114	5.09	cps
Cadmium	111-1	6382	6157	5883	6141	4.07	cps
Calcium	43-1	743894	756233	748928	749685	0.83	cps
Calcium	44-1	11385933	11449394	11424972	11420100	0.28	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1227343	1229786	1213710	1223613	0.71	cps
Cobalt	59-2	823993	819698	821586	821759	0.26	cps
Copper	63-2	1690040	1674582	1677943	1680855	0.48	cps
Dysprosium	156-1	96938	98845	98656	98146	1.07	cps
Dysprosium	156-2	76132	76440	77134	76568	0.67	cps
Erbium	164-1	81020	81445	80785	81083	0.41	cps
Erbium	164-2	53355	54000	53920	53758	0.65	cps
Gadolinium	160-1	90624	91100	91161	90962	0.32	cps
Gadolinium	160-2	66601	65375	65418	65798	1.06	cps
Holmium	165-1	17398781	17044476	17063139	17168798	1.16	cps
Holmium	165-2	11511535	11408709	11346622	11422289	0.73	cps
Indium	115-1	14475957	14375681	14255624	14369087	0.77	cps
Indium	115-2	4798798	4798814	4856431	4818014	0.69	cps
Iron	56-2	872350440	881381400	875570387	876434076	0.52	cps
Iron	57-2	21563100	21320363	21372866	21418776	0.60	cps
Iron	54-2	47764623	47423498	47882901	47690340	0.50	cps
Krypton	83-1	547	483	527	519	6.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	365861	363693	368961	366172	0.72	cps
Lead	207-1	307662	317664	308532	311286	1.78	cps
Lead	208-1	1410804	1432363	1426075	1423081	0.78	cps
Lithium	6-1	1919060	1880168	1824209	1874479	2.54	cps
Magnesium	24-2	23173133	22861420	22617258	22883937	1.22	cps
Manganese	55-2	26678770	26961086	26954060	26864639	0.60	cps
Molybdenum	94-1	164252	173142	167304	168233	2.68	cps
Molybdenum	95-1	12502	11795	12202	12166	2.92	cps
Molybdenum	96-1	46895	46490	46758	46714	0.44	cps
Molybdenum	97-1	7419	7559	7162	7380	2.73	cps
Molybdenum	98-1	18171	18285	18695	18384	1.50	cps
Neodymium	150-1	170542	169688	170842	170357	0.35	cps
Neodymium	150-2	95551	94813	95810	95391	0.54	cps
Nickel	60-2	344454	346098	346967	345840	0.37	cps
Phosphorus	31-2	35137	36086	35257	35493	1.46	cps
Potassium	39-2	6367304	6485443	6375807	6409518	1.03	cps
Rhodium	103-1	14294298	14068335	14256277	14206303	0.85	cps
Rhodium	103-2	8790940	8638158	8651825	8693641	0.97	cps
Scandium	45-1	11235977	11278229	11154934	11223046	0.56	cps
Scandium	45-2	1030315	1033946	1027282	1030514	0.32	cps
Selenium	82-1	744	870	821	812	7.80	cps
Selenium	77-2	403	423	377	401	5.84	cps
Selenium	78-2	797	683	793	758	8.51	cps
Silicon	28-1	57367087	55163403	57245489	56591993	2.19	cps
Silver	107-1	3564	3394	3524	3494	2.54	cps
Silver	109-1	3154	3154	3270	3193	2.11	cps
Sodium	23-2	359848	358311	359161	359107	0.21	cps
Strontium	86-1	432159	441302	434860	436107	1.08	cps
Strontium	88-1	3796887	3852161	3767866	3805638	1.13	cps
Sulfur	34-1	267280	260902	263668	263950	1.21	cps
Terbium	159-1	17531240	17762253	17552044	17615179	0.73	cps
Terbium	159-2	11618926	11579494	11409713	11536044	0.96	cps
Thallium	203-1	4191	4297	4394	4294	2.37	cps
Thallium	205-1	10067	10214	10117	10133	0.74	cps
Tin	118-1	37472	36192	37856	37173	2.34	cps
Titanium	47-1	2600791	2563501	2545310	2569867	1.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:21:55 DataFile Name : 035SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	32429	33215	32145	32597	1.70	cps
Vanadium	51-2	1839734	1861050	1884306	1861697	1.20	cps
Yttrium	89-1	25911685	26000793	25512173	25808217	1.01	cps
Yttrium	89-2	6228831	6287926	6320628	6279128	0.74	cps
Zinc	66-2	287845	287579	287494	287639	0.06	cps
Zirconium	90-1	438370	441517	443941	441276	0.63	cps
Zirconium	91-1	101216	98739	100709	100222	1.31	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	22755978	22482486	22957090	22731851	1.05	cps
Antimony	121-1	12172	12395	12302	12290	0.91	cps
Arsenic	75-2	115105	115495	115620	115407	0.23	cps
Barium	135-1	1844266	1824253	1857573	1842031	0.91	cps
Barium	137-1	3151780	3151191	3191615	3164862	0.73	cps
Beryllium	9-1	4925	4992	5145	5021	2.24	cps
Bismuth	209-1	9777082	9840143	9747529	9788251	0.48	cps
Bismuth	209-2	7667286	7714155	7726538	7702660	0.41	cps
Bromine	81-1	15251	16406	16393	16017	4.14	cps
Bromine	81-2	1223	1257	1117	1199	6.10	cps
Cadmium	108-1	620	467	530	539	14.30	cps
Cadmium	106-1	5995	5868	5775	5879	1.88	cps
Cadmium	111-1	5992	5891	5868	5917	1.12	cps
Calcium	43-1	753603	759963	757622	757063	0.42	cps
Calcium	44-1	11222744	11389608	11600791	11404381	1.66	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1193686	1205366	1197550	1198867	0.50	cps
Cobalt	59-2	814969	815166	812289	814142	0.20	cps
Copper	63-2	1661764	1679516	1666908	1669396	0.55	cps
Dysprosium	156-1	95277	94999	96566	95614	0.87	cps
Dysprosium	156-2	75186	75207	76376	75590	0.90	cps
Erbium	164-1	77832	79112	79283	78742	1.01	cps
Erbium	164-2	52535	52859	53348	52914	0.77	cps
Gadolinium	160-1	88665	91751	91442	90619	1.88	cps
Gadolinium	160-2	64468	64752	65465	64895	0.79	cps
Holmium	165-1	16842561	16858688	16698082	16799777	0.53	cps
Holmium	165-2	11565179	11338577	11604944	11502900	1.25	cps
Indium	115-1	14155021	14649532	14598489	14467681	1.88	cps
Indium	115-2	4912996	4773439	4803078	4829838	1.52	cps
Iron	56-2	873755374	866330894	865222920	868436396	0.53	cps
Iron	57-2	20951335	21300382	20704825	20985514	1.43	cps
Iron	54-2	47381909	47101853	47239101	47240954	0.30	cps
Krypton	83-1	450	527	457	478	8.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	349287	352055	354237	351859	0.71	cps
Lead	207-1	311223	313507	312789	312506	0.37	cps
Lead	208-1	1391832	1415848	1419403	1409028	1.06	cps
Lithium	6-1	1805245	1884035	1794531	1827937	2.67	cps
Magnesium	24-2	22672015	21839080	22504969	22338688	1.97	cps
Manganese	55-2	26813591	26457607	26727850	26666350	0.70	cps
Molybdenum	94-1	169082	169008	167851	168647	0.41	cps
Molybdenum	95-1	11892	12098	12325	12105	1.79	cps
Molybdenum	96-1	45664	46066	45808	45846	0.44	cps
Molybdenum	97-1	7108	7279	7038	7142	1.73	cps
Molybdenum	98-1	17337	17944	18065	17782	2.19	cps
Neodymium	150-1	165128	169870	171926	168974	2.06	cps
Neodymium	150-2	93447	95333	94893	94558	1.04	cps
Nickel	60-2	339937	339744	340311	339997	0.08	cps
Phosphorus	31-2	34646	34880	35287	34938	0.93	cps
Potassium	39-2	6255724	6219795	6339203	6271574	0.98	cps
Rhodium	103-1	14139550	14098776	13973294	14070540	0.62	cps
Rhodium	103-2	8991654	8585365	8686494	8754504	2.42	cps
Scandium	45-1	11217717	11379368	11407620	11334902	0.90	cps
Scandium	45-2	1030403	1029242	1031560	1030402	0.11	cps
Selenium	82-1	950	815	923	896	7.98	cps
Selenium	77-2	433	423	423	427	1.35	cps
Selenium	78-2	753	777	883	804	8.62	cps
Silicon	28-1	56111294	56040096	57008279	56386556	0.96	cps
Silver	107-1	3410	3370	3450	3410	1.17	cps
Silver	109-1	2680	2950	3167	2933	8.32	cps
Sodium	23-2	351620	357038	359040	355899	1.08	cps
Strontium	86-1	425351	427561	426008	426307	0.27	cps
Strontium	88-1	3782897	3762029	3781789	3775572	0.31	cps
Sulfur	34-1	258999	257709	256803	257837	0.43	cps
Terbium	159-1	17782551	17670039	17732848	17728480	0.32	cps
Terbium	159-2	11694616	11447905	11624634	11589052	1.10	cps
Thallium	203-1	4077	4364	4244	4228	3.41	cps
Thallium	205-1	10007	10497	10351	10285	2.45	cps
Tin	118-1	35992	36800	37038	36610	1.50	cps
Titanium	47-1	2531340	2632825	2578378	2580848	1.97	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:24:59 DataFile Name : 036SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	31925	32677	33455	32686	2.34	cps
Vanadium	51-2	1838611	1846943	1839970	1841841	0.24	cps
Yttrium	89-1	26605924	26397830	25769534	26257762	1.66	cps
Yttrium	89-2	6189071	6273156	6151331	6204519	1.01	cps
Zinc	66-2	281684	278576	282420	280893	0.73	cps
Zirconium	90-1	440108	454353	452601	449021	1.73	cps
Zirconium	91-1	97716	99676	100071	99154	1.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	4450717	4460304	4479587	4463536	0.33	cps
Antimony	121-1	2490	2514	2450	2485	1.29	cps
Arsenic	75-2	23192	22577	22901	22890	1.34	cps
Barium	135-1	338209	337503	335941	337218	0.34	cps
Barium	137-1	584298	581204	584158	583220	0.30	cps
Beryllium	9-1	979	1052	1035	1022	3.77	cps
Bismuth	209-1	10044891	10218047	10035297	10099411	1.02	cps
Bismuth	209-2	7886603	7920131	7932806	7913180	0.30	cps
Bromine	81-1	12212	12162	12018	12131	0.83	cps
Bromine	81-2	320	297	393	337	14.98	cps
Cadmium	108-1	143	103	110	119	18.03	cps
Cadmium	106-1	4958	4894	4707	4853	2.68	cps
Cadmium	111-1	3807	3824	3652	3761	2.52	cps
Calcium	43-1	147748	150065	148930	148915	0.78	cps
Calcium	44-1	2353796	2359861	2379650	2364436	0.57	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	241229	239027	241082	240446	0.51	cps
Cobalt	59-2	163009	163305	162256	162857	0.33	cps
Copper	63-2	327542	329226	331337	329368	0.58	cps
Dysprosium	156-1	18813	19126	18843	18927	0.91	cps
Dysprosium	156-2	15292	14955	15175	15140	1.13	cps
Erbium	164-1	15666	15692	15315	15558	1.35	cps
Erbium	164-2	10754	10607	10581	10647	0.88	cps
Gadolinium	160-1	17498	18145	18078	17907	1.99	cps
Gadolinium	160-2	12866	13120	13043	13009	1.00	cps
Holmium	165-1	16905469	16815148	16885548	16868721	0.28	cps
Holmium	165-2	11458654	11609043	11650943	11572880	0.87	cps
Indium	115-1	14731385	14644480	14894774	14756880	0.86	cps
Indium	115-2	4892584	4895344	4963025	4916984	0.81	cps
Iron	56-2	172539651	169720677	169273977	170511435	1.04	cps
Iron	57-2	4226066	4260138	4168640	4218281	1.10	cps
Iron	54-2	9322937	9512278	9350959	9395392	1.09	cps
Krypton	83-1	417	440	400	419	4.80	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	71842	71299	71842	71661	0.44	cps
Lead	207-1	62871	62044	61522	62146	1.09	cps
Lead	208-1	284489	283769	283159	283806	0.23	cps
Lithium	6-1	2016450	2018175	1982144	2005589	1.01	cps
Magnesium	24-2	4430718	4386617	4499193	4438843	1.28	cps
Manganese	55-2	5220965	5260183	5215378	5232175	0.47	cps
Molybdenum	94-1	32302	33572	32459	32778	2.11	cps
Molybdenum	95-1	2557	2574	2580	2570	0.47	cps
Molybdenum	96-1	9100	9503	9316	9306	2.17	cps
Molybdenum	97-1	1560	1417	1580	1519	5.87	cps
Molybdenum	98-1	3667	3620	3637	3642	0.65	cps
Neodymium	150-1	32989	33296	33834	33373	1.28	cps
Neodymium	150-2	18816	18572	19000	18796	1.14	cps
Nickel	60-2	67960	68150	68804	68305	0.65	cps
Phosphorus	31-2	7352	7178	7372	7301	1.46	cps
Potassium	39-2	1331408	1310980	1315742	1319376	0.81	cps
Rhodium	103-1	14666637	14500416	14397936	14521663	0.93	cps
Rhodium	103-2	8839574	8830486	8905824	8858628	0.46	cps
Scandium	45-1	10877484	10789042	10806069	10824199	0.43	cps
Scandium	45-2	958962	965031	971660	965218	0.66	cps
Selenium	82-1	531	545	642	573	10.52	cps
Selenium	77-2	83	87	127	99	24.39	cps
Selenium	78-2	587	537	543	556	4.89	cps
Silicon	28-1	11461614	11857494	11578135	11632414	1.75	cps
Silver	107-1	790	833	840	821	3.31	cps
Silver	109-1	623	737	727	696	9.02	cps
Sodium	23-2	138294	137783	139720	138599	0.72	cps
Strontium	86-1	84041	85215	85510	84922	0.91	cps
Strontium	88-1	728526	740029	739565	736040	0.88	cps
Sulfur	34-1	244996	244821	242806	244207	0.50	cps
Terbium	159-1	17789348	17829362	17666603	17761771	0.48	cps
Terbium	159-2	11466212	11461255	11757312	11561593	1.47	cps
Thallium	203-1	1003	1003	1063	1023	3.39	cps
Thallium	205-1	2264	2187	2137	2196	2.91	cps
Tin	118-1	8586	8886	8716	8729	1.72	cps
Titanium	47-1	513225	515643	507094	511987	0.86	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LX5 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 18:28:05 DataFile Name : 037SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	6448	6328	6328	6368	1.09	cps
Vanadium	51-2	369159	371146	370532	370279	0.27	cps
Yttrium	89-1	25228861	24608081	25247868	25028270	1.45	cps
Yttrium	89-2	5973884	6025643	6006178	6001902	0.44	cps
Zinc	66-2	58501	59341	60157	59333	1.40	cps
Zirconium	90-1	86526	87666	88656	87616	1.22	cps
Zirconium	91-1	19506	19356	19586	19483	0.60	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	24004870	23495584	22925386	23475280	2.30	cps
Antimony	121-1	770494	788720	785838	781684	1.25	cps
Arsenic	75-2	134849	135014	134466	134776	0.21	cps
Barium	135-1	5640869	5735887	5835437	5737397	1.70	cps
Barium	137-1	9935792	9955451	9947123	9946122	0.10	cps
Beryllium	9-1	67757	68623	69635	68672	1.37	cps
Bismuth	209-1	9971882	9930071	10036712	9979555	0.54	cps
Bismuth	209-2	7642187	7565994	7602894	7603692	0.50	cps
Bromine	81-1	15762	15745	16039	15849	1.04	cps
Bromine	81-2	1220	1160	1140	1173	3.55	cps
Cadmium	108-1	7285	7419	7065	7256	2.46	cps
Cadmium	106-1	15055	15605	15435	15365	1.83	cps
Cadmium	111-1	104700	107791	108235	106908	1.80	cps
Calcium	43-1	753996	764281	764220	760832	0.78	cps
Calcium	44-1	11495605	11519595	11619136	11544779	0.57	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2054863	2069515	2026196	2050191	1.07	cps
Cobalt	59-2	4044325	4020694	4019707	4028242	0.35	cps
Copper	63-2	2732832	2744419	2761582	2746278	0.53	cps
Dysprosium	156-1	97019	98570	96868	97485	0.97	cps
Dysprosium	156-2	76366	76336	76862	76522	0.39	cps
Erbium	164-1	81137	81506	81516	81386	0.26	cps
Erbium	164-2	53298	53609	53181	53362	0.41	cps
Gadolinium	160-1	88910	91268	92962	91047	2.24	cps
Gadolinium	160-2	66102	64718	64186	65002	1.52	cps
Holmium	165-1	16931032	16974896	17212440	17039456	0.89	cps
Holmium	165-2	11401752	11391877	11543599	11445743	0.74	cps
Indium	115-1	14695205	14573142	14758147	14675498	0.64	cps
Indium	115-2	4808328	4763552	4855960	4809280	0.96	cps
Iron	56-2	853747587	872362254	864649374	863586405	1.08	cps
Iron	57-2	21481355	21485586	21276615	21414519	0.56	cps
Iron	54-2	48175429	47966633	46725264	47622442	1.65	cps
Krypton	83-1	467	570	560	532	10.71	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	455516	460561	460114	458730	0.61	cps
Lead	207-1	389063	397372	397860	394765	1.25	cps
Lead	208-1	1790906	1812892	1821460	1808419	0.87	cps
Lithium	6-1	1930148	1881496	1865007	1892217	1.79	cps
Magnesium	24-2	22720100	22718253	22254820	22564391	1.19	cps
Manganese	55-2	28204650	28165245	27869420	28079772	0.65	cps
Molybdenum	94-1	167541	170542	168480	168854	0.91	cps
Molybdenum	95-1	12209	12138	12225	12191	0.38	cps
Molybdenum	96-1	46811	46470	46480	46587	0.42	cps
Molybdenum	97-1	7262	7315	7352	7310	0.62	cps
Molybdenum	98-1	18559	18395	18231	18395	0.89	cps
Neodymium	150-1	166940	173265	170592	170266	1.86	cps
Neodymium	150-2	95430	94558	94149	94712	0.69	cps
Nickel	60-2	1152066	1143280	1127480	1140942	1.09	cps
Phosphorus	31-2	34552	34515	34071	34380	0.78	cps
Potassium	39-2	6264727	6261555	6318944	6281742	0.51	cps
Rhodium	103-1	14140673	14093038	14129585	14121099	0.18	cps
Rhodium	103-2	8590628	8578733	8716233	8628531	0.88	cps
Scandium	45-1	11421620	11265967	11329394	11338994	0.69	cps
Scandium	45-2	1020619	1024805	1026348	1023924	0.29	cps
Selenium	82-1	18307	18724	18427	18486	1.16	cps
Selenium	77-2	2090	1947	2134	2057	4.75	cps
Selenium	78-2	6365	6098	6258	6240	2.15	cps
Silicon	28-1	58393104	58341071	57522912	58085696	0.84	cps
Silver	107-1	439592	443832	448576	444000	1.01	cps
Silver	109-1	408732	415772	418456	414320	1.21	cps
Sodium	23-2	339309	338752	345192	341084	1.05	cps
Strontium	86-1	426998	435744	429063	430601	1.06	cps
Strontium	88-1	3728110	3800980	3769074	3766055	0.97	cps
Sulfur	34-1	253103	257153	253985	254747	0.84	cps
Terbium	159-1	17840591	17775322	17531822	17715912	0.92	cps
Terbium	159-2	11604449	11678900	11405112	11562820	1.22	cps
Thallium	203-1	305341	308415	308958	307571	0.63	cps
Thallium	205-1	716579	726683	728247	723836	0.87	cps
Tin	118-1	36804	37382	36904	37030	0.83	cps
Titanium	47-1	2545933	2632726	2597363	2592007	1.68	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:31:16 DataFile Name : 038SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	32249	32483	32419	32384	0.37	cps
Vanadium	51-2	3686370	3721667	3620260	3676099	1.40	cps
Yttrium	89-1	25851188	25952605	26085970	25963255	0.45	cps
Yttrium	89-2	6176926	6164161	6222946	6188011	0.50	cps
Zinc	66-2	619547	620412	625795	621918	0.54	cps
Zirconium	90-1	446107	453635	448413	449385	0.86	cps
Zirconium	91-1	98502	100944	100482	99976	1.30	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	24559355	24165700	24172015	24299024	0.93	cps
Antimony	121-1	4028614	4001909	4052094	4027539	0.62	cps
Arsenic	75-2	210275	207582	207481	208446	0.76	cps
Barium	135-1	24717174	24321607	24418468	24485750	0.84	cps
Barium	137-1	42323447	42457389	42127345	42302727	0.39	cps
Beryllium	9-1	363736	368147	377190	369691	1.86	cps
Bismuth	209-1	9832837	9953193	9894191	9893407	0.61	cps
Bismuth	209-2	7593300	7592988	7712344	7632877	0.90	cps
Bromine	81-1	14891	15231	15525	15216	2.09	cps
Bromine	81-2	1093	1107	1330	1177	11.30	cps
Cadmium	108-1	33622	34294	34615	34177	1.48	cps
Cadmium	106-1	53007	53722	53070	53266	0.74	cps
Cadmium	111-1	515220	522101	516163	517828	0.72	cps
Calcium	43-1	726992	736049	729702	730914	0.64	cps
Calcium	44-1	10942372	11280909	11301603	11174961	1.80	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	6001197	5918070	5996505	5971924	0.78	cps
Cobalt	59-2	19312037	18963088	18871543	19048889	1.22	cps
Copper	63-2	7859008	7858398	7752303	7823237	0.79	cps
Dysprosium	156-1	92569	94462	93126	93386	1.04	cps
Dysprosium	156-2	74570	74831	74838	74746	0.20	cps
Erbium	164-1	78683	79367	78868	78973	0.45	cps
Erbium	164-2	51976	51712	51836	51841	0.26	cps
Gadolinium	160-1	88018	89222	89225	88821	0.78	cps
Gadolinium	160-2	62542	63092	62646	62760	0.47	cps
Holmium	165-1	17025013	17094116	16924474	17014534	0.50	cps
Holmium	165-2	11497734	11415706	11645872	11519771	1.01	cps
Indium	115-1	14717820	14785022	14531352	14678065	0.90	cps
Indium	115-2	4736810	4812050	4806707	4785189	0.88	cps
Iron	56-2	851422014	862551534	849117587	854363712	0.84	cps
Iron	57-2	21019479	21147380	20882148	21016335	0.63	cps
Iron	54-2	46589021	47436336	47288116	47104491	0.96	cps
Krypton	83-1	513	570	563	549	5.64	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	844723	855054	845294	848357	0.68	cps
Lead	207-1	732696	734245	740955	735966	0.60	cps
Lead	208-1	3548197	3597572	3602976	3582915	0.84	cps
Lithium	6-1	1874661	1918974	1947270	1913635	1.91	cps
Magnesium	24-2	22082188	21735952	21632954	21817031	1.08	cps
Manganese	55-2	33725017	33992925	33647370	33788438	0.54	cps
Molybdenum	94-1	159818	163179	164219	162405	1.42	cps
Molybdenum	95-1	11838	12295	12012	12048	1.91	cps
Molybdenum	96-1	44889	45467	44969	45108	0.69	cps
Molybdenum	97-1	6648	7085	7088	6941	3.65	cps
Molybdenum	98-1	18041	17828	18295	18055	1.30	cps
Neodymium	150-1	165551	166076	163668	165098	0.77	cps
Neodymium	150-2	92937	92562	92867	92789	0.21	cps
Nickel	60-2	5189339	5111019	5088537	5129632	1.03	cps
Phosphorus	31-2	33143	33019	33751	33304	1.18	cps
Potassium	39-2	6077443	6103235	6078131	6086270	0.24	cps
Rhodium	103-1	14187045	14043053	13861603	14030567	1.16	cps
Rhodium	103-2	8666563	8605278	8626227	8632690	0.36	cps
Scandium	45-1	11119716	11473921	11468959	11354199	1.79	cps
Scandium	45-2	1015622	1005725	1006243	1009197	0.55	cps
Selenium	82-1	79590	80912	80476	80326	0.84	cps
Selenium	77-2	7982	7759	7845	7862	1.43	cps
Selenium	78-2	25459	25302	25662	25474	0.71	cps
Silicon	28-1	54475841	56120408	55386564	55327604	1.49	cps
Silver	107-1	2157541	2203335	2210281	2190386	1.31	cps
Silver	109-1	2312641	2056594	2106422	2158552	6.29	cps
Sodium	23-2	340110	339564	336993	338889	0.49	cps
Strontium	86-1	412144	420469	413023	415212	1.10	cps
Strontium	88-1	3585270	3717709	3729468	3677483	2.18	cps
Sulfur	34-1	248885	244807	242214	245302	1.37	cps
Terbium	159-1	17635865	17659205	17877732	17724267	0.75	cps
Terbium	159-2	11494284	11456223	11519127	11489878	0.28	cps
Thallium	203-1	1536862	1538478	1565877	1547073	1.05	cps
Thallium	205-1	4128135	4068246	4165875	4120752	1.19	cps
Tin	118-1	34702	34518	35845	35021	2.05	cps
Titanium	47-1	2444504	2558117	2532813	2511812	2.37	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MS Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:34:18 DataFile Name : 039SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	31948	31534	31828	31770	0.67	cps
Vanadium	51-2	12487899	12351372	12536236	12458503	0.77	cps
Yttrium	89-1	25911440	25902050	26098717	25970736	0.43	cps
Yttrium	89-2	6102963	6104463	6119151	6108859	0.15	cps
Zinc	66-2	2300777	2289715	2263737	2284743	0.83	cps
Zirconium	90-1	430175	431233	435849	432419	0.70	cps
Zirconium	91-1	96981	98082	96971	97345	0.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16741819	16932975	16711982	16795592	0.71	cps
Antimony	121-1	17474	18025	17828	17776	1.57	cps
Arsenic	75-2	132323	131157	131590	131690	0.45	cps
Barium	135-1	2588307	2617142	2621564	2609005	0.69	cps
Barium	137-1	4451904	4538004	4419476	4469794	1.37	cps
Beryllium	9-1	4424	4664	4661	4583	3.00	cps
Bismuth	209-1	9938625	10069928	9887073	9965209	0.95	cps
Bismuth	209-2	7813220	7686974	7676340	7725511	0.99	cps
Bromine	81-1	14430	14080	14694	14402	2.14	cps
Bromine	81-2	883	890	790	854	6.54	cps
Cadmium	108-1	727	717	723	722	0.71	cps
Cadmium	106-1	6295	6201	6201	6232	0.86	cps
Cadmium	111-1	8468	8727	8886	8694	2.42	cps
Calcium	43-1	453902	460550	460596	458349	0.84	cps
Calcium	44-1	6897401	6925646	7063725	6962257	1.28	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	993915	989722	977575	987071	0.86	cps
Cobalt	59-2	863273	852774	846176	854075	1.01	cps
Copper	63-2	1819534	1816051	1800437	1812007	0.56	cps
Dysprosium	156-1	97670	97767	97761	97733	0.06	cps
Dysprosium	156-2	77781	76729	76507	77006	0.88	cps
Erbium	164-1	77403	78667	78485	78185	0.87	cps
Erbium	164-2	51662	51170	51739	51524	0.60	cps
Gadolinium	160-1	88457	88893	90205	89185	1.02	cps
Gadolinium	160-2	64059	63567	63339	63655	0.58	cps
Holmium	165-1	17047793	17078541	17052997	17059777	0.10	cps
Holmium	165-2	11452192	11263907	11469063	11395054	1.00	cps
Indium	115-1	14663527	14617150	14750155	14676944	0.46	cps
Indium	115-2	4742426	4817193	4742762	4767460	0.90	cps
Iron	56-2	961417026	949290279	949057426	953254910	0.74	cps
Iron	57-2	23122200	23568144	23264191	23318178	0.98	cps
Iron	54-2	52489123	52295249	52394039	52392804	0.19	cps
Krypton	83-1	480	560	540	527	7.91	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	629868	635119	645856	636948	1.28	cps
Lead	207-1	557760	564885	558893	560513	0.68	cps
Lead	208-1	2512536	2544974	2555566	2537692	0.88	cps
Lithium	6-1	1919156	1882289	1854679	1885375	1.72	cps
Magnesium	24-2	14660641	14794493	14611816	14688983	0.64	cps
Manganese	55-2	42645771	42293019	41987822	42308871	0.78	cps
Molybdenum	94-1	172767	172543	171933	172415	0.25	cps
Molybdenum	95-1	13006	12732	12405	12715	2.36	cps
Molybdenum	96-1	48390	48530	47982	48301	0.59	cps
Molybdenum	97-1	7065	7682	7702	7483	4.84	cps
Molybdenum	98-1	18458	18652	18705	18605	0.70	cps
Neodymium	150-1	174128	175754	176771	175551	0.76	cps
Neodymium	150-2	97159	98078	96972	97403	0.61	cps
Nickel	60-2	342845	346623	341638	343702	0.76	cps
Phosphorus	31-2	46437	45895	45360	45898	1.17	cps
Potassium	39-2	6266819	6336544	6213695	6272353	0.98	cps
Rhodium	103-1	14192729	14130410	14181395	14168178	0.23	cps
Rhodium	103-2	8626438	8575715	8641228	8614460	0.40	cps
Scandium	45-1	11195869	11333809	11373790	11301156	0.83	cps
Scandium	45-2	1012036	1024131	1004631	1013599	0.97	cps
Selenium	82-1	851	831	860	847	1.76	cps
Selenium	77-2	480	463	447	463	3.60	cps
Selenium	78-2	757	780	723	753	3.78	cps
Silicon	28-1	63829819	65861491	65547751	65079687	1.68	cps
Silver	107-1	9567	8102	7796	8488	11.15	cps
Silver	109-1	8663	7612	7215	7830	9.55	cps
Sodium	23-2	297632	300927	303313	300624	0.95	cps
Strontium	86-1	449791	457689	456766	454749	0.95	cps
Strontium	88-1	4046868	4132957	4068642	4082822	1.10	cps
Sulfur	34-1	263200	262491	260407	262033	0.55	cps
Terbium	159-1	17936034	17543182	17885355	17788190	1.20	cps
Terbium	159-2	11545189	11622606	11413148	11526981	0.92	cps
Thallium	203-1	4104	4504	4481	4363	5.15	cps
Thallium	205-1	10204	10097	10181	10161	0.55	cps
Tin	118-1	33425	33773	33766	33655	0.59	cps
Titanium	47-1	2462313	2490989	2525559	2492954	1.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-18 Instrumnet Name : P7
Client Sample ID : MYD0W3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:37:12 DataFile Name : 040SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	34551	35504	34846	34967	1.39	cps
Vanadium	51-2	1855956	1850966	1822929	1843284	0.97	cps
Yttrium	89-1	25752044	25988387	25748340	25829590	0.53	cps
Yttrium	89-2	6055802	6082863	6120700	6086455	0.54	cps
Zinc	66-2	522677	520424	518660	520587	0.39	cps
Zirconium	90-1	456026	458643	459808	458159	0.42	cps
Zirconium	91-1	100444	101754	102897	101698	1.21	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	17279022	17203347	16938599	17140323	1.04	cps
Antimony	121-1	17701	18479	17958	18046	2.20	cps
Arsenic	75-2	110521	111062	110172	110585	0.41	cps
Barium	135-1	5128562	5216467	5411773	5252267	2.76	cps
Barium	137-1	8813691	9001663	8948064	8921139	1.09	cps
Beryllium	9-1	5279	5235	5320	5278	0.81	cps
Bismuth	209-1	10298714	9924618	9738288	9987207	2.86	cps
Bismuth	209-2	7717173	7686787	7699503	7701154	0.20	cps
Bromine	81-1	14350	14424	15208	14661	3.24	cps
Bromine	81-2	1160	947	1073	1060	10.12	cps
Cadmium	108-1	857	727	793	792	8.21	cps
Cadmium	106-1	6512	6325	6025	6287	3.91	cps
Cadmium	111-1	8883	8870	8646	8799	1.51	cps
Calcium	43-1	468647	481514	496430	482197	2.88	cps
Calcium	44-1	7261752	7215122	7161928	7212934	0.69	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	959564	961375	959888	960275	0.10	cps
Cobalt	59-2	807068	798583	792272	799308	0.93	cps
Copper	63-2	2012067	2033877	2002869	2016271	0.79	cps
Dysprosium	156-1	108421	109630	105627	107893	1.90	cps
Dysprosium	156-2	86373	86773	87084	86743	0.41	cps
Erbium	164-1	83699	82455	81666	82606	1.24	cps
Erbium	164-2	55968	56142	54245	55452	1.89	cps
Gadolinium	160-1	96090	96647	98658	97132	1.39	cps
Gadolinium	160-2	70432	69139	68644	69405	1.33	cps
Holmium	165-1	17155022	17470991	16690704	17105573	2.29	cps
Holmium	165-2	11594288	11573605	11612550	11593481	0.17	cps
Indium	115-1	14223069	14506854	14308667	14346196	1.01	cps
Indium	115-2	4770212	4709822	4874644	4784893	1.74	cps
Iron	56-2	875441320	866705054	874918360	872354911	0.56	cps
Iron	57-2	21349620	21758731	21464518	21524290	0.98	cps
Iron	54-2	47877728	48061428	48046336	47995164	0.21	cps
Krypton	83-1	533	540	507	527	3.35	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	653662	652754	641811	649409	1.02	cps
Lead	207-1	555742	579117	584922	573260	2.69	cps
Lead	208-1	2559478	2581636	2579402	2573505	0.47	cps
Lithium	6-1	1862040	1777570	1774024	1804545	2.76	cps
Magnesium	24-2	13654580	13555499	13368841	13526306	1.07	cps
Manganese	55-2	68342886	68317261	68515096	68391747	0.16	cps
Molybdenum	94-1	181449	189297	187346	186031	2.20	cps
Molybdenum	95-1	12299	12952	13199	12817	3.63	cps
Molybdenum	96-1	49306	49032	47878	48739	1.56	cps
Molybdenum	97-1	7012	7395	7128	7178	2.74	cps
Molybdenum	98-1	17891	17000	17484	17458	2.56	cps
Neodymium	150-1	203698	200265	203450	202471	0.95	cps
Neodymium	150-2	114369	112676	114376	113807	0.86	cps
Nickel	60-2	386410	380743	384826	383993	0.76	cps
Phosphorus	31-2	38254	37760	37616	37877	0.88	cps
Potassium	39-2	4641861	4634843	4630497	4635734	0.12	cps
Rhodium	103-1	14669181	14125532	13985926	14260213	2.53	cps
Rhodium	103-2	8651282	8621034	8750025	8674113	0.78	cps
Scandium	45-1	11254489	11120459	11099774	11158241	0.75	cps
Scandium	45-2	1016247	1011589	1012666	1013500	0.24	cps
Selenium	82-1	819	833	954	869	8.53	cps
Selenium	77-2	443	553	540	512	11.72	cps
Selenium	78-2	783	930	793	836	9.81	cps
Silicon	28-1	65610416	61004067	60254576	62289686	4.66	cps
Silver	107-1	7639	7469	7692	7600	1.54	cps
Silver	109-1	6682	7282	6708	6891	4.92	cps
Sodium	23-2	308284	310044	311853	310061	0.58	cps
Strontium	86-1	622087	641693	627296	630359	1.61	cps
Strontium	88-1	5394404	5703466	5821613	5639828	3.91	cps
Sulfur	34-1	253456	250236	243618	249103	2.01	cps
Terbium	159-1	17421507	17959017	18221877	17867467	2.28	cps
Terbium	159-2	11760730	11442366	11407009	11536701	1.69	cps
Thallium	203-1	5278	5314	5525	5372	2.48	cps
Thallium	205-1	12883	12563	12886	12777	1.45	cps
Tin	118-1	35085	32129	31929	33047	5.35	cps
Titanium	47-1	2909824	2810733	2823002	2847853	1.90	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-19 Instrumnet Name : P7
Client Sample ID : MYD0W4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:40:17 DataFile Name : 041SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	38268	39054	39693	39005	1.83	cps
Vanadium	51-2	1651124	1664442	1669644	1661737	0.57	cps
Yttrium	89-1	25394635	26073468	27108904	26192335	3.30	cps
Yttrium	89-2	6273042	6143359	6240340	6218914	1.08	cps
Zinc	66-2	347106	349938	348679	348574	0.41	cps
Zirconium	90-1	483820	489729	496231	489927	1.27	cps
Zirconium	91-1	111796	108907	107117	109273	2.16	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	21231130	21489926	21109902	21276986	0.91	cps
Antimony	121-1	8996	9136	8839	8991	1.65	cps
Arsenic	75-2	108409	109775	107573	108586	1.02	cps
Barium	135-1	2334484	2337432	2358676	2343531	0.56	cps
Barium	137-1	4020611	4003587	4017719	4013972	0.23	cps
Beryllium	9-1	5689	5562	5563	5605	1.30	cps
Bismuth	209-1	9807593	9804304	9820267	9810721	0.09	cps
Bismuth	209-2	7606640	7589179	7741065	7645628	1.09	cps
Bromine	81-1	17714	18425	19359	18499	4.46	cps
Bromine	81-2	1743	1740	1660	1715	2.75	cps
Cadmium	108-1	670	640	613	641	4.42	cps
Cadmium	106-1	5991	6245	5955	6064	2.61	cps
Cadmium	111-1	6075	6400	6039	6171	3.22	cps
Calcium	43-1	567988	573687	589792	577155	1.96	cps
Calcium	44-1	8493155	8591709	8642472	8575779	0.89	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1060718	1072057	1056780	1063185	0.75	cps
Cobalt	59-2	740683	740047	737057	739262	0.26	cps
Copper	63-2	1473830	1478338	1468755	1473641	0.33	cps
Dysprosium	156-1	120253	120579	117826	119553	1.26	cps
Dysprosium	156-2	94392	94740	96160	95097	0.99	cps
Erbium	164-1	85989	86670	87833	86831	1.07	cps
Erbium	164-2	58756	58716	57675	58382	1.05	cps
Gadolinium	160-1	105167	106648	107092	106303	0.95	cps
Gadolinium	160-2	76102	76474	74701	75759	1.23	cps
Holmium	165-1	17628147	17113045	16736208	17159133	2.61	cps
Holmium	165-2	11643089	11375959	11405812	11474953	1.28	cps
Indium	115-1	14603042	14430742	14318079	14450621	0.99	cps
Indium	115-2	4761473	4810177	4754575	4775409	0.63	cps
Iron	56-2	877744787	884497747	874374014	878872182	0.59	cps
Iron	57-2	21619606	21760862	21734027	21704832	0.35	cps
Iron	54-2	48183724	47731958	47583176	47832953	0.65	cps
Krypton	83-1	423	493	527	481	10.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	438854	435704	434180	436246	0.55	cps
Lead	207-1	386081	388277	391458	388605	0.70	cps
Lead	208-1	1732292	1724933	1742881	1733369	0.52	cps
Lithium	6-1	1775695	1801431	1817191	1798106	1.16	cps
Magnesium	24-2	14365883	14399222	14022874	14262660	1.46	cps
Manganese	55-2	30729060	30594144	30792373	30705192	0.33	cps
Molybdenum	94-1	202999	203757	203994	203583	0.26	cps
Molybdenum	95-1	8859	8929	8873	8887	0.42	cps
Molybdenum	96-1	48577	47741	48433	48251	0.93	cps
Molybdenum	97-1	5448	5298	5468	5404	1.72	cps
Molybdenum	98-1	12769	12736	13099	12868	1.56	cps
Neodymium	150-1	229487	235270	234178	232978	1.32	cps
Neodymium	150-2	133412	131882	130683	131992	1.04	cps
Nickel	60-2	394976	390034	390958	391989	0.67	cps
Phosphorus	31-2	37359	38024	37452	37612	0.96	cps
Potassium	39-2	3801592	3814887	3801241	3805907	0.20	cps
Rhodium	103-1	14119988	13922624	14039316	14027309	0.71	cps
Rhodium	103-2	8667247	8693337	8592857	8651147	0.60	cps
Scandium	45-1	10882193	11200521	11028191	11036968	1.44	cps
Scandium	45-2	1028845	1032524	1012097	1024489	1.06	cps
Selenium	82-1	1000	925	937	954	4.27	cps
Selenium	77-2	497	480	550	509	7.19	cps
Selenium	78-2	850	923	753	842	10.12	cps
Silicon	28-1	62045686	62338269	63256029	62546661	1.01	cps
Silver	107-1	4697	5131	5111	4980	4.91	cps
Silver	109-1	4634	4507	4261	4467	4.25	cps
Sodium	23-2	348348	352071	350881	350434	0.54	cps
Strontium	86-1	585232	585228	576339	582266	0.88	cps
Strontium	88-1	5082036	5239621	5217830	5179829	1.65	cps
Sulfur	34-1	250853	245996	242627	246492	1.68	cps
Terbium	159-1	18157828	18137023	18016362	18103738	0.42	cps
Terbium	159-2	11495429	11653588	11253601	11467539	1.76	cps
Thallium	203-1	4224	4668	4251	4381	5.68	cps
Thallium	205-1	9957	10284	10000	10080	1.76	cps
Tin	118-1	38321	39561	38889	38924	1.59	cps
Titanium	47-1	3303963	3338392	3402658	3348338	1.50	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-20 Instrumnet Name : P7
Client Sample ID : MYD0W5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:43:21 DataFile Name : 042SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	42327	42963	43645	42978	1.53	cps
Vanadium	51-2	1756174	1779439	1736921	1757512	1.21	cps
Yttrium	89-1	25659316	26232166	27046435	26312639	2.65	cps
Yttrium	89-2	6324671	6282269	6201509	6269483	1.00	cps
Zinc	66-2	278761	280115	275636	278171	0.83	cps
Zirconium	90-1	539323	542678	545857	542619	0.60	cps
Zirconium	91-1	118981	118863	118779	118874	0.09	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	23993241	23592067	23847486	23810932	0.85	cps
Antimony	121-1	32580	33385	33412	33126	1.43	cps
Arsenic	75-2	110357	108879	107933	109056	1.12	cps
Barium	135-1	2317373	2329583	2361403	2336120	0.97	cps
Barium	137-1	3981900	4052634	3999091	4011208	0.92	cps
Beryllium	9-1	6191	6053	6138	6128	1.14	cps
Bismuth	209-1	10142562	10220940	10302564	10222022	0.78	cps
Bismuth	209-2	6906753	7956969	7652656	7505459	7.20	cps
Bromine	81-1	20858	21693	22040	21530	2.82	cps
Bromine	81-2	2490	2280	2214	2328	6.20	cps
Cadmium	108-1	667	560	667	631	9.76	cps
Cadmium	106-1	5885	5748	6241	5958	4.28	cps
Cadmium	111-1	4796	4785	5119	4900	3.87	cps
Calcium	43-1	647495	659032	660990	655839	1.11	cps
Calcium	44-1	10307009	10541508	10092691	10313736	2.18	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1053094	1038274	1043694	1045021	0.72	cps
Cobalt	59-2	746615	731488	744985	741029	1.12	cps
Copper	63-2	1155266	1134844	1149329	1146479	0.92	cps
Dysprosium	156-1	129874	129877	133006	130919	1.38	cps
Dysprosium	156-2	107199	107141	107749	107363	0.31	cps
Erbium	164-1	96282	98161	99293	97912	1.55	cps
Erbium	164-2	64023	62881	63396	63433	0.90	cps
Gadolinium	160-1	117087	117824	116506	117139	0.56	cps
Gadolinium	160-2	85009	83518	84714	84414	0.94	cps
Holmium	165-1	16787316	16776241	16908786	16824114	0.44	cps
Holmium	165-2	10540180	11708094	11458426	11235567	5.47	cps
Indium	115-1	14606985	14750309	14392873	14583389	1.23	cps
Indium	115-2	4384574	4878761	4803743	4689026	5.68	cps
Iron	56-2	872610654	869909667	872175720	871565347	0.17	cps
Iron	57-2	21527402	21388937	21316483	21410941	0.50	cps
Iron	54-2	48301408	48291338	47996293	48196346	0.36	cps
Krypton	83-1	517	523	477	506	4.99	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	304468	308247	312537	308417	1.31	cps
Lead	207-1	261429	263460	261390	262093	0.45	cps
Lead	208-1	1208085	1221689	1212937	1214237	0.57	cps
Lithium	6-1	2037117	2054367	1794841	1962108	7.40	cps
Magnesium	24-2	14686693	14410076	14462882	14519884	1.01	cps
Manganese	55-2	29001130	28220467	28297249	28506282	1.51	cps
Molybdenum	94-1	219954	223165	222620	221913	0.77	cps
Molybdenum	95-1	8002	8029	8129	8053	0.83	cps
Molybdenum	96-1	52504	52946	54153	53201	1.60	cps
Molybdenum	97-1	4524	4771	4604	4633	2.72	cps
Molybdenum	98-1	11635	12035	11925	11865	1.74	cps
Neodymium	150-1	279001	285445	277030	280492	1.57	cps
Neodymium	150-2	154618	150168	153571	152785	1.52	cps
Nickel	60-2	419444	418541	413078	417021	0.83	cps
Phosphorus	31-2	42980	41426	42429	42278	1.86	cps
Potassium	39-2	3210761	3131655	3129144	3157187	1.47	cps
Rhodium	103-1	14510311	14546682	14381075	14479356	0.60	cps
Rhodium	103-2	7873705	9021516	8695196	8530139	6.93	cps
Scandium	45-1	11727265	11983847	11324055	11678389	2.85	cps
Scandium	45-2	948392	1054472	1021494	1008119	5.39	cps
Selenium	82-1	936	913	928	926	1.26	cps
Selenium	77-2	660	647	563	623	8.40	cps
Selenium	78-2	920	877	957	918	4.36	cps
Silicon	28-1	65904287	65849399	66626872	66126853	0.66	cps
Silver	107-1	2820	3040	2927	2929	3.76	cps
Silver	109-1	2657	2637	2804	2699	3.37	cps
Sodium	23-2	409380	407859	407395	408211	0.25	cps
Strontium	86-1	598770	609425	608447	605547	0.97	cps
Strontium	88-1	5280300	5364678	5370281	5338420	0.94	cps
Sulfur	34-1	237896	237906	238628	238144	0.18	cps
Terbium	159-1	17457991	17468543	17496427	17474320	0.11	cps
Terbium	159-2	10468759	11935337	11585653	11329916	6.76	cps
Thallium	203-1	3734	3567	3731	3677	2.59	cps
Thallium	205-1	8683	8930	8940	8851	1.64	cps
Tin	118-1	38743	38889	39113	38915	0.48	cps
Titanium	47-1	3915383	3948565	3918500	3927483	0.47	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-21 Instrumnet Name : P7
Client Sample ID : MYD0W6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:46:27 DataFile Name : 043SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	42250	41749	42775	42258	1.21	cps
Vanadium	51-2	1741675	1765328	1756174	1754392	0.68	cps
Yttrium	89-1	25460007	25591449	25598311	25549922	0.31	cps
Yttrium	89-2	5831095	6377668	6328306	6179023	4.89	cps
Zinc	66-2	246768	243295	249628	246564	1.29	cps
Zirconium	90-1	605480	615443	602579	607834	1.11	cps
Zirconium	91-1	136256	140176	141067	139166	1.84	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	18078467	18098703	18095039	18090736	0.06	cps
Antimony	121-1	6465077	6413726	6479668	6452824	0.54	cps
Arsenic	75-2	384432	379588	382576	382199	0.64	cps
Barium	135-1	8227168	8333241	8336244	8298884	0.75	cps
Barium	137-1	14630869	14640707	14399911	14557162	0.94	cps
Beryllium	9-1	1221046	1243933	1247956	1237645	1.17	cps
Bismuth	209-1	9274576	9469605	9212120	9318767	1.44	cps
Bismuth	209-2	7381537	7248507	7340018	7323354	0.93	cps
Bromine	81-1	11711	12072	11595	11793	2.11	cps
Bromine	81-2	147	190	200	179	15.85	cps
Cadmium	108-1	124384	126567	127091	126014	1.14	cps
Cadmium	106-1	183227	187241	181369	183945	1.63	cps
Cadmium	111-1	1756359	1710501	1693790	1720217	1.88	cps
Calcium	43-1	11435467	11372142	11224769	11344126	0.95	cps
Calcium	44-1	180760391	179030497	179565417	179785435	0.49	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3397502	3384561	3333023	3371695	1.01	cps
Cobalt	59-2	5337257	5313840	5439119	5363405	1.24	cps
Copper	63-2	37417374	37163788	37476148	37352437	0.44	cps
Dysprosium	156-1	317	343	287	316	8.98	cps
Dysprosium	156-2	477	507	400	461	11.93	cps
Erbium	164-1	420	397	353	390	8.67	cps
Erbium	164-2	260	273	267	267	2.50	cps
Gadolinium	160-1	277	293	277	282	3.41	cps
Gadolinium	160-2	493	427	527	482	10.56	cps
Holmium	165-1	16903429	16196897	16296024	16465450	2.32	cps
Holmium	165-2	11439134	11240174	11284400	11321236	0.92	cps
Indium	115-1	14074907	13661433	13515235	13750525	2.11	cps
Indium	115-2	4505705	4424456	4487062	4472408	0.95	cps
Iron	56-2	700584230	690995563	696167936	695915910	0.69	cps
Iron	57-2	17272969	17130700	17130087	17177918	0.48	cps
Iron	54-2	38583987	37849759	38572548	38335431	1.10	cps
Krypton	83-1	370	397	370	379	4.06	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	22576016	22457680	22612154	22548617	0.36	cps
Lead	207-1	19450251	19897967	19963618	19770612	1.41	cps
Lead	208-1	88917017	90716188	90459099	90030768	1.08	cps
Lithium	6-1	2070395	2028010	2120997	2073134	2.25	cps
Magnesium	24-2	156009651	155961008	154450338	155473665	0.57	cps
Manganese	55-2	23413914	23296445	23397773	23369377	0.27	cps
Molybdenum	94-1	27617319	27693454	27875549	27728774	0.48	cps
Molybdenum	95-1	39785283	40331444	40123278	40080002	0.69	cps
Molybdenum	96-1	44115521	44193051	43741954	44016842	0.55	cps
Molybdenum	97-1	25003780	24941546	24823281	24922869	0.37	cps
Molybdenum	98-1	64711302	63713321	63307481	63910701	1.13	cps
Neodymium	150-1	413	463	480	452	7.67	cps
Neodymium	150-2	113	123	110	116	6.01	cps
Nickel	60-2	1340327	1308315	1315204	1321282	1.28	cps
Phosphorus	31-2	202737	201559	199178	201158	0.90	cps
Potassium	39-2	95067789	95707369	95765152	95513436	0.41	cps
Rhodium	103-1	13279424	13312760	13144310	13245498	0.67	cps
Rhodium	103-2	7947569	7882179	7853353	7894367	0.61	cps
Scandium	45-1	10273341	10414490	10422534	10370122	0.81	cps
Scandium	45-2	895395	889547	898340	894427	0.50	cps
Selenium	82-1	118521	120996	119867	119795	1.03	cps
Selenium	77-2	10224	10584	10384	10397	1.74	cps
Selenium	78-2	35352	35506	35800	35553	0.64	cps
Silicon	28-1	16800213	17060880	17422191	17094428	1.83	cps
Silver	107-1	8746605	8922398	8622624	8763876	1.72	cps
Silver	109-1	8173537	8109541	8114586	8132555	0.44	cps
Sodium	23-2	271061696	269736023	270930943	270576220	0.27	cps
Strontium	86-1	60213634	59312897	59808179	59778237	0.75	cps
Strontium	88-1	521688486	522608366	517934579	520743810	0.48	cps
Sulfur	34-1	1020274	1001184	999747	1007068	1.14	cps
Terbium	159-1	17158084	16945491	17117507	17073694	0.66	cps
Terbium	159-2	11306664	11487524	11514995	11436395	0.99	cps
Thallium	203-1	5690884	5511744	5629102	5610577	1.62	cps
Thallium	205-1	13376519	13167556	13293579	13279218	0.79	cps
Tin	118-1	5606824	5530461	5516675	5551320	0.87	cps
Titanium	47-1	11759185	11730650	11934244	11808026	0.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV002 Instrumnet Name : P7
Client Sample ID : CCV002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:49:31 DataFile Name : 044CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17613532	17759337	18023808	17798892	1.17	cps
Vanadium	51-2	3095411	3062063	3059294	3072256	0.65	cps
Yttrium	89-1	23626032	23846369	23653484	23708628	0.51	cps
Yttrium	89-2	5728653	5654447	5643834	5675645	0.81	cps
Zinc	66-2	5740923	5689397	5655832	5695384	0.75	cps
Zirconium	90-1	12631516	12861975	13009314	12834268	1.48	cps
Zirconium	91-1	2825298	2854354	2907999	2862550	1.47	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1753	1530	1553	1612	7.61	cps
Antimony	121-1	4421	4557	5141	4706	8.13	cps
Arsenic	75-2	33	57	27	39	40.51	cps
Barium	135-1	527	413	330	423	23.32	cps
Barium	137-1	830	607	503	647	25.82	cps
Beryllium	9-1	87	82	105	92	13.16	cps
Bismuth	209-1	10287413	10304645	9998147	10196735	1.69	cps
Bismuth	209-2	8198804	8052829	7994139	8081924	1.30	cps
Bromine	81-1	11551	11561	11148	11420	2.07	cps
Bromine	81-2	160	147	133	147	9.09	cps
Cadmium	108-1	27	23	27	26	7.55	cps
Cadmium	106-1	4664	4704	4607	4659	1.04	cps
Cadmium	111-1	3380	3400	3293	3358	1.69	cps
Calcium	43-1	1020	857	903	927	9.08	cps
Calcium	44-1	55363	54175	53048	54195	2.14	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1623	1730	1743	1699	3.87	cps
Cobalt	59-2	327	257	257	280	14.43	cps
Copper	63-2	5875	5948	6271	6031	3.50	cps
Dysprosium	156-1	17	20	7	14	48.02	cps
Dysprosium	156-2	10	10	3	8	49.52	cps
Erbium	164-1	100	120	137	119	15.44	cps
Erbium	164-2	70	57	70	66	11.74	cps
Gadolinium	160-1	63	103	73	80	26.03	cps
Gadolinium	160-2	413	340	370	374	9.85	cps
Holmium	165-1	16698311	16329747	16522664	16516907	1.12	cps
Holmium	165-2	11612799	11455738	11402895	11490477	0.95	cps
Indium	115-1	14653344	14778789	14603605	14678579	0.62	cps
Indium	115-2	4915963	4870184	4857337	4881161	0.63	cps
Iron	56-2	54445	55077	56834	55452	2.23	cps
Iron	57-2	2807	2774	3050	2877	5.25	cps
Iron	54-2	4427	4294	4654	4458	4.08	cps
Krypton	83-1	390	347	337	358	7.92	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2870	2354	2277	2500	12.91	cps
Lead	207-1	2314	2384	2027	2241	8.43	cps
Lead	208-1	10942	9818	9045	9935	9.60	cps
Lithium	6-1	2190756	2131272	2204663	2175563	1.79	cps
Magnesium	24-2	6808	6531	7152	6830	4.55	cps
Manganese	55-2	1570	1640	1640	1617	2.50	cps
Molybdenum	94-1	3000	2804	2867	2890	3.47	cps
Molybdenum	95-1	3087	2600	2284	2657	15.23	cps
Molybdenum	96-1	3544	2880	3064	3163	10.83	cps
Molybdenum	97-1	1983	1587	1523	1698	14.69	cps
Molybdenum	98-1	4767	4047	3991	4268	10.15	cps
Neodymium	150-1	23	3	13	13	75.02	cps
Neodymium	150-2	7	7	10	8	24.71	cps
Nickel	60-2	343	307	363	338	8.51	cps
Phosphorus	31-2	260	237	160	219	23.90	cps
Potassium	39-2	101999	101368	99777	101048	1.13	cps
Rhodium	103-1	14638951	14372355	14294385	14435230	1.25	cps
Rhodium	103-2	8956582	8779360	8772974	8836305	1.18	cps
Scandium	45-1	10399692	10444788	10432694	10425725	0.22	cps
Scandium	45-2	918111	905143	902753	908669	0.91	cps
Selenium	82-1	523	541	597	554	6.98	cps
Selenium	77-2	0	3	0	1	173.21	cps
Selenium	78-2	523	353	433	437	19.48	cps
Silicon	28-1	410485	406972	408721	408726	0.43	cps
Silver	107-1	1503	1270	1163	1312	13.25	cps
Silver	109-1	1397	1163	873	1145	22.91	cps
Sodium	23-2	96822	94829	95309	95653	1.09	cps
Strontium	86-1	3340	2684	2650	2891	13.46	cps
Strontium	88-1	24007	18639	17180	19942	18.03	cps
Sulfur	34-1	317897	314890	316864	316550	0.48	cps
Terbium	159-1	17204313	17377081	17233624	17271673	0.54	cps
Terbium	159-2	11532927	11417693	11546897	11499172	0.62	cps
Thallium	203-1	1020	787	593	800	26.71	cps
Thallium	205-1	2247	1750	1573	1857	18.80	cps
Tin	118-1	3000	3267	3507	3258	7.78	cps
Titanium	47-1	1083	957	913	984	8.97	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB002 Instrumnet Name : P7
Client Sample ID : CCB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:52:16 DataFile Name : 045CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	703	610	557	623	11.91	cps
Vanadium	51-2	127	177	200	168	22.33	cps
Yttrium	89-1	23839930	24101806	23969971	23970569	0.55	cps
Yttrium	89-2	5780787	5822634	5845897	5816439	0.57	cps
Zinc	66-2	2910	2804	2644	2786	4.82	cps
Zirconium	90-1	3460	3527	3834	3607	5.52	cps
Zirconium	91-1	777	793	817	796	2.53	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	32547101	32439615	32847568	32611428	0.65	cps
Antimony	121-1	13213	13363	13807	13461	2.29	cps
Arsenic	75-2	155529	152942	152780	153750	1.00	cps
Barium	135-1	686932	683984	686357	685758	0.23	cps
Barium	137-1	1168233	1182389	1185744	1178789	0.79	cps
Beryllium	9-1	2863	3131	3088	3027	4.76	cps
Bismuth	209-1	9873150	9801349	9821058	9831852	0.38	cps
Bismuth	209-2	7625683	7663790	7726018	7671830	0.66	cps
Bromine	81-1	15261	14514	14751	14842	2.57	cps
Bromine	81-2	890	1027	990	969	7.30	cps
Cadmium	108-1	440	513	460	471	8.05	cps
Cadmium	106-1	5611	5705	5294	5537	3.88	cps
Cadmium	111-1	7717	7891	7198	7602	4.74	cps
Calcium	43-1	456213	458380	460905	458500	0.51	cps
Calcium	44-1	7037600	7206288	7064994	7102961	1.27	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1380391	1411711	1431832	1407978	1.84	cps
Cobalt	59-2	1039999	1028521	1034157	1034226	0.55	cps
Copper	63-2	2453787	2482978	2430857	2455874	1.06	cps
Dysprosium	156-1	91372	91764	93029	92055	0.94	cps
Dysprosium	156-2	68436	68633	68865	68644	0.31	cps
Erbium	164-1	95423	95812	94376	95204	0.78	cps
Erbium	164-2	63406	64033	64649	64029	0.97	cps
Gadolinium	160-1	97325	97224	96462	97004	0.49	cps
Gadolinium	160-2	69431	69662	69712	69602	0.22	cps
Holmium	165-1	17279751	17211582	17080448	17190594	0.59	cps
Holmium	165-2	11557668	11467653	11677289	11567536	0.91	cps
Indium	115-1	14611938	14521925	14588163	14574008	0.32	cps
Indium	115-2	4848996	4856594	4792010	4832533	0.73	cps
Iron	56-2	1250081688	1263505981	1265229688	1259605786	0.66	cps
Iron	57-2	30688745	30359355	30401062	30483054	0.59	cps
Iron	54-2	68794924	68473361	68011067	68426451	0.58	cps
Krypton	83-1	537	517	503	519	3.23	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	403279	407449	402897	404542	0.62	cps
Lead	207-1	351951	354050	355863	353954	0.55	cps
Lead	208-1	1599328	1609519	1598705	1602517	0.38	cps
Lithium	6-1	1941870	1939748	1893132	1924916	1.43	cps
Magnesium	24-2	39071428	37752089	38805949	38543155	1.81	cps
Manganese	55-2	16253249	16324659	16031092	16203000	0.94	cps
Molybdenum	94-1	50691	49999	50851	50514	0.90	cps
Molybdenum	95-1	13153	12462	12686	12767	2.76	cps
Molybdenum	96-1	30829	31431	31193	31151	0.97	cps
Molybdenum	97-1	7939	8049	7725	7904	2.08	cps
Molybdenum	98-1	19183	19840	19256	19426	1.85	cps
Neodymium	150-1	126878	127535	127574	127329	0.31	cps
Neodymium	150-2	71346	70609	71614	71190	0.73	cps
Nickel	60-2	377480	380566	376560	378202	0.55	cps
Phosphorus	31-2	45431	45163	44003	44866	1.69	cps
Potassium	39-2	5241020	5190163	5259956	5230380	0.69	cps
Rhodium	103-1	14214380	14081599	14007454	14101144	0.74	cps
Rhodium	103-2	8645579	8496499	8421635	8521238	1.34	cps
Scandium	45-1	12264884	12357643	12312939	12311822	0.38	cps
Scandium	45-2	1098074	1101141	1092690	1097302	0.39	cps
Selenium	82-1	943	1043	941	976	5.98	cps
Selenium	77-2	400	377	427	401	6.24	cps
Selenium	78-2	753	720	803	759	5.53	cps
Silicon	28-1	61901782	62196804	62040337	62046308	0.24	cps
Silver	107-1	7165	6928	6865	6986	2.26	cps
Silver	109-1	6872	6555	5948	6458	7.27	cps
Sodium	23-2	279447	277898	277679	278341	0.35	cps
Strontium	86-1	279877	280559	281986	280808	0.38	cps
Strontium	88-1	2553625	2536984	2492161	2527590	1.26	cps
Sulfur	34-1	293033	282997	277617	284549	2.75	cps
Terbium	159-1	18030614	17906254	17817758	17918209	0.60	cps
Terbium	159-2	11794171	11552662	11571683	11639505	1.15	cps
Thallium	203-1	2077	2124	2097	2099	1.12	cps
Thallium	205-1	4954	4978	5184	5039	2.51	cps
Tin	118-1	43288	42743	43552	43195	0.96	cps
Titanium	47-1	1888722	1873590	1877756	1880023	0.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-22 Instrumnet Name : P7
Client Sample ID : MYD0W7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 18:55:32 DataFile Name : 046SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	19434	19414	19327	19392	0.29	cps
Vanadium	51-2	4117095	4213021	4169827	4166648	1.15	cps
Yttrium	89-1	26861929	26536687	25893427	26430681	1.86	cps
Yttrium	89-2	6351014	6201150	6244497	6265554	1.23	cps
Zinc	66-2	340682	339063	337784	339176	0.43	cps
Zirconium	90-1	118228	119454	120829	119504	1.09	cps
Zirconium	91-1	27158	27008	27205	27124	0.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5381343	5220923	5297361	5299876	1.51	cps
Antimony	121-1	2214	2390	2280	2295	3.89	cps
Arsenic	75-2	15879	15738	15475	15697	1.31	cps
Barium	135-1	349024	350676	348392	349364	0.34	cps
Barium	137-1	598706	613662	604324	605564	1.25	cps
Beryllium	9-1	1885	2130	1915	1977	6.77	cps
Bismuth	209-1	10026784	10005868	10182520	10071724	0.96	cps
Bismuth	209-2	7905397	8011371	8002193	7972987	0.74	cps
Bromine	81-1	13019	12549	12572	12713	2.09	cps
Bromine	81-2	413	400	423	412	2.84	cps
Cadmium	108-1	157	147	117	140	14.87	cps
Cadmium	106-1	4924	4881	4394	4733	6.22	cps
Cadmium	111-1	3784	3714	3431	3643	5.13	cps
Calcium	43-1	148556	152761	149798	150372	1.44	cps
Calcium	44-1	2296414	2379920	2354958	2343764	1.83	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	180116	181744	177357	179739	1.23	cps
Cobalt	59-2	87463	85602	87557	86874	1.27	cps
Copper	63-2	195017	192701	190446	192721	1.19	cps
Dysprosium	156-1	16410	16403	16330	16381	0.27	cps
Dysprosium	156-2	13313	12909	13477	13233	2.21	cps
Erbium	164-1	14187	14561	14601	14450	1.58	cps
Erbium	164-2	9824	9733	10437	9998	3.83	cps
Gadolinium	160-1	15245	15599	15272	15372	1.28	cps
Gadolinium	160-2	11572	12005	10864	11480	5.02	cps
Holmium	165-1	16879390	16786172	16679591	16781718	0.60	cps
Holmium	165-2	11716444	11355124	11696428	11589332	1.75	cps
Indium	115-1	14764863	14512035	14827606	14701501	1.14	cps
Indium	115-2	4902119	4800633	4803637	4835463	1.19	cps
Iron	56-2	122602515	120398412	118399412	120466779	1.75	cps
Iron	57-2	3028235	2922568	2900426	2950410	2.31	cps
Iron	54-2	6606245	6742675	6401402	6583441	2.61	cps
Krypton	83-1	360	400	417	392	7.43	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	117761	116938	116773	117157	0.45	cps
Lead	207-1	102725	102432	103631	102930	0.61	cps
Lead	208-1	463706	464045	467474	465075	0.45	cps
Lithium	6-1	2177899	2095058	2026639	2099865	3.61	cps
Magnesium	24-2	3250296	3190983	3149003	3196761	1.59	cps
Manganese	55-2	5282811	5224865	5056862	5188179	2.26	cps
Molybdenum	94-1	49018	49296	48925	49080	0.39	cps
Molybdenum	95-1	1880	2074	1940	1965	5.04	cps
Molybdenum	96-1	10624	11074	10757	10819	2.14	cps
Molybdenum	97-1	1107	980	1050	1046	6.07	cps
Molybdenum	98-1	2727	2597	2624	2649	2.59	cps
Neodymium	150-1	30426	30480	30136	30347	0.61	cps
Neodymium	150-2	17434	17030	17408	17291	1.31	cps
Nickel	60-2	44957	46228	44028	45071	2.45	cps
Phosphorus	31-2	3574	3794	3757	3708	3.18	cps
Potassium	39-2	833067	836316	827834	832405	0.51	cps
Rhodium	103-1	14195799	14572333	14345827	14371320	1.32	cps
Rhodium	103-2	8880946	8689477	8906053	8825492	1.34	cps
Scandium	45-1	10487321	10814099	10822620	10708013	1.79	cps
Scandium	45-2	958134	949742	937389	948421	1.10	cps
Selenium	82-1	573	617	594	595	3.71	cps
Selenium	77-2	63	80	83	76	14.18	cps
Selenium	78-2	563	487	600	550	10.52	cps
Silicon	28-1	18854514	18904309	19116981	18958601	0.74	cps
Silver	107-1	1037	1177	1133	1116	6.43	cps
Silver	109-1	1040	910	1030	993	7.28	cps
Sodium	23-2	147215	149629	146744	147863	1.05	cps
Strontium	86-1	80197	81943	81333	81158	1.09	cps
Strontium	88-1	694047	710771	704348	703055	1.20	cps
Sulfur	34-1	246569	240764	234380	240571	2.53	cps
Terbium	159-1	17582370	17418897	17628993	17543420	0.63	cps
Terbium	159-2	11484164	11850334	11518318	11617605	1.74	cps
Thallium	203-1	1140	1050	1103	1098	4.12	cps
Thallium	205-1	2800	2740	2740	2760	1.26	cps
Tin	118-1	11051	11188	11084	11108	0.64	cps
Titanium	47-1	458300	460967	458300	459189	0.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 18:58:39 DataFile Name : 047SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	5161	5261	5635	5352	4.66	cps
Vanadium	51-2	249183	244128	252799	248703	1.75	cps
Yttrium	89-1	24361496	24945370	24972610	24759825	1.39	cps
Yttrium	89-2	6080434	5880686	6086091	6015737	1.94	cps
Zinc	66-2	42631	42233	43814	42893	1.92	cps
Zirconium	90-1	131839	132955	134563	133119	1.03	cps
Zirconium	91-1	28434	29299	29890	29208	2.51	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5262091	5191998	5122560	5192216	1.34	cps
Antimony	121-1	2254	2180	2330	2255	3.33	cps
Arsenic	75-2	15922	15945	15154	15674	2.87	cps
Barium	135-1	425072	426877	423906	425285	0.35	cps
Barium	137-1	725606	731523	734727	730619	0.63	cps
Beryllium	9-1	1983	1988	2059	2010	2.13	cps
Bismuth	209-1	10172135	9988594	9866615	10009115	1.54	cps
Bismuth	209-2	8099593	7903128	7906791	7969837	1.41	cps
Bromine	81-1	12949	13003	12973	12975	0.21	cps
Bromine	81-2	520	480	383	461	15.24	cps
Cadmium	108-1	137	177	123	146	19.07	cps
Cadmium	106-1	5204	4968	4657	4943	5.55	cps
Cadmium	111-1	3974	3757	3574	3768	5.32	cps
Calcium	43-1	150912	153240	153639	152597	0.97	cps
Calcium	44-1	2367385	2332264	2390956	2363535	1.25	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	186253	183957	181819	184010	1.20	cps
Cobalt	59-2	88985	87593	89250	88610	1.00	cps
Copper	63-2	195108	195902	193077	194696	0.75	cps
Dysprosium	156-1	16463	16934	16423	16607	1.71	cps
Dysprosium	156-2	13410	13447	13727	13528	1.28	cps
Erbium	164-1	14394	13937	14581	14304	2.32	cps
Erbium	164-2	9663	9767	9447	9626	1.70	cps
Gadolinium	160-1	15776	16049	15348	15724	2.25	cps
Gadolinium	160-2	11765	11585	11378	11576	1.67	cps
Holmium	165-1	16920624	16743891	16876035	16846850	0.55	cps
Holmium	165-2	11844604	11429641	11432443	11568896	2.06	cps
Indium	115-1	14712776	14717487	14623056	14684439	0.36	cps
Indium	115-2	4909218	4925512	4865923	4900217	0.63	cps
Iron	56-2	118784522	119731298	120220625	119578815	0.61	cps
Iron	57-2	2943837	2998180	2965442	2969153	0.92	cps
Iron	54-2	6641402	6624242	6667797	6644480	0.33	cps
Krypton	83-1	390	337	397	374	8.78	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	120747	118659	119399	119602	0.89	cps
Lead	207-1	105240	105567	104756	105188	0.39	cps
Lead	208-1	479693	471292	473260	474748	0.93	cps
Lithium	6-1	2076845	2046374	2062156	2061791	0.74	cps
Magnesium	24-2	3146452	3208902	3198465	3184606	1.05	cps
Manganese	55-2	5987184	6068857	6068392	6041478	0.78	cps
Molybdenum	94-1	47223	47677	48487	47796	1.34	cps
Molybdenum	95-1	2013	1843	2107	1988	6.72	cps
Molybdenum	96-1	10857	10714	10827	10800	0.70	cps
Molybdenum	97-1	1087	1097	1180	1121	4.57	cps
Molybdenum	98-1	2857	2857	3007	2907	2.98	cps
Neodymium	150-1	29995	30941	29735	30224	2.10	cps
Neodymium	150-2	17468	17030	17324	17274	1.29	cps
Nickel	60-2	45365	45418	45613	45465	0.29	cps
Phosphorus	31-2	3750	3801	3834	3795	1.11	cps
Potassium	39-2	848487	840919	838028	842478	0.64	cps
Rhodium	103-1	14851632	14481257	14379180	14570690	1.71	cps
Rhodium	103-2	8995128	8868594	8776342	8880021	1.24	cps
Scandium	45-1	10771469	10679704	10654844	10702006	0.57	cps
Scandium	45-2	953022	939742	952464	948409	0.79	cps
Selenium	82-1	579	693	618	630	9.18	cps
Selenium	77-2	73	87	90	83	10.59	cps
Selenium	78-2	513	447	513	491	7.84	cps
Silicon	28-1	18863966	19127140	18869686	18953597	0.79	cps
Silver	107-1	1237	1160	1163	1187	3.65	cps
Silver	109-1	1037	900	997	978	7.19	cps
Sodium	23-2	147663	146832	146179	146892	0.51	cps
Strontium	86-1	85677	85101	85031	85270	0.42	cps
Strontium	88-1	731244	736206	741677	736376	0.71	cps
Sulfur	34-1	228847	223622	220082	224184	1.97	cps
Terbium	159-1	17722333	17539520	17541623	17601159	0.60	cps
Terbium	159-2	11633309	11880414	11754401	11756042	1.05	cps
Thallium	203-1	1120	1040	1097	1086	3.79	cps
Thallium	205-1	2900	2657	2670	2743	4.99	cps
Tin	118-1	11401	11255	10807	11154	2.77	cps
Titanium	47-1	451588	454751	456332	454223	0.53	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-05DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:01:49 DataFile Name : 048SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	5555	5281	5418	5418	2.52	cps
Vanadium	51-2	247750	244707	241757	244738	1.22	cps
Yttrium	89-1	24610184	24998464	24617519	24742055	0.90	cps
Yttrium	89-2	6000945	5940400	5950931	5964092	0.54	cps
Zinc	66-2	46155	45031	43818	45001	2.60	cps
Zirconium	90-1	131305	130588	131290	131061	0.31	cps
Zirconium	91-1	29039	29266	29112	29139	0.40	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1065627	1044785	1046820	1052411	1.09	cps
Antimony	121-1	687	687	730	701	3.57	cps
Arsenic	75-2	3024	3050	3127	3067	1.75	cps
Barium	135-1	67335	70054	67338	68242	2.30	cps
Barium	137-1	114998	116674	115763	115811	0.72	cps
Beryllium	9-1	474	417	435	442	6.62	cps
Bismuth	209-1	10455179	10219649	9658475	10111101	4.05	cps
Bismuth	209-2	8077387	7916281	7876759	7956809	1.34	cps
Bromine	81-1	12742	12038	12389	12390	2.84	cps
Bromine	81-2	243	203	177	208	16.15	cps
Cadmium	108-1	27	47	37	37	27.27	cps
Cadmium	106-1	4364	4524	4407	4432	1.87	cps
Cadmium	111-1	3136	3268	3126	3177	2.48	cps
Calcium	43-1	28520	29342	29352	29071	1.64	cps
Calcium	44-1	526511	515554	513207	518424	1.37	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	36895	36488	36060	36481	1.15	cps
Cobalt	59-2	16896	16846	17060	16934	0.66	cps
Copper	63-2	39790	39509	38981	39426	1.04	cps
Dysprosium	156-1	2964	3010	3297	3090	5.84	cps
Dysprosium	156-2	2737	2587	2590	2638	3.25	cps
Erbium	164-1	2967	2947	2897	2937	1.23	cps
Erbium	164-2	1900	1897	1800	1866	3.04	cps
Gadolinium	160-1	2844	3010	3184	3013	5.64	cps
Gadolinium	160-2	2484	2357	2500	2447	3.20	cps
Holmium	165-1	16165176	17329830	16485244	16660083	3.61	cps
Holmium	165-2	11576331	11410806	11312918	11433352	1.16	cps
Indium	115-1	14367521	15109690	14408970	14628727	2.85	cps
Indium	115-2	4970704	4789105	4880032	4879947	1.86	cps
Iron	56-2	23581621	23610618	23089308	23427182	1.25	cps
Iron	57-2	611790	602803	597842	604145	1.17	cps
Iron	54-2	1364044	1347305	1350870	1354073	0.65	cps
Krypton	83-1	370	343	370	361	4.26	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	23303	24215	23524	23681	2.01	cps
Lead	207-1	20719	20302	20078	20367	1.60	cps
Lead	208-1	92930	93348	93818	93365	0.48	cps
Lithium	6-1	2166692	1935355	2065659	2055902	5.64	cps
Magnesium	24-2	641473	637950	623872	634432	1.47	cps
Manganese	55-2	1036599	1032144	1019069	1029271	0.89	cps
Molybdenum	94-1	9847	9647	10180	9891	2.73	cps
Molybdenum	95-1	490	463	563	506	10.24	cps
Molybdenum	96-1	2277	2424	2134	2278	6.37	cps
Molybdenum	97-1	327	310	280	306	7.74	cps
Molybdenum	98-1	697	730	723	717	2.46	cps
Neodymium	150-1	6095	5608	5818	5840	4.18	cps
Neodymium	150-2	3467	3354	3544	3455	2.77	cps
Nickel	60-2	9016	8816	8733	8855	1.65	cps
Phosphorus	31-2	993	817	893	901	9.83	cps
Potassium	39-2	238861	235023	233250	235711	1.22	cps
Rhodium	103-1	14140006	13981523	14029911	14050480	0.58	cps
Rhodium	103-2	8985461	8724584	8777535	8829194	1.56	cps
Scandium	45-1	10650626	11014597	10272234	10645819	3.49	cps
Scandium	45-2	939851	922279	918243	926791	1.24	cps
Selenium	82-1	559	559	575	564	1.61	cps
Selenium	77-2	13	13	17	14	13.35	cps
Selenium	78-2	447	417	397	420	5.99	cps
Silicon	28-1	4187848	4087204	3890997	4055350	3.72	cps
Silver	107-1	420	400	327	382	12.86	cps
Silver	109-1	213	280	283	259	15.25	cps
Sodium	23-2	89421	88254	87842	88506	0.93	cps
Strontium	86-1	15472	15865	15922	15753	1.56	cps
Strontium	88-1	136147	133735	140022	136635	2.32	cps
Sulfur	34-1	208117	210618	206783	208506	0.93	cps
Terbium	159-1	17440247	17009033	16743920	17064400	2.06	cps
Terbium	159-2	11561318	11458909	11472878	11497701	0.48	cps
Thallium	203-1	363	340	327	343	5.41	cps
Thallium	205-1	837	877	843	852	2.52	cps
Tin	118-1	3660	3474	3427	3520	3.51	cps
Titanium	47-1	87115	88812	87625	87851	0.99	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0B8L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:05:02 DataFile Name : 049SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	1023	1043	1017	1028	1.35	cps
Vanadium	51-2	48060	47752	48903	48238	1.23	cps
Yttrium	89-1	25809342	23931189	23259677	24333403	5.43	cps
Yttrium	89-2	5942617	5795768	5823563	5853983	1.33	cps
Zinc	66-2	10287	10327	10420	10345	0.66	cps
Zirconium	90-1	26828	27499	26714	27014	1.57	cps
Zirconium	91-1	5711	5968	5945	5875	2.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5309740	5306581	5000625	5205648	3.41	cps
Antimony	121-1	183871	187244	186988	186034	1.01	cps
Arsenic	75-2	20180	19980	19353	19838	2.18	cps
Barium	135-1	1252872	1252964	1265442	1257093	0.58	cps
Barium	137-1	2318345	2354133	2296385	2322954	1.25	cps
Beryllium	9-1	17993	18458	17967	18139	1.52	cps
Bismuth	209-1	9832671	9920081	9904743	9885832	0.47	cps
Bismuth	209-2	7777548	7705247	8001964	7828253	1.98	cps
Bromine	81-1	12399	12532	12572	12501	0.73	cps
Bromine	81-2	360	390	410	387	6.51	cps
Cadmium	108-1	1777	1813	1610	1733	6.25	cps
Cadmium	106-1	7112	6858	6682	6884	3.14	cps
Cadmium	111-1	28369	28172	28124	28222	0.46	cps
Calcium	43-1	144807	144979	143316	144367	0.63	cps
Calcium	44-1	2264927	2273680	2269749	2269452	0.19	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	379567	377170	383370	380036	0.82	cps
Cobalt	59-2	850430	848411	842586	847142	0.48	cps
Copper	63-2	452062	453734	438469	448088	1.87	cps
Dysprosium	156-1	15452	16320	15999	15924	2.76	cps
Dysprosium	156-2	12843	12743	13206	12930	1.89	cps
Erbium	164-1	14151	13567	14010	13909	2.19	cps
Erbium	164-2	9353	9457	9390	9400	0.56	cps
Gadolinium	160-1	14441	15185	14901	14842	2.53	cps
Gadolinium	160-2	10948	10828	11308	11028	2.27	cps
Holmium	165-1	16600136	16566910	16443953	16537000	0.50	cps
Holmium	165-2	11289852	11292864	11484714	11355810	0.98	cps
Indium	115-1	14552247	14427220	14478003	14485823	0.43	cps
Indium	115-2	4695975	4725069	4905860	4775634	2.38	cps
Iron	56-2	120174932	118639588	116635715	118483412	1.50	cps
Iron	57-2	2935403	2923933	2848429	2902588	1.63	cps
Iron	54-2	6650880	6477939	6507330	6545383	1.41	cps
Krypton	83-1	363	410	353	376	8.05	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	136198	136059	136736	136331	0.26	cps
Lead	207-1	118239	118639	119541	118806	0.56	cps
Lead	208-1	539212	541638	544474	541775	0.49	cps
Lithium	6-1	2127093	1975929	1984929	2029317	4.18	cps
Magnesium	24-2	3065277	3084732	3011989	3053999	1.23	cps
Manganese	55-2	5835463	5799835	5696774	5777358	1.25	cps
Molybdenum	94-1	45872	45979	46457	46102	0.68	cps
Molybdenum	95-1	1650	1763	1677	1697	3.49	cps
Molybdenum	96-1	10157	10170	10304	10210	0.79	cps
Molybdenum	97-1	967	1040	1007	1004	3.66	cps
Molybdenum	98-1	2630	2584	2534	2582	1.87	cps
Neodymium	150-1	29230	28936	29401	29189	0.80	cps
Neodymium	150-2	16950	16290	16209	16483	2.47	cps
Nickel	60-2	238630	238037	244161	240276	1.41	cps
Phosphorus	31-2	3640	3500	3614	3585	2.07	cps
Potassium	39-2	795563	798423	799798	797928	0.27	cps
Rhodium	103-1	14418446	14127865	14315667	14287326	1.03	cps
Rhodium	103-2	8560135	8524694	8691231	8592020	1.02	cps
Scandium	45-1	10455243	10447731	10574011	10492328	0.68	cps
Scandium	45-2	948953	948964	924212	940710	1.52	cps
Selenium	82-1	4962	5004	5016	4994	0.57	cps
Selenium	77-2	590	493	497	527	10.42	cps
Selenium	78-2	1953	1880	2003	1946	3.19	cps
Silicon	28-1	18227323	18149105	17871386	18082605	1.03	cps
Silver	107-1	106460	107894	109620	107991	1.47	cps
Silver	109-1	101194	101459	102079	101577	0.45	cps
Sodium	23-2	132770	132124	131744	132213	0.39	cps
Strontium	86-1	78739	79124	79154	79006	0.29	cps
Strontium	88-1	675991	690219	688856	685022	1.15	cps
Sulfur	34-1	210742	208212	203648	207534	1.73	cps
Terbium	159-1	17391614	17228122	17280566	17300101	0.48	cps
Terbium	159-2	11440394	11391067	11574781	11468747	0.83	cps
Thallium	203-1	73490	73822	74190	73834	0.47	cps
Thallium	205-1	172678	176951	174450	174693	1.23	cps
Tin	118-1	10330	10621	10561	10504	1.46	cps
Titanium	47-1	438924	441691	440862	440493	0.32	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-06DLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:08:17 DataFile Name : 050SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	5168	5244	5204	5206	0.74	cps
Vanadium	51-2	683793	681193	684782	683256	0.27	cps
Yttrium	89-1	23947410	24513822	24574123	24345118	1.42	cps
Yttrium	89-2	5774853	5749471	5851880	5792068	0.92	cps
Zinc	66-2	124891	122366	126628	124628	1.72	cps
Zirconium	90-1	124301	127646	128534	126827	1.76	cps
Zirconium	91-1	27185	28411	27970	27855	2.23	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5472393	5535853	5517142	5508463	0.59	cps
Antimony	121-1	912102	928590	917164	919285	0.92	cps
Arsenic	75-2	38764	38239	38323	38442	0.73	cps
Barium	135-1	4989287	5031812	5006551	5009217	0.43	cps
Barium	137-1	8662569	8790144	8672777	8708496	0.81	cps
Beryllium	9-1	80947	81553	83002	81834	1.29	cps
Bismuth	209-1	9884576	9744865	9848009	9825817	0.74	cps
Bismuth	209-2	7937135	7783084	7717381	7812533	1.44	cps
Bromine	81-1	12759	12299	12535	12531	1.84	cps
Bromine	81-2	383	380	373	379	1.34	cps
Cadmium	108-1	8136	8229	8049	8138	1.11	cps
Cadmium	106-1	15819	16369	15732	15973	2.16	cps
Cadmium	111-1	125519	126524	124601	125548	0.77	cps
Calcium	43-1	139048	140211	140178	139812	0.47	cps
Calcium	44-1	2146300	2209666	2242855	2199607	2.23	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1196554	1183076	1185775	1188468	0.60	cps
Cobalt	59-2	3921251	3826744	3888734	3878910	1.24	cps
Copper	63-2	1470550	1456798	1464174	1463840	0.47	cps
Dysprosium	156-1	15235	15178	15162	15192	0.25	cps
Dysprosium	156-2	12953	13096	12989	13013	0.57	cps
Erbium	164-1	13376	13550	13874	13600	1.86	cps
Erbium	164-2	9403	9143	9070	9205	1.90	cps
Gadolinium	160-1	14274	14491	14261	14342	0.90	cps
Gadolinium	160-2	10891	10674	11088	10884	1.90	cps
Holmium	165-1	16577604	16527640	16369150	16491465	0.66	cps
Holmium	165-2	11355943	11342237	11384938	11361039	0.19	cps
Indium	115-1	14394864	14453404	14446190	14431486	0.22	cps
Indium	115-2	4787378	4781334	4776977	4781896	0.11	cps
Iron	56-2	119243488	116313568	118069622	117875559	1.25	cps
Iron	57-2	2946198	2903616	2864268	2904694	1.41	cps
Iron	54-2	6623694	6584034	6485226	6564318	1.09	cps
Krypton	83-1	387	370	377	378	2.22	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	225299	231814	230476	229196	1.50	cps
Lead	207-1	195628	198725	197542	197298	0.79	cps
Lead	208-1	899520	912618	916428	909522	0.98	cps
Lithium	6-1	2002029	1941655	2006829	1983504	1.83	cps
Magnesium	24-2	3006380	2998052	2988878	2997770	0.29	cps
Manganese	55-2	6977047	6857735	6879418	6904733	0.92	cps
Molybdenum	94-1	45852	46019	45878	45916	0.20	cps
Molybdenum	95-1	1777	1800	1813	1797	1.03	cps
Molybdenum	96-1	9800	9867	10337	10001	2.93	cps
Molybdenum	97-1	1010	1063	977	1017	4.30	cps
Molybdenum	98-1	2664	2674	2647	2661	0.51	cps
Neodymium	150-1	27871	28659	28800	28443	1.76	cps
Neodymium	150-2	16183	16330	16483	16332	0.92	cps
Nickel	60-2	1019319	1018503	1012635	1016819	0.36	cps
Phosphorus	31-2	3567	3454	3394	3472	2.54	cps
Potassium	39-2	784209	785323	778540	782691	0.46	cps
Rhodium	103-1	14225152	14364671	14298719	14296180	0.49	cps
Rhodium	103-2	8860032	8627964	8513114	8667037	2.04	cps
Scandium	45-1	10573437	10215253	10611625	10466771	2.09	cps
Scandium	45-2	932848	935014	929632	932498	0.29	cps
Selenium	82-1	20410	20937	20807	20718	1.33	cps
Selenium	77-2	2024	1930	1833	1929	4.93	cps
Selenium	78-2	6645	7018	6722	6795	2.90	cps
Silicon	28-1	17654741	17448535	18111588	17738288	1.91	cps
Silver	107-1	530346	535893	535349	533863	0.57	cps
Silver	109-1	497596	506130	506164	503297	0.98	cps
Sodium	23-2	131230	130632	130265	130709	0.37	cps
Strontium	86-1	76966	77597	79087	77883	1.40	cps
Strontium	88-1	661944	671439	665823	666402	0.72	cps
Sulfur	34-1	202634	201362	200598	201531	0.51	cps
Terbium	159-1	17595251	17308281	17073306	17325613	1.51	cps
Terbium	159-2	11334304	11386729	11401376	11374136	0.31	cps
Thallium	203-1	363879	367814	366282	365992	0.54	cps
Thallium	205-1	859246	871731	872381	867786	0.85	cps
Tin	118-1	10057	10367	10070	10165	1.73	cps
Titanium	47-1	430447	433974	435405	433275	0.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-04MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0B8SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:11:27 DataFile Name : 051SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	4801	5201	4991	4998	4.00	cps
Vanadium	51-2	2417639	2413331	2416818	2415929	0.09	cps
Yttrium	89-1	24338380	24060627	23752878	24050629	1.22	cps
Yttrium	89-2	5885495	5924913	5816048	5875485	0.94	cps
Zinc	66-2	459542	452595	452247	454794	0.90	cps
Zirconium	90-1	123286	124842	123538	123889	0.67	cps
Zirconium	91-1	27459	27940	27940	27780	1.00	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5726573	5741539	5726464	5731526	0.15	cps
Antimony	121-1	2960	3224	3097	3094	4.26	cps
Arsenic	75-2	29930	29633	29820	29794	0.50	cps
Barium	135-1	415177	418353	424029	419186	1.07	cps
Barium	137-1	717297	729352	726527	724392	0.87	cps
Beryllium	9-1	1476	1242	1302	1340	9.04	cps
Bismuth	209-1	9593728	9605570	9480407	9559902	0.72	cps
Bismuth	209-2	7738838	7802960	7782772	7774857	0.42	cps
Bromine	81-1	12762	13500	13463	13242	3.14	cps
Bromine	81-2	493	460	453	469	4.57	cps
Cadmium	108-1	137	153	137	142	6.77	cps
Cadmium	106-1	4274	4117	3907	4100	4.49	cps
Cadmium	111-1	3329	3301	3196	3276	2.15	cps
Calcium	43-1	186158	188420	189515	188031	0.91	cps
Calcium	44-1	2969585	2944893	2920970	2945149	0.83	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	311678	309897	306903	309492	0.78	cps
Cobalt	59-2	208655	210024	210489	209723	0.45	cps
Copper	63-2	420499	424109	416465	420358	0.91	cps
Dysprosium	156-1	23116	23513	23012	23214	1.14	cps
Dysprosium	156-2	18900	19086	19143	19043	0.67	cps
Erbium	164-1	18963	19801	19367	19377	2.16	cps
Erbium	164-2	13523	13353	13653	13510	1.11	cps
Gadolinium	160-1	21430	22108	22024	21854	1.69	cps
Gadolinium	160-2	16657	16677	16046	16460	2.18	cps
Holmium	165-1	16228942	16307100	16285940	16273994	0.25	cps
Holmium	165-2	11398549	11247112	11357030	11334231	0.69	cps
Indium	115-1	14250923	14385497	14182428	14272949	0.72	cps
Indium	115-2	4843636	4821298	4826628	4830521	0.24	cps
Iron	56-2	223315797	222270663	218127863	221238108	1.24	cps
Iron	57-2	5434370	5383752	5338961	5385694	0.89	cps
Iron	54-2	12281120	12107448	12172149	12186906	0.72	cps
Krypton	83-1	343	467	390	400	15.57	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	87949	89254	87576	88260	1.00	cps
Lead	207-1	75616	75176	75950	75581	0.51	cps
Lead	208-1	343577	347006	345641	345408	0.50	cps
Lithium	6-1	1940338	1848690	1848401	1879143	2.82	cps
Magnesium	24-2	5747257	5623542	5710586	5693795	1.12	cps
Manganese	55-2	6884928	6777904	6732913	6798582	1.15	cps
Molybdenum	94-1	40436	41535	41224	41065	1.38	cps
Molybdenum	95-1	3104	3124	3227	3151	2.10	cps
Molybdenum	96-1	12225	11958	12082	12088	1.11	cps
Molybdenum	97-1	1803	1877	1877	1852	2.29	cps
Molybdenum	98-1	4724	4684	4534	4647	2.16	cps
Neodymium	150-1	40893	41685	40836	41138	1.15	cps
Neodymium	150-2	24618	24034	23857	24170	1.65	cps
Nickel	60-2	88579	88362	89056	88666	0.40	cps
Phosphorus	31-2	9496	9159	9250	9302	1.88	cps
Potassium	39-2	1655789	1683321	1664948	1668019	0.84	cps
Rhodium	103-1	14179606	14078827	14206414	14154949	0.48	cps
Rhodium	103-2	8887192	8784062	8817924	8829726	0.60	cps
Scandium	45-1	10670456	10585881	10584886	10613741	0.46	cps
Scandium	45-2	976292	967700	960282	968091	0.83	cps
Selenium	82-1	634	554	681	623	10.33	cps
Selenium	77-2	107	130	97	111	15.39	cps
Selenium	78-2	577	520	623	573	9.03	cps
Silicon	28-1	14546758	14798400	14654334	14666497	0.86	cps
Silver	107-1	1090	923	1040	1018	8.40	cps
Silver	109-1	977	877	907	920	5.58	cps
Sodium	23-2	127808	127112	125729	126883	0.83	cps
Strontium	86-1	105112	107522	107143	106592	1.22	cps
Strontium	88-1	918333	930378	928577	925762	0.70	cps
Sulfur	34-1	265063	243321	236367	248250	6.03	cps
Terbium	159-1	17000151	17085886	17216406	17100814	0.64	cps
Terbium	159-2	11315696	11403929	11379031	11366219	0.40	cps
Thallium	203-1	1080	1183	1137	1133	4.57	cps
Thallium	205-1	2654	2694	2727	2691	1.36	cps
Tin	118-1	10340	10364	10491	10398	0.78	cps
Titanium	47-1	647924	655576	659562	654354	0.90	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2 Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:25:13 DataFile Name : 054SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	7646	7749	8036	7810	2.59	cps
Vanadium	51-2	483252	479860	473896	479003	0.99	cps
Yttrium	89-1	24075544	24489109	24408886	24324513	0.90	cps
Yttrium	89-2	6102572	5976183	6022203	6033653	1.06	cps
Zinc	66-2	76360	76368	77248	76659	0.67	cps
Zirconium	90-1	107725	110392	110317	109478	1.39	cps
Zirconium	91-1	24227	24297	24794	24439	1.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5738312	5716972	5712002	5722429	0.24	cps
Antimony	121-1	3057	3107	3167	3110	1.77	cps
Arsenic	75-2	29179	29506	29038	29241	0.82	cps
Barium	135-1	418857	425507	420646	421670	0.82	cps
Barium	137-1	724754	733750	735728	731411	0.80	cps
Beryllium	9-1	1227	1202	1298	1242	3.99	cps
Bismuth	209-1	9682471	9531438	9805262	9673057	1.42	cps
Bismuth	209-2	7763688	7872930	7547763	7728127	2.14	cps
Bromine	81-1	13059	13029	12769	12952	1.23	cps
Bromine	81-2	420	503	467	463	9.01	cps
Cadmium	108-1	120	130	147	132	10.19	cps
Cadmium	106-1	4684	4491	4604	4593	2.12	cps
Cadmium	111-1	3782	3699	3657	3713	1.71	cps
Calcium	43-1	186830	186802	185760	186464	0.33	cps
Calcium	44-1	2881702	2903382	2884755	2889947	0.41	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	301457	297829	300673	299986	0.64	cps
Cobalt	59-2	207323	205432	204363	205706	0.73	cps
Copper	63-2	415990	409076	410803	411956	0.87	cps
Dysprosium	156-1	23266	23573	23326	23388	0.70	cps
Dysprosium	156-2	18836	18529	18566	18644	0.90	cps
Erbium	164-1	19470	19828	19497	19598	1.02	cps
Erbium	164-2	13370	13870	13283	13508	2.35	cps
Gadolinium	160-1	21550	22381	22124	22019	1.93	cps
Gadolinium	160-2	16710	16290	16276	16425	1.50	cps
Holmium	165-1	16277972	16506651	16332644	16372423	0.73	cps
Holmium	165-2	11217012	11476249	11188399	11293887	1.40	cps
Indium	115-1	14535345	14366872	14249987	14384068	1.00	cps
Indium	115-2	4755418	4862143	4829692	4815751	1.14	cps
Iron	56-2	216465297	217255150	214669043	216129830	0.61	cps
Iron	57-2	5296149	5301792	5295275	5297738	0.07	cps
Iron	54-2	11820166	11750962	11887301	11819476	0.58	cps
Krypton	83-1	383	400	357	380	5.75	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	89287	87754	88425	88489	0.87	cps
Lead	207-1	75813	77319	76893	76675	1.01	cps
Lead	208-1	347671	348788	349463	348641	0.26	cps
Lithium	6-1	1934434	1997165	1852226	1927941	3.77	cps
Magnesium	24-2	5634642	5445589	5572739	5550990	1.74	cps
Manganese	55-2	6620364	6673156	6602473	6631998	0.55	cps
Molybdenum	94-1	41285	41947	42137	41789	1.07	cps
Molybdenum	95-1	3027	3077	3104	3069	1.27	cps
Molybdenum	96-1	11691	12032	11828	11850	1.44	cps
Molybdenum	97-1	1857	1897	1920	1891	1.69	cps
Molybdenum	98-1	4491	4521	4577	4530	0.97	cps
Neodymium	150-1	41153	41755	41274	41394	0.77	cps
Neodymium	150-2	23426	23446	23560	23477	0.31	cps
Nickel	60-2	87480	86394	85629	86501	1.08	cps
Phosphorus	31-2	9003	9099	8666	8923	2.55	cps
Potassium	39-2	1674235	1616292	1626587	1639038	1.89	cps
Rhodium	103-1	14253979	14050562	14245206	14183249	0.81	cps
Rhodium	103-2	8660037	8645421	8553416	8619624	0.67	cps
Scandium	45-1	10501839	10584536	10625107	10570494	0.59	cps
Scandium	45-2	954491	953921	955403	954605	0.08	cps
Selenium	82-1	670	634	713	673	5.89	cps
Selenium	77-2	97	103	90	97	6.89	cps
Selenium	78-2	550	563	487	533	7.68	cps
Silicon	28-1	15004486	14557331	14988141	14849986	1.71	cps
Silver	107-1	910	957	947	938	2.62	cps
Silver	109-1	803	767	800	790	2.57	cps
Sodium	23-2	126891	127122	127150	127054	0.11	cps
Strontium	86-1	107072	106394	106764	106744	0.32	cps
Strontium	88-1	923084	928746	925022	925617	0.31	cps
Sulfur	34-1	241797	235731	233070	236866	1.89	cps
Terbium	159-1	17007493	17286594	17120586	17138225	0.82	cps
Terbium	159-2	11213699	11424922	11309199	11315940	0.93	cps
Thallium	203-1	1130	1080	1257	1156	7.88	cps
Thallium	205-1	2647	2650	2780	2693	2.82	cps
Tin	118-1	10130	10414	10531	10358	1.99	cps
Titanium	47-1	660752	663855	663033	662547	0.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-16DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2D Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:28:24 DataFile Name : 055SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	8036	7666	7759	7820	2.46	cps
Vanadium	51-2	471061	464452	466018	467177	0.74	cps
Yttrium	89-1	24486956	24436763	24147745	24357155	0.75	cps
Yttrium	89-2	5959098	5924457	5895406	5926320	0.54	cps
Zinc	66-2	74049	73362	72759	73390	0.88	cps
Zirconium	90-1	110358	112067	112692	111706	1.08	cps
Zirconium	91-1	24110	24865	24427	24467	1.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1159471	1165032	1156249	1160250	0.38	cps
Antimony	121-1	887	630	740	752	17.12	cps
Arsenic	75-2	5771	5651	5928	5783	2.40	cps
Barium	135-1	82909	84147	82862	83306	0.87	cps
Barium	137-1	142166	144203	145008	143792	1.02	cps
Beryllium	9-1	257	311	255	274	11.55	cps
Bismuth	209-1	9838040	9885471	9611918	9778476	1.49	cps
Bismuth	209-2	7964149	7832159	7978842	7925050	1.02	cps
Bromine	81-1	11958	12185	12355	12166	1.64	cps
Bromine	81-2	283	257	233	258	9.71	cps
Cadmium	108-1	43	53	23	40	38.19	cps
Cadmium	106-1	4344	4567	4401	4437	2.62	cps
Cadmium	111-1	3104	3257	3174	3178	2.41	cps
Calcium	43-1	36668	37964	38897	37843	2.96	cps
Calcium	44-1	633255	634856	636051	634721	0.22	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	61020	60999	61491	61170	0.46	cps
Cobalt	59-2	40959	40792	40318	40690	0.82	cps
Copper	63-2	84735	84939	83927	84534	0.63	cps
Dysprosium	156-1	4754	4804	4678	4745	1.34	cps
Dysprosium	156-2	3617	3781	3420	3606	5.00	cps
Erbium	164-1	4004	4011	3951	3988	0.82	cps
Erbium	164-2	2724	2690	2604	2673	2.32	cps
Gadolinium	160-1	4131	4291	4364	4262	2.80	cps
Gadolinium	160-2	3307	3540	3560	3469	4.06	cps
Holmium	165-1	16808666	16576861	16354491	16580006	1.37	cps
Holmium	165-2	11533153	11374244	11463745	11457047	0.70	cps
Indium	115-1	14846960	14839002	14134740	14606901	2.80	cps
Indium	115-2	4914234	4822540	4824398	4853724	1.08	cps
Iron	56-2	43172604	42983594	42525938	42894045	0.78	cps
Iron	57-2	1105406	1101997	1098402	1101935	0.32	cps
Iron	54-2	2337143	2375738	2346955	2353279	0.85	cps
Krypton	83-1	433	407	353	398	10.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	18272	18543	18022	18279	1.42	cps
Lead	207-1	14952	15783	15622	15452	2.85	cps
Lead	208-1	70361	71406	70307	70691	0.88	cps
Lithium	6-1	1914881	1963426	1999350	1959219	2.16	cps
Magnesium	24-2	1139346	1134642	1136869	1136952	0.21	cps
Manganese	55-2	1327332	1335895	1334791	1332672	0.35	cps
Molybdenum	94-1	8499	8623	8446	8523	1.06	cps
Molybdenum	95-1	787	747	753	762	2.81	cps
Molybdenum	96-1	2460	2537	2524	2507	1.63	cps
Molybdenum	97-1	483	470	490	481	2.12	cps
Molybdenum	98-1	1100	1057	1180	1112	5.63	cps
Neodymium	150-1	8066	8149	8069	8095	0.58	cps
Neodymium	150-2	4721	4664	4684	4690	0.61	cps
Nickel	60-2	17183	17677	17657	17506	1.60	cps
Phosphorus	31-2	1927	1917	2087	1977	4.83	cps
Potassium	39-2	417245	417507	416974	417242	0.06	cps
Rhodium	103-1	14345283	14591194	14739853	14558776	1.37	cps
Rhodium	103-2	8997304	8590365	8825556	8804408	2.32	cps
Scandium	45-1	10601339	10436688	10092448	10376825	2.50	cps
Scandium	45-2	945521	935647	940241	940470	0.53	cps
Selenium	82-1	578	559	607	581	4.08	cps
Selenium	77-2	20	20	23	21	9.11	cps
Selenium	78-2	483	483	390	452	11.92	cps
Silicon	28-1	3255368	3223384	3195054	3224602	0.94	cps
Silver	107-1	267	307	270	281	7.89	cps
Silver	109-1	233	170	210	204	15.67	cps
Sodium	23-2	80522	79457	79212	79730	0.87	cps
Strontium	86-1	21499	21893	21840	21744	0.98	cps
Strontium	88-1	179889	181397	183629	181638	1.04	cps
Sulfur	34-1	244075	246365	240950	243797	1.11	cps
Terbium	159-1	16963649	17454611	17651806	17356689	2.04	cps
Terbium	159-2	11423664	11246108	11441427	11370399	0.95	cps
Thallium	203-1	300	397	330	342	14.46	cps
Thallium	205-1	697	837	757	763	9.20	cps
Tin	118-1	3564	3727	3754	3682	2.79	cps
Titanium	47-1	127623	131415	130524	129854	1.53	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15LDLX20 Instrumnet Name : P7
Client Sample ID : MYD0W2L Dilution Factor : 20
Date & Time Acquired : 2024-10-23 19:31:37 DataFile Name : 056SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	1477	1637	1697	1603	7.09	cps
Vanadium	51-2	92595	92592	92840	92676	0.15	cps
Yttrium	89-1	24134899	23470169	23717845	23774304	1.41	cps
Yttrium	89-2	5945421	5849826	5985524	5926923	1.18	cps
Zinc	66-2	18088	18131	17554	17924	1.79	cps
Zirconium	90-1	22364	22277	22150	22264	0.48	cps
Zirconium	91-1	4764	4911	5048	4908	2.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5838513	5732021	5758344	5776292	0.96	cps
Antimony	121-1	193660	196782	194551	194998	0.82	cps
Arsenic	75-2	34219	33571	34373	34055	1.25	cps
Barium	135-1	1348912	1351121	1355035	1351689	0.23	cps
Barium	137-1	2439838	2433279	2500954	2458024	1.52	cps
Beryllium	9-1	18372	18311	18486	18390	0.48	cps
Bismuth	209-1	9744740	9850569	9701222	9765511	0.79	cps
Bismuth	209-2	7851410	7934304	7845812	7877175	0.63	cps
Bromine	81-1	13800	13049	13590	13480	2.87	cps
Bromine	81-2	390	410	420	407	3.76	cps
Cadmium	108-1	1813	1700	2000	1838	8.24	cps
Cadmium	106-1	6928	7195	7392	7172	3.24	cps
Cadmium	111-1	29370	29279	29307	29319	0.16	cps
Calcium	43-1	188269	191244	191979	190498	1.03	cps
Calcium	44-1	2913784	2963169	2975394	2950782	1.11	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	522318	513250	513400	516323	1.01	cps
Cobalt	59-2	1006157	1007318	995938	1003138	0.62	cps
Copper	63-2	686389	687218	679448	684351	0.62	cps
Dysprosium	156-1	23430	23376	24278	23694	2.13	cps
Dysprosium	156-2	19577	19637	19130	19448	1.43	cps
Erbium	164-1	20045	19861	19333	19746	1.87	cps
Erbium	164-2	13463	13487	13577	13509	0.44	cps
Gadolinium	160-1	22071	22685	22321	22359	1.38	cps
Gadolinium	160-2	16473	16093	16059	16208	1.42	cps
Holmium	165-1	16674653	16584334	16553489	16604159	0.38	cps
Holmium	165-2	11348013	11324947	11318351	11330437	0.14	cps
Indium	115-1	14564817	14726480	14782805	14691367	0.77	cps
Indium	115-2	4859020	4832747	4832678	4841482	0.31	cps
Iron	56-2	219498010	219260890	217435310	218731403	0.52	cps
Iron	57-2	5303601	5355721	5323183	5327502	0.49	cps
Iron	54-2	12003741	12113731	11834664	11984046	1.17	cps
Krypton	83-1	413	393	443	417	6.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	113599	115667	114520	114595	0.90	cps
Lead	207-1	98071	100095	98866	99011	1.03	cps
Lead	208-1	446974	454986	450929	450963	0.89	cps
Lithium	6-1	2005682	1945309	1967605	1972865	1.55	cps
Magnesium	24-2	5688542	5525879	5565595	5593339	1.52	cps
Manganese	55-2	7128830	7090818	6962870	7060839	1.23	cps
Molybdenum	94-1	41933	42388	41917	42079	0.64	cps
Molybdenum	95-1	2907	3114	3120	3047	3.98	cps
Molybdenum	96-1	11915	11638	11928	11827	1.39	cps
Molybdenum	97-1	1780	2000	2023	1935	6.94	cps
Molybdenum	98-1	4544	4397	4557	4500	1.97	cps
Neodymium	150-1	41167	42093	41785	41681	1.13	cps
Neodymium	150-2	24124	23293	24001	23806	1.88	cps
Nickel	60-2	292604	293234	288415	291417	0.90	cps
Phosphorus	31-2	8769	8776	8693	8746	0.53	cps
Potassium	39-2	1644758	1626308	1628992	1633353	0.61	cps
Rhodium	103-1	14615897	14351354	14222871	14396707	1.39	cps
Rhodium	103-2	8585593	8765008	8674915	8675172	1.03	cps
Scandium	45-1	10869202	10703220	10887210	10819878	0.94	cps
Scandium	45-2	960610	950755	948125	953163	0.69	cps
Selenium	82-1	5174	5237	4944	5118	3.02	cps
Selenium	77-2	530	527	530	529	0.36	cps
Selenium	78-2	1903	1880	1930	1905	1.31	cps
Silicon	28-1	15414872	15332399	15265234	15337502	0.49	cps
Silver	107-1	110158	111521	112549	111409	1.08	cps
Silver	109-1	104588	106904	105161	105551	1.14	cps
Sodium	23-2	127734	127213	126356	127101	0.55	cps
Strontium	86-1	107026	107865	108761	107884	0.80	cps
Strontium	88-1	926825	934607	941008	934147	0.76	cps
Sulfur	34-1	246703	242671	239420	242931	1.50	cps
Terbium	159-1	17566691	17181049	17487696	17411812	1.17	cps
Terbium	159-2	11422312	11492144	11414839	11443098	0.37	cps
Thallium	203-1	75233	76292	76037	75854	0.73	cps
Thallium	205-1	178056	179684	179360	179033	0.48	cps
Tin	118-1	10240	10684	11236	10720	4.65	cps
Titanium	47-1	665488	669690	675485	670221	0.75	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-17DLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2S Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:34:57 DataFile Name : 057SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	8186	8042	7909	8046	1.72	cps
Vanadium	51-2	933946	940077	936552	936858	0.33	cps
Yttrium	89-1	24412277	24353085	24641093	24468818	0.62	cps
Yttrium	89-2	5964201	5889081	5901519	5918267	0.68	cps
Zinc	66-2	162675	161291	159418	161128	1.01	cps
Zirconium	90-1	109817	112625	111845	111429	1.30	cps
Zirconium	91-1	25102	24898	24467	24822	1.30	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	6084168	6102934	6177560	6121554	0.81	cps
Antimony	121-1	970856	978371	971286	973504	0.43	cps
Arsenic	75-2	52392	51596	52519	52169	0.96	cps
Barium	135-1	6076436	5990760	5932444	5999880	1.21	cps
Barium	137-1	10544959	10556051	10461236	10520749	0.49	cps
Beryllium	9-1	99444	104453	103496	102464	2.60	cps
Bismuth	209-1	9866761	9854274	9782243	9834426	0.46	cps
Bismuth	209-2	7768058	7901983	7679732	7783258	1.44	cps
Bromine	81-1	13083	12929	13303	13105	1.43	cps
Bromine	81-2	480	400	487	456	10.59	cps
Cadmium	108-1	8753	8926	8739	8806	1.18	cps
Cadmium	106-1	16433	17537	16676	16882	3.44	cps
Cadmium	111-1	133867	133375	131475	132906	0.95	cps
Calcium	43-1	184706	183058	182281	183348	0.68	cps
Calcium	44-1	2878325	2899749	2871274	2883116	0.51	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1497752	1511038	1507019	1505270	0.45	cps
Cobalt	59-2	4851591	4884783	4782426	4839600	1.08	cps
Copper	63-2	2009470	2007123	2014062	2010218	0.18	cps
Dysprosium	156-1	23112	23486	23163	23254	0.87	cps
Dysprosium	156-2	19010	19370	18489	18956	2.34	cps
Erbium	164-1	19140	19814	19510	19488	1.73	cps
Erbium	164-2	12873	12996	12736	12868	1.01	cps
Gadolinium	160-1	22134	22224	22114	22158	0.26	cps
Gadolinium	160-2	15796	15836	16066	15899	0.92	cps
Holmium	165-1	16515421	16521616	16240284	16425774	0.98	cps
Holmium	165-2	11373538	11158584	11216745	11249622	0.99	cps
Indium	115-1	14534113	14513082	14473786	14506993	0.21	cps
Indium	115-2	4874650	4812331	4689249	4792076	1.97	cps
Iron	56-2	215975597	210355397	210392317	212241104	1.52	cps
Iron	57-2	5271062	5354924	5201983	5275990	1.45	cps
Iron	54-2	11863675	11591880	11915065	11790207	1.47	cps
Krypton	83-1	380	360	370	370	2.70	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	209333	214421	210992	211582	1.23	cps
Lead	207-1	182374	182758	179986	181706	0.83	cps
Lead	208-1	830120	839260	826800	832060	0.78	cps
Lithium	6-1	2085555	2041788	2066559	2064634	1.06	cps
Magnesium	24-2	5391767	5354823	5447593	5398061	0.87	cps
Manganese	55-2	8425648	8315978	8399089	8380238	0.68	cps
Molybdenum	94-1	40570	41245	41907	41240	1.62	cps
Molybdenum	95-1	3187	3047	3224	3153	2.96	cps
Molybdenum	96-1	11131	11461	11611	11401	2.16	cps
Molybdenum	97-1	1930	1913	1700	1848	6.94	cps
Molybdenum	98-1	4424	4878	4624	4642	4.90	cps
Neodymium	150-1	39783	40782	40712	40426	1.38	cps
Neodymium	150-2	22929	22755	22602	22762	0.72	cps
Nickel	60-2	1235511	1280973	1271030	1262505	1.89	cps
Phosphorus	31-2	8926	8286	8416	8542	3.96	cps
Potassium	39-2	1593186	1552104	1547836	1564375	1.60	cps
Rhodium	103-1	14202695	14357986	14255558	14272080	0.55	cps
Rhodium	103-2	8754814	8848136	8490306	8697752	2.13	cps
Scandium	45-1	10952151	10855216	10821527	10876298	0.62	cps
Scandium	45-2	945917	955917	936210	946015	1.04	cps
Selenium	82-1	20641	21105	21275	21007	1.56	cps
Selenium	77-2	2067	1853	2050	1990	5.96	cps
Selenium	78-2	7015	6542	6785	6780	3.49	cps
Silicon	28-1	14500496	14881205	14926214	14769305	1.58	cps
Silver	107-1	540048	542097	543704	541950	0.34	cps
Silver	109-1	502657	521112	518042	513937	1.92	cps
Sodium	23-2	126114	126760	126138	126337	0.29	cps
Strontium	86-1	101755	104188	104948	103631	1.61	cps
Strontium	88-1	896379	897484	908022	900628	0.71	cps
Sulfur	34-1	243440	239044	238746	240410	1.09	cps
Terbium	159-1	17577281	17172392	17393698	17381124	1.17	cps
Terbium	159-2	11452618	11500856	11314889	11422787	0.84	cps
Thallium	203-1	382842	382874	382370	382695	0.07	cps
Thallium	205-1	902839	910367	899302	904170	0.63	cps
Tin	118-1	9887	10434	10127	10149	2.70	cps
Titanium	47-1	633586	651912	647916	644471	1.50	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4292-15MSDLX4 Instrumnet Name : P7
Client Sample ID : MYD0W2SRE Dilution Factor : 4
Date & Time Acquired : 2024-10-23 19:38:08 DataFile Name : 058SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	7656	7392	7452	7500	1.84	cps
Vanadium	51-2	3039719	3078253	3123645	3080539	1.36	cps
Yttrium	89-1	24477794	24246323	24035293	24253137	0.91	cps
Yttrium	89-2	5856216	5849418	5842050	5849228	0.12	cps
Zinc	66-2	574397	566373	565576	568782	0.86	cps
Zirconium	90-1	107362	107872	106559	107265	0.62	cps
Zirconium	91-1	24170	24220	24397	24262	0.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	27819420	27806280	27652494	27759398	0.33	cps
Antimony	121-1	8049	8409	8329	8262	2.29	cps
Arsenic	75-2	110984	110307	112264	111185	0.89	cps
Barium	135-1	1213629	1217107	1204950	1211896	0.52	cps
Barium	137-1	2220194	2248920	2190096	2219737	1.33	cps
Beryllium	9-1	2822	2796	2817	2812	0.50	cps
Bismuth	209-1	9513540	9388501	9462530	9454857	0.66	cps
Bismuth	209-2	7498314	7573861	7466554	7512910	0.73	cps
Bromine	81-1	14751	14674	14914	14780	0.83	cps
Bromine	81-2	1080	907	1023	1003	8.81	cps
Cadmium	108-1	270	230	307	269	14.26	cps
Cadmium	106-1	5188	5141	4974	5101	2.20	cps
Cadmium	111-1	5029	5164	4857	5017	3.07	cps
Calcium	43-1	383373	390805	386759	386979	0.96	cps
Calcium	44-1	5897741	6002739	6001239	5967240	1.01	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	939816	943271	937670	940252	0.30	cps
Cobalt	59-2	1031608	1031714	1013186	1025503	1.04	cps
Copper	63-2	2526201	2493357	2532927	2517495	0.84	cps
Dysprosium	156-1	65368	64655	65763	65262	0.86	cps
Dysprosium	156-2	48336	49015	49527	48959	1.22	cps
Erbium	164-1	71130	73713	72273	72372	1.79	cps
Erbium	164-2	49367	49069	49213	49216	0.30	cps
Gadolinium	160-1	69334	69823	69806	69654	0.40	cps
Gadolinium	160-2	50139	50551	50601	50430	0.50	cps
Holmium	165-1	16476570	16197964	16124114	16266216	1.14	cps
Holmium	165-2	11100938	11201800	11331066	11211268	1.03	cps
Indium	115-1	14103462	13889754	14036468	14009895	0.78	cps
Indium	115-2	4575254	4636787	4553598	4588546	0.94	cps
Iron	56-2	988197292	985443052	995777185	989805843	0.54	cps
Iron	57-2	24627799	24091985	24463923	24394569	1.13	cps
Iron	54-2	53877766	54933213	54052228	54287735	1.04	cps
Krypton	83-1	537	547	590	558	5.08	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	134359	135578	134685	134874	0.47	cps
Lead	207-1	114186	116740	115688	115538	1.11	cps
Lead	208-1	523230	529180	527442	526617	0.58	cps
Lithium	6-1	2049802	1994465	2093708	2045992	2.43	cps
Magnesium	24-2	31765294	32064136	31699837	31843089	0.61	cps
Manganese	55-2	15932411	15955719	16078498	15988876	0.49	cps
Molybdenum	94-1	41134	42766	41816	41905	1.95	cps
Molybdenum	95-1	10364	10978	10370	10571	3.33	cps
Molybdenum	96-1	25693	25292	25365	25450	0.84	cps
Molybdenum	97-1	6495	6702	6618	6605	1.57	cps
Molybdenum	98-1	16259	16162	16499	16307	1.06	cps
Neodymium	150-1	86503	87912	86889	87101	0.84	cps
Neodymium	150-2	49012	48975	48737	48908	0.30	cps
Nickel	60-2	340853	341805	342043	341567	0.18	cps
Phosphorus	31-2	37867	38852	37924	38214	1.45	cps
Potassium	39-2	8622329	8711517	8686804	8673550	0.53	cps
Rhodium	103-1	13592427	13589989	13516773	13566396	0.32	cps
Rhodium	103-2	8221815	8380334	8149179	8250443	1.43	cps
Scandium	45-1	11333542	11517434	11366222	11405733	0.86	cps
Scandium	45-2	994314	997237	1001136	997563	0.34	cps
Selenium	82-1	783	662	713	719	8.42	cps
Selenium	77-2	267	283	290	280	4.29	cps
Selenium	78-2	633	587	627	616	4.10	cps
Silicon	28-1	40105174	40966301	41700718	40924064	1.95	cps
Silver	107-1	3847	2844	2670	3120	20.36	cps
Silver	109-1	3804	2914	2544	3087	20.98	cps
Sodium	23-2	267924	272349	274672	271648	1.26	cps
Strontium	86-1	283812	287581	284998	285463	0.68	cps
Strontium	88-1	2562733	2485451	2535172	2527786	1.55	cps
Sulfur	34-1	266655	269399	269677	268577	0.62	cps
Terbium	159-1	17017520	16973075	17199469	17063355	0.70	cps
Terbium	159-2	11075914	11112604	11119458	11102658	0.21	cps
Thallium	203-1	2070	2080	2254	2135	4.83	cps
Thallium	205-1	5138	5491	5328	5319	3.33	cps
Tin	118-1	30499	31839	32066	31468	2.69	cps
Titanium	47-1	3285021	3332724	3338236	3318660	0.88	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-01 Instrumnet Name : P7
Client Sample ID : MYD9Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:41:10 DataFile Name : 059SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	14218	13787	14024	14010	1.54	cps
Vanadium	51-2	3408319	3390561	3394106	3397662	0.28	cps
Yttrium	89-1	25034525	24575770	24704262	24771519	0.96	cps
Yttrium	89-2	5957370	5952349	5896026	5935248	0.57	cps
Zinc	66-2	258881	257303	258611	258265	0.33	cps
Zirconium	90-1	98706	98575	97282	98188	0.80	cps
Zirconium	91-1	22160	22260	22167	22196	0.25	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	24276535	23687966	24073970	24012824	1.25	cps
Antimony	121-1	28702	29484	29026	29071	1.35	cps
Arsenic	75-2	94438	93717	94132	94096	0.38	cps
Barium	135-1	1244057	1247185	1251444	1247562	0.30	cps
Barium	137-1	2265612	2288403	2279228	2277748	0.50	cps
Beryllium	9-1	4413	4418	4458	4430	0.55	cps
Bismuth	209-1	9519450	9575705	9325274	9473477	1.39	cps
Bismuth	209-2	7569178	7461976	7551238	7527464	0.76	cps
Bromine	81-1	14020	14184	14380	14195	1.27	cps
Bromine	81-2	837	943	893	891	5.99	cps
Cadmium	108-1	333	323	403	353	12.34	cps
Cadmium	106-1	5351	5544	5008	5301	5.13	cps
Cadmium	111-1	6679	6788	6610	6693	1.34	cps
Calcium	43-1	1126540	1133172	1147208	1135640	0.93	cps
Calcium	44-1	17234965	17299723	17066101	17200263	0.70	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	891583	891909	877468	886987	0.93	cps
Cobalt	59-2	825573	817047	811454	818025	0.87	cps
Copper	63-2	2163084	2139859	2083405	2128783	1.92	cps
Dysprosium	156-1	61055	60670	62130	61285	1.23	cps
Dysprosium	156-2	48390	48390	48018	48266	0.44	cps
Erbium	164-1	60222	62723	62174	61706	2.13	cps
Erbium	164-2	41391	41873	41425	41563	0.65	cps
Gadolinium	160-1	61561	62760	61745	62022	1.04	cps
Gadolinium	160-2	44915	44520	44541	44659	0.50	cps
Holmium	165-1	16420182	16259385	16393112	16357560	0.53	cps
Holmium	165-2	11229842	11089652	11148271	11155922	0.63	cps
Indium	115-1	13789304	14063034	13782589	13878309	1.15	cps
Indium	115-2	4633294	4579550	4624413	4612419	0.62	cps
Iron	56-2	894971987	880714707	878506680	884731125	1.01	cps
Iron	57-2	22051749	21825281	21646180	21841070	0.93	cps
Iron	54-2	48397891	48692808	49049084	48713261	0.67	cps
Krypton	83-1	573	513	463	517	10.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	295981	298443	299705	298043	0.64	cps
Lead	207-1	253854	257665	259098	256873	1.06	cps
Lead	208-1	1162078	1174886	1180097	1172354	0.79	cps
Lithium	6-1	2054688	2035306	1925359	2005118	3.48	cps
Magnesium	24-2	28551030	28696749	28301167	28516315	0.70	cps
Manganese	55-2	14881476	14759300	14823220	14821332	0.41	cps
Molybdenum	94-1	68432	70495	70264	69731	1.62	cps
Molybdenum	95-1	10017	10170	10204	10130	0.98	cps
Molybdenum	96-1	28571	28615	29016	28734	0.85	cps
Molybdenum	97-1	6431	6245	5988	6221	3.58	cps
Molybdenum	98-1	15532	14891	15038	15154	2.21	cps
Neodymium	150-1	97494	99689	97551	98245	1.27	cps
Neodymium	150-2	55626	55736	55385	55582	0.32	cps
Nickel	60-2	339271	334427	336443	336714	0.72	cps
Phosphorus	31-2	96840	94889	95592	95774	1.03	cps
Potassium	39-2	8544654	8443264	8446031	8477983	0.68	cps
Rhodium	103-1	13603410	13707242	13473823	13594825	0.86	cps
Rhodium	103-2	8271099	8332313	8337243	8313552	0.44	cps
Scandium	45-1	10958247	11142574	10898281	10999701	1.16	cps
Scandium	45-2	993766	985512	977923	985734	0.80	cps
Selenium	82-1	751	712	845	769	8.88	cps
Selenium	77-2	230	270	253	251	8.00	cps
Selenium	78-2	650	667	667	661	1.46	cps
Silicon	28-1	40376573	40416397	40549569	40447513	0.22	cps
Silver	107-1	2914	2987	2894	2931	1.68	cps
Silver	109-1	2627	2730	2747	2701	2.41	cps
Sodium	23-2	324563	325487	327098	325716	0.39	cps
Strontium	86-1	795635	795476	791312	794141	0.31	cps
Strontium	88-1	6955368	6826972	7081784	6954708	1.83	cps
Sulfur	34-1	314825	313913	317333	315357	0.56	cps
Terbium	159-1	16984810	17091239	16808006	16961352	0.84	cps
Terbium	159-2	11392081	11129710	11197232	11239674	1.21	cps
Thallium	203-1	2230	2347	2377	2318	3.34	cps
Thallium	205-1	5278	5478	5244	5333	2.37	cps
Tin	118-1	37315	38247	38438	38000	1.58	cps
Titanium	47-1	2509606	2553598	2516789	2526664	0.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-02 Instrumnet Name : P7
Client Sample ID : MYDA00 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:44:17 DataFile Name : 060SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16480	15940	16677	16366	2.33	cps
Vanadium	51-2	2817755	2771221	2726884	2771953	1.64	cps
Yttrium	89-1	24958867	24563380	24495221	24672489	1.01	cps
Yttrium	89-2	5929771	5866161	5813668	5869867	0.99	cps
Zinc	66-2	386276	379811	380856	382314	0.91	cps
Zirconium	90-1	172842	178619	177695	176385	1.76	cps
Zirconium	91-1	39927	39292	40255	39825	1.23	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26151856	26182865	26420880	26251867	0.56	cps
Antimony	121-1	15755	16219	16470	16148	2.24	cps
Arsenic	75-2	132747	132919	132270	132645	0.25	cps
Barium	135-1	2023459	2035253	2008647	2022453	0.66	cps
Barium	137-1	3547807	3533547	3484075	3521810	0.95	cps
Beryllium	9-1	4673	4770	4805	4749	1.44	cps
Bismuth	209-1	9505777	9556204	9539159	9533713	0.27	cps
Bismuth	209-2	7486097	7581936	7485161	7517731	0.74	cps
Bromine	81-1	13693	14294	14154	14047	2.24	cps
Bromine	81-2	843	883	960	896	6.62	cps
Cadmium	108-1	520	573	523	539	5.54	cps
Cadmium	106-1	5441	5571	5561	5524	1.31	cps
Cadmium	111-1	7832	7896	8121	7949	1.91	cps
Calcium	43-1	1323301	1304216	1316485	1314667	0.74	cps
Calcium	44-1	21084138	21414935	21140426	21213166	0.83	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1022349	1020700	1023905	1022318	0.16	cps
Cobalt	59-2	967083	964454	960801	964113	0.33	cps
Copper	63-2	2591454	2611474	2574901	2592610	0.71	cps
Dysprosium	156-1	68764	69287	68389	68813	0.66	cps
Dysprosium	156-2	53776	54207	53792	53925	0.45	cps
Erbium	164-1	71194	70822	71609	71208	0.55	cps
Erbium	164-2	48119	48370	47567	48019	0.86	cps
Gadolinium	160-1	69207	69099	69850	69385	0.58	cps
Gadolinium	160-2	50146	50310	49554	50003	0.80	cps
Holmium	165-1	16137134	16263541	16285368	16228681	0.49	cps
Holmium	165-2	11053280	11386025	11298239	11245848	1.53	cps
Indium	115-1	13929456	13971942	13969403	13956934	0.17	cps
Indium	115-2	4540972	4670933	4557692	4589866	1.54	cps
Iron	56-2	1042014118	1042614518	1034430518	1039686385	0.44	cps
Iron	57-2	25125128	25371513	25356378	25284340	0.55	cps
Iron	54-2	56575136	56498947	57062787	56712290	0.54	cps
Krypton	83-1	533	627	470	543	14.51	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	410471	410170	412542	411061	0.31	cps
Lead	207-1	351085	355134	351773	352664	0.61	cps
Lead	208-1	1603827	1612273	1609096	1608399	0.27	cps
Lithium	6-1	2027282	1977879	2043995	2016385	1.70	cps
Magnesium	24-2	30872666	31022526	31197823	31031005	0.52	cps
Manganese	55-2	17090802	17192083	17088481	17123789	0.35	cps
Molybdenum	94-1	90823	92483	90568	91291	1.14	cps
Molybdenum	95-1	12415	13423	12752	12864	3.99	cps
Molybdenum	96-1	35684	36435	35951	36023	1.06	cps
Molybdenum	97-1	8189	8209	8276	8225	0.55	cps
Molybdenum	98-1	20074	20324	20351	20250	0.75	cps
Neodymium	150-1	109121	108833	109250	109068	0.20	cps
Neodymium	150-2	61239	62320	60506	61355	1.49	cps
Nickel	60-2	362283	363327	361923	362511	0.20	cps
Phosphorus	31-2	95871	95989	95083	95647	0.52	cps
Potassium	39-2	9835237	9752433	9666160	9751276	0.87	cps
Rhodium	103-1	13548301	13677590	13464401	13563431	0.79	cps
Rhodium	103-2	8227043	8368684	8239588	8278439	0.95	cps
Scandium	45-1	11168976	11476934	11282503	11309471	1.38	cps
Scandium	45-2	998568	1002129	990184	996960	0.62	cps
Selenium	82-1	798	789	879	822	6.03	cps
Selenium	77-2	323	240	233	266	18.88	cps
Selenium	78-2	700	687	740	709	3.92	cps
Silicon	28-1	37583014	37808163	37886704	37759294	0.42	cps
Silver	107-1	5511	5611	5474	5532	1.28	cps
Silver	109-1	5074	5204	5174	5151	1.32	cps
Sodium	23-2	362466	363256	364506	363409	0.28	cps
Strontium	86-1	824663	829971	824200	826278	0.39	cps
Strontium	88-1	7242405	7377007	7270235	7296549	0.97	cps
Sulfur	34-1	320314	322406	320732	321150	0.34	cps
Terbium	159-1	17204952	16945397	17127140	17092496	0.78	cps
Terbium	159-2	11168222	11318926	11099028	11195392	1.00	cps
Thallium	203-1	2314	2414	2434	2387	2.69	cps
Thallium	205-1	5625	5565	5685	5625	1.07	cps
Tin	118-1	30937	31879	31982	31599	1.82	cps
Titanium	47-1	2837298	2904242	2817689	2853076	1.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-03 Instrumnet Name : P7
Client Sample ID : MYDA01 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:47:21 DataFile Name : 061SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	20422	20670	21284	20792	2.13	cps
Vanadium	51-2	3185916	3194180	3167425	3182507	0.43	cps
Yttrium	89-1	24715135	24780050	24500812	24665333	0.59	cps
Yttrium	89-2	5903672	5958088	5978269	5946676	0.65	cps
Zinc	66-2	460868	455684	454941	457165	0.71	cps
Zirconium	90-1	230804	236784	233537	233708	1.28	cps
Zirconium	91-1	51012	51955	51373	51447	0.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26346565	26236833	26476334	26353244	0.45	cps
Antimony	121-1	14801	14935	14461	14732	1.66	cps
Arsenic	75-2	119714	120142	119980	119945	0.18	cps
Barium	135-1	1281755	1267154	1290292	1279734	0.91	cps
Barium	137-1	2322748	2322792	2384292	2343277	1.52	cps
Beryllium	9-1	4056	4126	3945	4043	2.26	cps
Bismuth	209-1	9630004	9461718	9430375	9507365	1.13	cps
Bismuth	209-2	7771867	7584143	7659336	7671782	1.23	cps
Bromine	81-1	14267	14030	14344	14214	1.15	cps
Bromine	81-2	983	960	877	940	5.97	cps
Cadmium	108-1	427	450	463	447	4.16	cps
Cadmium	106-1	5611	5218	5484	5438	3.69	cps
Cadmium	111-1	7453	7231	7635	7440	2.72	cps
Calcium	43-1	842310	847164	856597	848690	0.86	cps
Calcium	44-1	12832667	12826129	13094493	12917763	1.19	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1019950	1023582	1024989	1022840	0.25	cps
Cobalt	59-2	980505	977336	981949	979930	0.24	cps
Copper	63-2	2473912	2467256	2438262	2459810	0.77	cps
Dysprosium	156-1	65318	66349	66045	65904	0.80	cps
Dysprosium	156-2	50052	50748	50758	50519	0.80	cps
Erbium	164-1	69210	68919	70460	69530	1.18	cps
Erbium	164-2	45514	46414	46735	46221	1.37	cps
Gadolinium	160-1	65870	66912	66899	66560	0.90	cps
Gadolinium	160-2	47838	48524	48899	48420	1.11	cps
Holmium	165-1	16365490	16259156	16217561	16280736	0.47	cps
Holmium	165-2	11784212	11565293	11430003	11593170	1.54	cps
Indium	115-1	14057823	13992134	13897679	13982545	0.58	cps
Indium	115-2	4836591	4739535	4669367	4748498	1.77	cps
Iron	56-2	1200422035	1210382942	1179334409	1196713129	1.32	cps
Iron	57-2	29326840	29362096	29287360	29325432	0.13	cps
Iron	54-2	66848386	65340129	65473632	65887382	1.27	cps
Krypton	83-1	490	533	483	502	5.41	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	323071	326704	328183	325986	0.81	cps
Lead	207-1	280473	277743	283232	280483	0.98	cps
Lead	208-1	1275098	1276734	1289443	1280425	0.61	cps
Lithium	6-1	1957576	1966362	1965419	1963119	0.25	cps
Magnesium	24-2	31508963	31776849	31349356	31545056	0.68	cps
Manganese	55-2	16363228	16287639	16012148	16221005	1.14	cps
Molybdenum	94-1	64441	65395	64685	64841	0.76	cps
Molybdenum	95-1	18328	18755	18559	18547	1.15	cps
Molybdenum	96-1	38324	39687	39279	39097	1.79	cps
Molybdenum	97-1	11121	11458	11465	11348	1.73	cps
Molybdenum	98-1	28658	28845	28758	28754	0.33	cps
Neodymium	150-1	97786	99297	100076	99053	1.18	cps
Neodymium	150-2	55673	54669	54786	55043	1.00	cps
Nickel	60-2	360745	366800	365249	364265	0.86	cps
Phosphorus	31-2	77445	77763	77676	77628	0.21	cps
Potassium	39-2	9281279	9298448	9373167	9317631	0.52	cps
Rhodium	103-1	13667976	13845742	13424644	13646121	1.55	cps
Rhodium	103-2	8662738	8508325	8364210	8511758	1.75	cps
Scandium	45-1	11166075	11191678	11275188	11210980	0.51	cps
Scandium	45-2	1047156	1029377	1011478	1029337	1.73	cps
Selenium	82-1	848	832	931	870	6.08	cps
Selenium	77-2	300	323	340	321	6.26	cps
Selenium	78-2	587	743	623	651	12.59	cps
Silicon	28-1	34799959	34871671	35607972	35093201	1.27	cps
Silver	107-1	3871	3567	3834	3757	4.41	cps
Silver	109-1	3767	3604	3587	3653	2.72	cps
Sodium	23-2	385961	392270	389148	389126	0.81	cps
Strontium	86-1	633896	633537	632668	633367	0.10	cps
Strontium	88-1	5531808	5553783	5594999	5560197	0.58	cps
Sulfur	34-1	311247	316329	314424	314000	0.82	cps
Terbium	159-1	17212218	16849597	16973394	17011737	1.08	cps
Terbium	159-2	11778079	11398728	11386560	11521122	1.93	cps
Thallium	203-1	2240	2097	2167	2168	3.31	cps
Thallium	205-1	5174	5444	5441	5353	2.90	cps
Tin	118-1	35394	31314	30522	32410	8.07	cps
Titanium	47-1	2881941	2900260	2892680	2891627	0.32	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-04 Instrumnet Name : P7
Client Sample ID : MYDA02 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:50:26 DataFile Name : 062SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17041	17268	17542	17284	1.45	cps
Vanadium	51-2	3955161	3941388	3899879	3932143	0.73	cps
Yttrium	89-1	25049016	24624725	24680070	24784604	0.93	cps
Yttrium	89-2	6184424	6070653	5971390	6075489	1.75	cps
Zinc	66-2	495202	497623	496673	496499	0.25	cps
Zirconium	90-1	148368	149387	149186	148980	0.36	cps
Zirconium	91-1	32640	33221	33572	33144	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	18344753	18912188	18303531	18520158	1.84	cps
Antimony	121-1	15008	14925	14731	14888	0.95	cps
Arsenic	75-2	93599	93542	93727	93623	0.10	cps
Barium	135-1	1265234	1268073	1267358	1266888	0.12	cps
Barium	137-1	2313430	2347586	2332034	2331016	0.73	cps
Beryllium	9-1	3514	3620	3572	3569	1.50	cps
Bismuth	209-1	9736478	9718788	9510002	9655089	1.30	cps
Bismuth	209-2	7558231	7547576	7714676	7606828	1.23	cps
Bromine	81-1	13520	13897	13827	13748	1.46	cps
Bromine	81-2	767	790	660	739	9.38	cps
Cadmium	108-1	387	307	313	336	13.23	cps
Cadmium	106-1	5371	5218	5131	5240	2.32	cps
Cadmium	111-1	6303	6251	6303	6286	0.47	cps
Calcium	43-1	1462769	1514249	1481519	1486179	1.75	cps
Calcium	44-1	23771553	24077929	23620184	23823222	0.98	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	721797	719789	714882	718823	0.49	cps
Cobalt	59-2	690674	689187	692175	690679	0.22	cps
Copper	63-2	1964596	1991530	1962249	1972792	0.82	cps
Dysprosium	156-1	53930	54636	54512	54359	0.69	cps
Dysprosium	156-2	42946	43303	42838	43029	0.57	cps
Erbium	164-1	55098	55031	55178	55103	0.13	cps
Erbium	164-2	36792	36992	36718	36834	0.39	cps
Gadolinium	160-1	53100	53538	53960	53533	0.80	cps
Gadolinium	160-2	38754	39138	38710	38867	0.61	cps
Holmium	165-1	16770236	16511398	16568778	16616804	0.82	cps
Holmium	165-2	11187045	11224962	11350301	11254102	0.76	cps
Indium	115-1	14263314	14201615	14066510	14177146	0.71	cps
Indium	115-2	4654624	4666661	4614914	4645399	0.58	cps
Iron	56-2	781831455	774387002	769136869	775118442	0.82	cps
Iron	57-2	18852816	18921358	18897361	18890512	0.18	cps
Iron	54-2	43404043	42993933	42774846	43057607	0.74	cps
Krypton	83-1	500	427	500	476	8.90	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	248376	250880	251409	250222	0.65	cps
Lead	207-1	210627	213638	211760	212009	0.72	cps
Lead	208-1	967110	982795	976572	975492	0.81	cps
Lithium	6-1	2025803	1983708	1974065	1994525	1.38	cps
Magnesium	24-2	21834862	22115763	21680829	21877151	1.01	cps
Manganese	55-2	11877127	11902215	11714386	11831243	0.86	cps
Molybdenum	94-1	50687	52096	52132	51638	1.60	cps
Molybdenum	95-1	9980	10240	10180	10134	1.34	cps
Molybdenum	96-1	25342	24754	25382	25159	1.40	cps
Molybdenum	97-1	5988	6608	6088	6228	5.35	cps
Molybdenum	98-1	15612	15969	15542	15707	1.46	cps
Neodymium	150-1	85400	88579	88315	87431	2.02	cps
Neodymium	150-2	50500	49774	48905	49726	1.61	cps
Nickel	60-2	265206	264659	263543	264469	0.32	cps
Phosphorus	31-2	74426	73422	74125	73991	0.70	cps
Potassium	39-2	7341963	7366986	7327777	7345576	0.27	cps
Rhodium	103-1	14036175	13882060	13838619	13918951	0.75	cps
Rhodium	103-2	8326190	8497552	8504272	8442671	1.20	cps
Scandium	45-1	11126598	11029158	10902920	11019559	1.02	cps
Scandium	45-2	987465	980618	975074	981052	0.63	cps
Selenium	82-1	748	825	868	814	7.45	cps
Selenium	77-2	277	233	253	254	8.52	cps
Selenium	78-2	737	623	680	680	8.33	cps
Silicon	28-1	27328654	27902262	27311189	27514035	1.22	cps
Silver	107-1	2757	2584	2780	2707	3.97	cps
Silver	109-1	2467	2480	2414	2454	1.44	cps
Sodium	23-2	288507	290764	291734	290335	0.57	cps
Strontium	86-1	598821	610053	609360	606078	1.04	cps
Strontium	88-1	5312257	5434378	5427132	5391256	1.27	cps
Sulfur	34-1	321521	318040	320123	319894	0.55	cps
Terbium	159-1	17226338	17210416	17180486	17205747	0.14	cps
Terbium	159-2	11292694	11360009	11203842	11285515	0.69	cps
Thallium	203-1	1850	1897	1810	1852	2.34	cps
Thallium	205-1	4681	4521	4437	4546	2.72	cps
Tin	118-1	25179	25526	25613	25439	0.90	cps
Titanium	47-1	2194198	2229250	2170013	2197820	1.36	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-05 Instrumnet Name : P7
Client Sample ID : MYDA03 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:53:30 DataFile Name : 063SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	15586	15863	15159	15536	2.28	cps
Vanadium	51-2	2334283	2416085	2367382	2372584	1.73	cps
Yttrium	89-1	24498498	24727900	24657575	24627991	0.48	cps
Yttrium	89-2	5863112	5992436	5984415	5946654	1.22	cps
Zinc	66-2	407393	408351	403113	406285	0.69	cps
Zirconium	90-1	125387	126691	128977	127018	1.43	cps
Zirconium	91-1	28057	28197	28327	28194	0.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26610239	26584976	26159604	26451606	0.96	cps
Antimony	121-1	11478	10944	11615	11346	3.12	cps
Arsenic	75-2	150885	149864	149969	150239	0.37	cps
Barium	135-1	1769183	1762313	1728537	1753344	1.24	cps
Barium	137-1	3043165	3045339	2973629	3020711	1.35	cps
Beryllium	9-1	4279	4497	4393	4389	2.49	cps
Bismuth	209-1	9495517	9483778	9629463	9536252	0.85	cps
Bismuth	209-2	7497148	7435441	7493922	7475504	0.46	cps
Bromine	81-1	14207	14684	14063	14318	2.27	cps
Bromine	81-2	967	1010	1093	1023	6.29	cps
Cadmium	108-1	510	443	497	483	7.30	cps
Cadmium	106-1	5124	5168	5448	5247	3.35	cps
Cadmium	111-1	6534	6444	6960	6646	4.14	cps
Calcium	43-1	797968	810107	798239	802105	0.86	cps
Calcium	44-1	12254120	12192712	11797684	12081506	2.05	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1010887	1005068	999574	1005176	0.56	cps
Cobalt	59-2	961604	963851	959163	961539	0.24	cps
Copper	63-2	1996290	1987557	1946156	1976668	1.35	cps
Dysprosium	156-1	84868	86280	86994	86047	1.26	cps
Dysprosium	156-2	66898	66108	66467	66491	0.60	cps
Erbium	164-1	86673	89075	89061	88270	1.57	cps
Erbium	164-2	59566	57822	58408	58599	1.51	cps
Gadolinium	160-1	87729	89131	86944	87935	1.26	cps
Gadolinium	160-2	61869	63031	61330	62077	1.40	cps
Holmium	165-1	16421898	16249987	16541994	16404626	0.89	cps
Holmium	165-2	11158851	11240746	11250182	11216593	0.45	cps
Indium	115-1	14094418	14375389	14008223	14159343	1.36	cps
Indium	115-2	4616615	4607701	4657202	4627173	0.57	cps
Iron	56-2	959837106	967120732	963527479	963495106	0.38	cps
Iron	57-2	23791038	23667492	23629232	23695921	0.36	cps
Iron	54-2	53252804	53053469	53595034	53300436	0.51	cps
Krypton	83-1	580	553	517	550	5.78	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	266495	269359	270201	268685	0.72	cps
Lead	207-1	227228	232269	231101	230199	1.15	cps
Lead	208-1	1045501	1059882	1050746	1052043	0.69	cps
Lithium	6-1	1957223	1882653	1852943	1897606	2.83	cps
Magnesium	24-2	30371433	30228510	30233181	30277708	0.27	cps
Manganese	55-2	16062897	15980204	16051924	16031675	0.28	cps
Molybdenum	94-1	78395	78204	77735	78111	0.43	cps
Molybdenum	95-1	11164	11194	11208	11189	0.20	cps
Molybdenum	96-1	30639	31086	31237	30987	1.00	cps
Molybdenum	97-1	6692	7052	6995	6913	2.80	cps
Molybdenum	98-1	16623	17037	16746	16802	1.26	cps
Neodymium	150-1	131423	133115	131416	131985	0.74	cps
Neodymium	150-2	74971	74442	74529	74648	0.38	cps
Nickel	60-2	348476	345252	344885	346205	0.57	cps
Phosphorus	31-2	74212	73261	74484	73986	0.87	cps
Potassium	39-2	9075666	8908195	9005630	8996497	0.93	cps
Rhodium	103-1	13820336	13435451	13750999	13668929	1.50	cps
Rhodium	103-2	8374439	8198726	8290486	8287884	1.06	cps
Scandium	45-1	11367709	11523502	11061572	11317594	2.08	cps
Scandium	45-2	1022380	1010038	1010843	1014420	0.68	cps
Selenium	82-1	782	814	794	797	1.99	cps
Selenium	77-2	393	363	383	380	4.02	cps
Selenium	78-2	770	687	770	742	6.48	cps
Silicon	28-1	28902645	28664146	29226503	28931098	0.98	cps
Silver	107-1	2357	2414	2530	2434	3.63	cps
Silver	109-1	2274	2174	2484	2310	6.85	cps
Sodium	23-2	420634	419691	418036	419453	0.31	cps
Strontium	86-1	522863	534970	539089	532308	1.58	cps
Strontium	88-1	4728034	4833616	4785270	4782306	1.11	cps
Sulfur	34-1	273772	274328	271865	273322	0.47	cps
Terbium	159-1	17378226	17356482	17120643	17285117	0.83	cps
Terbium	159-2	11155904	11110539	11269692	11178711	0.73	cps
Thallium	203-1	3824	3540	3621	3662	3.99	cps
Thallium	205-1	8286	8423	8269	8326	1.01	cps
Tin	118-1	31474	31912	32884	32090	2.25	cps
Titanium	47-1	4221936	4121032	4219712	4187560	1.38	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-06 Instrumnet Name : P7
Client Sample ID : MYDA04 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:56:36 DataFile Name : 064SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	19771	19615	18897	19428	2.40	cps
Vanadium	51-2	2853287	2864070	2807572	2841643	1.06	cps
Yttrium	89-1	25728566	25139085	25465386	25444346	1.16	cps
Yttrium	89-2	6041978	6034658	6062323	6046319	0.24	cps
Zinc	66-2	364034	364404	361960	363466	0.36	cps
Zirconium	90-1	194717	197109	194767	195531	0.70	cps
Zirconium	91-1	42154	42989	44086	43076	2.25	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	18921706	18885823	18570839	18792790	1.03	cps
Antimony	121-1	14037	14587	14367	14331	1.93	cps
Arsenic	75-2	119348	115657	115918	116974	1.76	cps
Barium	135-1	1686448	1719801	1689044	1698431	1.09	cps
Barium	137-1	2891269	2941625	2882997	2905297	1.09	cps
Beryllium	9-1	3323	3315	3270	3303	0.86	cps
Bismuth	209-1	9616018	9640972	9759933	9672307	0.80	cps
Bismuth	209-2	7624684	7643477	7600417	7622860	0.28	cps
Bromine	81-1	13460	13783	13690	13644	1.22	cps
Bromine	81-2	733	770	707	737	4.32	cps
Cadmium	108-1	553	567	513	544	5.10	cps
Cadmium	106-1	5898	5641	5711	5750	2.31	cps
Cadmium	111-1	8165	8056	7706	7976	3.01	cps
Calcium	43-1	546321	552738	543275	547445	0.88	cps
Calcium	44-1	8246364	8394749	8377229	8339447	0.97	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	799563	800746	792447	797585	0.56	cps
Cobalt	59-2	717088	711307	714215	714203	0.40	cps
Copper	63-2	2075654	2039268	2048440	2054454	0.92	cps
Dysprosium	156-1	65864	67869	66664	66799	1.51	cps
Dysprosium	156-2	54030	53053	54067	53717	1.07	cps
Erbium	164-1	62291	62439	62543	62424	0.20	cps
Erbium	164-2	42036	42204	41558	41933	0.80	cps
Gadolinium	160-1	64430	64980	65047	64819	0.52	cps
Gadolinium	160-2	47246	46845	45845	46645	1.55	cps
Holmium	165-1	16799764	16402339	16436252	16546118	1.33	cps
Holmium	165-2	11363130	11351883	11189371	11301461	0.86	cps
Indium	115-1	14111246	14426935	14120962	14219714	1.26	cps
Indium	115-2	4707975	4650950	4665469	4674798	0.63	cps
Iron	56-2	749618602	755077615	740257402	748317873	1.00	cps
Iron	57-2	18376265	18664974	18414278	18485173	0.85	cps
Iron	54-2	41681456	40894154	40540349	41038653	1.42	cps
Krypton	83-1	477	473	450	467	3.11	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	449157	448132	449391	448893	0.15	cps
Lead	207-1	383503	390653	383646	385934	1.06	cps
Lead	208-1	1747506	1767017	1769288	1761270	0.68	cps
Lithium	6-1	1882782	1908163	1907917	1899621	0.77	cps
Magnesium	24-2	20050300	20380623	20065694	20165539	0.92	cps
Manganese	55-2	12688494	12741378	12424719	12618197	1.34	cps
Molybdenum	94-1	123105	122232	120400	121912	1.13	cps
Molybdenum	95-1	7862	8069	7882	7938	1.44	cps
Molybdenum	96-1	33385	33966	34842	34064	2.15	cps
Molybdenum	97-1	4781	4938	5038	4919	2.63	cps
Molybdenum	98-1	11915	11875	12018	11936	0.62	cps
Neodymium	150-1	114618	116423	119273	116771	2.01	cps
Neodymium	150-2	66218	66359	65042	65873	1.10	cps
Nickel	60-2	309101	309560	311021	309894	0.32	cps
Phosphorus	31-2	51590	51904	51356	51617	0.53	cps
Potassium	39-2	7378324	7423498	7343205	7381676	0.55	cps
Rhodium	103-1	13772404	13602814	13778053	13717757	0.73	cps
Rhodium	103-2	8383720	8447865	8576575	8469387	1.16	cps
Scandium	45-1	10965619	11158563	11003667	11042616	0.93	cps
Scandium	45-2	984495	979460	978935	980963	0.31	cps
Selenium	82-1	867	755	845	822	7.22	cps
Selenium	77-2	317	277	307	300	6.94	cps
Selenium	78-2	583	623	803	670	17.49	cps
Silicon	28-1	35749623	35425327	36236134	35803695	1.14	cps
Silver	107-1	5758	5701	6005	5821	2.77	cps
Silver	109-1	5038	5434	5104	5192	4.09	cps
Sodium	23-2	224729	225719	225825	225424	0.27	cps
Strontium	86-1	273851	275476	275131	274819	0.31	cps
Strontium	88-1	2421572	2459869	2422830	2434757	0.89	cps
Sulfur	34-1	268006	264299	267398	266568	0.75	cps
Terbium	159-1	17430088	17394074	16822671	17215611	1.98	cps
Terbium	159-2	11353550	11366507	11316654	11345570	0.23	cps
Thallium	203-1	2994	2927	2880	2934	1.94	cps
Thallium	205-1	6642	7109	7105	6952	3.86	cps
Tin	118-1	24197	23853	24357	24136	1.07	cps
Titanium	47-1	2655749	2695802	2780470	2710674	2.35	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07 Instrumnet Name : P7
Client Sample ID : MYDA05 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 19:59:40 DataFile Name : 065SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	20666	21047	20957	20890	0.95	cps
Vanadium	51-2	2118401	2150342	2169917	2146220	1.21	cps
Yttrium	89-1	24870120	25078460	24674153	24874244	0.81	cps
Yttrium	89-2	5917887	5997066	6025920	5980291	0.94	cps
Zinc	66-2	279367	273974	275844	276395	0.99	cps
Zirconium	90-1	321006	327831	329519	326119	1.38	cps
Zirconium	91-1	71728	71968	72421	72039	0.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	19009271	19105060	19145532	19086621	0.37	cps
Antimony	121-1	14261	14464	14391	14372	0.72	cps
Arsenic	75-2	118636	119281	118790	118903	0.28	cps
Barium	135-1	1702709	1721357	1692771	1705612	0.85	cps
Barium	137-1	2919073	2949714	2961874	2943553	0.75	cps
Beryllium	9-1	3055	3524	3432	3337	7.46	cps
Bismuth	209-1	9748840	9760765	9591106	9700237	0.98	cps
Bismuth	209-2	7717443	7717381	7781877	7738900	0.48	cps
Bromine	81-1	13913	13626	13937	13825	1.25	cps
Bromine	81-2	673	747	757	726	6.27	cps
Cadmium	108-1	563	567	520	550	4.73	cps
Cadmium	106-1	5581	5788	5684	5684	1.82	cps
Cadmium	111-1	7846	7916	7842	7868	0.52	cps
Calcium	43-1	545755	553990	556100	551948	0.99	cps
Calcium	44-1	8457845	8331897	8381471	8390404	0.76	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	817103	798472	797221	804265	1.38	cps
Cobalt	59-2	726126	725512	721814	724484	0.32	cps
Copper	63-2	2112771	2092685	2079534	2094997	0.80	cps
Dysprosium	156-1	65612	67980	66761	66784	1.77	cps
Dysprosium	156-2	53803	53348	54174	53775	0.77	cps
Erbium	164-1	62707	63339	62643	62896	0.61	cps
Erbium	164-2	42451	43106	42250	42603	1.05	cps
Gadolinium	160-1	64839	65452	65117	65136	0.47	cps
Gadolinium	160-2	47875	47463	47012	47450	0.91	cps
Holmium	165-1	16657593	16872699	16225224	16585172	1.99	cps
Holmium	165-2	11504539	11360385	11396872	11420598	0.66	cps
Indium	115-1	14470342	14368656	14436716	14425238	0.36	cps
Indium	115-2	4718786	4781583	4779233	4759868	0.75	cps
Iron	56-2	762721322	759381455	760004709	760702495	0.23	cps
Iron	57-2	18697543	18569381	18808393	18691773	0.64	cps
Iron	54-2	41240584	41719252	41679607	41546481	0.64	cps
Krypton	83-1	547	510	477	511	6.85	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	441803	451676	441499	444992	1.30	cps
Lead	207-1	381527	388763	388770	386354	1.08	cps
Lead	208-1	1752068	1761784	1757496	1757116	0.28	cps
Lithium	6-1	1994304	1907285	1914142	1938577	2.50	cps
Magnesium	24-2	20449538	20090966	20631136	20390547	1.35	cps
Manganese	55-2	12517952	12534621	12814523	12622365	1.32	cps
Molybdenum	94-1	120709	124209	123392	122770	1.49	cps
Molybdenum	95-1	7782	7689	7919	7797	1.48	cps
Molybdenum	96-1	33752	35045	33655	34151	2.27	cps
Molybdenum	97-1	4901	4778	4721	4800	1.92	cps
Molybdenum	98-1	12062	11935	12052	12016	0.59	cps
Neodymium	150-1	117928	117613	117593	117711	0.16	cps
Neodymium	150-2	67163	66449	66379	66663	0.65	cps
Nickel	60-2	311995	312297	314014	312768	0.35	cps
Phosphorus	31-2	52727	52634	51469	52277	1.34	cps
Potassium	39-2	7500647	7386638	7454204	7447163	0.77	cps
Rhodium	103-1	14084669	14004173	13836531	13975124	0.91	cps
Rhodium	103-2	8480604	8639509	8526466	8548860	0.96	cps
Scandium	45-1	11188708	10988868	11098457	11092011	0.90	cps
Scandium	45-2	994835	995870	985419	992041	0.58	cps
Selenium	82-1	759	824	862	815	6.41	cps
Selenium	77-2	270	303	303	292	6.59	cps
Selenium	78-2	757	583	647	662	13.24	cps
Silicon	28-1	36721250	36064424	35381929	36055868	1.86	cps
Silver	107-1	5761	5494	5748	5668	2.65	cps
Silver	109-1	5458	5314	5261	5344	1.90	cps
Sodium	23-2	225243	228525	225724	226497	0.78	cps
Strontium	86-1	272541	277087	276616	275415	0.91	cps
Strontium	88-1	2492278	2480536	2484646	2485820	0.24	cps
Sulfur	34-1	268982	271624	271251	270619	0.53	cps
Terbium	159-1	17407274	17244833	17659318	17437142	1.20	cps
Terbium	159-2	11447398	11443680	11471170	11454083	0.13	cps
Thallium	203-1	2780	2824	3014	2873	4.32	cps
Thallium	205-1	7152	6752	7025	6976	2.93	cps
Tin	118-1	24481	24458	24781	24573	0.74	cps
Titanium	47-1	2751411	2669974	2729409	2716931	1.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-08 Instrumnet Name : P7
Client Sample ID : MYDA05D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:02:47 DataFile Name : 066SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	21314	21427	20619	21120	2.07	cps
Vanadium	51-2	2202562	2195500	2184511	2194191	0.41	cps
Yttrium	89-1	25233980	25387446	25357940	25326455	0.32	cps
Yttrium	89-2	6016921	6054612	5938900	6003478	0.98	cps
Zinc	66-2	279528	279435	276863	278609	0.54	cps
Zirconium	90-1	326685	326437	333597	328906	1.24	cps
Zirconium	91-1	71537	72424	72478	72146	0.73	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	3681844	3621339	3635625	3646269	0.87	cps
Antimony	121-1	2657	2940	2690	2763	5.61	cps
Arsenic	75-2	23382	23071	23449	23301	0.86	cps
Barium	135-1	308333	306273	306998	307201	0.34	cps
Barium	137-1	527690	529563	530046	529100	0.24	cps
Beryllium	9-1	662	673	662	665	0.96	cps
Bismuth	209-1	9849653	9779018	9670483	9766385	0.92	cps
Bismuth	209-2	7907353	7894970	7925376	7909233	0.19	cps
Bromine	81-1	12522	12972	12729	12741	1.77	cps
Bromine	81-2	290	317	273	293	7.45	cps
Cadmium	108-1	110	123	150	128	15.94	cps
Cadmium	106-1	4677	4841	4861	4793	2.10	cps
Cadmium	111-1	3977	4099	4131	4069	1.99	cps
Calcium	43-1	104990	105201	106102	105431	0.56	cps
Calcium	44-1	1650397	1677980	1645653	1658010	1.05	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	157476	156318	156304	156699	0.43	cps
Cobalt	59-2	139976	140087	138300	139454	0.72	cps
Copper	63-2	400121	395808	393357	396429	0.86	cps
Dysprosium	156-1	12733	12546	13356	12878	3.30	cps
Dysprosium	156-2	10437	10230	10454	10374	1.20	cps
Erbium	164-1	12119	12122	11862	12034	1.24	cps
Erbium	164-2	8009	8443	8059	8170	2.90	cps
Gadolinium	160-1	12325	12552	12619	12499	1.23	cps
Gadolinium	160-2	9260	9320	9293	9291	0.32	cps
Holmium	165-1	16663254	16487779	16542394	16564476	0.54	cps
Holmium	165-2	11661561	11380973	11434292	11492275	1.30	cps
Indium	115-1	14648100	14463019	14438845	14516654	0.79	cps
Indium	115-2	4886453	4761111	4804178	4817247	1.32	cps
Iron	56-2	146796598	145603648	144536525	145645590	0.78	cps
Iron	57-2	3580673	3565922	3554942	3567179	0.36	cps
Iron	54-2	8091840	8073539	8088417	8084599	0.12	cps
Krypton	83-1	380	400	397	392	2.73	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	88187	87117	87103	87469	0.71	cps
Lead	207-1	75341	75401	74928	75223	0.34	cps
Lead	208-1	340127	343697	342251	342025	0.52	cps
Lithium	6-1	2040331	2029649	2024850	2031610	0.39	cps
Magnesium	24-2	3981444	3809816	3853735	3881665	2.30	cps
Manganese	55-2	2512567	2504163	2492447	2503059	0.40	cps
Molybdenum	94-1	23295	23799	23439	23511	1.10	cps
Molybdenum	95-1	1637	1583	1517	1579	3.81	cps
Molybdenum	96-1	6808	6508	6702	6673	2.28	cps
Molybdenum	97-1	1110	1090	940	1047	8.88	cps
Molybdenum	98-1	2457	2600	2494	2517	2.96	cps
Neodymium	150-1	22528	22471	23106	22702	1.55	cps
Neodymium	150-2	12896	13333	12946	13058	1.83	cps
Nickel	60-2	61345	61643	60913	61300	0.60	cps
Phosphorus	31-2	10387	10220	9987	10198	1.97	cps
Potassium	39-2	1522437	1480580	1476438	1493152	1.70	cps
Rhodium	103-1	14324527	13952626	14342827	14206660	1.55	cps
Rhodium	103-2	8920930	8792571	8755920	8823141	0.98	cps
Scandium	45-1	10655292	10409024	10473321	10512546	1.22	cps
Scandium	45-2	940340	930495	936141	935659	0.53	cps
Selenium	82-1	602	615	598	605	1.40	cps
Selenium	77-2	80	57	100	79	27.49	cps
Selenium	78-2	460	527	427	471	10.81	cps
Silicon	28-1	7487958	7510462	7500196	7499539	0.15	cps
Silver	107-1	1120	1187	1193	1167	3.48	cps
Silver	109-1	997	1033	1097	1042	4.85	cps
Sodium	23-2	103901	101062	102394	102452	1.39	cps
Strontium	86-1	52640	53199	54591	53477	1.88	cps
Strontium	88-1	461538	464696	471810	466015	1.13	cps
Sulfur	34-1	255607	251154	253442	253401	0.88	cps
Terbium	159-1	17183415	17182513	17254617	17206848	0.24	cps
Terbium	159-2	11758645	11379125	11658001	11598590	1.70	cps
Thallium	203-1	617	627	723	656	8.99	cps
Thallium	205-1	1377	1493	1483	1451	4.46	cps
Tin	118-1	5971	6525	6171	6223	4.50	cps
Titanium	47-1	532147	525891	537151	531730	1.06	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07LX5 Instrumnet Name : P7
Client Sample ID : MYDA05L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 20:05:51 DataFile Name : 067SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	3914	4004	3841	3920	2.09	cps
Vanadium	51-2	422120	413926	412689	416245	1.23	cps
Yttrium	89-1	24029180	24447049	24603598	24359942	1.22	cps
Yttrium	89-2	5880702	5803349	5795133	5826394	0.81	cps
Zinc	66-2	56898	56861	57109	56956	0.23	cps
Zirconium	90-1	63219	63102	63714	63345	0.51	cps
Zirconium	91-1	13977	14290	14114	14127	1.11	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	19063238	18858941	19089889	19004023	0.66	cps
Antimony	121-1	727410	731662	736198	731756	0.60	cps
Arsenic	75-2	135014	134933	134624	134857	0.15	cps
Barium	135-1	5396037	5474989	5359998	5410341	1.09	cps
Barium	137-1	9296997	9429196	9429638	9385277	0.81	cps
Beryllium	9-1	66788	67155	66881	66941	0.29	cps
Bismuth	209-1	9695457	9685572	9778726	9719918	0.53	cps
Bismuth	209-2	7529740	7616838	7499500	7548693	0.81	cps
Bromine	81-1	14280	14781	13583	14215	4.23	cps
Bromine	81-2	693	800	727	740	7.37	cps
Cadmium	108-1	6902	7199	6888	6996	2.51	cps
Cadmium	106-1	14961	14357	14367	14562	2.37	cps
Cadmium	111-1	103060	104306	104076	103814	0.64	cps
Calcium	43-1	538750	537035	540389	538725	0.31	cps
Calcium	44-1	8302517	8295709	8454049	8350758	1.07	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1618192	1589134	1556988	1588105	1.93	cps
Cobalt	59-2	3733883	3742588	3721409	3732627	0.29	cps
Copper	63-2	3106264	2991213	3051169	3049548	1.89	cps
Dysprosium	156-1	65512	66356	66935	66268	1.08	cps
Dysprosium	156-2	52297	52484	52424	52402	0.18	cps
Erbium	164-1	62167	61615	62670	62151	0.85	cps
Erbium	164-2	41842	41007	40906	41252	1.25	cps
Gadolinium	160-1	63225	63604	63881	63570	0.52	cps
Gadolinium	160-2	45357	46223	46527	46035	1.32	cps
Holmium	165-1	16543710	16527144	16525314	16532056	0.06	cps
Holmium	165-2	11245435	11331428	11004669	11193844	1.51	cps
Indium	115-1	14025259	14111740	14115139	14084046	0.36	cps
Indium	115-2	4608096	4570613	4588267	4588992	0.41	cps
Iron	56-2	751506575	729715029	747802496	743008033	1.57	cps
Iron	57-2	18150365	18067991	18246632	18154996	0.49	cps
Iron	54-2	41015680	40765954	41080119	40953917	0.41	cps
Krypton	83-1	477	497	547	507	7.12	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	527857	533076	536228	532387	0.79	cps
Lead	207-1	453339	457482	461549	457457	0.90	cps
Lead	208-1	2069705	2102867	2101354	2091309	0.90	cps
Lithium	6-1	2005296	1952466	1990897	1982886	1.38	cps
Magnesium	24-2	19852424	20270388	20107571	20076795	1.05	cps
Manganese	55-2	13960254	13618909	13776959	13785374	1.24	cps
Molybdenum	94-1	119184	123031	120394	120869	1.63	cps
Molybdenum	95-1	7785	7942	7922	7883	1.08	cps
Molybdenum	96-1	33515	33923	33699	33712	0.61	cps
Molybdenum	97-1	4851	4561	4851	4754	3.52	cps
Molybdenum	98-1	11755	12272	12038	12022	2.15	cps
Neodymium	150-1	113970	115795	116228	115331	1.04	cps
Neodymium	150-2	65023	64731	65002	64919	0.25	cps
Nickel	60-2	1070666	1062072	1074113	1068950	0.58	cps
Phosphorus	31-2	50490	51352	50162	50668	1.21	cps
Potassium	39-2	7100718	7117751	7110112	7109527	0.12	cps
Rhodium	103-1	14029192	14074406	13872129	13991909	0.76	cps
Rhodium	103-2	8297837	8379281	8309996	8329038	0.53	cps
Scandium	45-1	11150183	11077226	11145320	11124243	0.37	cps
Scandium	45-2	974009	972504	972361	972958	0.09	cps
Selenium	82-1	18212	18224	18156	18197	0.20	cps
Selenium	77-2	1847	1933	1730	1837	5.56	cps
Selenium	78-2	6028	5935	5761	5908	2.29	cps
Silicon	28-1	35780724	36265224	35940754	35995567	0.69	cps
Silver	107-1	420367	424937	427088	424131	0.81	cps
Silver	109-1	395812	402892	403648	400784	1.08	cps
Sodium	23-2	225585	227229	231193	228002	1.26	cps
Strontium	86-1	269986	274068	271603	271886	0.76	cps
Strontium	88-1	2371582	2411356	2423065	2402001	1.12	cps
Sulfur	34-1	271073	272719	269884	271225	0.52	cps
Terbium	159-1	17288321	17068011	17105378	17153903	0.69	cps
Terbium	159-2	11123269	11214056	11295023	11210783	0.77	cps
Thallium	203-1	287376	290181	293060	290206	0.98	cps
Thallium	205-1	684389	692672	698765	691942	1.04	cps
Tin	118-1	25917	25733	26104	25918	0.72	cps
Titanium	47-1	2722268	2720894	2713710	2718957	0.17	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-09 Instrumnet Name : P7
Client Sample ID : MYDA05S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:09:04 DataFile Name : 068SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	20529	20609	20720	20619	0.46	cps
Vanadium	51-2	3840216	3918751	3792304	3850423	1.66	cps
Yttrium	89-1	25050515	24974338	24590197	24871684	0.99	cps
Yttrium	89-2	5957761	5911822	5920756	5930113	0.41	cps
Zinc	66-2	596199	588341	589880	591474	0.70	cps
Zirconium	90-1	319888	318856	318177	318974	0.27	cps
Zirconium	91-1	72320	71708	71463	71830	0.61	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	19752418	19708024	19646879	19702441	0.27	cps
Antimony	121-1	3639976	3677847	3649539	3655787	0.54	cps
Arsenic	75-2	198921	199361	198837	199040	0.14	cps
Barium	135-1	19350893	19755856	19657743	19588164	1.08	cps
Barium	137-1	33385140	34008574	33777225	33723646	0.93	cps
Beryllium	9-1	306124	311384	311098	309536	0.96	cps
Bismuth	209-1	9538951	9709755	9655040	9634582	0.91	cps
Bismuth	209-2	7512944	7575984	6258148	7115692	10.45	cps
Bromine	81-1	13199	13930	14017	13715	3.27	cps
Bromine	81-2	640	697	797	711	11.16	cps
Cadmium	108-1	30482	31304	31528	31105	1.77	cps
Cadmium	106-1	48588	48404	48578	48523	0.21	cps
Cadmium	111-1	470133	473493	472563	472063	0.37	cps
Calcium	43-1	508199	511091	516210	511834	0.79	cps
Calcium	44-1	7860089	7884403	7948431	7897641	0.58	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	4546310	4467466	4568196	4527324	1.17	cps
Cobalt	59-2	14999051	15172399	15259254	15143568	0.87	cps
Copper	63-2	6882166	6824353	6980089	6895536	1.14	cps
Dysprosium	156-1	63014	64223	64139	63792	1.06	cps
Dysprosium	156-2	50932	51541	52059	51511	1.10	cps
Erbium	164-1	59128	59764	59275	59389	0.56	cps
Erbium	164-2	39833	40442	40418	40231	0.86	cps
Gadolinium	160-1	60463	61631	61738	61278	1.15	cps
Gadolinium	160-2	44099	44748	44527	44458	0.74	cps
Holmium	165-1	16557225	16259042	16512656	16442975	0.98	cps
Holmium	165-2	11043310	11168516	9213434	10475087	10.45	cps
Indium	115-1	14028696	13887443	13999045	13971728	0.53	cps
Indium	115-2	4615620	4612544	3715877	4314680	12.02	cps
Iron	56-2	714269349	716800469	725930576	719000132	0.85	cps
Iron	57-2	17930246	17634283	17756772	17773767	0.84	cps
Iron	54-2	39533490	39725145	40354838	39871158	1.08	cps
Krypton	83-1	523	470	480	491	5.77	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	872785	872262	879357	874801	0.45	cps
Lead	207-1	746564	765986	761541	758030	1.34	cps
Lead	208-1	3643470	3718007	3700652	3687376	1.06	cps
Lithium	6-1	1974944	1980686	1919885	1958505	1.71	cps
Magnesium	24-2	19204858	18999240	19328703	19177601	0.87	cps
Manganese	55-2	18126136	17910943	18373335	18136805	1.28	cps
Molybdenum	94-1	113315	114927	117783	115341	1.96	cps
Molybdenum	95-1	7659	7625	7695	7660	0.46	cps
Molybdenum	96-1	33091	33051	32713	32952	0.63	cps
Molybdenum	97-1	4844	4751	4617	4737	2.41	cps
Molybdenum	98-1	11621	11802	12065	11829	1.89	cps
Neodymium	150-1	109921	111880	112827	111542	1.33	cps
Neodymium	150-2	62297	61838	62635	62257	0.64	cps
Nickel	60-2	4044643	4059203	4067674	4057173	0.29	cps
Phosphorus	31-2	48433	48306	49252	48664	1.06	cps
Potassium	39-2	6898384	6942047	6930332	6923588	0.33	cps
Rhodium	103-1	13968838	13555109	13757052	13760333	1.50	cps
Rhodium	103-2	8343840	8351420	6845357	7846872	11.05	cps
Scandium	45-1	11007394	10936974	10944079	10962816	0.35	cps
Scandium	45-2	964038	958014	797838	906630	10.40	cps
Selenium	82-1	75838	76385	76389	76204	0.42	cps
Selenium	77-2	6938	6882	7162	6994	2.12	cps
Selenium	78-2	23425	23055	23879	23453	1.76	cps
Silicon	28-1	34187165	34192724	33782450	34054113	0.69	cps
Silver	107-1	2077663	2138221	1939709	2051864	4.96	cps
Silver	109-1	1836783	2062083	1976928	1958598	5.81	cps
Sodium	23-2	207438	208472	208390	208100	0.28	cps
Strontium	86-1	256425	260745	259176	258782	0.85	cps
Strontium	88-1	2285627	2359102	2326290	2323673	1.58	cps
Sulfur	34-1	262424	265560	259820	262601	1.09	cps
Terbium	159-1	17209533	17151418	17364200	17241717	0.64	cps
Terbium	159-2	11147116	11056048	9140456	10447873	10.85	cps
Thallium	203-1	1375433	1399250	1408236	1394306	1.22	cps
Thallium	205-1	3642859	3753543	3765173	3720525	1.81	cps
Tin	118-1	21923	22034	22261	22073	0.78	cps
Titanium	47-1	2533961	2589344	2573178	2565494	1.11	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-07MS Instrumnet Name : P7
Client Sample ID : MYDA05SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:12:04 DataFile Name : 069SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	19992	20022	20115	20043	0.32	cps
Vanadium	51-2	10250524	10181118	10395872	10275838	1.07	cps
Yttrium	89-1	24413712	24651184	24775111	24613336	0.75	cps
Yttrium	89-2	5840077	5975498	4859854	5558477	10.95	cps
Zinc	66-2	1801004	1839403	1858819	1833075	1.61	cps
Zirconium	90-1	300776	307967	307795	305513	1.34	cps
Zirconium	91-1	66828	68409	67682	67639	1.17	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	17502793	17235581	17462143	17400172	0.83	cps
Antimony	121-1	6024541	6113544	6097387	6078491	0.78	cps
Arsenic	75-2	366990	367802	366907	367233	0.13	cps
Barium	135-1	7745114	7846434	7785189	7792246	0.65	cps
Barium	137-1	13466372	13775967	13311712	13518017	1.75	cps
Beryllium	9-1	1238528	1241531	1268622	1249560	1.33	cps
Bismuth	209-1	8537832	8572900	8578248	8562993	0.26	cps
Bismuth	209-2	7015871	6947649	7033249	6998923	0.65	cps
Bromine	81-1	11481	10914	11131	11175	2.56	cps
Bromine	81-2	137	127	137	133	4.33	cps
Cadmium	108-1	115989	118792	118432	117738	1.30	cps
Cadmium	106-1	172046	173655	172994	172898	0.47	cps
Cadmium	111-1	1580700	1563701	1613999	1586133	1.61	cps
Calcium	43-1	10995107	10912370	10705968	10871148	1.37	cps
Calcium	44-1	172582054	173412754	173268424	173087744	0.26	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3238741	3243448	3178212	3220133	1.13	cps
Cobalt	59-2	5190765	5177798	5242750	5203771	0.66	cps
Copper	63-2	36270912	35655843	35752129	35892961	0.92	cps
Dysprosium	156-1	263	277	290	277	4.82	cps
Dysprosium	156-2	390	400	403	398	1.74	cps
Erbium	164-1	343	390	383	372	6.78	cps
Erbium	164-2	233	210	260	234	10.67	cps
Gadolinium	160-1	257	303	287	282	8.38	cps
Gadolinium	160-2	460	527	420	469	11.49	cps
Holmium	165-1	15414647	15476258	15078947	15323284	1.40	cps
Holmium	165-2	10946070	11177056	10947938	11023688	1.20	cps
Indium	115-1	13017017	12838009	12657785	12837604	1.40	cps
Indium	115-2	4381087	4377149	4383150	4380462	0.07	cps
Iron	56-2	665815243	669702550	662431790	665983195	0.55	cps
Iron	57-2	16521863	16315866	16601416	16479715	0.89	cps
Iron	54-2	36983579	36684308	36446424	36704770	0.73	cps
Krypton	83-1	433	380	443	419	8.13	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	20567977	21066264	21036643	20890295	1.34	cps
Lead	207-1	17986905	18308840	18267955	18187900	0.96	cps
Lead	208-1	82695653	83781715	83725809	83401059	0.73	cps
Lithium	6-1	2013021	2092723	2116851	2074198	2.62	cps
Magnesium	24-2	150646744	149843991	151477954	150656230	0.54	cps
Manganese	55-2	22532020	22223331	22164689	22306680	0.88	cps
Molybdenum	94-1	25878681	26641388	26301099	26273723	1.45	cps
Molybdenum	95-1	37769229	38566371	38559754	38298451	1.20	cps
Molybdenum	96-1	41557973	42512528	41797886	41956129	1.18	cps
Molybdenum	97-1	23553451	24016352	23526256	23698687	1.16	cps
Molybdenum	98-1	59420296	61732946	60456331	60536524	1.91	cps
Neodymium	150-1	400	383	373	386	3.49	cps
Neodymium	150-2	120	123	113	119	4.28	cps
Nickel	60-2	1263833	1259891	1260926	1261550	0.16	cps
Phosphorus	31-2	192723	193517	193942	193394	0.32	cps
Potassium	39-2	92012089	91193279	91787165	91664178	0.46	cps
Rhodium	103-1	12577677	12594660	12303115	12491817	1.31	cps
Rhodium	103-2	7653936	7573545	7616302	7614594	0.53	cps
Scandium	45-1	9852683	10019968	9910659	9927770	0.86	cps
Scandium	45-2	861515	849640	856566	855907	0.70	cps
Selenium	82-1	113470	114493	114242	114069	0.47	cps
Selenium	77-2	10404	10327	10584	10438	1.26	cps
Selenium	78-2	34313	33708	34079	34033	0.90	cps
Silicon	28-1	16695597	16618778	16918654	16744343	0.93	cps
Silver	107-1	8339616	8281651	8243216	8288161	0.59	cps
Silver	109-1	7822251	7798024	7767569	7795948	0.35	cps
Sodium	23-2	260016363	260151909	258097463	259421912	0.44	cps
Strontium	86-1	56654962	57241244	56815914	56904040	0.53	cps
Strontium	88-1	492604446	499376646	500063273	497348121	0.83	cps
Sulfur	34-1	1002255	1007741	1018265	1009420	0.81	cps
Terbium	159-1	16035971	15967679	15916399	15973349	0.38	cps
Terbium	159-2	11029159	10952192	10936626	10972659	0.45	cps
Thallium	203-1	5283170	5282504	5207541	5257738	0.83	cps
Thallium	205-1	12411436	12455526	12493140	12453368	0.33	cps
Tin	118-1	5146910	5209195	5124851	5160319	0.85	cps
Titanium	47-1	11396640	11422355	11682168	11500387	1.37	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV003 Instrumnet Name : P7
Client Sample ID : CCV003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:29:57 DataFile Name : 070CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16235606	16564674	16515312	16438531	1.08	cps
Vanadium	51-2	2922136	2928319	2834898	2895118	1.80	cps
Yttrium	89-1	22568277	22683451	22504748	22585492	0.40	cps
Yttrium	89-2	5367450	5330672	5505006	5401043	1.70	cps
Zinc	66-2	5502441	5486338	5469805	5486195	0.30	cps
Zirconium	90-1	12058634	12314677	12338478	12237263	1.27	cps
Zirconium	91-1	2720274	2723070	2768198	2737181	0.98	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1270	1170	1160	1200	5.07	cps
Antimony	121-1	4481	4424	5281	4729	10.14	cps
Arsenic	75-2	30	40	27	32	21.53	cps
Barium	135-1	517	323	340	393	27.24	cps
Barium	137-1	677	677	477	610	18.93	cps
Beryllium	9-1	100	92	88	93	6.71	cps
Bismuth	209-1	9697497	9577890	9607194	9627527	0.65	cps
Bismuth	209-2	7869662	7847206	7773906	7830258	0.64	cps
Bromine	81-1	11258	11681	11978	11639	3.11	cps
Bromine	81-2	127	193	150	157	21.59	cps
Cadmium	108-1	13	20	17	17	20.01	cps
Cadmium	106-1	4497	4437	4641	4525	2.31	cps
Cadmium	111-1	3282	3192	3344	3273	2.33	cps
Calcium	43-1	1007	873	777	886	13.04	cps
Calcium	44-1	47783	45908	46192	46628	2.17	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1500	1597	1697	1598	6.16	cps
Cobalt	59-2	260	283	263	269	4.69	cps
Copper	63-2	4321	4314	4221	4285	1.31	cps
Dysprosium	156-1	3	7	20	10	88.20	cps
Dysprosium	156-2	13	0	7	7	99.98	cps
Erbium	164-1	130	120	123	124	4.09	cps
Erbium	164-2	70	47	67	61	20.65	cps
Gadolinium	160-1	83	80	67	77	11.50	cps
Gadolinium	160-2	310	393	333	346	12.44	cps
Holmium	165-1	15726765	15957866	15734714	15806448	0.83	cps
Holmium	165-2	11358936	11195642	11103206	11219261	1.15	cps
Indium	115-1	14243847	14097285	13991793	14110975	0.90	cps
Indium	115-2	4810393	4734991	4708227	4751204	1.12	cps
Iron	56-2	44686	43867	43763	44106	1.15	cps
Iron	57-2	2597	2624	2640	2620	0.83	cps
Iron	54-2	4064	3917	3660	3881	5.26	cps
Krypton	83-1	320	370	333	341	7.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2014	1647	1630	1763	12.29	cps
Lead	207-1	1677	1460	1420	1519	9.09	cps
Lead	208-1	7858	6691	6291	6946	11.72	cps
Lithium	6-1	2236280	2209398	2194484	2213387	0.96	cps
Magnesium	24-2	5384	5171	5404	5320	2.43	cps
Manganese	55-2	1180	1187	1120	1162	3.16	cps
Molybdenum	94-1	2697	2494	2500	2564	4.51	cps
Molybdenum	95-1	2830	2660	2354	2615	9.24	cps
Molybdenum	96-1	3360	2614	2767	2914	13.54	cps
Molybdenum	97-1	1873	1627	1507	1669	11.20	cps
Molybdenum	98-1	4574	3941	3684	4066	11.27	cps
Neodymium	150-1	17	27	13	19	36.75	cps
Neodymium	150-2	3	7	10	7	50.03	cps
Nickel	60-2	330	320	280	310	8.53	cps
Phosphorus	31-2	213	237	257	236	9.21	cps
Potassium	39-2	93776	92932	94393	93700	0.78	cps
Rhodium	103-1	13979593	13926133	13945397	13950374	0.19	cps
Rhodium	103-2	8618420	8618560	8540871	8592617	0.52	cps
Scandium	45-1	10158244	10155876	10292092	10202070	0.76	cps
Scandium	45-2	874980	874572	871865	873805	0.19	cps
Selenium	82-1	543	501	615	553	10.46	cps
Selenium	77-2	3	3	0	2	86.60	cps
Selenium	78-2	423	450	423	432	3.56	cps
Silicon	28-1	393702	392259	391342	392434	0.30	cps
Silver	107-1	1293	917	707	972	30.58	cps
Silver	109-1	1083	840	683	869	23.20	cps
Sodium	23-2	73484	72389	71260	72378	1.54	cps
Strontium	86-1	3090	2810	2447	2783	11.59	cps
Strontium	88-1	23092	18495	15235	18941	20.84	cps
Sulfur	34-1	320928	324383	323991	323100	0.59	cps
Terbium	159-1	16581987	16654974	16691401	16642787	0.33	cps
Terbium	159-2	11378730	11197401	11283437	11286523	0.80	cps
Thallium	203-1	843	817	587	749	18.84	cps
Thallium	205-1	2074	1737	1667	1826	11.91	cps
Tin	118-1	2820	2937	3257	3005	7.53	cps
Titanium	47-1	953	863	787	868	9.61	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB003 Instrumnet Name : P7
Client Sample ID : CCB003 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:32:41 DataFile Name : 071CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	667	630	537	611	10.97	cps
Vanadium	51-2	83	140	110	111	25.52	cps
Yttrium	89-1	23253987	23271968	23502985	23342980	0.59	cps
Yttrium	89-2	5669966	5681866	5594863	5648898	0.84	cps
Zinc	66-2	2627	2610	2610	2616	0.37	cps
Zirconium	90-1	2884	2727	2850	2820	2.93	cps
Zirconium	91-1	597	557	653	602	8.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	17886153	17886576	17796220	17856316	0.29	cps
Antimony	121-1	131771	131417	131798	131662	0.16	cps
Arsenic	75-2	206114	204454	202385	204318	0.91	cps
Barium	135-1	1351671	1358748	1354584	1355001	0.26	cps
Barium	137-1	2453031	2507961	2525699	2495563	1.52	cps
Beryllium	9-1	3884	3905	3926	3905	0.54	cps
Bismuth	209-1	9612979	9503862	9415453	9510765	1.04	cps
Bismuth	209-2	7688806	7783854	7596734	7689798	1.22	cps
Bromine	81-1	15769	15989	15418	15725	1.83	cps
Bromine	81-2	957	900	830	896	7.09	cps
Cadmium	108-1	400	443	437	427	5.47	cps
Cadmium	106-1	5371	5468	5558	5466	1.71	cps
Cadmium	111-1	6870	7098	7165	7044	2.19	cps
Calcium	43-1	427820	430819	430881	429840	0.41	cps
Calcium	44-1	6548422	6521649	6590161	6553411	0.53	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1288837	1298113	1283518	1290156	0.57	cps
Cobalt	59-2	827246	831448	823768	827487	0.46	cps
Copper	63-2	1756613	1710093	1723319	1730008	1.39	cps
Dysprosium	156-1	65880	65887	65284	65684	0.53	cps
Dysprosium	156-2	52039	52454	51384	51959	1.04	cps
Erbium	164-1	56199	56353	55995	56182	0.32	cps
Erbium	164-2	37504	38272	38363	38046	1.24	cps
Gadolinium	160-1	60516	61066	61782	61121	1.04	cps
Gadolinium	160-2	45039	45236	45093	45123	0.23	cps
Holmium	165-1	16333254	16263979	16367644	16321626	0.32	cps
Holmium	165-2	11269435	11236171	11239583	11248396	0.16	cps
Indium	115-1	14184526	14091849	14267506	14181294	0.62	cps
Indium	115-2	4673444	4672565	4677515	4674508	0.06	cps
Iron	56-2	881401427	883518547	883261934	882727302	0.13	cps
Iron	57-2	21754300	21628530	21571487	21651439	0.43	cps
Iron	54-2	48176209	49143223	48529228	48616220	1.01	cps
Krypton	83-1	500	483	470	484	3.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	373886	374712	379594	376064	0.82	cps
Lead	207-1	327515	327504	329193	328070	0.30	cps
Lead	208-1	1488026	1488868	1493399	1490098	0.19	cps
Lithium	6-1	2061513	2046556	2055781	2054617	0.37	cps
Magnesium	24-2	19572957	19542976	19144504	19420146	1.23	cps
Manganese	55-2	24953010	25396950	24986486	25112149	0.98	cps
Molybdenum	94-1	69789	69976	69691	69819	0.21	cps
Molybdenum	95-1	15769	15872	15935	15859	0.53	cps
Molybdenum	96-1	34237	34467	34688	34464	0.65	cps
Molybdenum	97-1	9410	9827	9687	9641	2.20	cps
Molybdenum	98-1	24023	24668	23766	24152	1.92	cps
Neodymium	150-1	107506	108014	108228	107916	0.34	cps
Neodymium	150-2	62213	61821	60603	61546	1.36	cps
Nickel	60-2	339016	334629	340760	338135	0.93	cps
Phosphorus	31-2	52443	52389	51640	52157	0.86	cps
Potassium	39-2	9833415	9858384	9842134	9844644	0.13	cps
Rhodium	103-1	13986189	14204747	13726137	13972358	1.71	cps
Rhodium	103-2	8323401	8360210	8366754	8350122	0.28	cps
Scandium	45-1	11143386	11167714	11104413	11138504	0.29	cps
Scandium	45-2	981220	985929	982420	983189	0.25	cps
Selenium	82-1	757	793	863	804	6.71	cps
Selenium	77-2	317	220	280	272	17.93	cps
Selenium	78-2	670	660	630	653	3.19	cps
Silicon	28-1	27264273	26997979	27043295	27101849	0.53	cps
Silver	107-1	5591	5138	4964	5231	6.19	cps
Silver	109-1	5138	4801	4454	4798	7.12	cps
Sodium	23-2	234302	234976	234580	234619	0.14	cps
Strontium	86-1	395495	402879	397102	398492	0.97	cps
Strontium	88-1	3580154	3560141	3542343	3560880	0.53	cps
Sulfur	34-1	332929	319143	310935	321002	3.46	cps
Terbium	159-1	17176504	17023866	16964813	17055061	0.64	cps
Terbium	159-2	11332126	11461424	11494904	11429485	0.75	cps
Thallium	203-1	3494	3410	3527	3477	1.73	cps
Thallium	205-1	7932	8106	8213	8084	1.75	cps
Tin	118-1	31925	31925	32794	32215	1.56	cps
Titanium	47-1	1859366	1870147	1905837	1878450	1.29	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-10 Instrumnet Name : P7
Client Sample ID : MYDA06 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:36:00 DataFile Name : 072SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	28768	29172	28681	28874	0.91	cps
Vanadium	51-2	1982518	1977683	1939104	1966435	1.21	cps
Yttrium	89-1	24852708	24718495	25082257	24884487	0.74	cps
Yttrium	89-2	5906459	5921620	5907714	5911931	0.14	cps
Zinc	66-2	316491	314905	313667	315021	0.45	cps
Zirconium	90-1	167764	168802	167308	167958	0.46	cps
Zirconium	91-1	37471	37107	37030	37203	0.63	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	21112735	21015936	20910043	21012905	0.48	cps
Antimony	121-1	25239	25242	26120	25534	1.99	cps
Arsenic	75-2	124019	123488	123905	123804	0.23	cps
Barium	135-1	1983926	2014233	1977298	1991819	0.99	cps
Barium	137-1	3437552	3483799	3455351	3458901	0.67	cps
Beryllium	9-1	5202	5240	5198	5213	0.45	cps
Bismuth	209-1	9290664	9631377	9284337	9402126	2.11	cps
Bismuth	209-2	7621229	7534256	7495546	7550344	0.85	cps
Bromine	81-1	14224	14661	14184	14356	1.84	cps
Bromine	81-2	863	910	840	871	4.09	cps
Cadmium	108-1	710	657	697	688	4.04	cps
Cadmium	106-1	6205	6211	5951	6122	2.42	cps
Cadmium	111-1	6260	6289	6062	6203	1.99	cps
Calcium	43-1	585685	595028	595479	592064	0.93	cps
Calcium	44-1	9094679	9175687	8900880	9057082	1.56	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1270428	1260587	1262686	1264567	0.41	cps
Cobalt	59-2	830246	834564	818370	827727	1.01	cps
Copper	63-2	1383266	1382711	1380641	1382206	0.10	cps
Dysprosium	156-1	94519	95177	95972	95222	0.76	cps
Dysprosium	156-2	77549	78038	79570	78386	1.35	cps
Erbium	164-1	74839	73804	74745	74463	0.77	cps
Erbium	164-2	50374	50936	51391	50900	1.00	cps
Gadolinium	160-1	84989	86931	86854	86258	1.27	cps
Gadolinium	160-2	64032	63788	63011	63610	0.84	cps
Holmium	165-1	16179359	15931845	16068774	16059993	0.77	cps
Holmium	165-2	11218709	11254299	11191353	11221454	0.28	cps
Indium	115-1	14062303	14099832	13884914	14015683	0.82	cps
Indium	115-2	4644981	4556196	4530296	4577158	1.31	cps
Iron	56-2	932652653	930267373	925943106	929621044	0.37	cps
Iron	57-2	22780128	22838720	22967220	22862023	0.42	cps
Iron	54-2	51095584	50885461	51454033	51145026	0.56	cps
Krypton	83-1	533	510	463	502	7.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	328239	331808	327621	329223	0.69	cps
Lead	207-1	283617	287460	288725	286600	0.93	cps
Lead	208-1	1285538	1312864	1304425	1300943	1.08	cps
Lithium	6-1	2120526	2216405	2057227	2131386	3.76	cps
Magnesium	24-2	20358577	20019172	20192975	20190241	0.84	cps
Manganese	55-2	31473005	31093183	31523987	31363391	0.75	cps
Molybdenum	94-1	234994	236753	237403	236384	0.53	cps
Molybdenum	95-1	19657	20007	20601	20088	2.38	cps
Molybdenum	96-1	65727	65844	65131	65567	0.58	cps
Molybdenum	97-1	11621	12305	12108	12012	2.93	cps
Molybdenum	98-1	30014	30772	30809	30532	1.47	cps
Neodymium	150-1	179342	181707	180325	180458	0.66	cps
Neodymium	150-2	103009	104027	103789	103608	0.51	cps
Nickel	60-2	390419	387002	390700	389374	0.53	cps
Phosphorus	31-2	56845	55761	56049	56218	1.00	cps
Potassium	39-2	12036962	12080247	12041767	12052992	0.20	cps
Rhodium	103-1	13637202	13576093	13379044	13530780	1.00	cps
Rhodium	103-2	8402564	8294750	8237254	8311523	1.01	cps
Scandium	45-1	11133198	11183368	10903733	11073433	1.35	cps
Scandium	45-2	971510	956447	959384	962447	0.83	cps
Selenium	82-1	819	751	920	830	10.24	cps
Selenium	77-2	407	477	390	424	10.83	cps
Selenium	78-2	673	763	820	752	9.83	cps
Silicon	28-1	27708321	27849667	27169216	27575735	1.30	cps
Silver	107-1	3207	3287	3334	3276	1.96	cps
Silver	109-1	2957	2894	2834	2895	2.13	cps
Sodium	23-2	295323	295507	297094	295975	0.33	cps
Strontium	86-1	426627	425442	427341	426470	0.22	cps
Strontium	88-1	3738913	3754513	3746545	3746657	0.21	cps
Sulfur	34-1	316842	314515	312273	314544	0.73	cps
Terbium	159-1	16852714	16885893	16877256	16871954	0.10	cps
Terbium	159-2	11221436	11136076	11188876	11182129	0.39	cps
Thallium	203-1	3520	3734	3651	3635	2.96	cps
Thallium	205-1	8339	8429	8249	8339	1.08	cps
Tin	118-1	47405	47656	48669	47910	1.40	cps
Titanium	47-1	3034630	3103840	2984347	3040939	1.97	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-11 Instrumnet Name : P7
Client Sample ID : MYDA07 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:39:05 DataFile Name : 073SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	35277	35765	36126	35722	1.19	cps
Vanadium	51-2	1886518	1883617	1864570	1878235	0.63	cps
Yttrium	89-1	24216718	24720842	24676533	24538031	1.14	cps
Yttrium	89-2	5990039	5874312	5963027	5942459	1.02	cps
Zinc	66-2	346078	347407	346646	346710	0.19	cps
Zirconium	90-1	614210	627895	621835	621313	1.10	cps
Zirconium	91-1	137404	140263	141107	139591	1.39	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	20002513	20199457	20195071	20132347	0.56	cps
Antimony	121-1	21202	21293	21226	21240	0.22	cps
Arsenic	75-2	135586	133487	134647	134573	0.78	cps
Barium	135-1	1903592	1902272	1911143	1905669	0.25	cps
Barium	137-1	3314381	3383641	3276499	3324840	1.63	cps
Beryllium	9-1	5183	5216	5347	5249	1.66	cps
Bismuth	209-1	9587173	9577641	9325711	9496842	1.56	cps
Bismuth	209-2	7515421	7542082	7509011	7522171	0.23	cps
Bromine	81-1	14324	13833	14754	14304	3.22	cps
Bromine	81-2	890	793	847	843	5.74	cps
Cadmium	108-1	510	470	523	501	5.54	cps
Cadmium	106-1	5601	5651	5574	5609	0.69	cps
Cadmium	111-1	6411	6454	6213	6359	2.02	cps
Calcium	43-1	512745	523965	524879	520530	1.30	cps
Calcium	44-1	8055550	8049998	8089874	8065140	0.27	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1253154	1261482	1260977	1258538	0.37	cps
Cobalt	59-2	820470	821121	817304	819632	0.25	cps
Copper	63-2	1546830	1507373	1534448	1529550	1.32	cps
Dysprosium	156-1	89610	91301	91335	90749	1.09	cps
Dysprosium	156-2	73354	75126	74117	74199	1.20	cps
Erbium	164-1	71233	73297	72199	72243	1.43	cps
Erbium	164-2	48892	49213	48581	48895	0.65	cps
Gadolinium	160-1	82692	81864	82410	82322	0.51	cps
Gadolinium	160-2	59258	61370	59074	59901	2.13	cps
Holmium	165-1	15835710	15951441	15835024	15874059	0.42	cps
Holmium	165-2	11066872	11114930	11020778	11067527	0.43	cps
Indium	115-1	13950323	14282007	13628133	13953488	2.34	cps
Indium	115-2	4554161	4595235	4595792	4581729	0.52	cps
Iron	56-2	940499239	944719746	956116492	947111826	0.85	cps
Iron	57-2	23159615	23505932	23212900	23292816	0.80	cps
Iron	54-2	51830251	52690851	52058721	52193274	0.85	cps
Krypton	83-1	487	480	543	503	6.91	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	376221	386144	382952	381772	1.33	cps
Lead	207-1	329087	331248	329087	329807	0.38	cps
Lead	208-1	1505357	1522916	1514269	1514180	0.58	cps
Lithium	6-1	2150964	2138129	2109629	2132907	0.99	cps
Magnesium	24-2	20365475	20287449	20226509	20293144	0.34	cps
Manganese	55-2	30818622	31055916	31078324	30984287	0.46	cps
Molybdenum	94-1	131868	133536	134962	133455	1.16	cps
Molybdenum	95-1	19203	19667	19410	19426	1.20	cps
Molybdenum	96-1	47671	48861	49052	48528	1.54	cps
Molybdenum	97-1	11321	11521	11485	11442	0.93	cps
Molybdenum	98-1	29082	29864	29360	29435	1.35	cps
Neodymium	150-1	161982	164238	160702	162307	1.10	cps
Neodymium	150-2	91182	92105	91512	91600	0.51	cps
Nickel	60-2	383987	384331	381441	383253	0.41	cps
Phosphorus	31-2	49650	49771	49998	49806	0.35	cps
Potassium	39-2	11836140	11782341	11684731	11767737	0.65	cps
Rhodium	103-1	13481736	13692048	13365254	13513013	1.23	cps
Rhodium	103-2	8249939	8283117	8181233	8238097	0.63	cps
Scandium	45-1	11090806	11124131	11116087	11110341	0.16	cps
Scandium	45-2	962639	956622	961773	960344	0.34	cps
Selenium	82-1	750	723	711	728	2.75	cps
Selenium	77-2	373	373	327	358	7.53	cps
Selenium	78-2	737	747	763	749	1.80	cps
Silicon	28-1	30637470	31108939	31256500	31000970	1.04	cps
Silver	107-1	3927	4027	3924	3959	1.48	cps
Silver	109-1	3587	3544	3764	3632	3.21	cps
Sodium	23-2	256879	257666	258427	257657	0.30	cps
Strontium	86-1	398353	409012	407926	405097	1.45	cps
Strontium	88-1	3518355	3606826	3555277	3560153	1.25	cps
Sulfur	34-1	276000	278719	276667	277129	0.51	cps
Terbium	159-1	16663724	16602022	16583602	16616449	0.25	cps
Terbium	159-2	11105863	11041552	11025742	11057719	0.38	cps
Thallium	203-1	3300	3317	3464	3360	2.68	cps
Thallium	205-1	7632	8309	8046	7996	4.27	cps
Tin	118-1	31454	32250	32022	31909	1.28	cps
Titanium	47-1	2566377	2578689	2586241	2577102	0.39	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-12 Instrumnet Name : P7
Client Sample ID : MYDA08 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:42:11 DataFile Name : 074SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	34274	34789	33926	34330	1.26	cps
Vanadium	51-2	1955969	2006870	1973742	1978860	1.31	cps
Yttrium	89-1	24382885	24223484	24163655	24256675	0.47	cps
Yttrium	89-2	5796926	5865036	5833622	5831861	0.58	cps
Zinc	66-2	297361	299376	300631	299123	0.55	cps
Zirconium	90-1	344001	347082	344486	345190	0.48	cps
Zirconium	91-1	75144	77791	76223	76386	1.74	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14300003	14221863	14213093	14244986	0.34	cps
Antimony	121-1	21059	21877	21853	21596	2.16	cps
Arsenic	75-2	96183	94653	94364	95066	1.03	cps
Barium	135-1	1874527	1871385	1856496	1867469	0.52	cps
Barium	137-1	3250538	3168860	3211625	3210341	1.27	cps
Beryllium	9-1	3985	4080	3876	3980	2.57	cps
Bismuth	209-1	9714688	9497431	9502572	9571563	1.30	cps
Bismuth	209-2	7108234	7705726	7610116	7474692	4.29	cps
Bromine	81-1	14751	14971	14534	14752	1.48	cps
Bromine	81-2	1017	940	957	971	4.15	cps
Cadmium	108-1	483	517	407	469	12.03	cps
Cadmium	106-1	5468	5294	5538	5433	2.31	cps
Cadmium	111-1	7573	7365	7742	7560	2.50	cps
Calcium	43-1	431608	437397	434242	434416	0.67	cps
Calcium	44-1	6697442	6642924	6707938	6682768	0.52	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	885169	875171	876767	879036	0.61	cps
Cobalt	59-2	632984	632152	626067	630401	0.60	cps
Copper	63-2	1651381	1631406	1645760	1642849	0.63	cps
Dysprosium	156-1	74791	75133	75096	75007	0.25	cps
Dysprosium	156-2	60744	61065	60155	60655	0.76	cps
Erbium	164-1	61675	61632	61414	61574	0.23	cps
Erbium	164-2	41468	41441	41632	41514	0.25	cps
Gadolinium	160-1	69562	68470	69421	69151	0.86	cps
Gadolinium	160-2	51049	50571	50952	50857	0.50	cps
Holmium	165-1	16138316	16167616	16210108	16172013	0.22	cps
Holmium	165-2	10674365	11286936	11207042	11056114	3.01	cps
Indium	115-1	13811588	13705416	13642766	13719923	0.62	cps
Indium	115-2	4313096	4735994	4623623	4557571	4.81	cps
Iron	56-2	738520069	724774523	720556763	727950451	1.29	cps
Iron	57-2	18119253	17849143	17749304	17905900	1.07	cps
Iron	54-2	40429719	39591911	39665922	39895851	1.16	cps
Krypton	83-1	430	530	423	461	12.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	538894	547895	542358	543049	0.84	cps
Lead	207-1	471402	480791	482572	478255	1.25	cps
Lead	208-1	2156698	2154680	2157628	2156335	0.07	cps
Lithium	6-1	2175167	2041842	2047842	2088284	3.61	cps
Magnesium	24-2	13580653	13666617	13586418	13611229	0.35	cps
Manganese	55-2	25816362	25431776	25228346	25492162	1.17	cps
Molybdenum	94-1	85447	88714	88502	87554	2.09	cps
Molybdenum	95-1	12702	12609	12345	12552	1.47	cps
Molybdenum	96-1	32286	32680	32279	32415	0.71	cps
Molybdenum	97-1	7535	7886	7966	7795	2.94	cps
Molybdenum	98-1	19043	18689	18972	18901	0.99	cps
Neodymium	150-1	132675	134401	133741	133605	0.65	cps
Neodymium	150-2	78249	76077	77418	77248	1.42	cps
Nickel	60-2	275167	274725	276464	275452	0.33	cps
Phosphorus	31-2	40250	39173	38705	39376	2.01	cps
Potassium	39-2	7030385	6964331	6933530	6976082	0.71	cps
Rhodium	103-1	13664046	13688801	13665958	13672935	0.10	cps
Rhodium	103-2	7750504	8357157	8139669	8082443	3.80	cps
Scandium	45-1	10940379	10647809	10700305	10762831	1.45	cps
Scandium	45-2	893566	962543	947002	934371	3.87	cps
Selenium	82-1	765	741	854	787	7.58	cps
Selenium	77-2	363	387	363	371	3.63	cps
Selenium	78-2	707	737	680	708	4.01	cps
Silicon	28-1	28299155	27648449	27743450	27897018	1.26	cps
Silver	107-1	4584	4614	4694	4631	1.23	cps
Silver	109-1	4571	4271	4531	4457	3.66	cps
Sodium	23-2	223205	223113	224773	223697	0.42	cps
Strontium	86-1	342667	356555	351615	350279	2.01	cps
Strontium	88-1	3070110	3154237	3061890	3095412	1.65	cps
Sulfur	34-1	284232	285501	281230	283654	0.77	cps
Terbium	159-1	16703005	16837054	16776611	16772223	0.40	cps
Terbium	159-2	10772421	11376083	11171019	11106508	2.76	cps
Thallium	203-1	3174	3060	3507	3247	7.15	cps
Thallium	205-1	7949	7232	7686	7622	4.76	cps
Tin	118-1	26701	26635	27079	26805	0.89	cps
Titanium	47-1	1965102	1953385	1990420	1969635	0.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-13 Instrumnet Name : P7
Client Sample ID : MYDA09 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:45:15 DataFile Name : 075SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30057	29446	29820	29774	1.04	cps
Vanadium	51-2	1460568	1467757	1460210	1462845	0.29	cps
Yttrium	89-1	24436013	24333506	23949333	24239617	1.06	cps
Yttrium	89-2	5500164	5873464	5763344	5712324	3.36	cps
Zinc	66-2	288778	287052	287140	287657	0.34	cps
Zirconium	90-1	220672	224224	222098	222331	0.80	cps
Zirconium	91-1	48777	50640	49560	49659	1.88	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16354959	16086848	16024777	16155528	1.09	cps
Antimony	121-1	18449	18068	18182	18233	1.07	cps
Arsenic	75-2	95559	93703	95200	94820	1.04	cps
Barium	135-1	1601029	1658423	1622505	1627319	1.78	cps
Barium	137-1	2780148	2837653	2816759	2811520	1.04	cps
Beryllium	9-1	3667	3769	3796	3744	1.81	cps
Bismuth	209-1	9635935	9530564	9623427	9596642	0.60	cps
Bismuth	209-2	7410258	7453631	7548533	7470807	0.95	cps
Bromine	81-1	13183	13717	13737	13545	2.32	cps
Bromine	81-2	790	743	770	768	3.05	cps
Cadmium	108-1	533	457	447	479	9.90	cps
Cadmium	106-1	5534	5364	5208	5369	3.04	cps
Cadmium	111-1	6561	6456	6370	6462	1.48	cps
Calcium	43-1	507857	511438	517089	512128	0.91	cps
Calcium	44-1	7854672	7820227	8115390	7930096	2.04	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	787913	792429	786967	789103	0.37	cps
Cobalt	59-2	647930	648818	646119	647622	0.21	cps
Copper	63-2	1572925	1574187	1574691	1573934	0.06	cps
Dysprosium	156-1	78112	79175	79637	78975	0.99	cps
Dysprosium	156-2	64966	64480	64775	64741	0.38	cps
Erbium	164-1	68855	67897	69280	68678	1.03	cps
Erbium	164-2	46808	46133	45681	46207	1.23	cps
Gadolinium	160-1	74972	75341	75683	75332	0.47	cps
Gadolinium	160-2	54977	55041	55305	55108	0.32	cps
Holmium	165-1	15874141	15997460	15909789	15927130	0.40	cps
Holmium	165-2	11133974	11035837	11010713	11060175	0.59	cps
Indium	115-1	14093880	13768321	14325822	14062674	1.99	cps
Indium	115-2	4641327	4515675	4570629	4575877	1.38	cps
Iron	56-2	708337189	705055189	709205296	707532558	0.31	cps
Iron	57-2	17445783	17398416	17601423	17481874	0.61	cps
Iron	54-2	39088254	38930097	39332633	39116995	0.52	cps
Krypton	83-1	573	510	440	508	13.13	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	365014	365293	364977	365095	0.05	cps
Lead	207-1	306560	312475	309986	309674	0.96	cps
Lead	208-1	1418058	1437465	1436228	1430584	0.76	cps
Lithium	6-1	2041649	2072473	2082544	2065556	1.03	cps
Magnesium	24-2	15933403	15980445	16008983	15974277	0.24	cps
Manganese	55-2	13248389	13078251	13280999	13202546	0.82	cps
Molybdenum	94-1	130364	133741	132886	132330	1.33	cps
Molybdenum	95-1	8843	8993	8986	8941	0.95	cps
Molybdenum	96-1	35760	35553	36826	36047	1.90	cps
Molybdenum	97-1	5434	5618	5374	5476	2.32	cps
Molybdenum	98-1	13183	13967	13630	13593	2.89	cps
Neodymium	150-1	145557	148174	147719	147150	0.95	cps
Neodymium	150-2	83324	82496	84206	83342	1.03	cps
Nickel	60-2	286604	284455	281822	284294	0.84	cps
Phosphorus	31-2	51379	51182	51078	51213	0.30	cps
Potassium	39-2	7392968	7323108	7473842	7396639	1.02	cps
Rhodium	103-1	13864550	13520931	13543266	13642916	1.41	cps
Rhodium	103-2	8215569	8166057	8323979	8235202	0.98	cps
Scandium	45-1	10819453	10795391	10948283	10854376	0.76	cps
Scandium	45-2	949098	938452	951282	946277	0.73	cps
Selenium	82-1	826	799	831	819	2.06	cps
Selenium	77-2	387	363	347	366	5.50	cps
Selenium	78-2	667	687	723	692	4.15	cps
Silicon	28-1	27129489	27769290	27881692	27593490	1.47	cps
Silver	107-1	3337	3497	3580	3472	3.56	cps
Silver	109-1	3097	3157	2987	3080	2.80	cps
Sodium	23-2	257160	258774	258730	258221	0.36	cps
Strontium	86-1	314750	315028	317477	315752	0.48	cps
Strontium	88-1	2756468	2796057	2763396	2771974	0.76	cps
Sulfur	34-1	271234	269731	268744	269903	0.46	cps
Terbium	159-1	16735809	16693616	16591169	16673531	0.45	cps
Terbium	159-2	11095254	11127982	11135155	11119464	0.19	cps
Thallium	203-1	2707	2917	2790	2805	3.77	cps
Thallium	205-1	6532	6545	6542	6539	0.11	cps
Tin	118-1	27991	28398	27867	28085	0.99	cps
Titanium	47-1	2702943	2744625	2809585	2752384	1.95	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-14 Instrumnet Name : P7
Client Sample ID : MYDA10 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:48:21 DataFile Name : 076SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	28985	30067	30101	29718	2.14	cps
Vanadium	51-2	1662112	1678529	1679166	1673269	0.58	cps
Yttrium	89-1	24589056	24891556	24021845	24500819	1.80	cps
Yttrium	89-2	5850397	5863715	5873040	5862384	0.19	cps
Zinc	66-2	244351	240718	240499	241856	0.89	cps
Zirconium	90-1	352391	362639	358836	357955	1.45	cps
Zirconium	91-1	78650	78733	79819	79067	0.83	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	28702371	28783455	28721560	28735796	0.15	cps
Antimony	121-1	30459	30372	30599	30477	0.38	cps
Arsenic	75-2	151443	149582	150881	150635	0.63	cps
Barium	135-1	974736	984930	979998	979888	0.52	cps
Barium	137-1	1744850	1790719	1797990	1777853	1.62	cps
Beryllium	9-1	3059	3188	3060	3102	2.40	cps
Bismuth	209-1	9489377	9432643	9554643	9492221	0.64	cps
Bismuth	209-2	7458167	7493714	7627098	7526327	1.18	cps
Bromine	81-1	14130	14134	13780	14015	1.45	cps
Bromine	81-2	900	890	920	903	1.69	cps
Cadmium	108-1	1110	993	967	1023	7.45	cps
Cadmium	106-1	6228	6011	6031	6090	1.97	cps
Cadmium	111-1	15441	15671	15620	15577	0.78	cps
Calcium	43-1	259881	261527	262617	261341	0.53	cps
Calcium	44-1	4009053	4027680	4007878	4014870	0.28	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1026722	1020841	1022107	1023223	0.30	cps
Cobalt	59-2	956117	952894	947261	952090	0.47	cps
Copper	63-2	4110234	4167089	4159248	4145524	0.74	cps
Dysprosium	156-1	73692	74674	73126	73831	1.06	cps
Dysprosium	156-2	56406	56473	55747	56209	0.71	cps
Erbium	164-1	71616	73539	73231	72795	1.42	cps
Erbium	164-2	49129	49828	49139	49366	0.81	cps
Gadolinium	160-1	75435	75797	76444	75892	0.67	cps
Gadolinium	160-2	56092	56125	54683	55633	1.48	cps
Holmium	165-1	16134084	16192226	16195219	16173843	0.21	cps
Holmium	165-2	11188322	11114492	11038583	11113799	0.67	cps
Indium	115-1	13823972	14009939	13677817	13837243	1.20	cps
Indium	115-2	4595360	4558573	4554061	4569331	0.50	cps
Iron	56-2	1147533076	1132558730	1138315450	1139469085	0.66	cps
Iron	57-2	27984243	27724621	27969307	27892724	0.52	cps
Iron	54-2	63543574	62528866	61737152	62603197	1.45	cps
Krypton	83-1	487	427	500	471	8.29	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	1209632	1236352	1225439	1223808	1.10	cps
Lead	207-1	1061171	1064493	1070284	1065316	0.43	cps
Lead	208-1	5092737	5184571	5204182	5160497	1.15	cps
Lithium	6-1	2014136	1975801	1981040	1990325	1.04	cps
Magnesium	24-2	34227874	34049139	33564746	33947253	1.01	cps
Manganese	55-2	16842211	16909350	16539806	16763789	1.17	cps
Molybdenum	94-1	59885	60997	61070	60651	1.09	cps
Molybdenum	95-1	13913	14414	14340	14223	1.90	cps
Molybdenum	96-1	34394	33174	32707	33425	2.61	cps
Molybdenum	97-1	8639	8439	8773	8617	1.95	cps
Molybdenum	98-1	21215	22023	21786	21675	1.92	cps
Neodymium	150-1	103779	105011	104793	104528	0.63	cps
Neodymium	150-2	59304	59053	59187	59182	0.21	cps
Nickel	60-2	297361	299023	300614	298999	0.54	cps
Phosphorus	31-2	34906	35438	35518	35287	0.94	cps
Potassium	39-2	7016766	7021288	6875115	6971056	1.19	cps
Rhodium	103-1	13582374	13489631	13308794	13460266	1.03	cps
Rhodium	103-2	8359456	8160969	8254361	8258262	1.20	cps
Scandium	45-1	11758684	11522801	11525982	11602489	1.17	cps
Scandium	45-2	1021571	1018177	1010698	1016815	0.55	cps
Selenium	82-1	872	1007	936	938	7.21	cps
Selenium	77-2	357	290	350	332	11.05	cps
Selenium	78-2	710	623	793	709	11.99	cps
Silicon	28-1	24370709	24928239	24492563	24597170	1.19	cps
Silver	107-1	12812	12806	13363	12994	2.46	cps
Silver	109-1	12125	12369	12145	12213	1.11	cps
Sodium	23-2	216472	216484	216392	216450	0.02	cps
Strontium	86-1	184711	189314	186973	186999	1.23	cps
Strontium	88-1	1630124	1627254	1664973	1640784	1.28	cps
Sulfur	34-1	277766	282996	281435	280732	0.96	cps
Terbium	159-1	17075672	17147119	17021801	17081531	0.37	cps
Terbium	159-2	11311339	11090353	11196762	11199485	0.99	cps
Thallium	203-1	2760	2760	2817	2779	1.18	cps
Thallium	205-1	6748	6895	6925	6856	1.38	cps
Tin	118-1	33188	33389	34221	33599	1.63	cps
Titanium	47-1	1431262	1420761	1425288	1425770	0.37	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-15 Instrumnet Name : P7
Client Sample ID : MYDA11 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:51:26 DataFile Name : 077SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	23431	23411	23544	23462	0.31	cps
Vanadium	51-2	3833256	3756480	3702428	3764055	1.75	cps
Yttrium	89-1	24194955	24468960	24340988	24334968	0.56	cps
Yttrium	89-2	5873431	5830883	5846174	5850163	0.37	cps
Zinc	66-2	526801	527822	524450	526358	0.33	cps
Zirconium	90-1	142669	147506	145116	145097	1.67	cps
Zirconium	91-1	32466	32793	31925	32395	1.35	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	11561872	11214654	11470360	11415629	1.58	cps
Antimony	121-1	13490	14044	14224	13919	2.75	cps
Arsenic	75-2	62782	62300	62333	62472	0.43	cps
Barium	135-1	955712	967731	962320	961921	0.63	cps
Barium	137-1	1730671	1744949	1727772	1734464	0.53	cps
Beryllium	9-1	2749	2688	2740	2726	1.20	cps
Bismuth	209-1	9570918	9753439	9421280	9581879	1.74	cps
Bismuth	209-2	7717984	7677672	7686371	7694009	0.28	cps
Bromine	81-1	12332	12752	12502	12529	1.69	cps
Bromine	81-2	433	540	540	504	12.21	cps
Cadmium	108-1	323	410	327	353	13.90	cps
Cadmium	106-1	5174	4961	5161	5099	2.34	cps
Cadmium	111-1	6436	6379	6454	6423	0.61	cps
Calcium	43-1	541261	549657	557277	549399	1.46	cps
Calcium	44-1	8365572	8440163	8316403	8374046	0.74	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	408267	408896	404437	407200	0.59	cps
Cobalt	59-2	408822	404473	401969	405088	0.86	cps
Copper	63-2	1771972	1753558	1780925	1768818	0.79	cps
Dysprosium	156-1	60151	61367	61601	61040	1.27	cps
Dysprosium	156-2	48905	48938	49400	49081	0.56	cps
Erbium	164-1	53295	54780	53967	54014	1.38	cps
Erbium	164-2	36528	37069	36371	36656	1.00	cps
Gadolinium	160-1	58886	59837	60212	59645	1.15	cps
Gadolinium	160-2	44233	42601	43337	43390	1.88	cps
Holmium	165-1	16177891	16373344	16281575	16277603	0.60	cps
Holmium	165-2	11234760	11070113	11084982	11129952	0.82	cps
Indium	115-1	14126885	14049977	14003196	14060020	0.44	cps
Indium	115-2	4628837	4662394	4620087	4637106	0.48	cps
Iron	56-2	530466952	538490112	531949259	533635441	0.80	cps
Iron	57-2	13075992	13207542	13037687	13107074	0.68	cps
Iron	54-2	29841775	29423505	29774152	29679811	0.76	cps
Krypton	83-1	463	490	490	481	3.20	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	762566	776642	777202	772137	1.07	cps
Lead	207-1	626183	635140	631258	630860	0.71	cps
Lead	208-1	2917348	2964632	3144646	3008875	3.99	cps
Lithium	6-1	2076834	2057849	1993190	2042624	2.15	cps
Magnesium	24-2	12745192	12612460	12698723	12685458	0.53	cps
Manganese	55-2	7837336	7801135	7867702	7835391	0.43	cps
Molybdenum	94-1	50654	51005	51363	51007	0.70	cps
Molybdenum	95-1	7252	7429	7665	7449	2.79	cps
Molybdenum	96-1	19944	20521	20728	20398	1.99	cps
Molybdenum	97-1	4627	4721	4781	4710	1.64	cps
Molybdenum	98-1	11198	11375	12199	11590	4.61	cps
Neodymium	150-1	107368	109370	111275	109338	1.79	cps
Neodymium	150-2	62484	61450	61955	61963	0.83	cps
Nickel	60-2	132822	131648	131201	131891	0.63	cps
Phosphorus	31-2	47336	46551	46715	46867	0.88	cps
Potassium	39-2	5036675	5043437	5048998	5043037	0.12	cps
Rhodium	103-1	13754525	13987558	13649027	13797037	1.26	cps
Rhodium	103-2	8503254	8419302	8357333	8426630	0.87	cps
Scandium	45-1	10645455	10464380	10564355	10558063	0.86	cps
Scandium	45-2	940011	931655	932107	934591	0.50	cps
Selenium	82-1	741	776	788	768	3.18	cps
Selenium	77-2	257	277	257	263	4.38	cps
Selenium	78-2	710	643	630	661	6.48	cps
Silicon	28-1	24825610	24848980	24399492	24691361	1.02	cps
Silver	107-1	2027	1937	1893	1952	3.48	cps
Silver	109-1	1863	1610	1763	1746	7.31	cps
Sodium	23-2	266419	263298	264995	264904	0.59	cps
Strontium	86-1	340632	346515	345731	344292	0.93	cps
Strontium	88-1	3008227	3027904	3077273	3037801	1.17	cps
Sulfur	34-1	275883	272377	273863	274041	0.64	cps
Terbium	159-1	17022965	17056895	17101059	17060306	0.23	cps
Terbium	159-2	11261524	11230956	11375426	11289302	0.67	cps
Thallium	203-1	2980	2950	2980	2970	0.58	cps
Thallium	205-1	6918	7062	7225	7069	2.17	cps
Tin	118-1	28789	29046	29457	29097	1.16	cps
Titanium	47-1	2423890	2473563	2371284	2422912	2.11	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-16 Instrumnet Name : P7
Client Sample ID : MYDA12 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:54:33 DataFile Name : 078SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	21164	21568	21421	21384	0.96	cps
Vanadium	51-2	1348217	1363084	1357888	1356396	0.56	cps
Yttrium	89-1	24023686	24325306	24549018	24299337	1.08	cps
Yttrium	89-2	5894738	5963581	5958120	5938813	0.64	cps
Zinc	66-2	232165	228868	231299	230777	0.74	cps
Zirconium	90-1	126516	131304	128442	128754	1.87	cps
Zirconium	91-1	28955	29563	29279	29266	1.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	28681535	28631365	28617395	28643432	0.12	cps
Antimony	121-1	13697	14257	14230	14061	2.25	cps
Arsenic	75-2	157038	157428	153993	156153	1.20	cps
Barium	135-1	1332972	1345096	1357581	1345216	0.91	cps
Barium	137-1	2448424	2469005	2455629	2457686	0.42	cps
Beryllium	9-1	3417	3356	3262	3345	2.33	cps
Bismuth	209-1	9537661	9459928	9386441	9461343	0.80	cps
Bismuth	209-2	7510052	7547430	7524079	7527187	0.25	cps
Bromine	81-1	15138	15982	16116	15745	3.37	cps
Bromine	81-2	1080	1087	1147	1104	3.32	cps
Cadmium	108-1	423	410	447	427	4.35	cps
Cadmium	106-1	5118	5094	5641	5284	5.85	cps
Cadmium	111-1	6950	7266	7717	7311	5.27	cps
Calcium	43-1	703227	711084	709708	708006	0.59	cps
Calcium	44-1	10699065	10950760	10780451	10810092	1.19	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1143879	1139006	1133748	1138878	0.44	cps
Cobalt	59-2	1004921	996719	998629	1000089	0.43	cps
Copper	63-2	2638429	2575215	2553191	2588945	1.71	cps
Dysprosium	156-1	66038	66808	68566	67137	1.93	cps
Dysprosium	156-2	51959	52996	51882	52279	1.19	cps
Erbium	164-1	74654	76196	75626	75492	1.03	cps
Erbium	164-2	51244	51257	51334	51278	0.10	cps
Gadolinium	160-1	69883	71903	71300	71029	1.46	cps
Gadolinium	160-2	51183	50922	51109	51072	0.26	cps
Holmium	165-1	16067478	16321531	16285578	16224862	0.85	cps
Holmium	165-2	11113786	11172424	10918123	11068111	1.20	cps
Indium	115-1	14060966	14068349	14068161	14065825	0.03	cps
Indium	115-2	4619060	4580103	4535367	4578177	0.91	cps
Iron	56-2	1068721104	1068414411	1064772597	1067302704	0.21	cps
Iron	57-2	26435264	25895107	26324734	26218368	1.09	cps
Iron	54-2	59772806	59125189	58806244	59234746	0.83	cps
Krypton	83-1	527	510	577	538	6.45	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	585298	590139	585094	586843	0.49	cps
Lead	207-1	499317	502276	504116	501903	0.48	cps
Lead	208-1	2297147	2317717	2312080	2308982	0.46	cps
Lithium	6-1	1968644	1996661	1977269	1980858	0.72	cps
Magnesium	24-2	33534139	32897151	33271914	33234401	0.96	cps
Manganese	55-2	16782810	16853864	16755183	16797286	0.30	cps
Molybdenum	94-1	53832	54625	54621	54359	0.84	cps
Molybdenum	95-1	20211	20287	20882	20460	1.79	cps
Molybdenum	96-1	37368	38163	38768	38100	1.84	cps
Molybdenum	97-1	12606	12565	12489	12553	0.47	cps
Molybdenum	98-1	31267	32656	31865	31929	2.18	cps
Neodymium	150-1	92920	93565	93273	93253	0.35	cps
Neodymium	150-2	53474	52350	52892	52906	1.06	cps
Nickel	60-2	373812	370845	372348	372335	0.40	cps
Phosphorus	31-2	37753	37733	36801	37429	1.45	cps
Potassium	39-2	6695983	6667680	6505770	6623144	1.55	cps
Rhodium	103-1	13866568	13648202	13547898	13687556	1.19	cps
Rhodium	103-2	8364614	8364526	8253835	8327658	0.77	cps
Scandium	45-1	11493470	11487948	11369166	11450195	0.61	cps
Scandium	45-2	1020959	1015275	1000126	1012120	1.06	cps
Selenium	82-1	764	816	803	794	3.39	cps
Selenium	77-2	297	280	257	278	7.23	cps
Selenium	78-2	660	610	617	629	4.32	cps
Silicon	28-1	25365970	25705590	25513835	25528465	0.67	cps
Silver	107-1	3837	3954	3951	3914	1.70	cps
Silver	109-1	3480	3747	3610	3613	3.69	cps
Sodium	23-2	246316	246052	247522	246630	0.32	cps
Strontium	86-1	375603	376766	379315	377228	0.50	cps
Strontium	88-1	3277936	3331364	3384188	3331163	1.59	cps
Sulfur	34-1	274715	280491	278306	277837	1.05	cps
Terbium	159-1	17019416	17138350	17055694	17071153	0.36	cps
Terbium	159-2	11219971	11359409	11225717	11268365	0.70	cps
Thallium	203-1	2310	2487	2500	2432	4.36	cps
Thallium	205-1	5661	5458	5648	5589	2.04	cps
Tin	118-1	45950	46615	46783	46449	0.95	cps
Titanium	47-1	3094645	3141910	3135732	3124096	0.82	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-17 Instrumnet Name : P7
Client Sample ID : MYDA13 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 20:57:38 DataFile Name : 079SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17682	17729	18016	17809	1.01	cps
Vanadium	51-2	3523293	3513682	3529652	3522209	0.23	cps
Yttrium	89-1	24728633	24704295	25169358	24867429	1.05	cps
Yttrium	89-2	6025969	5926641	5910632	5954414	1.05	cps
Zinc	66-2	384185	379503	376231	379973	1.05	cps
Zirconium	90-1	117183	119229	119014	118475	0.95	cps
Zirconium	91-1	25646	26290	26497	26144	1.70	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14736324	14366459	14380186	14494323	1.45	cps
Antimony	121-1	19850	19870	20151	19957	0.84	cps
Arsenic	75-2	96102	96608	98148	96953	1.10	cps
Barium	135-1	1659405	1681223	1702692	1681106	1.29	cps
Barium	137-1	2951722	2946692	2947355	2948590	0.09	cps
Beryllium	9-1	4288	4182	4037	4169	3.02	cps
Bismuth	209-1	9571647	9482572	9538722	9530980	0.47	cps
Bismuth	209-2	7683270	7829932	7743646	7752283	0.95	cps
Bromine	81-1	16429	16833	16443	16568	1.38	cps
Bromine	81-2	1197	1190	1073	1153	6.01	cps
Cadmium	108-1	377	403	423	401	5.84	cps
Cadmium	106-1	5581	5114	5188	5294	4.74	cps
Cadmium	111-1	6763	6661	6669	6698	0.85	cps
Calcium	43-1	686353	692951	693737	691014	0.59	cps
Calcium	44-1	10559123	10723177	10539779	10607360	0.95	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	851344	849505	847914	849588	0.20	cps
Cobalt	59-2	638327	632687	630640	633885	0.63	cps
Copper	63-2	1348181	1334644	1338320	1340382	0.52	cps
Dysprosium	156-1	66755	66429	67642	66942	0.94	cps
Dysprosium	156-2	54167	55646	54305	54706	1.49	cps
Erbium	164-1	56440	57544	57380	57122	1.04	cps
Erbium	164-2	38717	38948	39058	38907	0.45	cps
Gadolinium	160-1	62164	63908	63510	63194	1.45	cps
Gadolinium	160-2	45748	46102	46503	46118	0.82	cps
Holmium	165-1	16427978	16198803	16584963	16403915	1.18	cps
Holmium	165-2	11395099	11401809	11090300	11295736	1.58	cps
Indium	115-1	14013597	14117337	13998129	14043021	0.46	cps
Indium	115-2	4635021	4707593	4569252	4637289	1.49	cps
Iron	56-2	668743057	667960190	661013297	665905515	0.64	cps
Iron	57-2	16278651	16310254	16169366	16252757	0.45	cps
Iron	54-2	36712482	37187771	36501221	36800491	0.96	cps
Krypton	83-1	457	427	430	438	3.76	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	317525	316257	321778	318520	0.91	cps
Lead	207-1	275894	275835	279438	277056	0.74	cps
Lead	208-1	1252795	1261875	1267536	1260735	0.59	cps
Lithium	6-1	2084902	2074562	2097062	2085509	0.54	cps
Magnesium	24-2	14715139	14659405	14641837	14672127	0.26	cps
Manganese	55-2	20822183	20955641	20718286	20832036	0.57	cps
Molybdenum	94-1	54461	55465	56037	55321	1.44	cps
Molybdenum	95-1	12432	12429	12872	12578	2.03	cps
Molybdenum	96-1	26250	26454	26511	26405	0.52	cps
Molybdenum	97-1	7252	7375	7479	7369	1.54	cps
Molybdenum	98-1	18929	19296	19136	19120	0.96	cps
Neodymium	150-1	116567	117938	116886	117131	0.61	cps
Neodymium	150-2	67363	65424	66382	66390	1.46	cps
Nickel	60-2	270740	266682	269525	268982	0.77	cps
Phosphorus	31-2	57343	56992	56865	57067	0.43	cps
Potassium	39-2	8770013	8827321	8711989	8769775	0.66	cps
Rhodium	103-1	13921958	13935941	13587111	13815003	1.43	cps
Rhodium	103-2	8606524	8436847	8321857	8455076	1.69	cps
Scandium	45-1	10864171	11051959	10717515	10877881	1.54	cps
Scandium	45-2	965775	952347	956401	958174	0.72	cps
Selenium	82-1	725	832	892	817	10.37	cps
Selenium	77-2	337	323	313	324	3.61	cps
Selenium	78-2	680	630	567	626	9.08	cps
Silicon	28-1	36827169	37129249	37811004	37255808	1.35	cps
Silver	107-1	3647	3727	3891	3755	3.30	cps
Silver	109-1	3510	3590	3567	3556	1.16	cps
Sodium	23-2	275149	275843	274238	275077	0.29	cps
Strontium	86-1	513724	517406	522154	517761	0.82	cps
Strontium	88-1	4603614	4549464	4578015	4577031	0.59	cps
Sulfur	34-1	319519	314116	310678	314771	1.42	cps
Terbium	159-1	17053177	17045817	16947857	17015617	0.35	cps
Terbium	159-2	11471639	11330342	11374393	11392124	0.63	cps
Thallium	203-1	2800	3027	2920	2916	3.89	cps
Thallium	205-1	6782	7009	6792	6861	1.87	cps
Tin	118-1	26655	26892	27206	26917	1.03	cps
Titanium	47-1	2216144	2281728	2212347	2236740	1.74	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-18 Instrumnet Name : P7
Client Sample ID : MYDA14 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:00:46 DataFile Name : 080SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	25010	25094	25521	25208	1.09	cps
Vanadium	51-2	1427644	1427473	1443024	1432714	0.62	cps
Yttrium	89-1	24594355	24692035	24435084	24573825	0.53	cps
Yttrium	89-2	5853510	5976607	5838219	5889445	1.29	cps
Zinc	66-2	313223	316840	311806	313956	0.83	cps
Zirconium	90-1	133060	134796	135704	134520	1.00	cps
Zirconium	91-1	29670	30131	30438	30080	1.28	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	11049550	10996249	10829633	10958477	1.05	cps
Antimony	121-1	16950	17170	17301	17140	1.03	cps
Arsenic	75-2	83433	82531	82947	82970	0.54	cps
Barium	135-1	863719	876575	876233	872176	0.84	cps
Barium	137-1	1496511	1595278	1510259	1534016	3.49	cps
Beryllium	9-1	2405	2213	2089	2236	7.12	cps
Bismuth	209-1	9532707	9514997	9477264	9508323	0.30	cps
Bismuth	209-2	7619585	7555942	7521832	7565786	0.66	cps
Bromine	81-1	12996	12969	12826	12930	0.71	cps
Bromine	81-2	493	537	510	513	4.26	cps
Cadmium	108-1	347	410	343	367	10.25	cps
Cadmium	106-1	5444	5084	5088	5205	3.98	cps
Cadmium	111-1	6775	6336	6525	6545	3.37	cps
Calcium	43-1	340761	342843	343648	342417	0.44	cps
Calcium	44-1	5201431	5229919	5256138	5229163	0.52	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	650451	644458	636748	643886	1.07	cps
Cobalt	59-2	445009	432224	434454	437229	1.56	cps
Copper	63-2	2239123	2240918	2278955	2252999	1.00	cps
Dysprosium	156-1	42227	42976	42467	42557	0.90	cps
Dysprosium	156-2	34803	34522	34760	34695	0.44	cps
Erbium	164-1	37854	37724	38145	37908	0.57	cps
Erbium	164-2	25804	25961	26515	26093	1.43	cps
Gadolinium	160-1	40231	41281	41588	41033	1.73	cps
Gadolinium	160-2	29762	29905	29645	29771	0.44	cps
Holmium	165-1	16414329	15865830	16164566	16148242	1.70	cps
Holmium	165-2	11284991	11141046	11083552	11169863	0.93	cps
Indium	115-1	14066883	14139185	14160736	14122268	0.35	cps
Indium	115-2	4662905	4649940	4652335	4655060	0.15	cps
Iron	56-2	528599939	526416019	527089979	527368645	0.21	cps
Iron	57-2	13115646	12869626	12935639	12973637	0.98	cps
Iron	54-2	28597701	29308406	29038695	28981601	1.24	cps
Krypton	83-1	437	410	457	434	5.39	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	362400	369308	364870	365526	0.96	cps
Lead	207-1	315375	312449	314153	313992	0.47	cps
Lead	208-1	1430130	1433969	1427370	1430490	0.23	cps
Lithium	6-1	2047992	2048838	2056617	2051149	0.23	cps
Magnesium	24-2	12371160	12062986	11984192	12139446	1.68	cps
Manganese	55-2	8520150	8526744	8512567	8519820	0.08	cps
Molybdenum	94-1	59825	61167	60123	60371	1.17	cps
Molybdenum	95-1	14654	15385	14684	14908	2.77	cps
Molybdenum	96-1	28772	28378	28458	28536	0.73	cps
Molybdenum	97-1	8873	8919	8853	8882	0.39	cps
Molybdenum	98-1	22501	22507	22811	22607	0.78	cps
Neodymium	150-1	75756	75514	76607	75959	0.76	cps
Neodymium	150-2	42858	43133	42384	42791	0.89	cps
Nickel	60-2	191655	191433	190231	191106	0.40	cps
Phosphorus	31-2	31402	31309	30985	31232	0.70	cps
Potassium	39-2	4968988	4829240	4808360	4868863	1.79	cps
Rhodium	103-1	13836443	13734576	13495368	13688796	1.28	cps
Rhodium	103-2	8522028	8405002	8470726	8465919	0.69	cps
Scandium	45-1	10649631	10494020	10639204	10594285	0.82	cps
Scandium	45-2	935262	933344	919201	929269	0.94	cps
Selenium	82-1	722	677	673	691	3.97	cps
Selenium	77-2	200	157	213	190	15.59	cps
Selenium	78-2	640	487	550	559	13.79	cps
Silicon	28-1	37834617	38759975	37614664	38069752	1.60	cps
Silver	107-1	3914	4284	4141	4113	4.54	cps
Silver	109-1	3757	3914	3624	3765	3.86	cps
Sodium	23-2	217295	219009	217910	218071	0.40	cps
Strontium	86-1	194545	197538	197061	196382	0.82	cps
Strontium	88-1	1693129	1754219	1729465	1725604	1.78	cps
Sulfur	34-1	258602	256204	254966	256591	0.72	cps
Terbium	159-1	17049591	16945229	16910078	16968299	0.43	cps
Terbium	159-2	11224440	11162250	11270030	11218907	0.48	cps
Thallium	203-1	1760	1663	1730	1718	2.88	cps
Thallium	205-1	4064	4261	4361	4228	3.57	cps
Tin	118-1	27513	28084	28308	27968	1.47	cps
Titanium	47-1	2475263	2531666	2472401	2493110	1.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-19 Instrumnet Name : P7
Client Sample ID : MYDA15 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:03:51 DataFile Name : 081SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17528	17942	17859	17776	1.23	cps
Vanadium	51-2	1204153	1204243	1197476	1201957	0.32	cps
Yttrium	89-1	23654755	23901372	24250839	23935655	1.25	cps
Yttrium	89-2	5791448	5764566	5803218	5786411	0.34	cps
Zinc	66-2	199343	198276	197323	198314	0.51	cps
Zirconium	90-1	142245	144894	144685	143941	1.02	cps
Zirconium	91-1	32322	32112	32215	32216	0.33	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	17940775	17834855	17819956	17865195	0.37	cps
Antimony	121-1	14514	14431	14331	14425	0.64	cps
Arsenic	75-2	56751	57012	57334	57032	0.51	cps
Barium	135-1	1262350	1288967	1288825	1280047	1.20	cps
Barium	137-1	2329148	2316262	2289951	2311787	0.86	cps
Beryllium	9-1	5495	5273	5497	5422	2.38	cps
Bismuth	209-1	9514538	9424964	9509648	9483050	0.53	cps
Bismuth	209-2	7528075	7574777	7471966	7524939	0.68	cps
Bromine	81-1	13023	13009	12652	12895	1.63	cps
Bromine	81-2	773	703	670	716	7.37	cps
Cadmium	108-1	460	467	450	459	1.83	cps
Cadmium	106-1	5538	5768	5624	5643	2.06	cps
Cadmium	111-1	6115	6241	6186	6180	1.03	cps
Calcium	43-1	964141	988320	982971	978477	1.30	cps
Calcium	44-1	14852073	14996433	14898257	14915588	0.49	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	499069	500129	494476	497891	0.60	cps
Cobalt	59-2	550248	557689	553422	553787	0.67	cps
Copper	63-2	1079980	1075718	1073950	1076549	0.29	cps
Dysprosium	156-1	111837	112910	113057	112601	0.59	cps
Dysprosium	156-2	91415	90972	91351	91246	0.26	cps
Erbium	164-1	100089	102576	103382	102016	1.68	cps
Erbium	164-2	69234	68792	68561	68862	0.50	cps
Gadolinium	160-1	112110	113865	113216	113064	0.78	cps
Gadolinium	160-2	82497	82444	82286	82409	0.13	cps
Holmium	165-1	16239560	16106958	16352718	16233079	0.76	cps
Holmium	165-2	11147566	10959052	10900586	11002401	1.17	cps
Indium	115-1	13868391	14067229	13815467	13917029	0.95	cps
Indium	115-2	4625303	4575431	4531351	4577362	1.03	cps
Iron	56-2	596379724	606104858	593391164	598625249	1.11	cps
Iron	57-2	14868996	14665314	14455331	14663214	1.41	cps
Iron	54-2	33395730	32892165	32735162	33007686	1.05	cps
Krypton	83-1	550	463	570	528	10.74	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	477541	483583	480324	480482	0.63	cps
Lead	207-1	388665	396297	395403	393455	1.06	cps
Lead	208-1	1817095	1840662	1839700	1832486	0.73	cps
Lithium	6-1	2045303	1980761	1955819	1993961	2.32	cps
Magnesium	24-2	16789893	16748511	16731985	16756796	0.18	cps
Manganese	55-2	11184717	11182984	10997662	11121787	0.97	cps
Molybdenum	94-1	126182	129648	129151	128327	1.46	cps
Molybdenum	95-1	8392	8869	8673	8645	2.77	cps
Molybdenum	96-1	34300	35136	34825	34753	1.22	cps
Molybdenum	97-1	5231	5471	5378	5360	2.26	cps
Molybdenum	98-1	12789	13156	13073	13006	1.48	cps
Neodymium	150-1	200218	202943	200888	201350	0.71	cps
Neodymium	150-2	114393	114144	113213	113917	0.55	cps
Nickel	60-2	163706	165267	163224	164066	0.65	cps
Phosphorus	31-2	57862	57240	57063	57388	0.73	cps
Potassium	39-2	4811505	4844384	4699223	4785037	1.59	cps
Rhodium	103-1	13582637	13758280	13332445	13557787	1.58	cps
Rhodium	103-2	8394651	8184690	8198708	8259349	1.42	cps
Scandium	45-1	10814856	10621729	10625120	10687235	1.03	cps
Scandium	45-2	948456	938122	936744	941107	0.68	cps
Selenium	82-1	858	1044	897	933	10.50	cps
Selenium	77-2	533	487	477	499	6.06	cps
Selenium	78-2	840	727	870	812	9.31	cps
Silicon	28-1	33182573	33440547	33955696	33526272	1.17	cps
Silver	107-1	1967	1897	2060	1975	4.15	cps
Silver	109-1	1513	1653	1523	1563	5.00	cps
Sodium	23-2	382541	383530	380985	382352	0.34	cps
Strontium	86-1	842434	858208	852820	851154	0.94	cps
Strontium	88-1	7605449	7619675	7633548	7619557	0.18	cps
Sulfur	34-1	261379	261518	258840	260579	0.58	cps
Terbium	159-1	16970409	16921025	16833674	16908369	0.41	cps
Terbium	159-2	11139718	11084795	11069248	11097920	0.33	cps
Thallium	203-1	2714	2947	2674	2778	5.32	cps
Thallium	205-1	6568	6472	6608	6549	1.07	cps
Tin	118-1	31959	32888	32266	32371	1.46	cps
Titanium	47-1	2021136	2041623	2042487	2035082	0.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-20 Instrumnet Name : P7
Client Sample ID : MYDA16 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:07:00 DataFile Name : 082SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	33382	34672	33917	33990	1.91	cps
Vanadium	51-2	1226120	1228404	1229238	1227921	0.13	cps
Yttrium	89-1	25503321	25973471	25299448	25592080	1.35	cps
Yttrium	89-2	6072120	6034087	6017802	6041336	0.46	cps
Zinc	66-2	285554	283641	283975	284390	0.36	cps
Zirconium	90-1	335009	345702	339325	340012	1.58	cps
Zirconium	91-1	75419	76599	76810	76276	0.98	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	12190643	12084055	11922681	12065793	1.12	cps
Antimony	121-1	22528	22374	21857	22253	1.58	cps
Arsenic	75-2	94431	94029	93133	93864	0.71	cps
Barium	135-1	1974944	1950865	2004340	1976716	1.35	cps
Barium	137-1	3405769	3365474	3449639	3406961	1.24	cps
Beryllium	9-1	3677	3454	3417	3516	4.01	cps
Bismuth	209-1	9455724	9541261	9660431	9552472	1.08	cps
Bismuth	209-2	7553861	7564454	7533548	7550621	0.21	cps
Bromine	81-1	13176	12852	13893	13307	4.00	cps
Bromine	81-2	690	657	750	699	6.77	cps
Cadmium	108-1	477	523	473	491	5.69	cps
Cadmium	106-1	5394	5348	5188	5310	2.04	cps
Cadmium	111-1	7026	7021	6820	6956	1.69	cps
Calcium	43-1	371565	370364	377746	373225	1.06	cps
Calcium	44-1	5638469	5690191	5883193	5737284	2.25	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	766924	760921	765064	764303	0.40	cps
Cobalt	59-2	557459	551962	554293	554571	0.50	cps
Copper	63-2	1311623	1281954	1274501	1289360	1.52	cps
Dysprosium	156-1	71819	72573	71273	71888	0.91	cps
Dysprosium	156-2	57008	57514	57146	57223	0.46	cps
Erbium	164-1	58023	58853	58689	58522	0.75	cps
Erbium	164-2	40412	39653	39389	39818	1.33	cps
Gadolinium	160-1	67766	66410	67639	67271	1.11	cps
Gadolinium	160-2	49196	48624	48795	48872	0.60	cps
Holmium	165-1	16480649	16137249	15902908	16173602	1.80	cps
Holmium	165-2	11037248	11059533	11090663	11062481	0.24	cps
Indium	115-1	14019191	13897599	14188164	14034985	1.04	cps
Indium	115-2	4623462	4599989	4525229	4582894	1.12	cps
Iron	56-2	756393909	757013882	766057242	759821678	0.71	cps
Iron	57-2	18539680	18853751	18490213	18627881	1.06	cps
Iron	54-2	41881115	42021454	41096959	41666509	1.20	cps
Krypton	83-1	513	440	443	466	8.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	481070	488372	480639	483360	0.90	cps
Lead	207-1	424388	423432	423074	423631	0.16	cps
Lead	208-1	1900161	1927483	1924355	1917333	0.78	cps
Lithium	6-1	1834708	1942459	2004868	1927345	4.47	cps
Magnesium	24-2	11628651	11436956	11489256	11518288	0.86	cps
Manganese	55-2	29577770	29717340	29720856	29671989	0.28	cps
Molybdenum	94-1	105047	103630	104194	104290	0.68	cps
Molybdenum	95-1	11691	11905	12749	12115	4.62	cps
Molybdenum	96-1	34307	35440	35052	34933	1.65	cps
Molybdenum	97-1	7138	7495	7102	7245	3.00	cps
Molybdenum	98-1	17374	17948	18378	17900	2.82	cps
Neodymium	150-1	128957	130673	132485	130705	1.35	cps
Neodymium	150-2	75317	73705	72164	73728	2.14	cps
Nickel	60-2	242779	239899	240658	241112	0.62	cps
Phosphorus	31-2	39645	39551	38976	39391	0.92	cps
Potassium	39-2	5761356	5783154	5758482	5767664	0.23	cps
Rhodium	103-1	13540231	13756701	14008401	13768444	1.70	cps
Rhodium	103-2	8326453	8496692	8195796	8339647	1.81	cps
Scandium	45-1	10502960	10751288	10686320	10646856	1.21	cps
Scandium	45-2	936225	939261	921071	932186	1.05	cps
Selenium	82-1	704	754	801	753	6.46	cps
Selenium	77-2	333	273	263	290	13.05	cps
Selenium	78-2	643	673	577	631	7.84	cps
Silicon	28-1	43618999	45018709	45246353	44628020	1.97	cps
Silver	107-1	4107	4054	4464	4208	5.30	cps
Silver	109-1	3844	4217	3871	3977	5.24	cps
Sodium	23-2	270070	271814	268777	270220	0.56	cps
Strontium	86-1	344651	345481	334960	341697	1.71	cps
Strontium	88-1	3090358	2978435	2977898	3015563	2.15	cps
Sulfur	34-1	263881	260583	257755	260740	1.18	cps
Terbium	159-1	17113583	17053478	16851231	17006097	0.81	cps
Terbium	159-2	11300769	11125560	11153650	11193326	0.84	cps
Thallium	203-1	3424	3107	3197	3243	5.03	cps
Thallium	205-1	7589	7656	7889	7711	2.04	cps
Tin	118-1	28973	29103	28455	28843	1.19	cps
Titanium	47-1	1944218	2045618	2051059	2013632	2.99	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-21 Instrumnet Name : P7
Client Sample ID : MYDA17 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:10:07 DataFile Name : 083SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	25528	25214	25154	25299	0.79	cps
Vanadium	51-2	1473258	1454594	1448989	1458947	0.87	cps
Yttrium	89-1	24288545	24109255	24031544	24143115	0.55	cps
Yttrium	89-2	5906003	5854097	5874410	5878170	0.44	cps
Zinc	66-2	270708	267460	266195	268121	0.87	cps
Zirconium	90-1	264354	268123	270071	267516	1.09	cps
Zirconium	91-1	58794	62046	59249	60030	2.93	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14124685	13965940	13994088	14028237	0.60	cps
Antimony	121-1	8943	9533	9673	9383	4.13	cps
Arsenic	75-2	40024	39850	39442	39772	0.75	cps
Barium	135-1	906341	924514	923184	918013	1.10	cps
Barium	137-1	1641394	1680106	1697076	1672859	1.71	cps
Beryllium	9-1	3844	4079	4012	3978	3.05	cps
Bismuth	209-1	9423445	9692128	9612313	9575962	1.44	cps
Bismuth	209-2	7567139	7412277	7659877	7546431	1.66	cps
Bromine	81-1	12812	12836	12906	12851	0.38	cps
Bromine	81-2	587	657	650	631	6.12	cps
Cadmium	108-1	297	303	347	316	8.60	cps
Cadmium	106-1	5214	5201	4911	5109	3.36	cps
Cadmium	111-1	5413	5425	5168	5335	2.71	cps
Calcium	43-1	573497	576980	573768	574748	0.34	cps
Calcium	44-1	8737596	8927585	8943052	8869411	1.29	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	310608	311076	307177	309620	0.69	cps
Cobalt	59-2	353690	350698	348188	350859	0.79	cps
Copper	63-2	664235	660448	664500	663061	0.34	cps
Dysprosium	156-1	87822	87202	88131	87719	0.54	cps
Dysprosium	156-2	70854	71430	71374	71220	0.45	cps
Erbium	164-1	76870	77165	75767	76601	0.96	cps
Erbium	164-2	52137	52130	52358	52208	0.25	cps
Gadolinium	160-1	85868	87638	87041	86849	1.04	cps
Gadolinium	160-2	63787	62609	62787	63061	1.01	cps
Holmium	165-1	15910437	15896407	15886227	15897690	0.08	cps
Holmium	165-2	11285067	11106657	11052270	11147998	1.09	cps
Indium	115-1	14012970	13927644	13881377	13940664	0.48	cps
Indium	115-2	4571656	4590334	4581655	4581215	0.20	cps
Iron	56-2	434314127	431495287	433654914	433154776	0.34	cps
Iron	57-2	10754025	10707472	10726286	10729261	0.22	cps
Iron	54-2	23744692	23632026	24141478	23839399	1.12	cps
Krypton	83-1	477	503	537	506	5.95	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	298602	303010	303180	301597	0.86	cps
Lead	207-1	253773	257134	257633	256180	0.82	cps
Lead	208-1	1165644	1183337	1176555	1175179	0.76	cps
Lithium	6-1	2013364	1948298	1935484	1965715	2.12	cps
Magnesium	24-2	11030534	11000760	10947837	10993044	0.38	cps
Manganese	55-2	7493375	7537175	7546229	7525593	0.38	cps
Molybdenum	94-1	90622	91564	90313	90833	0.72	cps
Molybdenum	95-1	6425	6502	6418	6448	0.72	cps
Molybdenum	96-1	24314	24911	25506	24910	2.39	cps
Molybdenum	97-1	3994	3804	3861	3886	2.51	cps
Molybdenum	98-1	9857	10137	9747	9913	2.03	cps
Neodymium	150-1	158966	161143	157523	159211	1.14	cps
Neodymium	150-2	91243	90549	90099	90630	0.64	cps
Nickel	60-2	108895	108496	108777	108723	0.19	cps
Phosphorus	31-2	41082	41463	40838	41127	0.77	cps
Potassium	39-2	6081681	6285148	6114114	6160314	1.77	cps
Rhodium	103-1	13636851	13618218	13726874	13660648	0.43	cps
Rhodium	103-2	8396528	8315453	8265502	8325828	0.79	cps
Scandium	45-1	10404933	10501223	10341547	10415901	0.77	cps
Scandium	45-2	914609	913465	923163	917079	0.58	cps
Selenium	82-1	783	748	777	770	2.41	cps
Selenium	77-2	357	407	403	389	7.19	cps
Selenium	78-2	820	690	693	734	10.09	cps
Silicon	28-1	41122674	40869127	41219929	41070577	0.44	cps
Silver	107-1	3350	3327	3434	3370	1.66	cps
Silver	109-1	3010	2860	3160	3010	4.98	cps
Sodium	23-2	245663	246665	249889	247405	0.89	cps
Strontium	86-1	424453	434189	426973	428539	1.18	cps
Strontium	88-1	3721953	3806918	3751578	3760150	1.15	cps
Sulfur	34-1	237696	234980	232011	234896	1.21	cps
Terbium	159-1	16945135	16846911	16785361	16859136	0.48	cps
Terbium	159-2	11142985	11190641	11360723	11231450	1.02	cps
Thallium	203-1	2357	2504	2364	2408	3.44	cps
Thallium	205-1	5551	5585	5648	5595	0.88	cps
Tin	118-1	32754	33289	33065	33036	0.81	cps
Titanium	47-1	1868943	1907260	1851616	1875940	1.52	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4293-22 Instrumnet Name : P7
Client Sample ID : MYDA18 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:13:14 DataFile Name : 084SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	24987	25154	25585	25242	1.22	cps
Vanadium	51-2	823571	824408	816919	821633	0.50	cps
Yttrium	89-1	24431400	24506389	24660230	24532673	0.48	cps
Yttrium	89-2	5872763	5919338	5930667	5907589	0.52	cps
Zinc	66-2	228726	227886	225146	227252	0.82	cps
Zirconium	90-1	239659	246549	243522	243243	1.42	cps
Zirconium	91-1	54678	54778	53905	54454	0.88	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	15047141	14900298	14943208	14963549	0.50	cps
Antimony	121-1	269306	268395	265338	267680	0.78	cps
Arsenic	75-2	152349	152242	152056	152216	0.10	cps
Barium	135-1	1145124	1147579	1161842	1151515	0.78	cps
Barium	137-1	2049867	2057950	2088841	2065553	1.00	cps
Beryllium	9-1	2905	2763	2785	2818	2.70	cps
Bismuth	209-1	9393558	9414495	9433351	9413802	0.21	cps
Bismuth	209-2	7607348	7649180	7603706	7620078	0.33	cps
Bromine	81-1	12022	12052	12329	12134	1.39	cps
Bromine	81-2	490	453	367	437	14.50	cps
Cadmium	108-1	647	627	667	647	3.09	cps
Cadmium	106-1	5508	5334	5388	5410	1.64	cps
Cadmium	111-1	8190	7789	8116	8032	2.65	cps
Calcium	43-1	583053	585110	588221	585461	0.44	cps
Calcium	44-1	8771758	8726154	8692871	8730261	0.45	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1343021	1374785	1353927	1357244	1.19	cps
Cobalt	59-2	815331	809278	806234	810281	0.57	cps
Copper	63-2	2116311	2087740	2100742	2101598	0.68	cps
Dysprosium	156-1	54512	55429	54813	54918	0.85	cps
Dysprosium	156-2	43277	43183	43407	43289	0.26	cps
Erbium	164-1	48507	49889	49233	49210	1.40	cps
Erbium	164-2	33621	32795	33797	33404	1.60	cps
Gadolinium	160-1	51999	53030	52167	52398	1.06	cps
Gadolinium	160-2	37751	38078	37173	37667	1.22	cps
Holmium	165-1	16545349	16532406	16503354	16527036	0.13	cps
Holmium	165-2	11103626	11257445	11294332	11218467	0.90	cps
Indium	115-1	14103175	14245998	14364900	14238024	0.92	cps
Indium	115-2	4699704	4602819	4586087	4629537	1.32	cps
Iron	56-2	763739535	773009828	767692069	768147144	0.61	cps
Iron	57-2	19079789	18684402	18835764	18866652	1.06	cps
Iron	54-2	42292504	42330367	42615689	42412853	0.42	cps
Krypton	83-1	507	453	430	463	8.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	505523	509711	505455	506896	0.48	cps
Lead	207-1	432484	438283	441278	437349	1.02	cps
Lead	208-1	1962561	1984216	1985946	1977574	0.66	cps
Lithium	6-1	1968226	1900653	1932998	1933959	1.75	cps
Magnesium	24-2	18371909	18254103	18238565	18288192	0.40	cps
Manganese	55-2	14109777	14346807	14129154	14195246	0.93	cps
Molybdenum	94-1	110181	112105	110755	111014	0.89	cps
Molybdenum	95-1	26554	27466	27272	27097	1.77	cps
Molybdenum	96-1	49537	50962	50825	50441	1.56	cps
Molybdenum	97-1	16910	16783	16569	16754	1.03	cps
Molybdenum	98-1	42004	42465	42719	42396	0.86	cps
Neodymium	150-1	91346	92551	91682	91860	0.68	cps
Neodymium	150-2	52942	52568	52631	52714	0.38	cps
Nickel	60-2	329567	328772	329138	329159	0.12	cps
Phosphorus	31-2	36975	36159	37379	36838	1.69	cps
Potassium	39-2	5418033	5378690	5378217	5391647	0.42	cps
Rhodium	103-1	13582566	13594585	13536230	13571127	0.23	cps
Rhodium	103-2	8435882	8358473	8250466	8348273	1.12	cps
Scandium	45-1	10587885	10567158	10457863	10537635	0.66	cps
Scandium	45-2	951657	950394	937762	946604	0.81	cps
Selenium	82-1	700	816	838	785	9.40	cps
Selenium	77-2	280	217	270	256	13.32	cps
Selenium	78-2	613	633	663	637	3.95	cps
Silicon	28-1	26054938	26497041	26132880	26228286	0.90	cps
Silver	107-1	6225	6622	6368	6405	3.14	cps
Silver	109-1	6135	5891	5945	5990	2.14	cps
Sodium	23-2	361148	359829	361475	360817	0.24	cps
Strontium	86-1	272197	273436	271596	272410	0.34	cps
Strontium	88-1	2426336	2454736	2439387	2440153	0.58	cps
Sulfur	34-1	283743	290068	292237	288683	1.53	cps
Terbium	159-1	17179152	17010234	17126858	17105415	0.51	cps
Terbium	159-2	11447473	11114763	11185628	11249288	1.56	cps
Thallium	203-1	1917	2024	2014	1985	2.97	cps
Thallium	205-1	4874	4828	4804	4835	0.74	cps
Tin	118-1	64675	66168	68957	66600	3.26	cps
Titanium	47-1	2497152	2543864	2543029	2528015	1.06	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-01 Instrumnet Name : P7
Client Sample ID : MYDA19 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:16:22 DataFile Name : 085SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	20619	20563	21331	20838	2.05	cps
Vanadium	51-2	1779632	1769815	1738770	1762739	1.21	cps
Yttrium	89-1	24217468	24635892	24500179	24451180	0.87	cps
Yttrium	89-2	5849418	5910437	5726159	5828671	1.61	cps
Zinc	66-2	574238	568118	571037	571131	0.54	cps
Zirconium	90-1	262314	268100	265916	265443	1.10	cps
Zirconium	91-1	57522	57519	58606	57882	1.08	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	12776489	12911266	12744201	12810652	0.69	cps
Antimony	121-1	264066	261297	265293	263552	0.78	cps
Arsenic	75-2	124366	123666	124346	124126	0.32	cps
Barium	135-1	1135733	1150715	1140954	1142467	0.67	cps
Barium	137-1	2086551	2126204	2075161	2095972	1.28	cps
Beryllium	9-1	2775	2871	2832	2826	1.70	cps
Bismuth	209-1	9491042	9776666	9533873	9600527	1.60	cps
Bismuth	209-2	7693738	7590823	7728599	7671053	0.93	cps
Bromine	81-1	12188	12335	11935	12153	1.67	cps
Bromine	81-2	353	363	433	383	11.37	cps
Cadmium	108-1	503	460	567	510	10.52	cps
Cadmium	106-1	5508	5484	5371	5454	1.34	cps
Cadmium	111-1	6937	6611	6470	6673	3.59	cps
Calcium	43-1	333594	325022	330442	329686	1.32	cps
Calcium	44-1	5060299	4978576	4970863	5003246	0.99	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	846128	846412	842320	844954	0.27	cps
Cobalt	59-2	662163	667652	669844	666553	0.59	cps
Copper	63-2	1677705	1648940	1652350	1659665	0.95	cps
Dysprosium	156-1	54609	55007	54482	54699	0.50	cps
Dysprosium	156-2	42675	43049	42635	42786	0.53	cps
Erbium	164-1	49842	50223	49377	49814	0.85	cps
Erbium	164-2	33126	33423	33346	33299	0.46	cps
Gadolinium	160-1	51511	53742	51708	52321	2.36	cps
Gadolinium	160-2	38964	38329	38383	38559	0.91	cps
Holmium	165-1	16455105	16281670	16286207	16340994	0.60	cps
Holmium	165-2	11299784	11059228	11093732	11150914	1.17	cps
Indium	115-1	13999197	14141570	13771376	13970714	1.34	cps
Indium	115-2	4660399	4510151	4479890	4550147	2.12	cps
Iron	56-2	744390416	734912896	735330656	738211322	0.73	cps
Iron	57-2	18223539	18197517	18077773	18166276	0.43	cps
Iron	54-2	40817039	40990893	40605354	40804429	0.47	cps
Krypton	83-1	420	473	473	456	6.76	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	1082815	1083737	1081839	1082797	0.09	cps
Lead	207-1	909129	919473	907562	912055	0.71	cps
Lead	208-1	4459206	4592612	4485656	4512491	1.57	cps
Lithium	6-1	1975029	2082127	1992440	2016532	2.85	cps
Magnesium	24-2	14896905	14764771	14861874	14841183	0.46	cps
Manganese	55-2	15003001	14999209	14975328	14992513	0.10	cps
Molybdenum	94-1	74127	75155	75138	74807	0.79	cps
Molybdenum	95-1	8939	9190	8719	8949	2.63	cps
Molybdenum	96-1	27382	27095	27643	27373	1.00	cps
Molybdenum	97-1	5684	5611	5958	5751	3.18	cps
Molybdenum	98-1	13176	13666	13423	13422	1.83	cps
Neodymium	150-1	92189	92263	92001	92151	0.15	cps
Neodymium	150-2	52307	52651	52608	52522	0.36	cps
Nickel	60-2	350845	351519	349122	350495	0.35	cps
Phosphorus	31-2	37519	37599	37325	37481	0.38	cps
Potassium	39-2	5179798	5084266	5142532	5135532	0.94	cps
Rhodium	103-1	13640659	14052527	13605604	13766263	1.81	cps
Rhodium	103-2	8466269	8304434	8278556	8349753	1.22	cps
Scandium	45-1	10825520	10707481	10458956	10663986	1.75	cps
Scandium	45-2	931886	930660	924456	929000	0.43	cps
Selenium	82-1	715	761	766	747	3.76	cps
Selenium	77-2	257	217	243	239	8.53	cps
Selenium	78-2	593	630	633	619	3.59	cps
Silicon	28-1	31720826	33462396	32449275	32544166	2.69	cps
Silver	107-1	3550	3390	3390	3444	2.68	cps
Silver	109-1	3307	3250	3150	3236	2.45	cps
Sodium	23-2	224506	225278	223252	224345	0.46	cps
Strontium	86-1	224845	228038	225248	226044	0.77	cps
Strontium	88-1	2006210	1958411	2039857	2001492	2.04	cps
Sulfur	34-1	263834	266303	266469	265535	0.56	cps
Terbium	159-1	16909853	17015849	16844190	16923297	0.51	cps
Terbium	159-2	11316353	11147642	11247629	11237208	0.75	cps
Thallium	203-1	2107	2100	2077	2095	0.75	cps
Thallium	205-1	4821	5031	4811	4888	2.54	cps
Tin	118-1	24240	24447	23826	24171	1.31	cps
Titanium	47-1	2351109	2376880	2279801	2335930	2.15	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-02 Instrumnet Name : P7
Client Sample ID : MYDA20 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:19:28 DataFile Name : 086SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	23698	22920	23497	23372	1.73	cps
Vanadium	51-2	1710126	1704744	1670463	1695111	1.27	cps
Yttrium	89-1	24883470	23897314	24496721	24425835	2.03	cps
Yttrium	89-2	5829448	5725980	5744857	5766762	0.96	cps
Zinc	66-2	270177	265462	268811	268150	0.90	cps
Zirconium	90-1	187852	189969	189477	189099	0.59	cps
Zirconium	91-1	42150	43454	41893	42499	1.97	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	12615906	12636428	12358893	12537076	1.23	cps
Antimony	121-1	18058	18085	18519	18221	1.42	cps
Arsenic	75-2	86305	86071	84811	85729	0.94	cps
Barium	135-1	697031	699028	698772	698277	0.16	cps
Barium	137-1	1199586	1216070	1217945	1211200	0.83	cps
Beryllium	9-1	2374	2240	2186	2267	4.26	cps
Bismuth	209-1	9525090	9536079	9509523	9523564	0.14	cps
Bismuth	209-2	7544641	7533944	7708286	7595624	1.29	cps
Bromine	81-1	13056	13420	13530	13335	1.86	cps
Bromine	81-2	557	617	620	598	5.96	cps
Cadmium	108-1	373	403	383	387	3.95	cps
Cadmium	106-1	5218	4851	4861	4976	4.20	cps
Cadmium	111-1	5401	5160	5204	5255	2.44	cps
Calcium	43-1	359933	366272	368828	365011	1.25	cps
Calcium	44-1	5628635	5683018	5601741	5637798	0.73	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	699687	698523	690229	696146	0.74	cps
Cobalt	59-2	503706	495859	494104	497890	1.03	cps
Copper	63-2	1171658	1153813	1156204	1160558	0.83	cps
Dysprosium	156-1	51400	51625	52076	51700	0.67	cps
Dysprosium	156-2	41147	40993	41989	41376	1.30	cps
Erbium	164-1	45741	46798	46163	46234	1.15	cps
Erbium	164-2	32047	31272	31131	31483	1.57	cps
Gadolinium	160-1	48076	48959	47815	48283	1.24	cps
Gadolinium	160-2	35408	35548	34710	35222	1.28	cps
Holmium	165-1	16248615	16182352	16141309	16190759	0.33	cps
Holmium	165-2	11205898	11183499	11049906	11146435	0.76	cps
Indium	115-1	14014995	14053285	13898576	13988952	0.58	cps
Indium	115-2	4558727	4568685	4611827	4579747	0.62	cps
Iron	56-2	500113379	490653793	489720979	493496050	1.17	cps
Iron	57-2	12122953	12219833	12026747	12123178	0.80	cps
Iron	54-2	27550651	27002513	26893237	27148800	1.30	cps
Krypton	83-1	500	430	473	468	7.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	300117	303654	302796	302189	0.61	cps
Lead	207-1	259231	258458	258904	258865	0.15	cps
Lead	208-1	1175504	1180438	1178884	1178275	0.21	cps
Lithium	6-1	2098069	2084934	2026028	2069677	1.85	cps
Magnesium	24-2	14929893	15125140	14897569	14984200	0.82	cps
Manganese	55-2	8280334	8188617	8186017	8218323	0.65	cps
Molybdenum	94-1	46952	47119	47504	47191	0.60	cps
Molybdenum	95-1	5734	5891	6005	5877	2.31	cps
Molybdenum	96-1	17564	17844	17704	17704	0.79	cps
Molybdenum	97-1	3590	3684	3670	3648	1.38	cps
Molybdenum	98-1	8826	9023	8823	8891	1.29	cps
Neodymium	150-1	85367	86238	85048	85551	0.72	cps
Neodymium	150-2	48854	48503	48493	48617	0.42	cps
Nickel	60-2	201077	200207	197736	199674	0.87	cps
Phosphorus	31-2	26623	26673	26072	26456	1.26	cps
Potassium	39-2	3275263	3264681	3184442	3241462	1.53	cps
Rhodium	103-1	13709944	13773965	13676906	13720272	0.36	cps
Rhodium	103-2	8241185	8302013	8336419	8293206	0.58	cps
Scandium	45-1	10627811	10731052	10615339	10658067	0.60	cps
Scandium	45-2	939329	931541	926413	932428	0.70	cps
Selenium	82-1	649	764	711	708	8.13	cps
Selenium	77-2	173	217	203	198	11.22	cps
Selenium	78-2	550	720	627	632	13.47	cps
Silicon	28-1	42902048	43453853	43027253	43127718	0.67	cps
Silver	107-1	2080	2244	2254	2192	4.44	cps
Silver	109-1	1920	1903	2210	2011	8.58	cps
Sodium	23-2	218758	221339	219799	219965	0.59	cps
Strontium	86-1	209297	213525	212827	211883	1.07	cps
Strontium	88-1	1846181	1910209	1854103	1870164	1.87	cps
Sulfur	34-1	256125	255203	254093	255140	0.40	cps
Terbium	159-1	17216387	17016956	16942863	17058735	0.83	cps
Terbium	159-2	11171977	11246954	11296093	11238341	0.56	cps
Thallium	203-1	1373	1400	1417	1397	1.57	cps
Thallium	205-1	3077	3220	3364	3220	4.45	cps
Tin	118-1	30051	30459	29327	29946	1.92	cps
Titanium	47-1	2234053	2238091	2221443	2231196	0.39	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-03 Instrumnet Name : P7
Client Sample ID : MYDA21 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:22:32 DataFile Name : 087SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16584	17041	17191	16939	1.87	cps
Vanadium	51-2	1213204	1214913	1199250	1209122	0.71	cps
Yttrium	89-1	24065583	24303315	24329202	24232700	0.60	cps
Yttrium	89-2	5764876	5868035	5784096	5805669	0.94	cps
Zinc	66-2	178996	181769	179380	180048	0.83	cps
Zirconium	90-1	120725	122828	122415	121989	0.91	cps
Zirconium	91-1	27900	27102	27543	27515	1.45	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	12723910	12865973	12693855	12761246	0.72	cps
Antimony	121-1	13690	14074	14301	14021	2.20	cps
Arsenic	75-2	138069	137281	139195	138182	0.70	cps
Barium	135-1	883820	886788	883632	884746	0.20	cps
Barium	137-1	1517462	1648730	1518224	1561472	4.84	cps
Beryllium	9-1	2440	2480	2547	2489	2.18	cps
Bismuth	209-1	9590461	9497244	9501094	9529600	0.55	cps
Bismuth	209-2	7621874	7660294	7664914	7649027	0.31	cps
Bromine	81-1	13747	13697	13299	13581	1.80	cps
Bromine	81-2	770	723	700	731	4.88	cps
Cadmium	108-1	467	497	520	494	5.41	cps
Cadmium	106-1	5244	5184	5044	5158	1.99	cps
Cadmium	111-1	4821	4871	4757	4817	1.19	cps
Calcium	43-1	415571	423913	421845	420443	1.03	cps
Calcium	44-1	6257932	6447936	6460309	6388726	1.78	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	765669	762387	769817	765958	0.49	cps
Cobalt	59-2	602947	603831	607454	604744	0.39	cps
Copper	63-2	1152522	1155491	1157011	1155008	0.20	cps
Dysprosium	156-1	71565	72506	72432	72167	0.73	cps
Dysprosium	156-2	57628	58006	59121	58251	1.33	cps
Erbium	164-1	61200	62342	61833	61791	0.93	cps
Erbium	164-2	40709	41441	41916	41356	1.47	cps
Gadolinium	160-1	67873	68637	67153	67888	1.09	cps
Gadolinium	160-2	49775	50009	48300	49361	1.88	cps
Holmium	165-1	16424528	16213500	16193732	16277253	0.79	cps
Holmium	165-2	11298068	11176809	11177990	11217622	0.62	cps
Indium	115-1	14105898	13884272	14079815	14023328	0.86	cps
Indium	115-2	4599936	4556873	4576198	4577669	0.47	cps
Iron	56-2	630053204	643112124	627545671	633570333	1.32	cps
Iron	57-2	15611254	15516720	15403999	15510658	0.67	cps
Iron	54-2	35018500	34597599	34824048	34813383	0.61	cps
Krypton	83-1	483	460	473	472	2.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	180113	180884	178249	179749	0.75	cps
Lead	207-1	147498	148266	145476	147080	0.98	cps
Lead	208-1	684183	692228	687841	688084	0.59	cps
Lithium	6-1	2067834	1997240	2027464	2030846	1.74	cps
Magnesium	24-2	13356426	13347382	13271113	13324973	0.35	cps
Manganese	55-2	11483191	11538707	11390314	11470737	0.65	cps
Molybdenum	94-1	35272	35169	35824	35422	0.99	cps
Molybdenum	95-1	7575	7919	7469	7654	3.07	cps
Molybdenum	96-1	19016	18388	18201	18535	2.30	cps
Molybdenum	97-1	4881	4527	4587	4665	4.05	cps
Molybdenum	98-1	11081	11618	11565	11421	2.59	cps
Neodymium	150-1	127854	129024	130370	129083	0.98	cps
Neodymium	150-2	72897	72820	72817	72845	0.06	cps
Nickel	60-2	224058	223103	221500	222887	0.58	cps
Phosphorus	31-2	50135	49928	49583	49882	0.56	cps
Potassium	39-2	3738102	3716777	3713483	3722787	0.36	cps
Rhodium	103-1	13838461	13642431	13841654	13774182	0.83	cps
Rhodium	103-2	8340612	8459550	8314435	8371532	0.92	cps
Scandium	45-1	10676664	10867072	10793148	10778961	0.89	cps
Scandium	45-2	946487	934617	934016	938373	0.75	cps
Selenium	82-1	647	777	730	718	9.15	cps
Selenium	77-2	350	320	313	328	5.96	cps
Selenium	78-2	627	653	587	622	5.39	cps
Silicon	28-1	39737422	40312338	40812355	40287372	1.34	cps
Silver	107-1	1620	1583	1587	1597	1.27	cps
Silver	109-1	1313	1590	1557	1487	10.16	cps
Sodium	23-2	206181	206590	206681	206484	0.13	cps
Strontium	86-1	232967	235085	232468	233507	0.59	cps
Strontium	88-1	2053953	2077986	2079171	2070370	0.69	cps
Sulfur	34-1	265052	260931	260223	262069	1.00	cps
Terbium	159-1	17010272	16819986	16623034	16817764	1.15	cps
Terbium	159-2	11163697	11130874	11148412	11147661	0.15	cps
Thallium	203-1	1417	1353	1413	1395	2.56	cps
Thallium	205-1	3360	3581	3684	3542	4.66	cps
Tin	118-1	24825	24634	24294	24584	1.09	cps
Titanium	47-1	1625398	1660623	1649240	1645087	1.09	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-04 Instrumnet Name : P7
Client Sample ID : MYDA22 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:25:42 DataFile Name : 088SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	29820	29459	28868	29382	1.64	cps
Vanadium	51-2	1455137	1447451	1465891	1456160	0.64	cps
Yttrium	89-1	24723841	24944733	24392470	24687015	1.13	cps
Yttrium	89-2	5980470	5803675	5900949	5895031	1.50	cps
Zinc	66-2	188656	191343	189294	189764	0.74	cps
Zirconium	90-1	85745	85591	86275	85870	0.42	cps
Zirconium	91-1	19597	19420	19897	19638	1.23	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	7092908	7095577	7010792	7066426	0.68	cps
Antimony	121-1	24648	24975	24701	24775	0.71	cps
Arsenic	75-2	141369	142150	139858	141126	0.83	cps
Barium	135-1	1130892	1133142	1136867	1133634	0.27	cps
Barium	137-1	2101444	2050668	2070618	2074243	1.23	cps
Beryllium	9-1	2263	2266	2382	2304	2.94	cps
Bismuth	209-1	9647610	9445547	9635914	9576357	1.18	cps
Bismuth	209-2	7743000	7650970	7488865	7627612	1.69	cps
Bromine	81-1	11985	12652	11935	12191	3.28	cps
Bromine	81-2	410	360	377	382	6.66	cps
Cadmium	108-1	320	270	273	288	9.71	cps
Cadmium	106-1	4918	4731	4988	4879	2.72	cps
Cadmium	111-1	4798	4893	4900	4864	1.17	cps
Calcium	43-1	320946	321309	320439	320898	0.14	cps
Calcium	44-1	4979022	4998054	4863798	4946958	1.47	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	362981	365004	360141	362709	0.67	cps
Cobalt	59-2	333464	334471	331597	333177	0.44	cps
Copper	63-2	740616	736824	730846	736095	0.67	cps
Dysprosium	156-1	46360	46523	46028	46304	0.54	cps
Dysprosium	156-2	37229	37654	37650	37511	0.65	cps
Erbium	164-1	38466	38710	38128	38435	0.76	cps
Erbium	164-2	25941	26178	26318	26146	0.73	cps
Gadolinium	160-1	43969	43247	43601	43605	0.83	cps
Gadolinium	160-2	31886	31358	31502	31582	0.86	cps
Holmium	165-1	16334722	16201700	16015779	16184067	0.99	cps
Holmium	165-2	11136033	11179172	11049544	11121583	0.59	cps
Indium	115-1	13913780	13983224	13838026	13911677	0.52	cps
Indium	115-2	4619988	4602068	4587026	4603027	0.36	cps
Iron	56-2	404641727	401740087	393414314	399932043	1.46	cps
Iron	57-2	9744588	9869346	9683344	9765759	0.97	cps
Iron	54-2	22227607	21707642	21675513	21870254	1.42	cps
Krypton	83-1	357	480	403	413	15.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	232418	233592	232719	232909	0.26	cps
Lead	207-1	193162	193975	194369	193835	0.32	cps
Lead	208-1	886566	896290	890980	891279	0.55	cps
Lithium	6-1	2059241	2096773	2094223	2083412	1.01	cps
Magnesium	24-2	6879387	6881469	6715723	6825527	1.39	cps
Manganese	55-2	12235776	12173666	11894384	12101275	1.50	cps
Molybdenum	94-1	55163	56298	55849	55770	1.02	cps
Molybdenum	95-1	10080	10060	10344	10161	1.56	cps
Molybdenum	96-1	21810	22971	22758	22513	2.75	cps
Molybdenum	97-1	6008	6231	6361	6200	2.88	cps
Molybdenum	98-1	15101	15341	15879	15440	2.58	cps
Neodymium	150-1	86852	87935	86221	87003	1.00	cps
Neodymium	150-2	48697	49965	49018	49227	1.34	cps
Nickel	60-2	102430	99554	100075	100686	1.52	cps
Phosphorus	31-2	28089	27862	28103	28018	0.48	cps
Potassium	39-2	3850127	3818531	3772452	3813703	1.02	cps
Rhodium	103-1	13865094	13923747	13665432	13818091	0.98	cps
Rhodium	103-2	8334226	8305189	8322716	8320710	0.18	cps
Scandium	45-1	10302252	10483635	10184156	10323348	1.46	cps
Scandium	45-2	902120	894277	881112	892503	1.19	cps
Selenium	82-1	690	625	712	676	6.74	cps
Selenium	77-2	183	213	280	226	21.94	cps
Selenium	78-2	590	580	557	576	2.97	cps
Silicon	28-1	24203620	23727973	23046323	23659305	2.46	cps
Silver	107-1	1530	1560	1487	1526	2.42	cps
Silver	109-1	1310	1267	1483	1353	8.47	cps
Sodium	23-2	218552	219164	218330	218682	0.20	cps
Strontium	86-1	245772	245191	244157	245040	0.33	cps
Strontium	88-1	2177913	2185767	2172396	2178692	0.31	cps
Sulfur	34-1	260322	256860	259752	258978	0.72	cps
Terbium	159-1	17081625	16797003	16854873	16911167	0.89	cps
Terbium	159-2	11019432	11132470	10953375	11035092	0.82	cps
Thallium	203-1	4724	4564	4511	4600	2.41	cps
Thallium	205-1	10631	10704	10578	10638	0.60	cps
Tin	118-1	22611	22992	22711	22771	0.87	cps
Titanium	47-1	1274670	1267368	1253407	1265148	0.85	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-05 Instrumnet Name : P7
Client Sample ID : MYDA23 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:28:48 DataFile Name : 089SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	23130	22452	22526	22703	1.64	cps
Vanadium	51-2	801123	797406	793485	797338	0.48	cps
Yttrium	89-1	23871865	23822829	23845213	23846636	0.10	cps
Yttrium	89-2	5630499	5760605	5644486	5678530	1.26	cps
Zinc	66-2	172319	171304	169511	171044	0.83	cps
Zirconium	90-1	140441	138688	138768	139299	0.71	cps
Zirconium	91-1	30842	31307	30903	31017	0.81	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	31107704	31604367	30944442	31218838	1.10	cps
Antimony	121-1	13226	13546	13440	13404	1.22	cps
Arsenic	75-2	293	373	300	322	13.78	cps
Barium	135-1	4601	4391	4371	4454	2.86	cps
Barium	137-1	7429	7926	7769	7708	3.30	cps
Beryllium	9-1	966	994	1163	1041	10.24	cps
Bismuth	209-1	9142150	9111327	9208935	9154137	0.55	cps
Bismuth	209-2	7296812	7286032	7507242	7363362	1.69	cps
Bromine	81-1	12018	12692	12315	12342	2.74	cps
Bromine	81-2	367	310	390	356	11.57	cps
Cadmium	108-1	1927	1870	1750	1849	4.88	cps
Cadmium	106-1	4191	4251	4294	4245	1.22	cps
Cadmium	111-1	3845	3833	3991	3890	2.26	cps
Calcium	43-1	4155358	4104879	4048820	4103019	1.30	cps
Calcium	44-1	65880094	66886942	66759881	66508972	0.82	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	131245	129571	130916	130577	0.68	cps
Cobalt	59-2	12248	12278	11975	12167	1.38	cps
Copper	63-2	67789	67197	67270	67419	0.48	cps
Dysprosium	156-1	83	53	73	70	21.82	cps
Dysprosium	156-2	37	47	30	38	22.21	cps
Erbium	164-1	170	133	143	149	12.73	cps
Erbium	164-2	93	107	123	108	13.95	cps
Gadolinium	160-1	83	103	120	102	17.96	cps
Gadolinium	160-2	350	417	383	383	8.70	cps
Holmium	165-1	16251379	16013359	16122646	16129128	0.74	cps
Holmium	165-2	11361872	11132868	10877633	11124124	2.18	cps
Indium	115-1	13345846	13479373	13544390	13456536	0.75	cps
Indium	115-2	4481029	4425016	4471076	4459040	0.67	cps
Iron	56-2	541897139	534883925	533849899	536876988	0.82	cps
Iron	57-2	13231478	13121472	13216696	13189882	0.45	cps
Iron	54-2	29545181	29449705	29233861	29409583	0.54	cps
Krypton	83-1	307	373	320	333	10.58	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	35974	35807	35991	35924	0.28	cps
Lead	207-1	27919	28283	27979	28060	0.70	cps
Lead	208-1	132679	132330	133001	132670	0.25	cps
Lithium	6-1	2087301	1943305	1970551	2000386	3.82	cps
Magnesium	24-2	59320521	59551762	59687691	59519991	0.31	cps
Manganese	55-2	36832	36240	36875	36649	0.97	cps
Molybdenum	94-1	7608241	7673782	7665587	7649203	0.47	cps
Molybdenum	95-1	13065928	13344295	13340509	13250244	1.20	cps
Molybdenum	96-1	14151986	14484608	14574020	14403538	1.54	cps
Molybdenum	97-1	8157223	8402091	8333423	8297579	1.52	cps
Molybdenum	98-1	20717966	21485861	21181043	21128290	1.83	cps
Neodymium	150-1	33	80	67	60	40.07	cps
Neodymium	150-2	40	43	37	40	8.32	cps
Nickel	60-2	16583	16609	16209	16467	1.36	cps
Phosphorus	31-2	1800373	1820981	1822433	1814595	0.68	cps
Potassium	39-2	70875376	70346504	69675602	70299161	0.86	cps
Rhodium	103-1	12967334	13220351	13076604	13088096	0.97	cps
Rhodium	103-2	7859265	7931164	7900724	7897051	0.46	cps
Scandium	45-1	9726599	9820535	9809996	9785710	0.53	cps
Scandium	45-2	866970	861409	863052	863810	0.33	cps
Selenium	82-1	657	562	637	619	8.06	cps
Selenium	77-2	10	7	3	7	50.03	cps
Selenium	78-2	367	467	423	419	11.97	cps
Silicon	28-1	515580	520862	520576	519006	0.57	cps
Silver	107-1	350	360	417	376	9.57	cps
Silver	109-1	310	283	303	299	4.64	cps
Sodium	23-2	102847735	103615282	102573302	103012106	0.52	cps
Strontium	86-1	152754	156293	154686	154578	1.15	cps
Strontium	88-1	1320580	1356780	1365898	1347752	1.78	cps
Sulfur	34-1	6580653	6567074	6554099	6567275	0.20	cps
Terbium	159-1	16448858	16871341	16774320	16698173	1.33	cps
Terbium	159-2	11000262	10982367	11001257	10994628	0.10	cps
Thallium	203-1	150	137	137	141	5.45	cps
Thallium	205-1	310	283	317	303	5.81	cps
Tin	118-1	3250	3460	3727	3479	6.87	cps
Titanium	47-1	4057588	4043745	4103818	4068384	0.77	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSA002 Instrumnet Name : P7
Client Sample ID : ICSA002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:31:58 DataFile Name : 090ICSA.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	513	583	527	541	6.87	cps
Vanadium	51-2	1043	983	1010	1012	2.97	cps
Yttrium	89-1	22726030	22876140	22925926	22842699	0.46	cps
Yttrium	89-2	5491084	5385170	5506783	5461012	1.21	cps
Zinc	66-2	13867	14073	13546	13829	1.92	cps
Zirconium	90-1	1290	1330	1500	1373	8.12	cps
Zirconium	91-1	303	280	290	291	4.02	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	32151404	31680413	31753827	31861881	0.80	cps
Antimony	121-1	258093	260343	259334	259257	0.43	cps
Arsenic	75-2	15462	15582	15505	15516	0.39	cps
Barium	135-1	65399	65928	65349	65559	0.49	cps
Barium	137-1	112199	112829	112562	112530	0.28	cps
Beryllium	9-1	45047	46189	45590	45609	1.25	cps
Bismuth	209-1	9274264	9310040	9186313	9256872	0.69	cps
Bismuth	209-2	7301411	7269257	7338353	7303007	0.47	cps
Bromine	81-1	13126	13510	14060	13565	3.46	cps
Bromine	81-2	557	613	527	566	7.78	cps
Cadmium	108-1	6055	6168	5975	6066	1.60	cps
Cadmium	106-1	10074	10581	10310	10322	2.46	cps
Cadmium	111-1	67450	67133	68797	67793	1.30	cps
Calcium	43-1	4286291	4231003	4252129	4256474	0.66	cps
Calcium	44-1	68947426	68312492	69274672	68844863	0.71	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	265937	264573	262979	264496	0.56	cps
Cobalt	59-2	210777	208907	209567	209750	0.45	cps
Copper	63-2	184924	184563	185272	184920	0.19	cps
Dysprosium	156-1	57	57	63	59	6.53	cps
Dysprosium	156-2	50	37	50	46	16.89	cps
Erbium	164-1	157	147	167	157	6.38	cps
Erbium	164-2	107	123	60	97	33.96	cps
Gadolinium	160-1	123	120	110	118	5.89	cps
Gadolinium	160-2	417	423	357	399	9.20	cps
Holmium	165-1	16367434	15968141	16077619	16137732	1.28	cps
Holmium	165-2	11076518	11126043	11168707	11123756	0.41	cps
Indium	115-1	13721058	13878244	13725006	13774769	0.65	cps
Indium	115-2	4566822	4533039	4525138	4541666	0.49	cps
Iron	56-2	542576885	541103699	540449979	541376854	0.20	cps
Iron	57-2	13398542	13429349	13303073	13376988	0.49	cps
Iron	54-2	30007079	29600269	29774805	29794051	0.68	cps
Krypton	83-1	427	350	347	374	12.09	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	213419	216867	214052	214779	0.85	cps
Lead	207-1	180050	179269	178558	179292	0.42	cps
Lead	208-1	829820	831809	827362	829664	0.27	cps
Lithium	6-1	2025964	2019985	1969683	2005211	1.54	cps
Magnesium	24-2	60087957	59504047	59888559	59826855	0.50	cps
Manganese	55-2	126550	126469	127020	126680	0.23	cps
Molybdenum	94-1	7828419	7866160	7691379	7795319	1.18	cps
Molybdenum	95-1	13575149	13659377	13559775	13598100	0.39	cps
Molybdenum	96-1	14665533	14678055	14739650	14694413	0.27	cps
Molybdenum	97-1	8400761	8506799	8469741	8459100	0.64	cps
Molybdenum	98-1	21286253	21757745	21586174	21543391	1.11	cps
Neodymium	150-1	67	77	53	66	17.86	cps
Neodymium	150-2	43	37	47	42	12.06	cps
Nickel	60-2	64635	63417	63698	63917	1.00	cps
Phosphorus	31-2	1901866	1857827	1865393	1875028	1.26	cps
Potassium	39-2	72847441	72522914	71505294	72291883	0.97	cps
Rhodium	103-1	13346604	13293109	13314040	13317918	0.20	cps
Rhodium	103-2	8124318	8035434	7931726	8030493	1.20	cps
Scandium	45-1	10121149	10029413	10007888	10052817	0.60	cps
Scandium	45-2	880969	871711	871119	874600	0.63	cps
Selenium	82-1	5015	5227	5279	5174	2.70	cps
Selenium	77-2	377	460	467	434	11.54	cps
Selenium	78-2	1727	1887	1727	1780	5.19	cps
Silicon	28-1	530167	534685	539683	534845	0.89	cps
Silver	107-1	308467	308494	314118	310360	1.05	cps
Silver	109-1	288250	290521	291812	290194	0.62	cps
Sodium	23-2	103930748	103604002	104471338	104002030	0.42	cps
Strontium	86-1	156499	159237	159109	158282	0.98	cps
Strontium	88-1	1366265	1385400	1370723	1374129	0.73	cps
Sulfur	34-1	6663361	6704674	6748164	6705400	0.63	cps
Terbium	159-1	16836209	16908538	16799726	16848158	0.33	cps
Terbium	159-2	11263045	11201006	11342716	11268922	0.63	cps
Thallium	203-1	222550	221888	220185	221541	0.55	cps
Thallium	205-1	530765	522795	525807	526456	0.76	cps
Tin	118-1	3274	3437	3584	3432	4.52	cps
Titanium	47-1	4148206	4134846	4186261	4156438	0.64	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : ICSAB002 Instrumnet Name : P7
Client Sample ID : ICSAB002 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:35:01 DataFile Name : 091ICSB.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	597	547	480	541	10.82	cps
Vanadium	51-2	118930	119065	117826	118607	0.57	cps
Yttrium	89-1	23369944	23336116	23254525	23320195	0.25	cps
Yttrium	89-2	5569171	5537463	5461871	5522835	1.00	cps
Zinc	66-2	34627	35378	34757	34921	1.15	cps
Zirconium	90-1	1183	1353	1423	1320	9.35	cps
Zirconium	91-1	277	293	387	319	18.59	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16714243	16981714	16588372	16761443	1.20	cps
Antimony	121-1	6177191	6290604	6290531	6252775	1.05	cps
Arsenic	75-2	366507	363891	362842	364413	0.52	cps
Barium	135-1	7998734	8110335	8195200	8101423	1.22	cps
Barium	137-1	13939028	14158820	13855250	13984366	1.12	cps
Beryllium	9-1	1179839	1192319	1224847	1199002	1.94	cps
Bismuth	209-1	8925226	8987079	9020774	8977693	0.54	cps
Bismuth	209-2	7035517	7205447	7118890	7119952	1.19	cps
Bromine	81-1	11381	11675	10864	11307	3.63	cps
Bromine	81-2	133	160	120	138	14.78	cps
Cadmium	108-1	119205	121356	120418	120326	0.90	cps
Cadmium	106-1	172869	175466	176921	175085	1.17	cps
Cadmium	111-1	1657761	1674793	1607908	1646821	2.11	cps
Calcium	43-1	10872387	10745209	10786178	10801258	0.60	cps
Calcium	44-1	169075911	171260267	174700511	171678896	1.65	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3190608	3162304	3185386	3179433	0.47	cps
Cobalt	59-2	5034384	5102973	5064795	5067384	0.68	cps
Copper	63-2	35584951	35618173	35517919	35573681	0.14	cps
Dysprosium	156-1	303	263	230	266	13.83	cps
Dysprosium	156-2	473	347	473	431	16.96	cps
Erbium	164-1	360	310	367	346	8.96	cps
Erbium	164-2	230	283	223	246	13.39	cps
Gadolinium	160-1	317	350	313	327	6.21	cps
Gadolinium	160-2	500	507	470	492	3.97	cps
Holmium	165-1	15899629	15636807	15654421	15730285	0.93	cps
Holmium	165-2	11031339	10993060	11019748	11014716	0.18	cps
Indium	115-1	13099538	12994710	13417244	13170498	1.67	cps
Indium	115-2	4348458	4333144	4334603	4338735	0.19	cps
Iron	56-2	650087084	651856097	653982364	651975181	0.30	cps
Iron	57-2	16230211	16234934	16058041	16174395	0.62	cps
Iron	54-2	36280159	35680164	36329617	36096646	1.00	cps
Krypton	83-1	427	397	363	396	8.01	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	21981181	21537498	21922692	21813791	1.11	cps
Lead	207-1	18967170	18764258	19278066	19003165	1.36	cps
Lead	208-1	85810944	86050089	87197625	86352886	0.86	cps
Lithium	6-1	2072773	2076877	2113551	2087734	1.08	cps
Magnesium	24-2	144162515	147196311	143900168	145086331	1.26	cps
Manganese	55-2	21944327	21831531	22142851	21972903	0.72	cps
Molybdenum	94-1	26962595	27099065	26753272	26938310	0.65	cps
Molybdenum	95-1	38592089	38907597	38876099	38791928	0.45	cps
Molybdenum	96-1	41838474	42084162	42169469	42030701	0.41	cps
Molybdenum	97-1	23960206	24048504	23864508	23957739	0.38	cps
Molybdenum	98-1	61344306	61872361	61980899	61732522	0.55	cps
Neodymium	150-1	450	403	390	414	7.60	cps
Neodymium	150-2	110	143	100	118	19.27	cps
Nickel	60-2	1257398	1250722	1247208	1251776	0.41	cps
Phosphorus	31-2	187203	187199	186602	187002	0.18	cps
Potassium	39-2	88766692	89281762	89562285	89203580	0.45	cps
Rhodium	103-1	12549044	12681701	12627592	12619446	0.53	cps
Rhodium	103-2	7533577	7597020	7619653	7583417	0.59	cps
Scandium	45-1	9897906	9768347	9929634	9865295	0.87	cps
Scandium	45-2	828438	829198	824451	827362	0.31	cps
Selenium	82-1	115425	115841	114876	115381	0.42	cps
Selenium	77-2	10367	10033	9903	10101	2.37	cps
Selenium	78-2	34544	33324	33662	33843	1.86	cps
Silicon	28-1	16486737	16634189	16409799	16510242	0.69	cps
Silver	107-1	8502879	8567422	8508886	8526396	0.42	cps
Silver	109-1	7923577	7994134	8070234	7995982	0.92	cps
Sodium	23-2	251512263	248906036	251082276	250500192	0.56	cps
Strontium	86-1	57543497	57069587	57846509	57486531	0.68	cps
Strontium	88-1	499978926	499678739	508574592	502744086	1.00	cps
Sulfur	34-1	924628	929139	933471	929079	0.48	cps
Terbium	159-1	16348101	16437442	16334863	16373469	0.34	cps
Terbium	159-2	10967251	10949732	10950427	10955803	0.09	cps
Thallium	203-1	5476428	5356529	5484362	5439106	1.32	cps
Thallium	205-1	13004023	12730016	12793803	12842614	1.12	cps
Tin	118-1	5216005	5283695	5388635	5296112	1.64	cps
Titanium	47-1	11661312	11422213	11306787	11463437	1.58	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV004 Instrumnet Name : P7
Client Sample ID : CCV004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:38:06 DataFile Name : 092CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17331237	17366187	17368263	17355229	0.12	cps
Vanadium	51-2	2867426	2848144	2841257	2852276	0.48	cps
Yttrium	89-1	23155344	22964317	22736887	22952183	0.91	cps
Yttrium	89-2	5309887	5325358	5294841	5310029	0.29	cps
Zinc	66-2	5384284	5398804	5386160	5389749	0.15	cps
Zirconium	90-1	12527553	12575252	12286359	12463055	1.24	cps
Zirconium	91-1	2737309	2742789	2778435	2752844	0.81	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1217	1137	1293	1216	6.44	cps
Antimony	121-1	4384	4371	4934	4563	7.05	cps
Arsenic	75-2	27	37	3	22	76.99	cps
Barium	135-1	520	407	420	449	13.80	cps
Barium	137-1	993	853	783	877	12.20	cps
Beryllium	9-1	187	106	75	123	47.37	cps
Bismuth	209-1	9830236	9769007	9737643	9778962	0.48	cps
Bismuth	209-2	8018968	7992786	7939362	7983705	0.51	cps
Bromine	81-1	11158	11364	11161	11228	1.06	cps
Bromine	81-2	150	130	150	143	8.06	cps
Cadmium	108-1	30	43	17	30	44.43	cps
Cadmium	106-1	5044	4624	4647	4772	4.95	cps
Cadmium	111-1	3627	3310	3355	3430	5.00	cps
Calcium	43-1	1080	790	890	920	16.01	cps
Calcium	44-1	47535	45256	44146	45646	3.79	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1420	1603	1560	1528	6.27	cps
Cobalt	59-2	193	177	233	201	14.48	cps
Copper	63-2	4557	4177	4267	4334	4.58	cps
Dysprosium	156-1	13	27	23	21	32.88	cps
Dysprosium	156-2	3	10	17	10	66.70	cps
Erbium	164-1	123	80	117	107	21.88	cps
Erbium	164-2	87	80	63	77	15.68	cps
Gadolinium	160-1	77	77	57	70	16.49	cps
Gadolinium	160-2	357	357	350	354	1.09	cps
Holmium	165-1	16090354	16142605	15764510	15999156	1.28	cps
Holmium	165-2	11149186	11442337	11312079	11301201	1.30	cps
Indium	115-1	14122043	14163821	14275444	14187103	0.56	cps
Indium	115-2	4691616	4694663	4668542	4684940	0.30	cps
Iron	56-2	43978	43018	41995	42997	2.31	cps
Iron	57-2	2537	2507	2550	2531	0.88	cps
Iron	54-2	3897	3690	3474	3687	5.74	cps
Krypton	83-1	370	317	293	327	12.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2800	2394	2204	2466	12.36	cps
Lead	207-1	2324	2004	1930	2086	10.03	cps
Lead	208-1	10919	9495	8638	9684	11.90	cps
Lithium	6-1	2281064	2237308	2298571	2272314	1.39	cps
Magnesium	24-2	5374	5038	4944	5119	4.42	cps
Manganese	55-2	1223	1020	1073	1106	9.54	cps
Molybdenum	94-1	2864	2697	2577	2713	5.31	cps
Molybdenum	95-1	3077	2674	2504	2751	10.70	cps
Molybdenum	96-1	3590	2920	3027	3179	11.33	cps
Molybdenum	97-1	1937	1733	1677	1782	7.67	cps
Molybdenum	98-1	4924	4384	4181	4496	8.55	cps
Neodymium	150-1	13	7	23	14	58.06	cps
Neodymium	150-2	3	10	7	7	50.03	cps
Nickel	60-2	303	380	313	332	12.55	cps
Phosphorus	31-2	227	277	250	251	9.96	cps
Potassium	39-2	96255	96886	95222	96121	0.87	cps
Rhodium	103-1	13924694	13697416	13937204	13853105	0.97	cps
Rhodium	103-2	8520483	8411757	8460339	8464193	0.64	cps
Scandium	45-1	10077986	9907898	9843644	9943176	1.22	cps
Scandium	45-2	836000	835002	845059	838687	0.66	cps
Selenium	82-1	457	607	646	570	17.48	cps
Selenium	77-2	0	0	3	1	173.21	cps
Selenium	78-2	403	377	403	394	3.90	cps
Silicon	28-1	380026	374194	374044	376088	0.91	cps
Silver	107-1	1343	953	883	1060	23.38	cps
Silver	109-1	1103	883	823	937	15.74	cps
Sodium	23-2	84534	82201	81648	82794	1.85	cps
Strontium	86-1	3230	2617	2477	2775	14.44	cps
Strontium	88-1	24504	19303	16232	20013	20.89	cps
Sulfur	34-1	295848	295929	300775	297517	0.95	cps
Terbium	159-1	16654917	16550085	16723829	16642944	0.53	cps
Terbium	159-2	11146271	11331412	11159227	11212303	0.92	cps
Thallium	203-1	873	830	633	779	16.42	cps
Thallium	205-1	2340	2084	1643	2022	17.42	cps
Tin	118-1	2747	3037	3190	2991	7.53	cps
Titanium	47-1	960	890	890	913	4.43	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB004 Instrumnet Name : P7
Client Sample ID : CCB004 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:40:49 DataFile Name : 093CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	747	660	527	644	17.20	cps
Vanadium	51-2	100	83	80	88	12.21	cps
Yttrium	89-1	23162844	22833656	23658049	23218183	1.79	cps
Yttrium	89-2	5580077	5453932	5458415	5497475	1.30	cps
Zinc	66-2	2794	2770	2704	2756	1.70	cps
Zirconium	90-1	3117	2860	2867	2948	4.96	cps
Zirconium	91-1	650	673	690	671	2.99	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14327566	13940515	14046599	14104893	1.42	cps
Antimony	121-1	219795	221304	222801	221300	0.68	cps
Arsenic	75-2	152164	149922	148710	150265	1.17	cps
Barium	135-1	1281387	1298492	1297200	1292360	0.74	cps
Barium	137-1	2352648	2406231	2363319	2374066	1.19	cps
Beryllium	9-1	3020	3260	3305	3195	4.79	cps
Bismuth	209-1	9516266	9660264	9519034	9565188	0.86	cps
Bismuth	209-2	7742001	7668639	7847643	7752761	1.16	cps
Bromine	81-1	14197	14174	14427	14266	0.98	cps
Bromine	81-2	607	660	707	658	7.61	cps
Cadmium	108-1	473	450	377	433	11.64	cps
Cadmium	106-1	5658	5611	5381	5550	2.67	cps
Cadmium	111-1	6023	5990	5897	5970	1.10	cps
Calcium	43-1	406890	416375	417314	413526	1.39	cps
Calcium	44-1	6317084	6334090	6510923	6387366	1.68	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1110868	1100895	1101509	1104424	0.51	cps
Cobalt	59-2	658955	657968	657271	658065	0.13	cps
Copper	63-2	1255527	1247534	1240023	1247694	0.62	cps
Dysprosium	156-1	69189	69223	69350	69254	0.12	cps
Dysprosium	156-2	56359	55951	56359	56223	0.42	cps
Erbium	164-1	60018	60698	60216	60311	0.58	cps
Erbium	164-2	41200	41324	40579	41035	0.97	cps
Gadolinium	160-1	65673	66845	65616	66045	1.05	cps
Gadolinium	160-2	48256	48377	47958	48197	0.45	cps
Holmium	165-1	16261692	16569503	16306604	16379266	1.02	cps
Holmium	165-2	11331314	11438257	11360118	11376563	0.49	cps
Indium	115-1	14045978	14073908	14158047	14092644	0.41	cps
Indium	115-2	4745637	4691953	4691176	4709589	0.66	cps
Iron	56-2	732058789	711495643	707621776	717058736	1.83	cps
Iron	57-2	17696862	17666316	17308651	17557276	1.23	cps
Iron	54-2	40246874	39450289	39522964	39740042	1.11	cps
Krypton	83-1	473	517	527	506	5.61	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	362885	367784	365659	365443	0.67	cps
Lead	207-1	303862	309195	306864	306641	0.87	cps
Lead	208-1	1404788	1426622	1416680	1416030	0.77	cps
Lithium	6-1	2097201	2101348	2106265	2101605	0.22	cps
Magnesium	24-2	15758456	15438844	15439924	15545742	1.18	cps
Manganese	55-2	16668930	16391427	16324211	16461523	1.11	cps
Molybdenum	94-1	57362	57817	58624	57934	1.10	cps
Molybdenum	95-1	11144	11248	10817	11070	2.03	cps
Molybdenum	96-1	26010	27302	26244	26519	2.60	cps
Molybdenum	97-1	6578	6935	6625	6713	2.89	cps
Molybdenum	98-1	16443	17204	17110	16919	2.45	cps
Neodymium	150-1	117209	119202	118937	118449	0.91	cps
Neodymium	150-2	68378	68083	67688	68050	0.51	cps
Nickel	60-2	296298	291903	293723	293975	0.75	cps
Phosphorus	31-2	44227	44775	45300	44767	1.20	cps
Potassium	39-2	5810782	5688446	5644661	5714630	1.51	cps
Rhodium	103-1	14162359	14000664	13973066	14045363	0.73	cps
Rhodium	103-2	8628192	8607191	8326594	8520659	1.98	cps
Scandium	45-1	11033670	10845084	10986051	10954935	0.90	cps
Scandium	45-2	960389	945249	951048	952229	0.80	cps
Selenium	82-1	821	819	764	801	4.07	cps
Selenium	77-2	357	330	280	322	12.08	cps
Selenium	78-2	717	650	630	666	6.82	cps
Silicon	28-1	28523680	28593596	29034631	28717303	0.96	cps
Silver	107-1	3604	3237	3100	3314	7.86	cps
Silver	109-1	3237	2870	2714	2940	9.14	cps
Sodium	23-2	221652	222467	221892	222003	0.19	cps
Strontium	86-1	306036	308385	310509	308310	0.73	cps
Strontium	88-1	2767439	2722431	2727850	2739240	0.90	cps
Sulfur	34-1	314402	303562	296177	304714	3.01	cps
Terbium	159-1	17038569	17003362	16927785	16989905	0.33	cps
Terbium	159-2	11635788	11368028	11331882	11445232	1.45	cps
Thallium	203-1	2574	2807	2617	2666	4.66	cps
Thallium	205-1	6138	6031	6178	6116	1.24	cps
Tin	118-1	29173	29584	29634	29464	0.86	cps
Titanium	47-1	1711966	1708498	1711735	1710733	0.11	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-06 Instrumnet Name : P7
Client Sample ID : MYDA24 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:44:08 DataFile Name : 094SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	26269	26673	26306	26416	0.85	cps
Vanadium	51-2	1603515	1587010	1548888	1579804	1.77	cps
Yttrium	89-1	24528657	25287825	25032470	24949651	1.55	cps
Yttrium	89-2	6030126	5914692	6008526	5984448	1.03	cps
Zinc	66-2	249028	250180	248546	249251	0.34	cps
Zirconium	90-1	139169	144207	143042	142139	1.86	cps
Zirconium	91-1	31738	32336	31734	31936	1.08	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	11896739	11799248	11861414	11852467	0.42	cps
Antimony	121-1	25593	25994	25396	25661	1.19	cps
Arsenic	75-2	90715	90913	89642	90423	0.76	cps
Barium	135-1	1173890	1190196	1188837	1184307	0.76	cps
Barium	137-1	2145207	2172242	2186513	2167987	0.97	cps
Beryllium	9-1	3312	3095	3193	3200	3.40	cps
Bismuth	209-1	9482988	9568900	9466338	9506075	0.58	cps
Bismuth	209-2	7660814	7677151	7701564	7679843	0.27	cps
Bromine	81-1	13076	13009	12759	12948	1.29	cps
Bromine	81-2	453	470	490	471	3.90	cps
Cadmium	108-1	640	660	600	633	4.82	cps
Cadmium	106-1	5821	5891	5685	5799	1.81	cps
Cadmium	111-1	9718	9787	9597	9701	0.99	cps
Calcium	43-1	384906	390192	392292	389130	0.98	cps
Calcium	44-1	6005359	5960527	5966321	5977402	0.41	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	773931	776953	767633	772839	0.62	cps
Cobalt	59-2	547872	552072	552516	550820	0.47	cps
Copper	63-2	1089003	1079894	1090802	1086566	0.54	cps
Dysprosium	156-1	97626	98875	98382	98294	0.64	cps
Dysprosium	156-2	80965	82387	81525	81625	0.88	cps
Erbium	164-1	78639	78143	78790	78524	0.43	cps
Erbium	164-2	53482	54513	53943	53979	0.96	cps
Gadolinium	160-1	85449	85962	87340	86250	1.13	cps
Gadolinium	160-2	63948	64116	62288	63451	1.59	cps
Holmium	165-1	16197049	16197069	16178177	16190765	0.07	cps
Holmium	165-2	11201514	11048019	11250277	11166603	0.95	cps
Indium	115-1	14106733	14050948	13967687	14041789	0.50	cps
Indium	115-2	4666988	4670372	4671640	4669666	0.05	cps
Iron	56-2	619180471	620897071	613832471	617970004	0.60	cps
Iron	57-2	15029144	15235831	14996927	15087301	0.86	cps
Iron	54-2	34285004	34145744	34149209	34193319	0.23	cps
Krypton	83-1	490	497	503	497	1.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	573286	574706	577776	575256	0.40	cps
Lead	207-1	470472	474181	473524	472726	0.42	cps
Lead	208-1	2186977	2190455	2201549	2192994	0.35	cps
Lithium	6-1	2124983	2052224	2096869	2091358	1.75	cps
Magnesium	24-2	12965359	12779716	12763658	12836244	0.87	cps
Manganese	55-2	13946201	14202128	14035906	14061411	0.92	cps
Molybdenum	94-1	81431	82692	83144	82422	1.08	cps
Molybdenum	95-1	10487	10347	10751	10528	1.95	cps
Molybdenum	96-1	29229	29029	29747	29335	1.26	cps
Molybdenum	97-1	6558	6632	6141	6444	4.10	cps
Molybdenum	98-1	16276	15875	16559	16237	2.12	cps
Neodymium	150-1	180287	181524	182794	181535	0.69	cps
Neodymium	150-2	103798	104659	103390	103949	0.62	cps
Nickel	60-2	207921	207334	206004	207086	0.47	cps
Phosphorus	31-2	40614	39568	40036	40072	1.31	cps
Potassium	39-2	4358640	4412277	4351271	4374063	0.76	cps
Rhodium	103-1	13696978	13947766	13632026	13758924	1.21	cps
Rhodium	103-2	8491061	8431074	8420459	8447531	0.45	cps
Scandium	45-1	10791537	10705912	10655026	10717491	0.64	cps
Scandium	45-2	935521	933044	926456	931674	0.50	cps
Selenium	82-1	805	820	816	813	0.97	cps
Selenium	77-2	373	413	427	404	6.86	cps
Selenium	78-2	590	740	753	694	13.06	cps
Silicon	28-1	26768230	26671998	26863687	26767972	0.36	cps
Silver	107-1	2080	2234	2320	2211	5.50	cps
Silver	109-1	2164	1943	2010	2039	5.53	cps
Sodium	23-2	270779	270815	270660	270751	0.03	cps
Strontium	86-1	256154	258368	259812	258111	0.71	cps
Strontium	88-1	2295239	2271202	2274757	2280400	0.57	cps
Sulfur	34-1	269309	267110	265682	267367	0.68	cps
Terbium	159-1	17089605	16910773	17120324	17040234	0.66	cps
Terbium	159-2	11294309	11335806	11298534	11309550	0.20	cps
Thallium	203-1	2177	2057	2210	2148	3.76	cps
Thallium	205-1	5191	5271	5141	5201	1.26	cps
Tin	118-1	38364	38588	38983	38645	0.81	cps
Titanium	47-1	2131207	2097445	2131023	2119892	0.92	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-07 Instrumnet Name : P7
Client Sample ID : MYDA25 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:47:14 DataFile Name : 095SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	47742	47337	47779	47619	0.51	cps
Vanadium	51-2	1331048	1323138	1299307	1317831	1.25	cps
Yttrium	89-1	25000713	24889029	24821947	24903896	0.36	cps
Yttrium	89-2	5970624	5974292	6078853	6007923	1.02	cps
Zinc	66-2	265832	265397	262839	264689	0.61	cps
Zirconium	90-1	209724	214210	209789	211241	1.22	cps
Zirconium	91-1	47416	46691	46985	47031	0.78	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	13684565	13629058	13434729	13582784	0.97	cps
Antimony	121-1	17567	18018	18502	18029	2.59	cps
Arsenic	75-2	117097	118492	115166	116918	1.43	cps
Barium	135-1	971738	988477	985816	982010	0.92	cps
Barium	137-1	1789889	1818227	1787961	1798692	0.94	cps
Beryllium	9-1	2598	2772	2838	2736	4.53	cps
Bismuth	209-1	9427794	9649380	9450188	9509121	1.28	cps
Bismuth	209-2	7479292	7595089	7624726	7566369	1.02	cps
Bromine	81-1	16463	16339	16730	16510	1.21	cps
Bromine	81-2	1027	1057	1130	1071	4.96	cps
Cadmium	108-1	393	337	343	358	8.66	cps
Cadmium	106-1	5091	4901	4911	4968	2.15	cps
Cadmium	111-1	5425	5318	5331	5358	1.09	cps
Calcium	43-1	790461	801438	803903	798601	0.90	cps
Calcium	44-1	12046583	12524172	12213164	12261306	1.98	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	737422	735610	735183	736072	0.16	cps
Cobalt	59-2	586429	585942	582797	585056	0.34	cps
Copper	63-2	1364734	1357670	1353845	1358749	0.41	cps
Dysprosium	156-1	46203	46463	46182	46283	0.34	cps
Dysprosium	156-2	36782	37323	36785	36963	0.84	cps
Erbium	164-1	44377	44300	44835	44504	0.65	cps
Erbium	164-2	30440	29926	30594	30320	1.15	cps
Gadolinium	160-1	46032	46273	45828	46044	0.48	cps
Gadolinium	160-2	33216	32909	33126	33083	0.48	cps
Holmium	165-1	16381255	16369036	16177281	16309190	0.70	cps
Holmium	165-2	11128217	11132773	11160910	11140633	0.16	cps
Indium	115-1	13790567	14222898	14131221	14048229	1.62	cps
Indium	115-2	4693798	4653348	4682378	4676508	0.45	cps
Iron	56-2	570748045	570528752	573416245	571564347	0.28	cps
Iron	57-2	14275433	14220659	13915513	14137202	1.37	cps
Iron	54-2	31019217	31490619	30850366	31120067	1.07	cps
Krypton	83-1	423	453	440	439	3.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	227384	233184	232832	231133	1.41	cps
Lead	207-1	197884	198813	199537	198745	0.42	cps
Lead	208-1	897229	908804	907611	904548	0.70	cps
Lithium	6-1	2091726	1985036	2017585	2031449	2.69	cps
Magnesium	24-2	14891127	14739434	14496052	14708871	1.35	cps
Manganese	55-2	11076393	10988623	11035070	11033362	0.40	cps
Molybdenum	94-1	27783	28758	28695	28412	1.92	cps
Molybdenum	95-1	8119	7879	7859	7952	1.82	cps
Molybdenum	96-1	17708	16883	17561	17384	2.53	cps
Molybdenum	97-1	4727	4691	5061	4826	4.23	cps
Molybdenum	98-1	12192	11812	12589	12197	3.19	cps
Neodymium	150-1	78346	78407	79268	78674	0.66	cps
Neodymium	150-2	43674	44400	43500	43858	1.09	cps
Nickel	60-2	225295	227361	224580	225745	0.64	cps
Phosphorus	31-2	65399	65627	65740	65589	0.27	cps
Potassium	39-2	6271827	6192801	6121443	6195357	1.21	cps
Rhodium	103-1	13831127	13733033	13991734	13851965	0.94	cps
Rhodium	103-2	8348455	8396809	8367316	8370860	0.29	cps
Scandium	45-1	10744842	10975204	10743553	10821200	1.23	cps
Scandium	45-2	952543	946153	937718	945471	0.79	cps
Selenium	82-1	766	787	834	796	4.41	cps
Selenium	77-2	160	257	177	198	26.13	cps
Selenium	78-2	507	577	587	557	7.83	cps
Silicon	28-1	33650420	34185086	33550512	33795339	1.01	cps
Silver	107-1	2857	2994	3174	3008	5.28	cps
Silver	109-1	2684	2740	2810	2745	2.31	cps
Sodium	23-2	290969	292500	294311	292593	0.57	cps
Strontium	86-1	336828	337962	336052	336948	0.29	cps
Strontium	88-1	2992324	3017806	2992291	3000807	0.49	cps
Sulfur	34-1	306544	302285	303576	304135	0.72	cps
Terbium	159-1	17011868	16996471	17015248	17007862	0.06	cps
Terbium	159-2	11282067	11199598	11098239	11193301	0.82	cps
Thallium	203-1	1970	1923	1990	1961	1.74	cps
Thallium	205-1	4631	4527	4671	4610	1.60	cps
Tin	118-1	46294	45993	45555	45948	0.81	cps
Titanium	47-1	1639581	1674674	1718088	1677447	2.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-08 Instrumnet Name : P7
Client Sample ID : MYDA26 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:50:23 DataFile Name : 096SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16590	16477	15783	16283	2.69	cps
Vanadium	51-2	1482130	1492900	1475287	1483439	0.60	cps
Yttrium	89-1	24491781	24842796	24553566	24629381	0.76	cps
Yttrium	89-2	5877784	5715726	5803903	5799138	1.40	cps
Zinc	66-2	268602	266238	266094	266978	0.53	cps
Zirconium	90-1	65184	67026	67930	66713	2.10	cps
Zirconium	91-1	14357	14811	14881	14683	1.94	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	22000724	22457034	22028681	22162146	1.15	cps
Antimony	121-1	11892	11815	11712	11806	0.77	cps
Arsenic	75-2	111229	110494	108557	110093	1.25	cps
Barium	135-1	1036333	1041196	1044668	1040733	0.40	cps
Barium	137-1	1864539	1908723	1899369	1890877	1.23	cps
Beryllium	9-1	3087	3078	2932	3032	2.86	cps
Bismuth	209-1	9508732	9380822	9348563	9412705	0.90	cps
Bismuth	209-2	7485389	7528470	7527222	7513694	0.33	cps
Bromine	81-1	16282	16466	16690	16479	1.24	cps
Bromine	81-2	1160	1123	1217	1167	4.03	cps
Cadmium	108-1	267	327	303	299	10.12	cps
Cadmium	106-1	5084	5054	4908	5015	1.89	cps
Cadmium	111-1	5946	5863	5747	5852	1.71	cps
Calcium	43-1	658163	658970	639532	652222	1.69	cps
Calcium	44-1	10157678	10030176	9909333	10032396	1.24	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	839016	840196	833588	837600	0.42	cps
Cobalt	59-2	789215	797082	788100	791466	0.62	cps
Copper	63-2	2018190	1950129	1968335	1978885	1.78	cps
Dysprosium	156-1	53900	53809	53451	53720	0.44	cps
Dysprosium	156-2	41869	41862	42233	41988	0.51	cps
Erbium	164-1	59797	59995	60755	60182	0.84	cps
Erbium	164-2	40669	40880	41247	40932	0.72	cps
Gadolinium	160-1	56182	56229	56851	56421	0.66	cps
Gadolinium	160-2	41468	40264	40475	40736	1.58	cps
Holmium	165-1	16057413	15974298	16037816	16023176	0.27	cps
Holmium	165-2	11145697	11202372	11044549	11130873	0.72	cps
Indium	115-1	13900535	13637461	13673523	13737173	1.04	cps
Indium	115-2	4546601	4563840	4637429	4582624	1.05	cps
Iron	56-2	882303107	883509027	870599374	878803836	0.81	cps
Iron	57-2	21958135	21490662	21532861	21660553	1.19	cps
Iron	54-2	48931029	48185336	47958188	48358184	1.05	cps
Krypton	83-1	523	533	433	497	11.09	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	212184	214156	213216	213185	0.46	cps
Lead	207-1	183124	185614	185678	184805	0.79	cps
Lead	208-1	836348	846617	843262	842076	0.62	cps
Lithium	6-1	2069409	1988518	2000186	2019371	2.17	cps
Magnesium	24-2	26714271	26504828	26571310	26596803	0.40	cps
Manganese	55-2	13696556	13634231	13562108	13630965	0.49	cps
Molybdenum	94-1	35844	36098	36265	36069	0.59	cps
Molybdenum	95-1	9663	9930	10390	9995	3.68	cps
Molybdenum	96-1	22531	22775	23519	22941	2.24	cps
Molybdenum	97-1	6195	6205	6425	6275	2.07	cps
Molybdenum	98-1	15341	15522	15508	15457	0.65	cps
Neodymium	150-1	76195	75360	76098	75884	0.60	cps
Neodymium	150-2	41765	41932	42133	41943	0.44	cps
Nickel	60-2	294435	292362	292068	292955	0.44	cps
Phosphorus	31-2	68804	68251	67736	68264	0.78	cps
Potassium	39-2	7365691	7334728	7238171	7312863	0.91	cps
Rhodium	103-1	13516686	13573741	13533932	13541453	0.22	cps
Rhodium	103-2	8274678	8151214	8241939	8222610	0.78	cps
Scandium	45-1	11027617	10926814	10796483	10916971	1.06	cps
Scandium	45-2	958302	956472	962351	959042	0.31	cps
Selenium	82-1	822	725	801	783	6.51	cps
Selenium	77-2	183	193	257	211	18.84	cps
Selenium	78-2	587	640	643	623	5.10	cps
Silicon	28-1	31327519	31712524	31343970	31461338	0.69	cps
Silver	107-1	2570	2710	2860	2714	5.35	cps
Silver	109-1	2450	2494	2704	2549	5.32	cps
Sodium	23-2	271712	271809	271949	271823	0.04	cps
Strontium	86-1	423818	421796	417628	421081	0.75	cps
Strontium	88-1	3699491	3769795	3684411	3717899	1.23	cps
Sulfur	34-1	288324	289534	295850	291236	1.39	cps
Terbium	159-1	16999907	16588653	16867999	16818853	1.25	cps
Terbium	159-2	11124659	10975738	11203316	11101238	1.04	cps
Thallium	203-1	1787	1767	1693	1749	2.81	cps
Thallium	205-1	4144	4081	4287	4171	2.54	cps
Tin	118-1	37706	37168	37124	37333	0.87	cps
Titanium	47-1	2164105	2181815	2167803	2171241	0.43	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-09 Instrumnet Name : P7
Client Sample ID : MYDA27 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:53:29 DataFile Name : 097SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	12886	12860	12890	12879	0.13	cps
Vanadium	51-2	2832070	2809726	2819484	2820427	0.40	cps
Yttrium	89-1	24104675	24454712	24114342	24224576	0.82	cps
Yttrium	89-2	5831959	5686300	5845995	5788085	1.53	cps
Zinc	66-2	304559	302460	302481	303167	0.40	cps
Zirconium	90-1	83395	85705	84632	84577	1.37	cps
Zirconium	91-1	18889	19420	19062	19124	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14789788	14671801	14677357	14712982	0.45	cps
Antimony	121-1	167919	169853	170326	169366	0.75	cps
Arsenic	75-2	106757	107681	106656	107031	0.53	cps
Barium	135-1	1383192	1383207	1393753	1386717	0.44	cps
Barium	137-1	2490710	2524022	2521572	2512101	0.74	cps
Beryllium	9-1	3343	3506	3484	3444	2.57	cps
Bismuth	209-1	9539180	9373953	9554060	9489065	1.05	cps
Bismuth	209-2	7646599	7579210	7570178	7598662	0.55	cps
Bromine	81-1	13179	13390	13463	13344	1.10	cps
Bromine	81-2	813	710	607	710	14.55	cps
Cadmium	108-1	603	650	627	627	3.72	cps
Cadmium	106-1	5558	5431	5258	5416	2.78	cps
Cadmium	111-1	7989	7717	7712	7806	2.03	cps
Calcium	43-1	374657	380649	382129	379145	1.04	cps
Calcium	44-1	5805428	5884585	5824636	5838216	0.71	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	784950	782172	767593	778238	1.20	cps
Cobalt	59-2	628445	619650	618914	622336	0.85	cps
Copper	63-2	1952976	1979310	1957707	1963331	0.72	cps
Dysprosium	156-1	68509	69263	67870	68547	1.02	cps
Dysprosium	156-2	56004	56265	56650	56307	0.58	cps
Erbium	164-1	58780	59269	58907	58985	0.43	cps
Erbium	164-2	39937	40127	39626	39897	0.63	cps
Gadolinium	160-1	63657	64397	63329	63794	0.86	cps
Gadolinium	160-2	46845	47664	47557	47355	0.94	cps
Holmium	165-1	15935390	16084597	16045709	16021899	0.48	cps
Holmium	165-2	11085725	10975407	11103702	11054945	0.63	cps
Indium	115-1	13988380	13676273	13951468	13872040	1.23	cps
Indium	115-2	4506024	4540067	4572775	4539622	0.74	cps
Iron	56-2	646064964	635494884	639521884	640360577	0.83	cps
Iron	57-2	15765085	15803021	15686758	15751621	0.38	cps
Iron	54-2	35082421	35296579	35064654	35147885	0.37	cps
Krypton	83-1	417	397	457	423	7.22	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	486084	494868	492250	491067	0.92	cps
Lead	207-1	417135	420421	422477	420011	0.64	cps
Lead	208-1	1905605	1932056	1937023	1924895	0.88	cps
Lithium	6-1	2029746	2047595	2030399	2035914	0.50	cps
Magnesium	24-2	13938133	13776434	13814731	13843099	0.61	cps
Manganese	55-2	11853494	11822323	11863755	11846524	0.18	cps
Molybdenum	94-1	116183	116902	116737	116607	0.32	cps
Molybdenum	95-1	8282	8342	8356	8327	0.47	cps
Molybdenum	96-1	32710	32429	32757	32632	0.54	cps
Molybdenum	97-1	4774	5234	5118	5042	4.74	cps
Molybdenum	98-1	12295	12819	12652	12589	2.13	cps
Neodymium	150-1	123361	124814	124366	124180	0.60	cps
Neodymium	150-2	69745	70170	69969	69962	0.30	cps
Nickel	60-2	297900	300305	296271	298159	0.68	cps
Phosphorus	31-2	38324	38411	38575	38437	0.33	cps
Potassium	39-2	8031241	7989319	7903276	7974612	0.82	cps
Rhodium	103-1	13387502	13505808	13175610	13356307	1.25	cps
Rhodium	103-2	8262484	8225675	8224921	8237693	0.26	cps
Scandium	45-1	10687482	10603203	10537757	10609481	0.71	cps
Scandium	45-2	922197	915506	906822	914842	0.84	cps
Selenium	82-1	770	878	848	832	6.69	cps
Selenium	77-2	300	340	323	321	6.26	cps
Selenium	78-2	647	693	650	663	3.93	cps
Silicon	28-1	29759331	29876083	29936540	29857318	0.30	cps
Silver	107-1	7595	7745	7802	7714	1.39	cps
Silver	109-1	7422	7482	7145	7350	2.44	cps
Sodium	23-2	215844	216429	219228	217167	0.83	cps
Strontium	86-1	258267	261375	260773	260138	0.63	cps
Strontium	88-1	2274833	2307905	2278900	2287213	0.79	cps
Sulfur	34-1	254334	255865	257518	255906	0.62	cps
Terbium	159-1	16782714	16532623	16761157	16692164	0.83	cps
Terbium	159-2	11160504	11063915	10954914	11059778	0.93	cps
Thallium	203-1	3254	3307	2974	3178	5.64	cps
Thallium	205-1	7562	7409	7606	7525	1.37	cps
Tin	118-1	36583	36165	35337	36028	1.76	cps
Titanium	47-1	2506135	2519212	2498428	2507925	0.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-10 Instrumnet Name : P7
Client Sample ID : MYDA28 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:56:37 DataFile Name : 098SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	28293	29159	28644	28699	1.52	cps
Vanadium	51-2	1571564	1547850	1544697	1554704	0.94	cps
Yttrium	89-1	24219620	23947556	23801897	23989691	0.88	cps
Yttrium	89-2	5728914	5757149	5665907	5717323	0.82	cps
Zinc	66-2	261144	259786	258550	259827	0.50	cps
Zirconium	90-1	308547	309834	311497	309959	0.48	cps
Zirconium	91-1	68251	69058	69983	69097	1.25	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	19319843	19524957	19392631	19412477	0.54	cps
Antimony	121-1	19086	19654	19640	19460	1.66	cps
Arsenic	75-2	128456	128847	129821	129042	0.54	cps
Barium	135-1	2257062	2278104	2240805	2258657	0.83	cps
Barium	137-1	3959496	3856795	3959919	3925403	1.51	cps
Beryllium	9-1	3695	3716	3930	3780	3.44	cps
Bismuth	209-1	9370457	9135573	9378387	9294806	1.48	cps
Bismuth	209-2	7591114	7625017	7686288	7634140	0.63	cps
Bromine	81-1	13336	12782	12472	12863	3.40	cps
Bromine	81-2	573	713	693	660	11.47	cps
Cadmium	108-1	647	580	653	627	6.47	cps
Cadmium	106-1	5781	5815	6088	5895	2.86	cps
Cadmium	111-1	7922	8002	8045	7989	0.78	cps
Calcium	43-1	578245	586351	586499	583698	0.81	cps
Calcium	44-1	9177065	8967367	8884995	9009809	1.67	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	856106	866854	858857	860606	0.65	cps
Cobalt	59-2	757389	758313	753073	756258	0.37	cps
Copper	63-2	2226927	2206244	2188978	2207383	0.86	cps
Dysprosium	156-1	75230	77278	77710	76739	1.73	cps
Dysprosium	156-2	61805	62770	62652	62409	0.84	cps
Erbium	164-1	69934	70362	71019	70439	0.78	cps
Erbium	164-2	48276	47805	47979	48020	0.50	cps
Gadolinium	160-1	73558	73247	72402	73069	0.82	cps
Gadolinium	160-2	54167	53954	53890	54004	0.27	cps
Holmium	165-1	15969780	16005123	16205094	16059999	0.79	cps
Holmium	165-2	11001467	11163540	11229499	11131502	1.05	cps
Indium	115-1	13829490	13359763	13575547	13588267	1.73	cps
Indium	115-2	4518704	4579492	4492519	4530239	0.98	cps
Iron	56-2	847192974	858377561	845246574	850272370	0.83	cps
Iron	57-2	20929744	20794989	20967926	20897553	0.43	cps
Iron	54-2	46875998	46554458	46496494	46642317	0.44	cps
Krypton	83-1	450	520	510	493	7.67	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	462415	469323	477761	469833	1.64	cps
Lead	207-1	394608	406654	401329	400864	1.51	cps
Lead	208-1	1831306	1822917	1832902	1829042	0.29	cps
Lithium	6-1	2084569	1914667	2005682	2001639	4.25	cps
Magnesium	24-2	21161310	21076661	21203238	21147070	0.30	cps
Manganese	55-2	12010833	11997940	11782934	11930569	1.07	cps
Molybdenum	94-1	161102	166872	167004	164993	2.04	cps
Molybdenum	95-1	9246	9413	9577	9412	1.75	cps
Molybdenum	96-1	43291	43495	46243	44343	3.72	cps
Molybdenum	97-1	5504	5724	6175	5801	5.89	cps
Molybdenum	98-1	14541	14120	14234	14298	1.52	cps
Neodymium	150-1	140082	136526	138724	138444	1.30	cps
Neodymium	150-2	79064	79268	78721	79018	0.35	cps
Nickel	60-2	325752	325801	325976	325843	0.04	cps
Phosphorus	31-2	63675	64488	64087	64083	0.63	cps
Potassium	39-2	7940663	7899578	7912562	7917601	0.27	cps
Rhodium	103-1	13545810	13047760	13392659	13328743	1.91	cps
Rhodium	103-2	8172619	8207902	8226903	8202474	0.34	cps
Scandium	45-1	11124874	10433283	10582784	10713647	3.40	cps
Scandium	45-2	939880	935238	941336	938818	0.34	cps
Selenium	82-1	810	818	794	807	1.51	cps
Selenium	77-2	357	373	243	324	21.80	cps
Selenium	78-2	653	720	740	704	6.44	cps
Silicon	28-1	29175390	28447595	29310067	28977684	1.60	cps
Silver	107-1	5788	6085	5921	5931	2.51	cps
Silver	109-1	5554	5428	5761	5581	3.02	cps
Sodium	23-2	226133	226627	229342	227367	0.76	cps
Strontium	86-1	343573	362421	360808	355601	2.94	cps
Strontium	88-1	3081047	3140414	3098091	3106518	0.98	cps
Sulfur	34-1	268422	271885	275200	271836	1.25	cps
Terbium	159-1	16591582	16851137	16448652	16630457	1.23	cps
Terbium	159-2	10995717	11117937	11200030	11104561	0.93	cps
Thallium	203-1	2504	2617	2614	2578	2.50	cps
Thallium	205-1	6512	6251	6392	6385	2.04	cps
Tin	118-1	43108	42947	43850	43302	1.11	cps
Titanium	47-1	2961679	2850786	2882210	2898225	1.97	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-11 Instrumnet Name : P7
Client Sample ID : MYDA29 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 21:59:42 DataFile Name : 099SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	25434	25578	25297	25437	0.55	cps
Vanadium	51-2	2431646	2480276	2428056	2446659	1.19	cps
Yttrium	89-1	24033175	24248866	23909523	24063855	0.71	cps
Yttrium	89-2	5718790	5706857	5761958	5729202	0.51	cps
Zinc	66-2	328815	328933	329555	329101	0.12	cps
Zirconium	90-1	444302	441956	442490	442916	0.28	cps
Zirconium	91-1	98135	98689	100524	99116	1.26	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	10085491	10087465	9912937	10028631	1.00	cps
Antimony	121-1	24678	25479	25586	25248	1.97	cps
Arsenic	75-2	89917	90980	89809	90235	0.72	cps
Barium	135-1	1638278	1725567	1681069	1681638	2.60	cps
Barium	137-1	2855783	2916106	2920104	2897331	1.24	cps
Beryllium	9-1	3378	3205	3325	3303	2.69	cps
Bismuth	209-1	9673417	9645425	9647153	9655332	0.16	cps
Bismuth	209-2	7743146	7674050	7771055	7729417	0.65	cps
Bromine	81-1	14824	14998	15502	15108	2.33	cps
Bromine	81-2	803	883	860	849	4.85	cps
Cadmium	108-1	437	403	370	403	8.26	cps
Cadmium	106-1	5688	5171	5464	5441	4.76	cps
Cadmium	111-1	6903	6554	6977	6811	3.31	cps
Calcium	43-1	1194438	1235219	1200925	1210194	1.81	cps
Calcium	44-1	19432946	19715196	19323721	19490621	1.04	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	526552	524852	525133	525512	0.17	cps
Cobalt	59-2	424611	425697	426772	425693	0.25	cps
Copper	63-2	1409461	1403585	1396947	1403331	0.45	cps
Dysprosium	156-1	44253	44437	42815	43835	2.03	cps
Dysprosium	156-2	35628	35338	35602	35523	0.45	cps
Erbium	164-1	40184	40916	40662	40588	0.92	cps
Erbium	164-2	26953	27287	27270	27170	0.69	cps
Gadolinium	160-1	42441	42621	42300	42454	0.38	cps
Gadolinium	160-2	31509	30674	31238	31140	1.37	cps
Holmium	165-1	16155016	16349877	16194056	16232983	0.64	cps
Holmium	165-2	11144077	11304321	11358593	11268997	0.99	cps
Indium	115-1	14427713	14260666	14186336	14291571	0.86	cps
Indium	115-2	4662947	4657179	4603338	4641155	0.71	cps
Iron	56-2	514872832	519878046	512313846	515688241	0.75	cps
Iron	57-2	12614622	12567700	12627901	12603408	0.25	cps
Iron	54-2	28528027	27704515	28493220	28241921	1.65	cps
Krypton	83-1	380	477	443	433	11.33	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	421573	426330	423925	423943	0.56	cps
Lead	207-1	357672	359194	359408	358758	0.26	cps
Lead	208-1	1641645	1653612	1649395	1648217	0.37	cps
Lithium	6-1	2078827	2051506	2011746	2047360	1.65	cps
Magnesium	24-2	10520985	10555339	10414460	10496928	0.70	cps
Manganese	55-2	10702717	10707499	10694777	10701664	0.06	cps
Molybdenum	94-1	50487	51196	51159	50947	0.78	cps
Molybdenum	95-1	9510	9860	9837	9736	2.01	cps
Molybdenum	96-1	22070	22334	22394	22266	0.77	cps
Molybdenum	97-1	5931	5931	6068	5977	1.32	cps
Molybdenum	98-1	14521	15395	15392	15102	3.34	cps
Neodymium	150-1	75514	77046	77592	76717	1.40	cps
Neodymium	150-2	43530	43651	43704	43628	0.20	cps
Nickel	60-2	181437	180284	180829	180850	0.32	cps
Phosphorus	31-2	56912	56557	57250	56906	0.61	cps
Potassium	39-2	6953384	6987464	6952318	6964389	0.29	cps
Rhodium	103-1	14097758	13945239	14041597	14028198	0.55	cps
Rhodium	103-2	8486218	8388843	8457111	8444058	0.59	cps
Scandium	45-1	10903368	10807793	10670792	10793984	1.08	cps
Scandium	45-2	942470	930014	936254	936246	0.67	cps
Selenium	82-1	840	740	826	802	6.75	cps
Selenium	77-2	240	223	253	239	6.29	cps
Selenium	78-2	493	500	650	548	16.17	cps
Silicon	28-1	35600069	34948009	36015664	35521247	1.52	cps
Silver	107-1	3717	3841	3797	3785	1.65	cps
Silver	109-1	3867	3661	3444	3657	5.79	cps
Sodium	23-2	1093767	1110023	1094366	1099385	0.84	cps
Strontium	86-1	615970	616530	621896	618132	0.53	cps
Strontium	88-1	5482103	5493628	5527782	5501171	0.43	cps
Sulfur	34-1	313692	313882	312140	313238	0.31	cps
Terbium	159-1	17148001	17062772	16926958	17045910	0.65	cps
Terbium	159-2	11491768	11166888	11259271	11305976	1.48	cps
Thallium	203-1	1547	1633	1560	1580	2.95	cps
Thallium	205-1	3764	3961	3851	3858	2.56	cps
Tin	118-1	45498	46772	46806	46359	1.61	cps
Titanium	47-1	1948285	1980601	1977173	1968687	0.90	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-12 Instrumnet Name : P7
Client Sample ID : MYDA30 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:02:49 DataFile Name : 100SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	19491	19718	19171	19460	1.41	cps
Vanadium	51-2	1275338	1277326	1267716	1273460	0.40	cps
Yttrium	89-1	24514100	24314890	24538260	24455750	0.50	cps
Yttrium	89-2	5917642	5872681	5776206	5855510	1.23	cps
Zinc	66-2	770602	765231	764920	766918	0.42	cps
Zirconium	90-1	125747	128349	128594	127563	1.24	cps
Zirconium	91-1	28678	28842	29182	28901	0.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	20593384	21269123	20935332	20932613	1.61	cps
Antimony	121-1	23326	23736	24067	23710	1.57	cps
Arsenic	75-2	144710	144374	145071	144718	0.24	cps
Barium	135-1	1731728	1777513	1784256	1764499	1.62	cps
Barium	137-1	2961598	3074193	3101020	3045603	2.43	cps
Beryllium	9-1	4589	4771	4897	4752	3.25	cps
Bismuth	209-1	9313911	9213951	9285086	9270983	0.55	cps
Bismuth	209-2	7412090	7586369	7478522	7492327	1.17	cps
Bromine	81-1	15648	15912	15889	15816	0.92	cps
Bromine	81-2	1050	1063	1240	1118	9.49	cps
Cadmium	108-1	743	743	810	766	5.03	cps
Cadmium	106-1	5981	5908	5611	5833	3.36	cps
Cadmium	111-1	9715	10030	9485	9743	2.81	cps
Calcium	43-1	458278	473364	473288	468310	1.86	cps
Calcium	44-1	7145246	7187836	7188228	7173770	0.34	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	913457	916814	911465	913912	0.30	cps
Cobalt	59-2	684396	696308	693525	691410	0.90	cps
Copper	63-2	2096351	2130328	2102333	2109671	0.86	cps
Dysprosium	156-1	90010	90687	91710	90802	0.94	cps
Dysprosium	156-2	72389	73079	74965	73478	1.82	cps
Erbium	164-1	79364	79699	80993	80019	1.08	cps
Erbium	164-2	55577	55185	54737	55166	0.76	cps
Gadolinium	160-1	85684	86810	88728	87074	1.77	cps
Gadolinium	160-2	64417	64776	64642	64612	0.28	cps
Holmium	165-1	15913773	15984326	15659854	15852651	1.08	cps
Holmium	165-2	11010979	11074802	11032178	11039320	0.29	cps
Indium	115-1	13825827	13515200	13782093	13707707	1.23	cps
Indium	115-2	4524872	4526778	4506013	4519221	0.25	cps
Iron	56-2	761970335	749462682	751616469	754349829	0.89	cps
Iron	57-2	18590205	18589853	18660757	18613605	0.22	cps
Iron	54-2	41530960	41659720	41208732	41466471	0.56	cps
Krypton	83-1	627	500	507	544	13.09	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	574467	580048	584102	579539	0.83	cps
Lead	207-1	492580	513713	510695	505663	2.26	cps
Lead	208-1	2255020	2290820	2310530	2285457	1.23	cps
Lithium	6-1	1953012	1888235	2000272	1947173	2.89	cps
Magnesium	24-2	19838318	19837589	19867975	19847961	0.09	cps
Manganese	55-2	14787035	14596621	14523802	14635820	0.93	cps
Molybdenum	94-1	157510	163273	161671	160818	1.85	cps
Molybdenum	95-1	9957	10157	10234	10116	1.41	cps
Molybdenum	96-1	42966	43117	41967	42683	1.46	cps
Molybdenum	97-1	5871	6325	6298	6165	4.13	cps
Molybdenum	98-1	15338	15712	15605	15552	1.24	cps
Neodymium	150-1	157692	158871	159404	158656	0.55	cps
Neodymium	150-2	92230	92622	90740	91864	1.08	cps
Nickel	60-2	309522	308986	303633	307380	1.06	cps
Phosphorus	31-2	41269	39985	41018	40757	1.67	cps
Potassium	39-2	7268944	7240749	7181416	7230370	0.62	cps
Rhodium	103-1	13342183	13324936	13451295	13372805	0.51	cps
Rhodium	103-2	8131160	8231289	8122422	8161624	0.74	cps
Scandium	45-1	10794858	10339109	10685605	10606524	2.24	cps
Scandium	45-2	933225	935092	936380	934899	0.17	cps
Selenium	82-1	686	933	853	824	15.33	cps
Selenium	77-2	430	393	437	420	5.56	cps
Selenium	78-2	810	797	737	781	5.00	cps
Silicon	28-1	60893632	62424279	62244184	61854032	1.35	cps
Silver	107-1	7415	7579	7369	7454	1.48	cps
Silver	109-1	6782	6445	6558	6595	2.60	cps
Sodium	23-2	260573	261318	263889	261927	0.66	cps
Strontium	86-1	543337	557552	546837	549242	1.35	cps
Strontium	88-1	4685123	4801827	4832491	4773147	1.63	cps
Sulfur	34-1	257193	253873	250260	253775	1.37	cps
Terbium	159-1	16313758	16522464	16790431	16542218	1.44	cps
Terbium	159-2	11063634	11194303	11217324	11158420	0.74	cps
Thallium	203-1	4844	5004	4711	4853	3.03	cps
Thallium	205-1	11155	11508	11492	11385	1.75	cps
Tin	118-1	37642	39300	38020	38321	2.27	cps
Titanium	47-1	3370000	3348394	3380485	3366293	0.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4291-07 Instrumnet Name : P7
Client Sample ID : MYD0B9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:07:26 DataFile Name : 101SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	36249	37061	37329	36880	1.52	cps
Vanadium	51-2	1787046	1796599	1802607	1795417	0.44	cps
Yttrium	89-1	23985002	24743289	24564570	24430954	1.62	cps
Yttrium	89-2	5859118	5908692	5791367	5853059	1.01	cps
Zinc	66-2	323463	324380	322851	323565	0.24	cps
Zirconium	90-1	422203	423837	429203	425081	0.86	cps
Zirconium	91-1	95072	95989	94207	95089	0.94	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16605557	16579751	16392831	16526046	0.70	cps
Antimony	121-1	6477901	6588691	6494587	6520393	0.92	cps
Arsenic	75-2	359332	361492	357923	359583	0.50	cps
Barium	135-1	8183556	8143131	8053641	8126776	0.82	cps
Barium	137-1	14113476	14098681	14074157	14095438	0.14	cps
Beryllium	9-1	1233436	1246615	1210652	1230234	1.48	cps
Bismuth	209-1	9003000	8966226	8899690	8956305	0.58	cps
Bismuth	209-2	7119702	7109067	7147569	7125446	0.28	cps
Bromine	81-1	11088	11134	11304	11175	1.02	cps
Bromine	81-2	133	110	167	137	20.84	cps
Cadmium	108-1	119722	121383	120294	120466	0.70	cps
Cadmium	106-1	182330	183050	181440	182273	0.44	cps
Cadmium	111-1	1705012	1701874	1635534	1680807	2.33	cps
Calcium	43-1	10957757	10969793	10720719	10882756	1.29	cps
Calcium	44-1	173142117	173235781	171419324	172599074	0.59	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3145851	3130276	3158475	3144867	0.45	cps
Cobalt	59-2	5083768	5061026	5010013	5051602	0.75	cps
Copper	63-2	35563133	35508004	35117494	35396210	0.69	cps
Dysprosium	156-1	290	297	250	279	9.05	cps
Dysprosium	156-2	477	480	503	487	2.99	cps
Erbium	164-1	270	327	367	321	15.13	cps
Erbium	164-2	197	220	200	206	6.14	cps
Gadolinium	160-1	250	273	243	256	6.16	cps
Gadolinium	160-2	493	493	480	489	1.58	cps
Holmium	165-1	15865486	15806086	15648264	15773279	0.71	cps
Holmium	165-2	10988656	11071676	10928151	10996161	0.66	cps
Indium	115-1	13255145	13144172	13103808	13167708	0.60	cps
Indium	115-2	4315153	4331382	4246291	4297609	1.05	cps
Iron	56-2	644330884	653874564	643611350	647272266	0.89	cps
Iron	57-2	16101789	16284279	15922979	16103015	1.12	cps
Iron	54-2	35842162	35740825	35693743	35758910	0.21	cps
Krypton	83-1	390	417	387	398	4.13	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	21825601	22004806	21537123	21789177	1.08	cps
Lead	207-1	19135494	19409597	19086970	19210687	0.91	cps
Lead	208-1	86816147	87444482	86462080	86907570	0.57	cps
Lithium	6-1	2029274	2083348	2082919	2065181	1.51	cps
Magnesium	24-2	145451575	144564871	142705835	144240760	0.97	cps
Manganese	55-2	21596528	21843944	21425352	21621941	0.97	cps
Molybdenum	94-1	26459211	26480727	26699143	26546360	0.50	cps
Molybdenum	95-1	37707031	38342404	38879441	38309626	1.53	cps
Molybdenum	96-1	42309254	42133708	41662079	42035013	0.80	cps
Molybdenum	97-1	24101400	23842550	23617212	23853720	1.02	cps
Molybdenum	98-1	61719136	60996554	60557642	61091111	0.96	cps
Neodymium	150-1	340	330	467	379	20.11	cps
Neodymium	150-2	130	107	130	122	11.02	cps
Nickel	60-2	1244459	1244378	1238187	1242341	0.29	cps
Phosphorus	31-2	187099	185418	183846	185454	0.88	cps
Potassium	39-2	88203002	88870022	88074455	88382493	0.48	cps
Rhodium	103-1	13041760	12687544	12431299	12720201	2.41	cps
Rhodium	103-2	7689535	7536595	7569615	7598581	1.06	cps
Scandium	45-1	9807936	9799023	9878398	9828452	0.44	cps
Scandium	45-2	824526	834057	822214	826932	0.76	cps
Selenium	82-1	116047	117085	115276	116136	0.78	cps
Selenium	77-2	9837	10053	9897	9929	1.13	cps
Selenium	78-2	33241	34210	33869	33773	1.46	cps
Silicon	28-1	16358617	16539092	16388041	16428583	0.59	cps
Silver	107-1	8662551	8762101	8680312	8701654	0.61	cps
Silver	109-1	7940616	8040057	7990216	7990296	0.62	cps
Sodium	23-2	248573023	246894170	247732270	247733154	0.34	cps
Strontium	86-1	58181104	57595642	56791691	57522812	1.21	cps
Strontium	88-1	507049926	504330499	506038672	505806366	0.27	cps
Sulfur	34-1	975449	971574	963085	970036	0.65	cps
Terbium	159-1	16716975	16824849	16531571	16691132	0.89	cps
Terbium	159-2	10944325	11073754	11222769	11080283	1.26	cps
Thallium	203-1	5461727	5428827	5370002	5420185	0.86	cps
Thallium	205-1	12980323	12906373	12985834	12957510	0.34	cps
Tin	118-1	5344154	5302886	5336120	5327720	0.41	cps
Titanium	47-1	11295863	11129885	11207752	11211167	0.74	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV005 Instrumnet Name : P7
Client Sample ID : CCV005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:10:32 DataFile Name : 102CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16759285	17028012	16866562	16884620	0.80	cps
Vanadium	51-2	2810737	2790195	2796144	2799025	0.38	cps
Yttrium	89-1	22875373	22917775	22315123	22702757	1.48	cps
Yttrium	89-2	5355142	5348376	5345458	5349659	0.09	cps
Zinc	66-2	5359510	5465728	5345919	5390386	1.22	cps
Zirconium	90-1	12240381	12322278	12159656	12240772	0.66	cps
Zirconium	91-1	2707514	2712110	2732102	2717242	0.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1260	1240	1283	1261	1.72	cps
Antimony	121-1	4611	4794	5064	4823	4.73	cps
Arsenic	75-2	27	30	20	26	19.92	cps
Barium	135-1	367	380	240	329	23.50	cps
Barium	137-1	780	580	533	631	20.76	cps
Beryllium	9-1	141	76	105	107	30.27	cps
Bismuth	209-1	9484486	9394662	9504403	9461184	0.62	cps
Bismuth	209-2	7870183	7719587	7754197	7781322	1.01	cps
Bromine	81-1	10874	11384	11311	11190	2.47	cps
Bromine	81-2	163	190	190	181	8.50	cps
Cadmium	108-1	20	27	13	20	33.35	cps
Cadmium	106-1	4524	4404	4594	4507	2.13	cps
Cadmium	111-1	3296	3171	3307	3258	2.32	cps
Calcium	43-1	1087	1077	1110	1091	1.57	cps
Calcium	44-1	48161	47174	45877	47071	2.43	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1463	1573	1650	1562	6.01	cps
Cobalt	59-2	320	270	283	291	8.89	cps
Copper	63-2	3964	3944	4011	3973	0.86	cps
Dysprosium	156-1	23	30	17	23	28.56	cps
Dysprosium	156-2	7	13	3	8	65.47	cps
Erbium	164-1	93	120	137	117	18.74	cps
Erbium	164-2	83	67	57	69	19.55	cps
Gadolinium	160-1	77	70	53	67	18.03	cps
Gadolinium	160-2	380	403	347	377	7.56	cps
Holmium	165-1	15396728	15499610	15456452	15450930	0.33	cps
Holmium	165-2	11100557	11017652	10932059	11016756	0.76	cps
Indium	115-1	13906117	13597110	13815018	13772748	1.15	cps
Indium	115-2	4621530	4491715	4586978	4566741	1.47	cps
Iron	56-2	50933	49846	49859	50213	1.24	cps
Iron	57-2	2734	2940	2807	2827	3.71	cps
Iron	54-2	4161	4161	4131	4151	0.42	cps
Krypton	83-1	350	347	343	347	0.96	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2707	2354	1950	2337	16.20	cps
Lead	207-1	2260	1960	1767	1996	12.46	cps
Lead	208-1	10222	9018	7928	9056	12.67	cps
Lithium	6-1	2153343	2121811	2152903	2142686	0.84	cps
Magnesium	24-2	5988	5895	5901	5928	0.88	cps
Manganese	55-2	1297	1417	1317	1343	4.79	cps
Molybdenum	94-1	3424	3000	3024	3149	7.56	cps
Molybdenum	95-1	3024	2544	2357	2641	13.02	cps
Molybdenum	96-1	3517	2937	2974	3143	10.34	cps
Molybdenum	97-1	1927	1457	1583	1656	14.69	cps
Molybdenum	98-1	4467	4091	3837	4132	7.67	cps
Neodymium	150-1	27	7	27	20	57.73	cps
Neodymium	150-2	3	7	10	7	50.03	cps
Nickel	60-2	287	333	293	304	8.29	cps
Phosphorus	31-2	180	193	227	200	12.02	cps
Potassium	39-2	93163	92365	91533	92353	0.88	cps
Rhodium	103-1	13359745	13599884	13480315	13479981	0.89	cps
Rhodium	103-2	8384036	8178672	8279784	8280831	1.24	cps
Scandium	45-1	9473128	9579172	9618383	9556894	0.79	cps
Scandium	45-2	829932	834696	833027	832552	0.29	cps
Selenium	82-1	496	529	569	531	6.91	cps
Selenium	77-2	0	7	0	2	173.21	cps
Selenium	78-2	417	440	377	411	7.79	cps
Silicon	28-1	393351	387905	387778	389678	0.82	cps
Silver	107-1	1397	927	873	1066	27.03	cps
Silver	109-1	1140	887	750	926	21.38	cps
Sodium	23-2	83575	82335	81273	82394	1.40	cps
Strontium	86-1	3284	2894	2487	2888	13.80	cps
Strontium	88-1	24838	19900	16823	20520	19.70	cps
Sulfur	34-1	300664	301468	299636	300589	0.31	cps
Terbium	159-1	16307674	16409164	16281630	16332823	0.41	cps
Terbium	159-2	10946521	10911202	11122368	10993364	1.03	cps
Thallium	203-1	937	777	673	796	16.68	cps
Thallium	205-1	1960	1737	1500	1732	13.28	cps
Tin	118-1	3374	3507	3627	3503	3.62	cps
Titanium	47-1	953	807	823	861	9.33	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB005 Instrumnet Name : P7
Client Sample ID : CCB005 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:13:15 DataFile Name : 103CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	713	583	593	630	11.48	cps
Vanadium	51-2	130	133	150	138	7.78	cps
Yttrium	89-1	22040793	22446371	22929545	22472236	1.98	cps
Yttrium	89-2	5470315	5380247	5497654	5449405	1.13	cps
Zinc	66-2	2690	2557	2714	2654	3.19	cps
Zirconium	90-1	4831	4417	4244	4497	6.70	cps
Zirconium	91-1	1147	973	1037	1052	8.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26397226	26121829	25825976	26115010	1.09	cps
Antimony	121-1	11468	11825	11932	11742	2.07	cps
Arsenic	75-2	80118	80125	79565	79936	0.40	cps
Barium	135-1	937769	944606	940258	940878	0.37	cps
Barium	137-1	1725212	1707243	1732940	1721798	0.77	cps
Beryllium	9-1	2423	2457	2321	2400	2.95	cps
Bismuth	209-1	9409334	9144959	9365712	9306668	1.52	cps
Bismuth	209-2	7528013	7370840	7466013	7454955	1.06	cps
Bromine	81-1	14377	14324	14040	14247	1.27	cps
Bromine	81-2	783	943	803	843	10.34	cps
Cadmium	108-1	370	423	343	379	10.75	cps
Cadmium	106-1	5258	5091	4841	5063	4.14	cps
Cadmium	111-1	7702	7625	7516	7614	1.23	cps
Calcium	43-1	325255	332973	329808	329345	1.18	cps
Calcium	44-1	5086816	5039821	5022680	5049772	0.66	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	973209	967453	964279	968314	0.47	cps
Cobalt	59-2	875747	867294	868622	870555	0.52	cps
Copper	63-2	2295054	2297248	2302547	2298283	0.17	cps
Dysprosium	156-1	55188	54937	54405	54843	0.73	cps
Dysprosium	156-2	42437	41959	42284	42227	0.58	cps
Erbium	164-1	57581	58284	57949	57938	0.61	cps
Erbium	164-2	39205	38867	40612	39561	2.34	cps
Gadolinium	160-1	58602	58458	59000	58687	0.48	cps
Gadolinium	160-2	42444	43059	42508	42670	0.79	cps
Holmium	165-1	16288418	16053066	15847396	16062960	1.37	cps
Holmium	165-2	11043138	10954915	11077376	11025143	0.57	cps
Indium	115-1	13968941	13917189	13839623	13908585	0.47	cps
Indium	115-2	4628026	4506947	4492775	4542583	1.64	cps
Iron	56-2	998529505	989850652	990394279	992924812	0.49	cps
Iron	57-2	24363717	24516597	24297060	24392458	0.46	cps
Iron	54-2	55028128	55310921	55204691	55181246	0.26	cps
Krypton	83-1	460	473	463	466	1.49	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	420715	425273	423494	423161	0.54	cps
Lead	207-1	363779	366700	367402	365960	0.52	cps
Lead	208-1	1661102	1677482	1670524	1669703	0.49	cps
Lithium	6-1	1936309	1946798	2047006	1976704	3.09	cps
Magnesium	24-2	33185805	32409852	32322510	32639389	1.46	cps
Manganese	55-2	13759873	13855490	13823994	13813119	0.35	cps
Molybdenum	94-1	29276	29730	29490	29499	0.77	cps
Molybdenum	95-1	9967	10070	10010	10016	0.52	cps
Molybdenum	96-1	23963	23866	23539	23789	0.93	cps
Molybdenum	97-1	6158	6218	6532	6303	3.18	cps
Molybdenum	98-1	15802	15952	15625	15793	1.04	cps
Neodymium	150-1	75260	74878	75504	75214	0.42	cps
Neodymium	150-2	43333	43938	42852	43374	1.26	cps
Nickel	60-2	319053	317531	314160	316914	0.79	cps
Phosphorus	31-2	36651	35591	35180	35807	2.12	cps
Potassium	39-2	6304476	6242646	6259584	6268902	0.51	cps
Rhodium	103-1	13700399	13268968	13405397	13458255	1.64	cps
Rhodium	103-2	8150179	8218727	8049365	8139424	1.05	cps
Scandium	45-1	11609534	11426259	11289622	11441805	1.40	cps
Scandium	45-2	997927	1006302	999047	1001092	0.45	cps
Selenium	82-1	770	723	859	784	8.79	cps
Selenium	77-2	247	193	200	213	13.62	cps
Selenium	78-2	683	503	547	578	16.26	cps
Silicon	28-1	33231863	33205013	33308734	33248536	0.16	cps
Silver	107-1	4721	3777	3817	4105	13.00	cps
Silver	109-1	4064	3761	3580	3802	6.43	cps
Sodium	23-2	294250	295085	295588	294974	0.23	cps
Strontium	86-1	222829	221427	223158	222471	0.41	cps
Strontium	88-1	1986755	1967405	1936028	1963396	1.30	cps
Sulfur	34-1	295040	288819	282186	288682	2.23	cps
Terbium	159-1	16903637	17063373	16640515	16869175	1.27	cps
Terbium	159-2	11086317	11026812	11174399	11095842	0.67	cps
Thallium	203-1	2484	2457	2390	2444	1.97	cps
Thallium	205-1	5495	5791	5388	5558	3.76	cps
Tin	118-1	38579	38742	37957	38426	1.08	cps
Titanium	47-1	1514166	1505998	1498432	1506199	0.52	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-13 Instrumnet Name : P7
Client Sample ID : MYDA31 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:16:35 DataFile Name : 104SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	12469	12559	12439	12489	0.50	cps
Vanadium	51-2	3487865	3464084	3437857	3463269	0.72	cps
Yttrium	89-1	24330392	24417037	23952381	24233270	1.02	cps
Yttrium	89-2	5792916	5812869	5675606	5760464	1.29	cps
Zinc	66-2	406361	401035	404038	403811	0.66	cps
Zirconium	90-1	63500	65241	65419	64720	1.64	cps
Zirconium	91-1	14611	14671	14771	14684	0.55	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	32526295	32422811	32132353	32360486	0.63	cps
Antimony	121-1	10034	10414	10577	10342	2.70	cps
Arsenic	75-2	81851	83389	81942	82394	1.05	cps
Barium	135-1	1257567	1265456	1263767	1262263	0.33	cps
Barium	137-1	2281017	2326329	2276554	2294633	1.20	cps
Beryllium	9-1	3060	2897	3042	3000	2.98	cps
Bismuth	209-1	9163378	9075468	9384589	9207811	1.73	cps
Bismuth	209-2	7289028	7251941	7315043	7285338	0.44	cps
Bromine	81-1	14214	14097	13883	14065	1.19	cps
Bromine	81-2	813	820	927	853	7.45	cps
Cadmium	108-1	460	390	360	403	12.72	cps
Cadmium	106-1	5094	5148	5254	5165	1.58	cps
Cadmium	111-1	8048	7864	8017	7976	1.23	cps
Calcium	43-1	382877	386966	385195	385013	0.53	cps
Calcium	44-1	5795175	5869131	5796431	5820246	0.73	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1168525	1172889	1164937	1168784	0.34	cps
Cobalt	59-2	1070278	1058850	1057004	1062044	0.68	cps
Copper	63-2	2687913	2671866	2613739	2657840	1.47	cps
Dysprosium	156-1	66262	67163	66349	66591	0.75	cps
Dysprosium	156-2	50524	51323	50393	50747	0.99	cps
Erbium	164-1	70389	70745	71582	70905	0.86	cps
Erbium	164-2	48106	48069	47584	47920	0.61	cps
Gadolinium	160-1	70925	70928	71019	70957	0.07	cps
Gadolinium	160-2	52033	51210	52076	51773	0.94	cps
Holmium	165-1	15999957	15809155	15860168	15889760	0.62	cps
Holmium	165-2	10917075	10870752	11046608	10944812	0.83	cps
Indium	115-1	13755300	13584455	13559346	13633034	0.78	cps
Indium	115-2	4531703	4441534	4438748	4470662	1.18	cps
Iron	56-2	1210876542	1196947422	1182216676	1196680213	1.20	cps
Iron	57-2	29686022	29195397	29278645	29386688	0.89	cps
Iron	54-2	66720669	65699756	64978661	65799695	1.33	cps
Krypton	83-1	470	553	590	538	11.44	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	402916	406750	406593	405420	0.54	cps
Lead	207-1	348801	356225	355743	353589	1.17	cps
Lead	208-1	1580849	1610062	1612612	1601174	1.10	cps
Lithium	6-1	1956055	1987458	1963662	1969058	0.83	cps
Magnesium	24-2	42061984	41143526	41311968	41505826	1.18	cps
Manganese	55-2	24858879	24881924	24313283	24684695	1.30	cps
Molybdenum	94-1	31143	31868	31845	31619	1.30	cps
Molybdenum	95-1	10641	11735	11174	11183	4.89	cps
Molybdenum	96-1	26554	27159	25653	26455	2.86	cps
Molybdenum	97-1	6915	6722	7292	6976	4.16	cps
Molybdenum	98-1	17030	16977	17304	17103	1.03	cps
Neodymium	150-1	89532	89981	91075	90196	0.88	cps
Neodymium	150-2	50443	50902	51079	50808	0.65	cps
Nickel	60-2	383802	381420	381882	382368	0.33	cps
Phosphorus	31-2	47403	47246	45608	46752	2.13	cps
Potassium	39-2	7291781	7278014	7120504	7230100	1.32	cps
Rhodium	103-1	13303566	13274126	13021284	13199659	1.18	cps
Rhodium	103-2	8052190	8127897	8025908	8068665	0.66	cps
Scandium	45-1	11635235	11641136	11696953	11657775	0.29	cps
Scandium	45-2	1017945	1009399	998018	1008454	0.99	cps
Selenium	82-1	799	749	694	747	7.02	cps
Selenium	77-2	243	287	367	299	20.93	cps
Selenium	78-2	667	667	637	657	2.64	cps
Silicon	28-1	34637977	34127535	34597363	34454292	0.82	cps
Silver	107-1	3691	3787	3657	3712	1.82	cps
Silver	109-1	3324	3460	3574	3453	3.63	cps
Sodium	23-2	254577	255497	254429	254834	0.23	cps
Strontium	86-1	290630	291637	288876	290381	0.48	cps
Strontium	88-1	2544147	2590161	2572396	2568901	0.90	cps
Sulfur	34-1	281137	280474	280345	280652	0.15	cps
Terbium	159-1	16705221	16679064	16573726	16652670	0.42	cps
Terbium	159-2	11029929	11045044	10917342	10997438	0.63	cps
Thallium	203-1	3624	3737	3530	3631	2.85	cps
Thallium	205-1	8239	8916	8373	8509	4.22	cps
Tin	118-1	26718	26468	26812	26666	0.67	cps
Titanium	47-1	1516027	1532334	1540382	1529581	0.81	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-14 Instrumnet Name : P7
Client Sample ID : MYDA32 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:19:40 DataFile Name : 105SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	14591	14752	14702	14682	0.56	cps
Vanadium	51-2	4101197	4084728	4153314	4113080	0.87	cps
Yttrium	89-1	24033207	23911121	23986322	23976884	0.26	cps
Yttrium	89-2	5747938	5793943	5658310	5733397	1.20	cps
Zinc	66-2	443377	437239	438590	439735	0.73	cps
Zirconium	90-1	68321	69218	69531	69023	0.91	cps
Zirconium	91-1	15091	15411	15725	15409	2.06	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	36289546	36329948	36481778	36367091	0.28	cps
Antimony	121-1	11128	10604	10898	10877	2.42	cps
Arsenic	75-2	128497	130253	128178	128976	0.87	cps
Barium	135-1	1427554	1453659	1450050	1443754	0.98	cps
Barium	137-1	2618211	2641924	2600394	2620176	0.80	cps
Beryllium	9-1	3337	3513	3439	3429	2.57	cps
Bismuth	209-1	9288146	9342569	9277365	9302693	0.38	cps
Bismuth	209-2	7331443	7417522	7341703	7363556	0.64	cps
Bromine	81-1	13526	13650	13777	13651	0.92	cps
Bromine	81-2	813	780	757	783	3.64	cps
Cadmium	108-1	390	397	437	408	6.19	cps
Cadmium	106-1	5208	5154	5358	5240	2.01	cps
Cadmium	111-1	7243	7194	7412	7283	1.57	cps
Calcium	43-1	497437	509587	509859	505628	1.40	cps
Calcium	44-1	7546163	7844541	7763750	7718151	2.00	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1323692	1313656	1316242	1317863	0.40	cps
Cobalt	59-2	1318240	1306247	1303798	1309428	0.59	cps
Copper	63-2	3322426	3254803	3231072	3269433	1.45	cps
Dysprosium	156-1	82893	84985	84200	84026	1.26	cps
Dysprosium	156-2	62887	63218	63396	63167	0.41	cps
Erbium	164-1	90849	93359	92950	92386	1.46	cps
Erbium	164-2	63460	62398	62773	62877	0.86	cps
Gadolinium	160-1	89467	89600	91389	90152	1.19	cps
Gadolinium	160-2	64166	65060	65653	64960	1.15	cps
Holmium	165-1	15925478	15991894	16237539	16051637	1.02	cps
Holmium	165-2	11134774	11100347	10916370	11050497	1.06	cps
Indium	115-1	13552301	13683913	13528429	13588214	0.62	cps
Indium	115-2	4484323	4463849	4474582	4474251	0.23	cps
Iron	56-2	1374785846	1364110433	1357449153	1365448477	0.64	cps
Iron	57-2	33980867	33689336	33390181	33686795	0.88	cps
Iron	54-2	75423802	74682172	74242296	74782757	0.80	cps
Krypton	83-1	537	537	503	526	3.66	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	380243	387522	384384	384050	0.95	cps
Lead	207-1	330579	339539	335618	335245	1.34	cps
Lead	208-1	1504589	1536717	1522370	1521225	1.06	cps
Lithium	6-1	2036978	2015614	1981683	2011425	1.39	cps
Magnesium	24-2	44293894	44352349	44286271	44310838	0.08	cps
Manganese	55-2	19582785	19315420	19333327	19410510	0.77	cps
Molybdenum	94-1	41836	43083	43016	42645	1.64	cps
Molybdenum	95-1	11645	12199	11978	11941	2.33	cps
Molybdenum	96-1	29871	31060	30766	30565	2.03	cps
Molybdenum	97-1	7115	7225	7362	7234	1.71	cps
Molybdenum	98-1	18091	18078	17861	18010	0.72	cps
Neodymium	150-1	108511	110936	109868	109772	1.11	cps
Neodymium	150-2	61460	61922	62283	61888	0.67	cps
Nickel	60-2	453347	458238	453486	455024	0.61	cps
Phosphorus	31-2	39334	40062	39207	39534	1.17	cps
Potassium	39-2	5291053	5232854	5193403	5239103	0.94	cps
Rhodium	103-1	13236001	13278915	13283530	13266149	0.20	cps
Rhodium	103-2	8075419	8004397	8190252	8090023	1.16	cps
Scandium	45-1	11746661	12009956	11939381	11898666	1.15	cps
Scandium	45-2	1027205	1038503	1033425	1033045	0.55	cps
Selenium	82-1	779	922	891	864	8.72	cps
Selenium	77-2	410	337	367	371	9.94	cps
Selenium	78-2	657	630	660	649	2.53	cps
Silicon	28-1	27656315	28222548	27944483	27941115	1.01	cps
Silver	107-1	3644	3907	4144	3898	6.42	cps
Silver	109-1	3504	3651	3617	3590	2.14	cps
Sodium	23-2	259712	262082	264153	261982	0.85	cps
Strontium	86-1	301761	305873	306710	304781	0.87	cps
Strontium	88-1	2688764	2685895	2673348	2682669	0.31	cps
Sulfur	34-1	266007	270403	268764	268391	0.83	cps
Terbium	159-1	16899826	16914171	16756125	16856707	0.52	cps
Terbium	159-2	10890641	11116566	10922449	10976552	1.11	cps
Thallium	203-1	2507	2200	2280	2329	6.83	cps
Thallium	205-1	5671	5404	5044	5373	5.86	cps
Tin	118-1	36597	36249	37004	36617	1.03	cps
Titanium	47-1	2197428	2260929	2256169	2238176	1.58	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-15 Instrumnet Name : P7
Client Sample ID : MYDA33 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:22:48 DataFile Name : 106SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17241	17702	17281	17408	1.47	cps
Vanadium	51-2	4934588	4859204	4905797	4899863	0.78	cps
Yttrium	89-1	24350443	24213083	24298880	24287469	0.29	cps
Yttrium	89-2	5979068	5937677	5838154	5918300	1.22	cps
Zinc	66-2	387565	383754	387036	386118	0.53	cps
Zirconium	90-1	97452	98830	99219	98500	0.94	cps
Zirconium	91-1	21970	22387	22514	22290	1.28	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	6071286	6011353	5995338	6025992	0.66	cps
Antimony	121-1	112113	116179	115308	114533	1.87	cps
Arsenic	75-2	37210	35723	36318	36417	2.06	cps
Barium	135-1	410796	414566	419634	414999	1.07	cps
Barium	137-1	707698	714267	718160	713375	0.74	cps
Beryllium	9-1	1467	1444	1517	1476	2.55	cps
Bismuth	209-1	9567297	9423840	9792275	9594471	1.94	cps
Bismuth	209-2	7806456	7815031	7720003	7780497	0.68	cps
Bromine	81-1	11658	11795	11621	11691	0.78	cps
Bromine	81-2	327	287	300	304	6.69	cps
Cadmium	108-1	223	227	243	231	4.64	cps
Cadmium	106-1	4844	4681	5078	4868	4.10	cps
Cadmium	111-1	4861	4805	5154	4940	3.80	cps
Calcium	43-1	345781	352077	353853	350570	1.21	cps
Calcium	44-1	5386153	5534349	5374171	5431558	1.64	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	305245	302830	298327	302134	1.16	cps
Cobalt	59-2	234627	236665	235852	235715	0.44	cps
Copper	63-2	597243	590474	589449	592389	0.71	cps
Dysprosium	156-1	33774	35545	34857	34725	2.57	cps
Dysprosium	156-2	28232	28355	27814	28134	1.01	cps
Erbium	164-1	30801	31419	31666	31295	1.42	cps
Erbium	164-2	21230	21183	21336	21250	0.37	cps
Gadolinium	160-1	32895	34336	34800	34010	2.92	cps
Gadolinium	160-2	25527	24869	25012	25136	1.38	cps
Holmium	165-1	16046261	16104079	15956799	16035713	0.46	cps
Holmium	165-2	11234322	11086126	11332839	11217762	1.11	cps
Indium	115-1	13954379	13861566	14022249	13946064	0.58	cps
Indium	115-2	4610647	4573317	4614837	4599600	0.50	cps
Iron	56-2	297279656	298419122	296023142	297240640	0.40	cps
Iron	57-2	7315008	7260726	7287437	7287724	0.37	cps
Iron	54-2	16527114	16298508	16473473	16433032	0.73	cps
Krypton	83-1	390	330	387	369	9.14	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	388567	392030	394652	391750	0.78	cps
Lead	207-1	312727	317708	318056	316163	0.94	cps
Lead	208-1	1468337	1484236	1496257	1482943	0.94	cps
Lithium	6-1	2116304	2075452	2056552	2082769	1.47	cps
Magnesium	24-2	6192952	6259695	6151896	6201514	0.88	cps
Manganese	55-2	3822896	3825419	3823639	3823985	0.03	cps
Molybdenum	94-1	37368	38109	38377	37951	1.38	cps
Molybdenum	95-1	4901	4854	4921	4892	0.70	cps
Molybdenum	96-1	13143	13897	14090	13710	3.65	cps
Molybdenum	97-1	3070	3030	3004	3035	1.11	cps
Molybdenum	98-1	7289	7705	7625	7540	2.93	cps
Neodymium	150-1	62039	61062	61684	61595	0.80	cps
Neodymium	150-2	36444	34823	35334	35534	2.33	cps
Nickel	60-2	124031	123355	123430	123605	0.30	cps
Phosphorus	31-2	23902	23478	23084	23488	1.74	cps
Potassium	39-2	2204195	2188053	2192925	2195058	0.38	cps
Rhodium	103-1	13672626	13518879	13843461	13678322	1.19	cps
Rhodium	103-2	8434916	8393932	8437917	8422255	0.29	cps
Scandium	45-1	10289793	10211693	10346144	10282543	0.66	cps
Scandium	45-2	886995	890750	887834	888526	0.22	cps
Selenium	82-1	623	700	667	663	5.86	cps
Selenium	77-2	167	153	140	153	8.70	cps
Selenium	78-2	543	560	523	542	3.39	cps
Silicon	28-1	18045595	18192807	18125280	18121228	0.41	cps
Silver	107-1	1430	1533	1647	1537	7.05	cps
Silver	109-1	1373	1413	1450	1412	2.72	cps
Sodium	23-2	293632	291855	292113	292533	0.33	cps
Strontium	86-1	146956	147638	148113	147569	0.39	cps
Strontium	88-1	1267207	1279790	1280314	1275770	0.58	cps
Sulfur	34-1	265604	266957	263821	265461	0.59	cps
Terbium	159-1	16933962	16895864	17160563	16996796	0.84	cps
Terbium	159-2	11217717	11114576	11266707	11199667	0.69	cps
Thallium	203-1	1213	1123	1167	1168	3.85	cps
Thallium	205-1	2737	2604	2807	2716	3.80	cps
Tin	118-1	22157	22414	22715	22429	1.24	cps
Titanium	47-1	1284987	1266759	1298348	1283365	1.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-16 Instrumnet Name : P7
Client Sample ID : MYDA34 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:25:53 DataFile Name : 107SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16143	15976	16343	16154	1.14	cps
Vanadium	51-2	807124	807687	802427	805746	0.36	cps
Yttrium	89-1	24091519	23740358	24066594	23966157	0.82	cps
Yttrium	89-2	5670895	5618305	5609436	5632879	0.59	cps
Zinc	66-2	144465	143610	141163	143079	1.20	cps
Zirconium	90-1	96454	98709	97309	97491	1.17	cps
Zirconium	91-1	20965	21820	21536	21440	2.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	31347400	31427291	31033502	31269398	0.67	cps
Antimony	121-1	10794	10641	10584	10673	1.02	cps
Arsenic	75-2	177126	176044	178099	177090	0.58	cps
Barium	135-1	1758670	1781061	1762240	1767324	0.68	cps
Barium	137-1	3122540	3091457	3031686	3081894	1.50	cps
Beryllium	9-1	4513	4214	4232	4320	3.89	cps
Bismuth	209-1	9607069	9386670	9391228	9461655	1.33	cps
Bismuth	209-2	7431861	7402058	7425139	7419686	0.21	cps
Bromine	81-1	21122	21482	21566	21390	1.10	cps
Bromine	81-2	2160	2097	2190	2149	2.22	cps
Cadmium	108-1	310	327	270	302	9.64	cps
Cadmium	106-1	5411	5201	4921	5178	4.75	cps
Cadmium	111-1	5211	5019	5022	5084	2.16	cps
Calcium	43-1	577103	590342	582200	583215	1.14	cps
Calcium	44-1	9074890	8879227	9034461	8996193	1.15	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1113174	1104907	1106607	1108229	0.39	cps
Cobalt	59-2	1061243	1051089	1057925	1056752	0.49	cps
Copper	63-2	2563558	2549724	2576191	2563157	0.52	cps
Dysprosium	156-1	71562	71836	72309	71902	0.53	cps
Dysprosium	156-2	55084	55409	56349	55614	1.18	cps
Erbium	164-1	77637	78026	77081	77581	0.61	cps
Erbium	164-2	51702	52207	52816	52242	1.07	cps
Gadolinium	160-1	73267	75277	74805	74450	1.41	cps
Gadolinium	160-2	54030	53518	54231	53927	0.68	cps
Holmium	165-1	16485129	16252199	16334226	16357185	0.72	cps
Holmium	165-2	11002610	10962350	11020606	10995189	0.27	cps
Indium	115-1	14099927	13516021	13646078	13754009	2.23	cps
Indium	115-2	4485827	4498506	4559802	4514712	0.88	cps
Iron	56-2	1155456303	1152062063	1157144169	1154887512	0.22	cps
Iron	57-2	28365765	28429100	28658277	28484381	0.54	cps
Iron	54-2	63564339	63349259	63964929	63626176	0.49	cps
Krypton	83-1	570	600	477	549	11.72	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	85500	84775	83441	84572	1.24	cps
Lead	207-1	68585	70760	69272	69539	1.60	cps
Lead	208-1	325787	326361	324162	325437	0.35	cps
Lithium	6-1	2084891	2056327	2107626	2082948	1.23	cps
Magnesium	24-2	32855806	32855131	32936737	32882558	0.14	cps
Manganese	55-2	18736858	18437084	18650976	18608306	0.83	cps
Molybdenum	94-1	74039	76565	74414	75006	1.82	cps
Molybdenum	95-1	33261	32863	33221	33115	0.66	cps
Molybdenum	96-1	54645	55230	54561	54812	0.67	cps
Molybdenum	97-1	19727	20765	20651	20381	2.79	cps
Molybdenum	98-1	51621	51564	51022	51402	0.64	cps
Neodymium	150-1	105451	105958	104954	105454	0.48	cps
Neodymium	150-2	60071	59120	59257	59482	0.86	cps
Nickel	60-2	376069	375588	375046	375568	0.14	cps
Phosphorus	31-2	35130	34041	34399	34523	1.61	cps
Potassium	39-2	13423320	13504031	13498957	13475436	0.34	cps
Rhodium	103-1	13486736	13232737	13387782	13369085	0.96	cps
Rhodium	103-2	8128283	8211621	8136897	8158934	0.56	cps
Scandium	45-1	11413128	10935615	11113760	11154168	2.16	cps
Scandium	45-2	952880	949488	947500	949956	0.29	cps
Selenium	82-1	746	746	809	767	4.75	cps
Selenium	77-2	250	303	280	278	9.62	cps
Selenium	78-2	640	633	667	647	2.73	cps
Silicon	28-1	24177835	23980710	23753706	23970750	0.89	cps
Silver	107-1	2237	2174	2090	2167	3.40	cps
Silver	109-1	2027	2017	2147	2064	3.51	cps
Sodium	23-2	350145	350831	348847	349941	0.29	cps
Strontium	86-1	348048	357041	350754	351948	1.31	cps
Strontium	88-1	3087690	3155361	3048823	3097291	1.74	cps
Sulfur	34-1	278933	282741	286486	282720	1.34	cps
Terbium	159-1	16566628	16697166	16788065	16683953	0.67	cps
Terbium	159-2	11107290	11277391	11232795	11205826	0.79	cps
Thallium	203-1	2094	2294	2234	2207	4.65	cps
Thallium	205-1	5271	5161	5284	5239	1.29	cps
Tin	118-1	24494	24798	24080	24458	1.47	cps
Titanium	47-1	2836660	2723897	2767180	2775913	2.05	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-17 Instrumnet Name : P7
Client Sample ID : MYDA35 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:29:06 DataFile Name : 108SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	18857	18793	18677	18776	0.49	cps
Vanadium	51-2	3834165	3816758	3873242	3841388	0.75	cps
Yttrium	89-1	24381662	24519089	24165775	24355509	0.73	cps
Yttrium	89-2	5816537	5752519	5847087	5805381	0.83	cps
Zinc	66-2	272211	268532	272706	271149	0.84	cps
Zirconium	90-1	154810	153948	154281	154346	0.28	cps
Zirconium	91-1	34734	35272	34484	34830	1.16	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	8735170	8659373	8489134	8627893	1.46	cps
Antimony	121-1	15912	15745	15992	15883	0.79	cps
Arsenic	75-2	66347	65477	66461	66095	0.81	cps
Barium	135-1	835120	836628	848551	840100	0.88	cps
Barium	137-1	1430070	1451348	1450938	1444119	0.84	cps
Beryllium	9-1	2306	2342	2272	2306	1.52	cps
Bismuth	209-1	9534039	9383631	9579888	9499186	1.08	cps
Bismuth	209-2	7613071	7497023	7629908	7580001	0.95	cps
Bromine	81-1	12866	12372	12709	12649	1.99	cps
Bromine	81-2	437	413	503	451	10.35	cps
Cadmium	108-1	273	273	263	270	2.14	cps
Cadmium	106-1	4904	4858	4884	4882	0.48	cps
Cadmium	111-1	4905	4969	4768	4881	2.10	cps
Calcium	43-1	286175	289890	287663	287909	0.65	cps
Calcium	44-1	4411537	4480833	4479104	4457158	0.89	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	563248	556073	554930	558084	0.81	cps
Cobalt	59-2	336397	335484	333351	335077	0.47	cps
Copper	63-2	704933	710309	711603	708948	0.50	cps
Dysprosium	156-1	41889	42163	42511	42188	0.74	cps
Dysprosium	156-2	33199	34014	33664	33626	1.22	cps
Erbium	164-1	35649	36447	37002	36366	1.87	cps
Erbium	164-2	24495	25103	24745	24781	1.23	cps
Gadolinium	160-1	40194	40752	40963	40637	0.98	cps
Gadolinium	160-2	30179	29341	29511	29677	1.49	cps
Holmium	165-1	16024529	15938421	15866554	15943168	0.50	cps
Holmium	165-2	11199093	10878492	10939036	11005540	1.55	cps
Indium	115-1	13662231	13701141	13961642	13775005	1.18	cps
Indium	115-2	4545459	4480058	4473105	4499541	0.89	cps
Iron	56-2	406503807	409347607	407405007	407752141	0.36	cps
Iron	57-2	9883990	9972620	9867812	9908141	0.57	cps
Iron	54-2	22600326	22142977	21968956	22237420	1.47	cps
Krypton	83-1	387	477	437	433	10.41	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	199539	202523	202676	201579	0.88	cps
Lead	207-1	169422	169858	171199	170160	0.54	cps
Lead	208-1	777552	784386	785324	782421	0.54	cps
Lithium	6-1	2025139	2078730	2089273	2064381	1.67	cps
Magnesium	24-2	9269875	9497616	9377962	9381818	1.21	cps
Manganese	55-2	9239970	9209867	9123877	9191238	0.66	cps
Molybdenum	94-1	58992	59734	60631	59786	1.37	cps
Molybdenum	95-1	6271	6105	6175	6184	1.35	cps
Molybdenum	96-1	18792	19223	19310	19108	1.45	cps
Molybdenum	97-1	3704	3604	3634	3647	1.41	cps
Molybdenum	98-1	8813	9053	8816	8894	1.55	cps
Neodymium	150-1	71473	73015	72666	72385	1.12	cps
Neodymium	150-2	41758	41193	40104	41018	2.05	cps
Nickel	60-2	171866	170187	171100	171051	0.49	cps
Phosphorus	31-2	23311	24296	23435	23681	2.27	cps
Potassium	39-2	3430438	3451966	3437956	3440120	0.32	cps
Rhodium	103-1	13408398	13603551	13568215	13526721	0.77	cps
Rhodium	103-2	8315540	8226201	8180619	8240787	0.83	cps
Scandium	45-1	10206536	10144510	10139507	10163518	0.37	cps
Scandium	45-2	883183	873184	870345	875571	0.77	cps
Selenium	82-1	707	630	589	642	9.37	cps
Selenium	77-2	190	180	170	180	5.56	cps
Selenium	78-2	503	517	543	521	3.91	cps
Silicon	28-1	48292409	48692863	49235259	48740177	0.97	cps
Silver	107-1	1470	1470	1447	1462	0.92	cps
Silver	109-1	1247	1223	1443	1305	9.26	cps
Sodium	23-2	195464	199032	197766	197421	0.92	cps
Strontium	86-1	198849	201739	199274	199954	0.78	cps
Strontium	88-1	1751990	1794856	1805619	1784155	1.59	cps
Sulfur	34-1	248282	238272	234076	240210	3.04	cps
Terbium	159-1	16771523	16990256	16795632	16852470	0.71	cps
Terbium	159-2	11152411	11154796	11140338	11149182	0.07	cps
Thallium	203-1	1507	1480	1407	1465	3.54	cps
Thallium	205-1	3384	3430	3484	3433	1.46	cps
Tin	118-1	26431	26862	26328	26540	1.07	cps
Titanium	47-1	1612949	1572093	1609511	1598184	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-18 Instrumnet Name : P7
Client Sample ID : MYDA36 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:32:10 DataFile Name : 109SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	15009	15499	15145	15218	1.66	cps
Vanadium	51-2	852327	855255	859707	855763	0.43	cps
Yttrium	89-1	23487171	23804539	23622413	23638041	0.67	cps
Yttrium	89-2	5702945	5568258	5530828	5600677	1.62	cps
Zinc	66-2	219111	216778	216248	217379	0.70	cps
Zirconium	90-1	155524	156329	158892	156915	1.12	cps
Zirconium	91-1	34617	34865	35199	34894	0.84	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26451248	26567193	26376529	26464990	0.36	cps
Antimony	121-1	7592	7259	7452	7434	2.25	cps
Arsenic	75-2	95535	94586	92818	94313	1.46	cps
Barium	135-1	1470150	1478128	1504055	1484111	1.19	cps
Barium	137-1	2666853	2703150	2712565	2694189	0.90	cps
Beryllium	9-1	3413	3565	3508	3495	2.19	cps
Bismuth	209-1	9384380	9255367	9202171	9280640	1.01	cps
Bismuth	209-2	7305657	7379248	7434671	7373192	0.88	cps
Bromine	81-1	14581	14003	14134	14239	2.13	cps
Bromine	81-2	823	927	830	860	6.72	cps
Cadmium	108-1	243	350	287	293	18.29	cps
Cadmium	106-1	5291	5111	5111	5171	2.01	cps
Cadmium	111-1	5837	5713	5827	5792	1.19	cps
Calcium	43-1	548471	559259	560227	555986	1.17	cps
Calcium	44-1	8393749	8530234	8601854	8508613	1.24	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	931377	925720	929788	928962	0.31	cps
Cobalt	59-2	1000842	998017	994206	997688	0.33	cps
Copper	63-2	2127761	2131339	2138628	2132576	0.26	cps
Dysprosium	156-1	70767	72606	72542	71972	1.45	cps
Dysprosium	156-2	54766	55897	55185	55283	1.03	cps
Erbium	164-1	77182	77832	77620	77545	0.43	cps
Erbium	164-2	52327	51936	51193	51819	1.11	cps
Gadolinium	160-1	74939	75431	74704	75025	0.49	cps
Gadolinium	160-2	54924	54656	53512	54364	1.38	cps
Holmium	165-1	16303478	15892384	16091421	16095761	1.28	cps
Holmium	165-2	11014792	10997464	10970127	10994128	0.20	cps
Indium	115-1	13878817	13656355	13481487	13672220	1.46	cps
Indium	115-2	4456813	4417390	4480523	4451575	0.72	cps
Iron	56-2	1002219025	999691825	999736172	1000549007	0.14	cps
Iron	57-2	24588775	24339658	24256270	24394901	0.71	cps
Iron	54-2	55034581	55220719	55008138	55087813	0.21	cps
Krypton	83-1	527	460	577	521	11.23	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	156864	158759	158965	158196	0.73	cps
Lead	207-1	134424	134593	134818	134612	0.15	cps
Lead	208-1	615697	620407	619456	618520	0.40	cps
Lithium	6-1	2084773	2009786	1981651	2025403	2.63	cps
Magnesium	24-2	32863992	32305603	32647300	32605631	0.86	cps
Manganese	55-2	16656424	16667459	16610086	16644657	0.18	cps
Molybdenum	94-1	50085	51721	51303	51036	1.67	cps
Molybdenum	95-1	13216	13353	13113	13227	0.91	cps
Molybdenum	96-1	29704	29146	29126	29325	1.12	cps
Molybdenum	97-1	8139	8142	8182	8155	0.30	cps
Molybdenum	98-1	20291	20448	20284	20341	0.45	cps
Neodymium	150-1	104481	107322	106398	106067	1.37	cps
Neodymium	150-2	59616	58330	59140	59029	1.10	cps
Nickel	60-2	355998	356057	353723	355259	0.37	cps
Phosphorus	31-2	55982	57086	56681	56583	0.99	cps
Potassium	39-2	11442864	11443350	11564971	11483729	0.61	cps
Rhodium	103-1	13335077	13122923	13237667	13231889	0.80	cps
Rhodium	103-2	8145880	8028013	8116668	8096854	0.76	cps
Scandium	45-1	11024435	10949334	11031246	11001672	0.41	cps
Scandium	45-2	950687	948176	940125	946329	0.58	cps
Selenium	82-1	696	837	655	730	13.11	cps
Selenium	77-2	310	360	357	342	8.17	cps
Selenium	78-2	637	583	717	646	10.40	cps
Silicon	28-1	37966337	37582720	38129958	37893005	0.74	cps
Silver	107-1	2390	2530	2387	2436	3.36	cps
Silver	109-1	2237	2264	2500	2334	6.21	cps
Sodium	23-2	457939	457693	459385	458339	0.20	cps
Strontium	86-1	342062	343669	342306	342679	0.25	cps
Strontium	88-1	3032836	3070748	3048655	3050746	0.62	cps
Sulfur	34-1	261498	270093	270446	267346	1.90	cps
Terbium	159-1	16812381	16888240	16913026	16871216	0.31	cps
Terbium	159-2	11074505	10948550	10916009	10979688	0.76	cps
Thallium	203-1	2790	2937	2924	2884	2.81	cps
Thallium	205-1	6888	6949	6868	6902	0.60	cps
Tin	118-1	35921	36176	36232	36110	0.46	cps
Titanium	47-1	3584051	3677474	3636231	3632585	1.29	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-19 Instrumnet Name : P7
Client Sample ID : MYDA37 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:35:21 DataFile Name : 110SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	14822	15339	15159	15106	1.74	cps
Vanadium	51-2	3115953	3054034	3089682	3086556	1.01	cps
Yttrium	89-1	24431253	24620340	23975955	24342516	1.36	cps
Yttrium	89-2	5813521	5777999	5769555	5787025	0.40	cps
Zinc	66-2	326814	324090	329300	326735	0.80	cps
Zirconium	90-1	119663	119791	120457	119970	0.36	cps
Zirconium	91-1	26664	27108	27175	26983	1.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	13574804	13363139	13186459	13374801	1.45	cps
Antimony	121-1	9193	9687	9720	9533	3.10	cps
Arsenic	75-2	77896	77035	78520	77817	0.96	cps
Barium	135-1	799533	809983	807008	805508	0.67	cps
Barium	137-1	1379200	1402612	1388813	1390208	0.85	cps
Beryllium	9-1	3067	3102	3003	3057	1.63	cps
Bismuth	209-1	9417971	9582032	9480428	9493477	0.87	cps
Bismuth	209-2	7405472	7508158	7446450	7453360	0.69	cps
Bromine	81-1	14170	14564	13963	14233	2.14	cps
Bromine	81-2	893	837	810	847	5.03	cps
Cadmium	108-1	367	363	440	390	11.11	cps
Cadmium	106-1	5118	4904	4768	4930	3.58	cps
Cadmium	111-1	5629	5505	5429	5521	1.83	cps
Calcium	43-1	495101	502910	506225	501412	1.14	cps
Calcium	44-1	7576839	7691685	7723726	7664083	1.01	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	677815	672658	673933	674802	0.40	cps
Cobalt	59-2	507986	502158	508344	506163	0.69	cps
Copper	63-2	1204283	1197316	1196475	1199358	0.36	cps
Dysprosium	156-1	52876	53679	52494	53016	1.14	cps
Dysprosium	156-2	42250	43183	42828	42754	1.10	cps
Erbium	164-1	48591	48855	48835	48760	0.30	cps
Erbium	164-2	33026	33103	32665	32931	0.71	cps
Gadolinium	160-1	51360	52304	52679	52114	1.30	cps
Gadolinium	160-2	37584	37778	38132	37831	0.73	cps
Holmium	165-1	15951251	16059529	16100476	16037085	0.48	cps
Holmium	165-2	10965895	10933698	11049887	10983160	0.55	cps
Indium	115-1	13731313	13776283	13766704	13758100	0.17	cps
Indium	115-2	4526281	4403736	4521838	4483952	1.55	cps
Iron	56-2	491079366	486482446	490789846	489450553	0.53	cps
Iron	57-2	12078208	11994439	12137060	12069902	0.59	cps
Iron	54-2	26848389	26560956	26614732	26674692	0.57	cps
Krypton	83-1	413	503	423	447	11.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	372998	374989	374069	374019	0.27	cps
Lead	207-1	309167	312589	314377	312044	0.85	cps
Lead	208-1	1432503	1445316	1450442	1442754	0.64	cps
Lithium	6-1	2047478	1972233	1998975	2006229	1.90	cps
Magnesium	24-2	14380991	14280180	14062030	14241067	1.14	cps
Manganese	55-2	8699142	8625053	8625533	8649909	0.49	cps
Molybdenum	94-1	52771	53745	54260	53592	1.41	cps
Molybdenum	95-1	5168	5224	5274	5222	1.02	cps
Molybdenum	96-1	17934	18198	18308	18147	1.06	cps
Molybdenum	97-1	2970	3197	3214	3127	4.35	cps
Molybdenum	98-1	7649	8002	8049	7900	2.77	cps
Neodymium	150-1	90344	90874	90907	90708	0.35	cps
Neodymium	150-2	52210	50356	51413	51326	1.81	cps
Nickel	60-2	184947	185806	186583	185778	0.44	cps
Phosphorus	31-2	29215	29054	29278	29182	0.40	cps
Potassium	39-2	4211415	4227260	4234360	4224345	0.28	cps
Rhodium	103-1	13532686	13443224	13669713	13548541	0.84	cps
Rhodium	103-2	8241693	8104509	8143143	8163115	0.87	cps
Scandium	45-1	10468570	10464730	10453785	10462362	0.07	cps
Scandium	45-2	899687	906472	901295	902485	0.39	cps
Selenium	82-1	700	646	745	697	7.14	cps
Selenium	77-2	257	207	197	220	14.61	cps
Selenium	78-2	600	617	570	596	3.97	cps
Silicon	28-1	43462144	42689596	43355849	43169197	0.97	cps
Silver	107-1	2510	2574	2720	2601	4.14	cps
Silver	109-1	2357	2457	2390	2401	2.12	cps
Sodium	23-2	214553	214942	216870	215455	0.58	cps
Strontium	86-1	355406	361810	358691	358636	0.89	cps
Strontium	88-1	3155310	3159991	3243715	3186339	1.56	cps
Sulfur	34-1	258192	253522	252023	254579	1.26	cps
Terbium	159-1	16932873	16834200	16784835	16850636	0.45	cps
Terbium	159-2	11080533	10941921	11002777	11008410	0.63	cps
Thallium	203-1	2024	1950	1960	1978	2.01	cps
Thallium	205-1	4764	4651	4624	4680	1.59	cps
Tin	118-1	21920	22731	22838	22497	2.23	cps
Titanium	47-1	2181263	2140431	2240301	2187331	2.30	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20 Instrumnet Name : P7
Client Sample ID : MYDA42 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:38:26 DataFile Name : 111SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	17625	18593	18076	18098	2.68	cps
Vanadium	51-2	1169882	1160852	1178382	1169705	0.75	cps
Yttrium	89-1	23745167	24291430	23684035	23906877	1.40	cps
Yttrium	89-2	5677823	5709417	5668825	5685355	0.37	cps
Zinc	66-2	221020	216916	220996	219644	1.08	cps
Zirconium	90-1	138554	140267	139367	139396	0.61	cps
Zirconium	91-1	30565	31845	31230	31213	2.05	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	13866637	13543359	13631795	13680597	1.22	cps
Antimony	121-1	9443	9640	9940	9674	2.59	cps
Arsenic	75-2	77350	78101	76757	77403	0.87	cps
Barium	135-1	826972	832559	835417	831649	0.52	cps
Barium	137-1	1428678	1448593	1441653	1439641	0.70	cps
Beryllium	9-1	2964	3213	2997	3058	4.43	cps
Bismuth	209-1	9563551	9540741	9590898	9565063	0.26	cps
Bismuth	209-2	7557441	7581562	7441976	7526993	0.99	cps
Bromine	81-1	13730	14250	14110	14030	1.92	cps
Bromine	81-2	760	857	863	827	7.00	cps
Cadmium	108-1	320	363	397	360	10.68	cps
Cadmium	106-1	4768	4891	4787	4815	1.38	cps
Cadmium	111-1	5370	5446	5534	5450	1.50	cps
Calcium	43-1	531038	540285	540182	537168	0.99	cps
Calcium	44-1	8217835	8313971	8269192	8266999	0.58	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	686153	685986	682144	684761	0.33	cps
Cobalt	59-2	522222	519187	517760	519723	0.44	cps
Copper	63-2	1216084	1212171	1216529	1214928	0.20	cps
Dysprosium	156-1	54622	55265	55188	55025	0.64	cps
Dysprosium	156-2	43985	43618	43758	43787	0.42	cps
Erbium	164-1	50123	50594	50574	50431	0.53	cps
Erbium	164-2	33316	34252	33651	33740	1.41	cps
Gadolinium	160-1	53836	55108	55319	54754	1.46	cps
Gadolinium	160-2	39349	39499	38406	39084	1.52	cps
Holmium	165-1	16069537	16067154	16102191	16079627	0.12	cps
Holmium	165-2	10790116	11047809	11017880	10951935	1.29	cps
Indium	115-1	14053486	13784686	13877336	13905169	0.98	cps
Indium	115-2	4436639	4488237	4438405	4454427	0.66	cps
Iron	56-2	496565259	498380233	486176046	493707179	1.33	cps
Iron	57-2	12227055	12290385	12045240	12187560	1.04	cps
Iron	54-2	27299728	27427898	27406208	27377945	0.25	cps
Krypton	83-1	523	427	463	471	10.36	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	376332	379666	377189	377729	0.46	cps
Lead	207-1	314735	318452	318279	317155	0.66	cps
Lead	208-1	1454385	1467683	1470808	1464292	0.60	cps
Lithium	6-1	1953216	1951876	2022535	1975876	2.05	cps
Magnesium	24-2	14740723	14466734	14540258	14582572	0.97	cps
Manganese	55-2	8911099	8902308	8831563	8881657	0.49	cps
Molybdenum	94-1	53819	56174	54728	54907	2.16	cps
Molybdenum	95-1	5308	5398	5324	5343	0.90	cps
Molybdenum	96-1	18665	18442	18702	18603	0.76	cps
Molybdenum	97-1	3177	3350	3160	3229	3.26	cps
Molybdenum	98-1	8159	8082	8076	8106	0.57	cps
Neodymium	150-1	92729	94632	95156	94172	1.36	cps
Neodymium	150-2	53518	52916	54341	53592	1.33	cps
Nickel	60-2	187885	190207	189232	189108	0.62	cps
Phosphorus	31-2	30534	30066	29933	30178	1.05	cps
Potassium	39-2	4338557	4266847	4288199	4297868	0.86	cps
Rhodium	103-1	13449488	13525669	13551687	13508948	0.39	cps
Rhodium	103-2	8189620	8215288	8210727	8205212	0.17	cps
Scandium	45-1	10369028	10372532	10213011	10318190	0.88	cps
Scandium	45-2	904475	899782	894814	899690	0.54	cps
Selenium	82-1	650	792	799	747	11.27	cps
Selenium	77-2	207	250	230	229	9.47	cps
Selenium	78-2	570	570	547	562	2.40	cps
Silicon	28-1	43122541	44704426	44029754	43952240	1.81	cps
Silver	107-1	2580	2667	2557	2601	2.23	cps
Silver	109-1	2157	2524	2497	2392	8.55	cps
Sodium	23-2	245114	249123	247867	247368	0.83	cps
Strontium	86-1	370260	367917	368940	369039	0.32	cps
Strontium	88-1	3213268	3299257	3244973	3252499	1.34	cps
Sulfur	34-1	244890	244273	242321	243828	0.55	cps
Terbium	159-1	16955161	16588221	16563041	16702141	1.31	cps
Terbium	159-2	10940419	10994910	11198622	11044650	1.23	cps
Thallium	203-1	1803	2110	2087	2000	8.54	cps
Thallium	205-1	4794	4714	4944	4818	2.42	cps
Tin	118-1	26698	27219	27994	27304	2.39	cps
Titanium	47-1	2240173	2247668	2217675	2235172	0.70	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-21 Instrumnet Name : P7
Client Sample ID : MYDA42D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:41:37 DataFile Name : 112SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	18747	18697	18940	18794	0.68	cps
Vanadium	51-2	1191157	1179797	1184056	1185003	0.48	cps
Yttrium	89-1	23660331	23913240	23530014	23701195	0.82	cps
Yttrium	89-2	5667863	5635911	5614295	5639356	0.48	cps
Zinc	66-2	260252	257235	262277	259921	0.98	cps
Zirconium	90-1	142148	143937	144261	143449	0.79	cps
Zirconium	91-1	32005	32469	31801	32092	1.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	2547152	2561913	2492489	2533851	1.44	cps
Antimony	121-1	1860	1807	1947	1871	3.78	cps
Arsenic	75-2	15265	14791	14047	14701	4.18	cps
Barium	135-1	150597	153942	152527	152356	1.10	cps
Barium	137-1	264253	261302	263823	263126	0.61	cps
Beryllium	9-1	600	578	586	588	1.94	cps
Bismuth	209-1	9678017	9468336	9881537	9675963	2.14	cps
Bismuth	209-2	6444332	7722230	7487346	7217969	9.42	cps
Bromine	81-1	12595	12198	12022	12272	2.39	cps
Bromine	81-2	283	273	253	270	5.66	cps
Cadmium	108-1	40	77	80	66	33.86	cps
Cadmium	106-1	4537	4254	4131	4307	4.84	cps
Cadmium	111-1	3525	3397	3335	3419	2.82	cps
Calcium	43-1	96592	95106	94646	95448	1.07	cps
Calcium	44-1	1485909	1521577	1528114	1511867	1.50	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	130617	129803	123608	128009	2.99	cps
Cobalt	59-2	96333	94146	93100	94527	1.75	cps
Copper	63-2	233567	231116	226671	230451	1.52	cps
Dysprosium	156-1	9937	9944	9767	9882	1.01	cps
Dysprosium	156-2	8049	8056	7766	7957	2.08	cps
Erbium	164-1	9130	9263	8923	9105	1.88	cps
Erbium	164-2	6321	6301	6218	6280	0.87	cps
Gadolinium	160-1	9844	9824	9907	9858	0.44	cps
Gadolinium	160-2	7465	7592	7345	7468	1.65	cps
Holmium	165-1	15976186	15654345	16027846	15886125	1.27	cps
Holmium	165-2	9145569	11108620	10700195	10318128	10.04	cps
Indium	115-1	14070240	13561351	13834584	13822058	1.84	cps
Indium	115-2	3765531	4659981	4424524	4283345	10.82	cps
Iron	56-2	93954639	91816689	91700122	92490483	1.37	cps
Iron	57-2	2299272	2243962	2257108	2266781	1.27	cps
Iron	54-2	5117364	5161847	4974621	5084611	1.92	cps
Krypton	83-1	407	363	330	367	10.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	71805	71868	70669	71447	0.94	cps
Lead	207-1	60775	59915	59486	60059	1.09	cps
Lead	208-1	278512	277802	276150	277488	0.44	cps
Lithium	6-1	2149614	2076737	2130779	2119043	1.79	cps
Magnesium	24-2	2705676	2666507	2634104	2668762	1.34	cps
Manganese	55-2	1677788	1658312	1657814	1664638	0.68	cps
Molybdenum	94-1	10350	10310	10190	10284	0.81	cps
Molybdenum	95-1	1110	1117	1240	1156	6.34	cps
Molybdenum	96-1	3724	3417	3751	3630	5.10	cps
Molybdenum	97-1	720	787	723	743	5.05	cps
Molybdenum	98-1	1547	1730	1740	1672	6.51	cps
Neodymium	150-1	16940	17287	16880	17036	1.29	cps
Neodymium	150-2	9627	9573	9633	9611	0.34	cps
Nickel	60-2	35288	35896	33898	35027	2.92	cps
Phosphorus	31-2	5628	5441	5631	5567	1.95	cps
Potassium	39-2	928672	923862	886601	913045	2.52	cps
Rhodium	103-1	13687170	13632184	13973101	13764152	1.33	cps
Rhodium	103-2	6895887	8361210	8235623	7830907	10.37	cps
Scandium	45-1	10009668	9752356	9938630	9900218	1.34	cps
Scandium	45-2	708576	876007	852075	812219	11.15	cps
Selenium	82-1	510	581	641	578	11.35	cps
Selenium	77-2	57	63	83	68	20.47	cps
Selenium	78-2	473	387	417	426	10.34	cps
Silicon	28-1	8711795	8618032	8677385	8669071	0.55	cps
Silver	107-1	633	637	603	624	2.94	cps
Silver	109-1	550	550	510	537	4.30	cps
Sodium	23-2	100787	99991	97938	99572	1.48	cps
Strontium	86-1	68314	67996	67728	68013	0.43	cps
Strontium	88-1	589249	591825	586772	589282	0.43	cps
Sulfur	34-1	229836	226358	223868	226687	1.32	cps
Terbium	159-1	16918058	16051180	16660081	16543106	2.69	cps
Terbium	159-2	9593413	11776652	10696807	10688957	10.21	cps
Thallium	203-1	520	417	420	452	12.98	cps
Thallium	205-1	1047	1130	1043	1073	4.57	cps
Tin	118-1	6565	6988	6475	6676	4.11	cps
Titanium	47-1	427984	427348	421929	425754	0.78	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20LX5 Instrumnet Name : P7
Client Sample ID : MYDA42L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 22:44:44 DataFile Name : 113SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	3551	3424	3657	3544	3.30	cps
Vanadium	51-2	219427	215858	211738	215674	1.78	cps
Yttrium	89-1	23196083	22867060	23311680	23124941	1.00	cps
Yttrium	89-2	4592534	5577208	5420578	5196773	10.18	cps
Zinc	66-2	43887	43386	42337	43203	1.83	cps
Zirconium	90-1	26561	26558	27493	26870	2.01	cps
Zirconium	91-1	5771	6071	6151	5998	3.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	14336036	14153732	14341593	14277120	0.75	cps
Antimony	121-1	777638	781596	776614	778616	0.34	cps
Arsenic	75-2	99994	99635	97971	99200	1.09	cps
Barium	135-1	5199516	5112127	5140114	5150586	0.87	cps
Barium	137-1	8932440	8913499	8896050	8913996	0.20	cps
Beryllium	9-1	76629	78906	79637	78391	2.00	cps
Bismuth	209-1	9861100	9707674	9794897	9787890	0.79	cps
Bismuth	209-2	7763521	7716902	7756612	7745678	0.32	cps
Bromine	81-1	14984	14587	15048	14873	1.68	cps
Bromine	81-2	873	837	673	794	13.40	cps
Cadmium	108-1	7215	7432	7439	7362	1.73	cps
Cadmium	106-1	14934	14404	14691	14676	1.81	cps
Cadmium	111-1	108376	108653	107808	108279	0.40	cps
Calcium	43-1	524868	519678	525321	523289	0.60	cps
Calcium	44-1	7992143	8040515	8097627	8043429	0.66	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1618896	1564110	1545098	1576035	2.43	cps
Cobalt	59-2	3885870	3959527	3842723	3896040	1.52	cps
Copper	63-2	2439708	2387384	2408537	2411877	1.09	cps
Dysprosium	156-1	55422	56423	56062	55969	0.91	cps
Dysprosium	156-2	45550	44049	44784	44795	1.68	cps
Erbium	164-1	50083	51578	50484	50715	1.53	cps
Erbium	164-2	35235	34125	35341	34900	1.93	cps
Gadolinium	160-1	54418	55493	55556	55156	1.16	cps
Gadolinium	160-2	39519	40528	39649	39899	1.38	cps
Holmium	165-1	16453771	16205380	16527754	16395635	1.03	cps
Holmium	165-2	11474954	11281388	11584718	11447020	1.34	cps
Indium	115-1	14315022	14136814	14314361	14255399	0.72	cps
Indium	115-2	4659876	4630744	4656707	4649109	0.34	cps
Iron	56-2	519208806	510667192	510031752	513302583	1.00	cps
Iron	57-2	12486046	12541770	12473289	12500369	0.29	cps
Iron	54-2	28443805	27705350	28029890	28059682	1.32	cps
Krypton	83-1	513	513	483	503	3.44	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	481018	490649	484205	485291	1.01	cps
Lead	207-1	400958	407429	411563	406650	1.31	cps
Lead	208-1	1857207	1884860	1890957	1877675	0.96	cps
Lithium	6-1	2114419	2096344	2077102	2095955	0.89	cps
Magnesium	24-2	14930739	14694448	14714541	14779909	0.89	cps
Manganese	55-2	10756530	10433881	10573778	10588063	1.53	cps
Molybdenum	94-1	53638	54029	53554	53740	0.47	cps
Molybdenum	95-1	5454	5821	5598	5624	3.29	cps
Molybdenum	96-1	18796	19032	19069	18966	0.78	cps
Molybdenum	97-1	3300	3374	3194	3289	2.75	cps
Molybdenum	98-1	8279	8509	8503	8430	1.55	cps
Neodymium	150-1	93839	94937	95712	94830	0.99	cps
Neodymium	150-2	53157	53113	52822	53030	0.34	cps
Nickel	60-2	1043731	1047795	1036487	1042671	0.55	cps
Phosphorus	31-2	30911	30009	29849	30257	1.89	cps
Potassium	39-2	4353214	4396121	4266510	4338615	1.52	cps
Rhodium	103-1	14273471	14087740	13866146	14075786	1.45	cps
Rhodium	103-2	8700478	8572277	8516413	8596389	1.10	cps
Scandium	45-1	10699759	10662496	10934199	10765484	1.37	cps
Scandium	45-2	928475	927666	912053	922731	1.00	cps
Selenium	82-1	11296	11621	11629	11515	1.65	cps
Selenium	77-2	1307	1143	1220	1223	6.68	cps
Selenium	78-2	4021	3904	3781	3902	3.08	cps
Silicon	28-1	44219523	43832551	43652579	43901551	0.66	cps
Silver	107-1	481264	479416	477836	479505	0.36	cps
Silver	109-1	447339	457275	451364	451993	1.11	cps
Sodium	23-2	204566	207153	205492	205737	0.64	cps
Strontium	86-1	364590	374904	373739	371078	1.52	cps
Strontium	88-1	3276057	3340070	3296455	3304194	0.99	cps
Sulfur	34-1	249969	243838	247893	247233	1.26	cps
Terbium	159-1	17500389	17398355	17300827	17399857	0.57	cps
Terbium	159-2	11362882	11427157	11178680	11322906	1.14	cps
Thallium	203-1	308584	310739	316722	312015	1.35	cps
Thallium	205-1	727566	746051	746391	740003	1.46	cps
Tin	118-1	23119	23249	23236	23201	0.31	cps
Titanium	47-1	2244381	2277605	2241930	2254639	0.88	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-22 Instrumnet Name : P7
Client Sample ID : MYDA42S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:47:59 DataFile Name : 114SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	18576	18279	19034	18630	2.04	cps
Vanadium	51-2	3142766	3135748	3028993	3102502	2.06	cps
Yttrium	89-1	25079126	24914884	24636266	24876759	0.90	cps
Yttrium	89-2	5967461	5875012	5888983	5910486	0.84	cps
Zinc	66-2	592408	583902	589979	588763	0.74	cps
Zirconium	90-1	136783	139149	139250	138394	1.01	cps
Zirconium	91-1	31524	31731	30879	31378	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	15200670	15180638	15018257	15133189	0.66	cps
Antimony	121-1	3645058	3659868	3637243	3647390	0.32	cps
Arsenic	75-2	162692	161222	160106	161340	0.80	cps
Barium	135-1	19986758	20238167	19844425	20023117	1.00	cps
Barium	137-1	34412355	35032816	34248501	34564558	1.20	cps
Beryllium	9-1	340796	343860	342566	342407	0.45	cps
Bismuth	209-1	9993256	9930446	9876813	9933505	0.59	cps
Bismuth	209-2	7787205	7844854	7659711	7763923	1.22	cps
Bromine	81-1	14938	14868	14878	14894	0.25	cps
Bromine	81-2	867	777	740	794	8.20	cps
Cadmium	108-1	31591	31815	31287	31564	0.84	cps
Cadmium	106-1	48688	48544	48661	48631	0.16	cps
Cadmium	111-1	466950	474512	478124	473195	1.21	cps
Calcium	43-1	497223	498070	499968	498420	0.28	cps
Calcium	44-1	7665668	7645055	7505598	7605441	1.14	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	4592217	4583771	4497587	4557858	1.15	cps
Cobalt	59-2	15636656	15340941	15433885	15470494	0.98	cps
Copper	63-2	6423479	6395026	6245493	6354666	1.50	cps
Dysprosium	156-1	52086	54371	53324	53261	2.15	cps
Dysprosium	156-2	42320	43143	43173	42879	1.13	cps
Erbium	164-1	48340	49584	49066	48997	1.28	cps
Erbium	164-2	32899	32274	32458	32543	0.99	cps
Gadolinium	160-1	52471	53445	51966	52627	1.43	cps
Gadolinium	160-2	38105	38292	38155	38184	0.25	cps
Holmium	165-1	16675550	16773134	16416579	16621754	1.11	cps
Holmium	165-2	11339225	11418565	11224942	11327578	0.86	cps
Indium	115-1	14336008	14419340	14066344	14273897	1.29	cps
Indium	115-2	4648184	4579700	4577825	4601903	0.87	cps
Iron	56-2	502144273	504877219	495226659	500749384	0.99	cps
Iron	57-2	12348807	12324810	12168357	12280658	0.80	cps
Iron	54-2	27879891	27493237	27274398	27549175	1.11	cps
Krypton	83-1	540	423	463	476	12.47	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	807129	824116	832623	821290	1.58	cps
Lead	207-1	694436	705105	704742	701428	0.86	cps
Lead	208-1	3428916	3431595	3444564	3435025	0.24	cps
Lithium	6-1	2133629	2148553	2090516	2124233	1.42	cps
Magnesium	24-2	14116749	14279776	13964523	14120350	1.12	cps
Manganese	55-2	15408437	15123319	15052667	15194808	1.24	cps
Molybdenum	94-1	52490	53450	52266	52736	1.19	cps
Molybdenum	95-1	5054	5238	5511	5268	4.36	cps
Molybdenum	96-1	17544	17851	18198	17864	1.83	cps
Molybdenum	97-1	3230	3274	3077	3194	3.24	cps
Molybdenum	98-1	8212	8453	8543	8402	2.03	cps
Neodymium	150-1	90660	91394	93115	91723	1.37	cps
Neodymium	150-2	52551	51564	51166	51760	1.38	cps
Nickel	60-2	4128347	4096519	4048502	4091123	0.98	cps
Phosphorus	31-2	29425	28944	28219	28863	2.10	cps
Potassium	39-2	4166024	4158318	4130082	4151475	0.46	cps
Rhodium	103-1	13943081	14092810	13904044	13979979	0.71	cps
Rhodium	103-2	8492604	8448637	8286574	8409272	1.29	cps
Scandium	45-1	10743861	10701469	10643745	10696358	0.47	cps
Scandium	45-2	924691	920556	915683	920310	0.49	cps
Selenium	82-1	78731	78926	79593	79083	0.57	cps
Selenium	77-2	7292	7449	7395	7379	1.08	cps
Selenium	78-2	24631	24016	23786	24144	1.81	cps
Silicon	28-1	43384354	43477131	42609896	43157127	1.10	cps
Silver	107-1	2654435	2042373	2112140	2269649	14.76	cps
Silver	109-1	1948780	1975669	2261958	2062135	8.42	cps
Sodium	23-2	205029	208400	205215	206215	0.92	cps
Strontium	86-1	352959	361672	354446	356359	1.31	cps
Strontium	88-1	3192383	3158212	3207296	3185964	0.79	cps
Sulfur	34-1	253194	246558	244482	248078	1.83	cps
Terbium	159-1	17350455	17535070	17360688	17415404	0.60	cps
Terbium	159-2	11561393	11371745	11558126	11497088	0.94	cps
Thallium	203-1	1404250	1423082	1432630	1419987	1.02	cps
Thallium	205-1	3816513	3861043	3739315	3805624	1.62	cps
Tin	118-1	21746	22451	22451	22216	1.83	cps
Titanium	47-1	2190189	2178245	2132100	2166844	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4294-20MS Instrumnet Name : P7
Client Sample ID : MYDA42SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:51:00 DataFile Name : 115SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	18526	18006	18139	18224	1.48	cps
Vanadium	51-2	9641001	9666979	9452533	9586838	1.22	cps
Yttrium	89-1	24670713	24802075	24706774	24726520	0.27	cps
Yttrium	89-2	5837388	5766017	5777527	5793644	0.66	cps
Zinc	66-2	1877587	1861411	1855328	1864775	0.62	cps
Zirconium	90-1	134712	136777	138557	136682	1.41	cps
Zirconium	91-1	29840	31517	31086	30815	2.83	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5568945	5441807	5457781	5489511	1.26	cps
Antimony	121-1	27082	27176	27526	27261	0.86	cps
Arsenic	75-2	111521	109658	112385	111188	1.25	cps
Barium	135-1	1809458	1797895	1797414	1801589	0.38	cps
Barium	137-1	3125875	3120716	3150564	3132385	0.51	cps
Beryllium	9-1	2974	2981	3100	3019	2.34	cps
Bismuth	209-1	9751275	9748195	9705843	9735104	0.26	cps
Bismuth	209-2	7821129	7806976	7764999	7797701	0.37	cps
Bromine	81-1	15505	15879	15932	15772	1.48	cps
Bromine	81-2	960	1090	950	1000	7.81	cps
Cadmium	108-1	230	253	243	242	4.83	cps
Cadmium	106-1	5011	4878	4854	4914	1.72	cps
Cadmium	111-1	4403	4347	4284	4345	1.37	cps
Calcium	43-1	272983	276299	276658	275313	0.74	cps
Calcium	44-1	4177808	4234501	4264827	4225712	1.05	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	155206	154591	155502	155100	0.30	cps
Cobalt	59-2	360785	358625	360482	359964	0.32	cps
Copper	63-2	987086	973434	988516	983012	0.85	cps
Dysprosium	156-1	73739	73421	74540	73900	0.78	cps
Dysprosium	156-2	58769	58692	59395	58952	0.65	cps
Erbium	164-1	50531	52143	52368	51681	1.94	cps
Erbium	164-2	34813	34573	34636	34674	0.36	cps
Gadolinium	160-1	71525	72543	71990	72019	0.71	cps
Gadolinium	160-2	52802	51993	52438	52411	0.77	cps
Holmium	165-1	16345588	16303745	16325076	16324803	0.13	cps
Holmium	165-2	11268559	11033607	11158146	11153437	1.05	cps
Indium	115-1	14408676	14393285	14082356	14294772	1.29	cps
Indium	115-2	4662788	4669995	4599188	4643990	0.84	cps
Iron	56-2	502172686	502308993	505158219	503213299	0.33	cps
Iron	57-2	12297300	12292501	12419466	12336423	0.58	cps
Iron	54-2	27604870	27616920	27602683	27608158	0.03	cps
Krypton	83-1	427	483	343	418	16.86	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	101663	102432	103645	102580	0.97	cps
Lead	207-1	89821	89100	90036	89652	0.55	cps
Lead	208-1	405723	409180	411733	408878	0.74	cps
Lithium	6-1	2086841	2121201	2022310	2076784	2.42	cps
Magnesium	24-2	2380676	2367182	2378178	2375345	0.30	cps
Manganese	55-2	33130098	32896380	33085227	33037235	0.38	cps
Molybdenum	94-1	46631	47176	46995	46934	0.59	cps
Molybdenum	95-1	17200	17207	17130	17179	0.25	cps
Molybdenum	96-1	27850	28311	27994	28051	0.84	cps
Molybdenum	97-1	9957	10110	10167	10078	1.08	cps
Molybdenum	98-1	25182	25673	25582	25479	1.03	cps
Neodymium	150-1	126653	127716	127470	127280	0.44	cps
Neodymium	150-2	72981	71815	71989	72262	0.87	cps
Nickel	60-2	108559	106230	105974	106921	1.33	cps
Phosphorus	31-2	10684	10460	10794	10646	1.60	cps
Potassium	39-2	1469414	1469075	1506169	1481553	1.44	cps
Rhodium	103-1	13813214	14078301	13740471	13877329	1.28	cps
Rhodium	103-2	8408266	8320207	8467655	8398709	0.88	cps
Scandium	45-1	9999367	10126054	10181129	10102183	0.92	cps
Scandium	45-2	887802	873335	884386	881841	0.86	cps
Selenium	82-1	792	670	807	756	9.93	cps
Selenium	77-2	323	327	333	328	1.55	cps
Selenium	78-2	643	687	667	666	3.26	cps
Silicon	28-1	36299863	36586390	36826474	36570909	0.72	cps
Silver	107-1	2900	1750	1467	2039	37.23	cps
Silver	109-1	2614	1713	1457	1928	31.51	cps
Sodium	23-2	245964	246340	249802	247368	0.86	cps
Strontium	86-1	292982	297070	297658	295904	0.86	cps
Strontium	88-1	2613612	2626495	2677743	2639283	1.29	cps
Sulfur	34-1	268983	263970	259681	264211	1.76	cps
Terbium	159-1	17361590	17085060	17086056	17177569	0.93	cps
Terbium	159-2	11409731	11206377	11097883	11237997	1.41	cps
Thallium	203-1	1887	1950	1913	1917	1.66	cps
Thallium	205-1	4581	4541	4291	4471	3.52	cps
Tin	118-1	56072	57568	57381	57007	1.43	cps
Titanium	47-1	206197	210511	208485	208398	1.04	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-01 Instrumnet Name : P7
Client Sample ID : MYD0Z2 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:53:58 DataFile Name : 116SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	30338	30468	30759	30522	0.71	cps
Vanadium	51-2	518227	514632	515928	516262	0.35	cps
Yttrium	89-1	24537183	23836262	24576600	24316682	1.71	cps
Yttrium	89-2	5722654	5752063	5708488	5727735	0.39	cps
Zinc	66-2	215286	213772	213967	214342	0.38	cps
Zirconium	90-1	103159	103263	102293	102905	0.52	cps
Zirconium	91-1	22898	22638	22985	22840	0.79	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	6013409	6053201	6098304	6054971	0.70	cps
Antimony	121-1	19213	20001	19643	19619	2.01	cps
Arsenic	75-2	101524	100873	101155	101184	0.32	cps
Barium	135-1	1066458	1080386	1066470	1071105	0.75	cps
Barium	137-1	1908529	1977524	1986889	1957647	2.19	cps
Beryllium	9-1	2553	2741	2688	2661	3.65	cps
Bismuth	209-1	9700140	9801828	9687570	9729846	0.64	cps
Bismuth	209-2	7792929	7819568	7625059	7745852	1.36	cps
Bromine	81-1	14838	14594	15185	14872	2.00	cps
Bromine	81-2	863	853	860	859	0.59	cps
Cadmium	108-1	300	203	203	236	23.69	cps
Cadmium	106-1	4864	4721	4677	4754	2.06	cps
Cadmium	111-1	4178	4049	4005	4078	2.21	cps
Calcium	43-1	224410	228480	226263	226384	0.90	cps
Calcium	44-1	3530627	3467247	3472853	3490242	1.01	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	216965	215203	213339	215169	0.84	cps
Cobalt	59-2	421607	416952	416787	418449	0.65	cps
Copper	63-2	993563	981003	979526	984697	0.78	cps
Dysprosium	156-1	66459	66433	66098	66330	0.30	cps
Dysprosium	156-2	54813	54388	54592	54598	0.39	cps
Erbium	164-1	43966	45464	44430	44620	1.72	cps
Erbium	164-2	30684	30597	29505	30262	2.17	cps
Gadolinium	160-1	62509	63182	63724	63138	0.96	cps
Gadolinium	160-2	45544	46744	45253	45847	1.72	cps
Holmium	165-1	16379406	16278239	16287617	16315087	0.34	cps
Holmium	165-2	11227630	11355714	11118342	11233896	1.06	cps
Indium	115-1	14116397	14172244	14142530	14143724	0.20	cps
Indium	115-2	4665600	4599972	4668334	4644635	0.83	cps
Iron	56-2	572371138	561553765	559292778	564405894	1.24	cps
Iron	57-2	13834994	13729159	13834795	13799649	0.44	cps
Iron	54-2	31180425	30745780	30887868	30938024	0.72	cps
Krypton	83-1	397	410	337	381	10.25	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	132889	134308	133390	133529	0.54	cps
Lead	207-1	116781	118696	117150	117542	0.86	cps
Lead	208-1	527579	533493	532915	531329	0.61	cps
Lithium	6-1	2025246	1972158	1987972	1995125	1.37	cps
Magnesium	24-2	3789268	3754940	3791949	3778719	0.55	cps
Manganese	55-2	31388891	30906144	31057760	31117598	0.79	cps
Molybdenum	94-1	53989	54447	54909	54449	0.84	cps
Molybdenum	95-1	10424	10707	10857	10663	2.07	cps
Molybdenum	96-1	23466	24127	24170	23921	1.65	cps
Molybdenum	97-1	6298	6451	6365	6371	1.21	cps
Molybdenum	98-1	15662	16076	15922	15887	1.32	cps
Neodymium	150-1	122080	124343	122487	122970	0.98	cps
Neodymium	150-2	68485	68884	68877	68749	0.33	cps
Nickel	60-2	142672	142069	143742	142827	0.59	cps
Phosphorus	31-2	13696	13549	13406	13551	1.07	cps
Potassium	39-2	1503950	1501463	1521700	1509038	0.73	cps
Rhodium	103-1	14062317	14077441	13893376	14011045	0.73	cps
Rhodium	103-2	8502781	8536256	8405985	8481674	0.80	cps
Scandium	45-1	10282128	10193770	10148897	10208265	0.66	cps
Scandium	45-2	888331	882135	888755	886407	0.42	cps
Selenium	82-1	845	816	858	840	2.60	cps
Selenium	77-2	360	370	330	353	5.89	cps
Selenium	78-2	717	647	663	676	5.41	cps
Silicon	28-1	32525403	33199957	33317960	33014440	1.30	cps
Silver	107-1	1350	1387	1340	1359	1.81	cps
Silver	109-1	1137	1137	1120	1131	0.85	cps
Sodium	23-2	184110	186316	186626	185684	0.74	cps
Strontium	86-1	310736	319039	319051	316275	1.52	cps
Strontium	88-1	2775273	2814744	2836233	2808750	1.10	cps
Sulfur	34-1	230215	223335	223615	225722	1.73	cps
Terbium	159-1	17196652	17144960	17156094	17165902	0.16	cps
Terbium	159-2	11321648	11243329	11115834	11226937	0.93	cps
Thallium	203-1	1313	1343	1403	1353	3.39	cps
Thallium	205-1	2720	2987	2984	2897	5.28	cps
Tin	118-1	28278	28889	28936	28701	1.28	cps
Titanium	47-1	214306	219390	216965	216887	1.17	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-02 Instrumnet Name : P7
Client Sample ID : MYD0Z3 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 22:57:06 DataFile Name : 117SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	26229	26293	26543	26355	0.63	cps
Vanadium	51-2	476141	471647	470126	472638	0.66	cps
Yttrium	89-1	24384369	23941622	23778928	24034973	1.30	cps
Yttrium	89-2	5807343	5895716	5681002	5794687	1.86	cps
Zinc	66-2	219463	219564	218347	219125	0.31	cps
Zirconium	90-1	133154	136403	136192	135250	1.34	cps
Zirconium	91-1	29667	31203	30428	30433	2.52	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	26406907	26093625	26203686	26234739	0.61	cps
Antimony	121-1	15168	15138	15906	15404	2.82	cps
Arsenic	75-2	57621	57554	57544	57573	0.07	cps
Barium	135-1	7269270	7251177	7333242	7284563	0.59	cps
Barium	137-1	12488594	12809741	12621272	12639869	1.28	cps
Beryllium	9-1	13170	13179	13287	13212	0.49	cps
Bismuth	209-1	9780453	9762160	9725635	9756083	0.29	cps
Bismuth	209-2	7682875	7641875	7613508	7646086	0.46	cps
Bromine	81-1	15882	15455	15522	15619	1.47	cps
Bromine	81-2	1257	1170	1267	1231	4.32	cps
Cadmium	108-1	1783	1757	1963	1835	6.13	cps
Cadmium	106-1	8796	9040	9100	8978	1.79	cps
Cadmium	111-1	12317	12647	12327	12430	1.51	cps
Calcium	43-1	1239120	1255874	1260821	1251938	0.91	cps
Calcium	44-1	20162946	20274697	20026744	20154796	0.62	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1580674	1579944	1523215	1561278	2.11	cps
Cobalt	59-2	673766	674987	671060	673271	0.30	cps
Copper	63-2	2317636	2334049	2275679	2309121	1.30	cps
Dysprosium	156-1	236754	241196	236687	238212	1.08	cps
Dysprosium	156-2	212232	210999	211956	211729	0.31	cps
Erbium	164-1	126096	127920	127431	127149	0.74	cps
Erbium	164-2	85117	86136	85208	85487	0.66	cps
Gadolinium	160-1	193610	195552	196675	195279	0.79	cps
Gadolinium	160-2	139759	137749	139480	138996	0.78	cps
Holmium	165-1	16464942	16563345	16463321	16497203	0.35	cps
Holmium	165-2	11265318	11113214	11237982	11205505	0.72	cps
Indium	115-1	14129756	14095284	14053273	14092771	0.27	cps
Indium	115-2	4588948	4542462	4542638	4558016	0.59	cps
Iron	56-2	509015259	495893086	505612179	503506841	1.35	cps
Iron	57-2	12502239	12536250	12295659	12444716	1.05	cps
Iron	54-2	27939605	28039232	27589705	27856180	0.85	cps
Krypton	83-1	593	543	523	553	6.52	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	909158	919782	919861	916267	0.67	cps
Lead	207-1	780975	789599	788997	786524	0.61	cps
Lead	208-1	3827229	3867399	3864844	3853157	0.58	cps
Lithium	6-1	2075623	1900599	1964562	1980261	4.47	cps
Magnesium	24-2	17794379	17846236	17977446	17872687	0.53	cps
Manganese	55-2	10429238	10304540	10235265	10323014	0.95	cps
Molybdenum	94-1	766085	769095	769591	768257	0.25	cps
Molybdenum	95-1	6458	6562	6855	6625	3.11	cps
Molybdenum	96-1	137605	138442	139330	138459	0.62	cps
Molybdenum	97-1	4164	3964	3944	4024	3.02	cps
Molybdenum	98-1	9623	10114	10064	9933	2.72	cps
Neodymium	150-1	614851	615911	619630	616797	0.41	cps
Neodymium	150-2	348529	344034	347323	346628	0.67	cps
Nickel	60-2	813563	807172	807835	809523	0.43	cps
Phosphorus	31-2	130911	129223	126659	128931	1.66	cps
Potassium	39-2	3940476	3995800	3926372	3954216	0.93	cps
Rhodium	103-1	14060563	13499333	13887008	13815635	2.08	cps
Rhodium	103-2	8346314	8166390	8329945	8280883	1.20	cps
Scandium	45-1	10851377	10894638	10833159	10859724	0.29	cps
Scandium	45-2	951559	932784	934957	939767	1.09	cps
Selenium	82-1	1044	1123	1196	1121	6.78	cps
Selenium	77-2	1280	1070	1167	1172	8.97	cps
Selenium	78-2	1220	1297	1323	1280	4.19	cps
Silicon	28-1	32944835	33441215	33764812	33383621	1.24	cps
Silver	107-1	16012	15972	16810	16265	2.90	cps
Silver	109-1	14084	14614	14631	14443	2.15	cps
Sodium	23-2	572923	567051	571491	570488	0.54	cps
Strontium	86-1	2224935	2238657	2197978	2220523	0.93	cps
Strontium	88-1	19404330	19689538	19328926	19474265	0.98	cps
Sulfur	34-1	242961	240848	241190	241667	0.47	cps
Terbium	159-1	17321238	17448921	17049666	17273275	1.18	cps
Terbium	159-2	11367671	11236964	11228664	11277766	0.69	cps
Thallium	203-1	3801	3597	3737	3712	2.80	cps
Thallium	205-1	8559	8880	8556	8665	2.14	cps
Tin	118-1	41984	42486	42088	42186	0.63	cps
Titanium	47-1	6078214	6225476	6119740	6141143	1.24	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-03 Instrumnet Name : P7
Client Sample ID : MYD0Z4 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:00:17 DataFile Name : 118SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	78406	78577	79050	78678	0.42	cps
Vanadium	51-2	1153928	1145261	1144280	1147823	0.46	cps
Yttrium	89-1	25815276	25818781	25290662	25641573	1.19	cps
Yttrium	89-2	6091014	5992387	6016008	6033136	0.85	cps
Zinc	66-2	287857	287783	284975	286872	0.57	cps
Zirconium	90-1	2123608	2146812	2123622	2131348	0.63	cps
Zirconium	91-1	462409	471327	469350	467695	1.00	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	37848085	37487659	38203107	37846284	0.95	cps
Antimony	121-1	21015	21346	21546	21303	1.26	cps
Arsenic	75-2	55456	55075	55604	55378	0.49	cps
Barium	135-1	9361337	9359384	9471979	9397567	0.69	cps
Barium	137-1	16093648	16352353	16139194	16195065	0.85	cps
Beryllium	9-1	17468	17614	17473	17518	0.47	cps
Bismuth	209-1	9582802	9728757	9645363	9652307	0.76	cps
Bismuth	209-2	7487054	7652593	7535588	7558412	1.13	cps
Bromine	81-1	15789	16266	16382	16146	1.95	cps
Bromine	81-2	1467	1323	1270	1353	7.52	cps
Cadmium	108-1	2414	2550	2404	2456	3.34	cps
Cadmium	106-1	11151	10707	10714	10857	2.34	cps
Cadmium	111-1	12891	12802	12799	12831	0.41	cps
Calcium	43-1	1670035	1672925	1671507	1671489	0.09	cps
Calcium	44-1	26635546	27079705	26933940	26883064	0.84	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2194448	2182248	2180099	2185598	0.35	cps
Cobalt	59-2	891804	889758	887997	889853	0.21	cps
Copper	63-2	2229145	2229279	2160646	2206356	1.79	cps
Dysprosium	156-1	308631	312663	307582	309625	0.87	cps
Dysprosium	156-2	268888	273905	271620	271471	0.93	cps
Erbium	164-1	161917	165872	165795	164528	1.37	cps
Erbium	164-2	109733	111262	109428	110141	0.89	cps
Gadolinium	160-1	244183	249237	251828	248416	1.57	cps
Gadolinium	160-2	178661	179076	180548	179428	0.55	cps
Holmium	165-1	16721453	16579548	16270976	16523992	1.39	cps
Holmium	165-2	11200275	11311355	11152980	11221536	0.72	cps
Indium	115-1	13996824	14015947	13987004	13999925	0.11	cps
Indium	115-2	4572589	4578638	4578185	4576470	0.07	cps
Iron	56-2	707351963	695059830	697879323	700097038	0.92	cps
Iron	57-2	17203107	17239678	17321777	17254854	0.35	cps
Iron	54-2	39120867	38748755	38814491	38894704	0.51	cps
Krypton	83-1	633	610	617	620	1.94	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	828072	837082	842109	835754	0.85	cps
Lead	207-1	697264	713317	715013	708531	1.38	cps
Lead	208-1	3450752	3522932	3515452	3496378	1.14	cps
Lithium	6-1	1952134	1997925	1929549	1959869	1.78	cps
Magnesium	24-2	23707878	23589626	23338179	23545228	0.80	cps
Manganese	55-2	13898748	13772409	13745681	13805613	0.59	cps
Molybdenum	94-1	1098820	1127698	1124606	1117042	1.42	cps
Molybdenum	95-1	8146	8606	8036	8262	3.66	cps
Molybdenum	96-1	195776	201324	200064	199054	1.46	cps
Molybdenum	97-1	5021	5128	4901	5016	2.26	cps
Molybdenum	98-1	12576	12983	12606	12721	1.78	cps
Neodymium	150-1	789489	798034	799581	795701	0.68	cps
Neodymium	150-2	443572	445052	443535	444053	0.19	cps
Nickel	60-2	1090279	1083468	1082868	1085538	0.38	cps
Phosphorus	31-2	159562	161461	159286	160103	0.74	cps
Potassium	39-2	4864535	4975278	4961052	4933621	1.22	cps
Rhodium	103-1	13663923	13661905	13591410	13639079	0.30	cps
Rhodium	103-2	8318979	8398949	8242553	8320161	0.94	cps
Scandium	45-1	11043382	11063661	11111042	11072695	0.31	cps
Scandium	45-2	963109	965299	958158	962189	0.38	cps
Selenium	82-1	1170	1286	1319	1258	6.20	cps
Selenium	77-2	1400	1440	1450	1430	1.85	cps
Selenium	78-2	1343	1543	1567	1485	8.27	cps
Silicon	28-1	31715201	31948576	32015719	31893165	0.49	cps
Silver	107-1	15892	16489	16303	16228	1.88	cps
Silver	109-1	14017	13960	14260	14079	1.13	cps
Sodium	23-2	996018	1003733	1011488	1003746	0.77	cps
Strontium	86-1	2925879	2952098	2960066	2946014	0.61	cps
Strontium	88-1	25272058	25880385	25744273	25632239	1.25	cps
Sulfur	34-1	271058	276748	269939	272582	1.34	cps
Terbium	159-1	17460563	17418090	17248439	17375697	0.65	cps
Terbium	159-2	11333290	11368703	11344932	11348975	0.16	cps
Thallium	203-1	4824	4501	4774	4700	3.70	cps
Thallium	205-1	10841	11195	11455	11164	2.76	cps
Tin	118-1	60761	62682	61501	61648	1.57	cps
Titanium	47-1	9330591	9496541	9564987	9464040	1.27	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-04 Instrumnet Name : P7
Client Sample ID : MYD0Z5 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:03:17 DataFile Name : 119SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	104301	104322	106271	104965	1.08	cps
Vanadium	51-2	1564045	1591324	1566194	1573854	0.96	cps
Yttrium	89-1	26013932	25993539	26190157	26065876	0.41	cps
Yttrium	89-2	6208666	6103485	6216800	6176317	1.02	cps
Zinc	66-2	333656	332887	332534	333026	0.17	cps
Zirconium	90-1	3048203	3120731	3146846	3105260	1.65	cps
Zirconium	91-1	680099	693121	685608	686276	0.95	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	29143732	28942456	28940186	29008792	0.40	cps
Antimony	121-1	11038	11621	12159	11606	4.83	cps
Arsenic	75-2	40666	40154	41060	40627	1.12	cps
Barium	135-1	11061780	11335097	11195564	11197480	1.22	cps
Barium	137-1	19367715	19374919	19287400	19343345	0.25	cps
Beryllium	9-1	15159	15720	15680	15520	2.02	cps
Bismuth	209-1	9886366	9591938	9620722	9699675	1.67	cps
Bismuth	209-2	7626661	7541873	7696257	7621597	1.01	cps
Bromine	81-1	15832	16576	16663	16357	2.79	cps
Bromine	81-2	1233	1410	1287	1310	6.92	cps
Cadmium	108-1	1810	2120	2240	2057	10.79	cps
Cadmium	106-1	10450	10487	10477	10472	0.18	cps
Cadmium	111-1	11933	11578	11507	11673	1.95	cps
Calcium	43-1	6083206	6058973	6030133	6057437	0.44	cps
Calcium	44-1	96162222	97344742	96377699	96628221	0.65	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1651161	1690883	1650301	1664115	1.39	cps
Cobalt	59-2	803164	799564	800715	801148	0.23	cps
Copper	63-2	1856970	1884325	1814955	1852083	1.89	cps
Dysprosium	156-1	256703	264262	264857	261941	1.74	cps
Dysprosium	156-2	226695	228819	230889	228801	0.92	cps
Erbium	164-1	136671	137156	138711	137512	0.77	cps
Erbium	164-2	93396	92460	92443	92766	0.59	cps
Gadolinium	160-1	207230	207975	210534	208580	0.83	cps
Gadolinium	160-2	149232	150742	148983	149652	0.64	cps
Holmium	165-1	16502896	16228008	16722121	16484341	1.50	cps
Holmium	165-2	11340159	11449504	11316750	11368804	0.62	cps
Indium	115-1	14375992	14305915	14280817	14320908	0.34	cps
Indium	115-2	4644351	4587570	4594114	4608678	0.67	cps
Iron	56-2	540715899	536111005	529818072	535548325	1.02	cps
Iron	57-2	13592364	13265689	13225805	13361286	1.51	cps
Iron	54-2	29593026	29701390	29622433	29638950	0.19	cps
Krypton	83-1	560	570	510	547	5.88	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	694841	699544	696720	697035	0.34	cps
Lead	207-1	591853	597948	600904	596902	0.77	cps
Lead	208-1	2728988	2750353	2754886	2744742	0.50	cps
Lithium	6-1	2088362	2017318	2024560	2043413	1.91	cps
Magnesium	24-2	18675346	18786738	18577658	18679914	0.56	cps
Manganese	55-2	13100708	13207855	13054169	13120911	0.60	cps
Molybdenum	94-1	875583	891224	895226	887345	1.17	cps
Molybdenum	95-1	6008	6025	5851	5961	1.60	cps
Molybdenum	96-1	156002	159450	159988	158480	1.36	cps
Molybdenum	97-1	3617	3644	3757	3673	2.02	cps
Molybdenum	98-1	8679	9240	8859	8926	3.20	cps
Neodymium	150-1	646868	654513	651088	650823	0.59	cps
Neodymium	150-2	363162	367083	366544	365596	0.58	cps
Nickel	60-2	847275	852066	838966	846103	0.78	cps
Phosphorus	31-2	133859	132965	134017	133614	0.42	cps
Potassium	39-2	3298181	3331478	3376652	3335437	1.18	cps
Rhodium	103-1	13667081	13703504	13657150	13675912	0.18	cps
Rhodium	103-2	8256800	8369088	8323067	8316318	0.68	cps
Scandium	45-1	11066211	11070359	10846093	10994221	1.17	cps
Scandium	45-2	946605	945527	950307	947480	0.26	cps
Selenium	82-1	1247	1265	1330	1281	3.44	cps
Selenium	77-2	1277	1280	1300	1286	0.98	cps
Selenium	78-2	1407	1293	1437	1379	5.48	cps
Silicon	28-1	36501749	35882609	36206018	36196792	0.86	cps
Silver	107-1	12159	12475	12532	12389	1.63	cps
Silver	109-1	10918	10824	10857	10866	0.44	cps
Sodium	23-2	761652	769501	767522	766225	0.53	cps
Strontium	86-1	2872417	2896137	2856866	2875140	0.69	cps
Strontium	88-1	24723716	24992216	24891231	24869055	0.55	cps
Sulfur	34-1	352481	358803	362216	357833	1.38	cps
Terbium	159-1	17696947	17265207	17358473	17440209	1.30	cps
Terbium	159-2	11275870	11380064	11407572	11354502	0.61	cps
Thallium	203-1	3897	4141	3984	4007	3.08	cps
Thallium	205-1	9160	9477	9180	9272	1.91	cps
Tin	118-1	52268	53854	53308	53143	1.52	cps
Titanium	47-1	7044995	7251225	7128473	7141564	1.45	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-05 Instrumnet Name : P7
Client Sample ID : MYD0Z6 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:06:19 DataFile Name : 120SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	89337	90418	89656	89804	0.62	cps
Vanadium	51-2	1228497	1226352	1219284	1224711	0.39	cps
Yttrium	89-1	26185739	26202498	25670025	26019421	1.16	cps
Yttrium	89-2	6110804	6204215	6090541	6135187	0.99	cps
Zinc	66-2	243996	243996	243024	243672	0.23	cps
Zirconium	90-1	2459377	2511704	2437135	2469406	1.55	cps
Zirconium	91-1	535944	551323	544452	543906	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	27492116	27200591	27276348	27323018	0.55	cps
Antimony	121-1	8799	8756	9070	8875	1.91	cps
Arsenic	75-2	39619	38119	38931	38890	1.93	cps
Barium	135-1	7277857	7447846	7402962	7376221	1.19	cps
Barium	137-1	12922650	12703595	12841635	12822627	0.86	cps
Beryllium	9-1	13072	13349	13657	13359	2.19	cps
Bismuth	209-1	9605570	9839227	9531688	9658828	1.66	cps
Bismuth	209-2	7789016	7599273	7716985	7701758	1.24	cps
Bromine	81-1	17230	17767	17791	17596	1.80	cps
Bromine	81-2	1613	1503	1343	1487	9.13	cps
Cadmium	108-1	1803	1863	1803	1823	1.90	cps
Cadmium	106-1	9753	9663	9657	9691	0.56	cps
Cadmium	111-1	10976	10664	10892	10844	1.49	cps
Calcium	43-1	2743110	2776475	2785633	2768406	0.81	cps
Calcium	44-1	44468414	45245586	43940088	44551363	1.47	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1512104	1521849	1523483	1519145	0.41	cps
Cobalt	59-2	635457	631295	638486	635079	0.57	cps
Copper	63-2	1684380	1650983	1651464	1662276	1.15	cps
Dysprosium	156-1	233783	235367	234255	234468	0.35	cps
Dysprosium	156-2	204142	204298	206253	204898	0.57	cps
Erbium	164-1	121937	123547	124175	123220	0.94	cps
Erbium	164-2	83582	82988	82247	82939	0.81	cps
Gadolinium	160-1	185049	185406	186670	185708	0.46	cps
Gadolinium	160-2	135107	135229	135535	135290	0.16	cps
Holmium	165-1	16503373	16681021	16557664	16580686	0.55	cps
Holmium	165-2	11542513	11257636	11461514	11420554	1.29	cps
Indium	115-1	14278682	14247846	14191075	14239201	0.31	cps
Indium	115-2	4652519	4558615	4577448	4596194	1.08	cps
Iron	56-2	501228313	492619566	488743593	494197157	1.29	cps
Iron	57-2	12312911	12096364	12218929	12209401	0.89	cps
Iron	54-2	27339420	27202730	27546241	27362797	0.63	cps
Krypton	83-1	550	600	617	589	5.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	655266	660959	663035	659753	0.61	cps
Lead	207-1	551394	563620	558119	557711	1.10	cps
Lead	208-1	2541759	2588088	2573222	2567690	0.92	cps
Lithium	6-1	2069891	2020414	2071948	2054084	1.42	cps
Magnesium	24-2	17631483	17403404	17217656	17417514	1.19	cps
Manganese	55-2	9802605	9600182	9669689	9690825	1.06	cps
Molybdenum	94-1	762124	781669	786577	776790	1.67	cps
Molybdenum	95-1	4818	4854	4751	4808	1.09	cps
Molybdenum	96-1	136106	138868	139774	138250	1.38	cps
Molybdenum	97-1	2940	2907	3164	3004	4.65	cps
Molybdenum	98-1	7405	7522	7295	7407	1.53	cps
Neodymium	150-1	586787	593281	596581	592216	0.84	cps
Neodymium	150-2	335587	333674	330729	333330	0.73	cps
Nickel	60-2	788816	773253	776174	779414	1.06	cps
Phosphorus	31-2	122576	121598	123103	122426	0.62	cps
Potassium	39-2	3289624	3212704	3251454	3251261	1.18	cps
Rhodium	103-1	13758876	13795616	13788703	13781065	0.14	cps
Rhodium	103-2	8443215	8206446	8190181	8279947	1.71	cps
Scandium	45-1	11043382	10992302	10991348	11009011	0.27	cps
Scandium	45-2	962694	945230	950183	952702	0.94	cps
Selenium	82-1	1105	986	1036	1043	5.73	cps
Selenium	77-2	1227	1167	1147	1180	3.53	cps
Selenium	78-2	1190	1120	1270	1193	6.29	cps
Silicon	28-1	39739742	39940417	39872333	39850831	0.26	cps
Silver	107-1	11351	12115	11962	11809	3.42	cps
Silver	109-1	10244	10244	10654	10380	2.28	cps
Sodium	23-2	722828	718065	723555	721482	0.41	cps
Strontium	86-1	2350681	2351318	2346000	2349333	0.12	cps
Strontium	88-1	20356898	20122921	20862548	20447456	1.85	cps
Sulfur	34-1	321419	316509	312858	316929	1.36	cps
Terbium	159-1	17297898	17398542	17107837	17268092	0.85	cps
Terbium	159-2	11509888	11472352	11241095	11407778	1.28	cps
Thallium	203-1	3290	3467	3417	3392	2.69	cps
Thallium	205-1	7756	8196	8366	8106	3.89	cps
Tin	118-1	71024	69748	69979	70250	0.97	cps
Titanium	47-1	6760870	6953173	6878366	6864136	1.41	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06 Instrumnet Name : P7
Client Sample ID : MYD0Z7 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:09:20 DataFile Name : 121SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	77122	78547	77481	77717	0.95	cps
Vanadium	51-2	1120706	1111260	1113544	1115170	0.44	cps
Yttrium	89-1	26015938	25636459	26068333	25906910	0.91	cps
Yttrium	89-2	6151772	6108115	6084396	6114761	0.56	cps
Zinc	66-2	225490	224797	225906	225398	0.25	cps
Zirconium	90-1	2124731	2165889	2180770	2157130	1.35	cps
Zirconium	91-1	472343	482282	486064	480230	1.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	27688607	27658048	27385730	27577462	0.60	cps
Antimony	121-1	8843	9040	8726	8869	1.79	cps
Arsenic	75-2	39773	39469	38724	39322	1.37	cps
Barium	135-1	7392478	7444032	7446408	7427639	0.41	cps
Barium	137-1	12876716	12881820	12642959	12800498	1.07	cps
Beryllium	9-1	13370	13591	13817	13593	1.64	cps
Bismuth	209-1	9651336	9555601	9751088	9652675	1.01	cps
Bismuth	209-2	7623394	7623519	7715987	7654300	0.70	cps
Bromine	81-1	17731	17257	17934	17641	1.97	cps
Bromine	81-2	1473	1423	1480	1459	2.12	cps
Cadmium	108-1	1750	1803	1800	1785	1.67	cps
Cadmium	106-1	9336	9380	9430	9382	0.50	cps
Cadmium	111-1	10488	10558	10548	10531	0.36	cps
Calcium	43-1	2582432	2637518	2624645	2614865	1.10	cps
Calcium	44-1	42286026	41991225	42581713	42286321	0.70	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1510204	1513705	1531443	1518451	0.75	cps
Cobalt	59-2	645249	646262	639265	643592	0.59	cps
Copper	63-2	1654526	1698986	1669535	1674349	1.35	cps
Dysprosium	156-1	234599	237042	237171	236271	0.61	cps
Dysprosium	156-2	205008	206301	205890	205733	0.32	cps
Erbium	164-1	123823	124923	123739	124161	0.53	cps
Erbium	164-2	83360	82977	82844	83060	0.32	cps
Gadolinium	160-1	184721	185278	186100	185366	0.37	cps
Gadolinium	160-2	135986	136326	135932	136081	0.16	cps
Holmium	165-1	16509854	16855409	16339450	16568238	1.59	cps
Holmium	165-2	11257082	11170194	11455224	11294166	1.29	cps
Indium	115-1	14024018	14331734	14088458	14148070	1.15	cps
Indium	115-2	4683241	4626429	4696102	4668591	0.79	cps
Iron	56-2	503474686	493720886	490069206	495754926	1.40	cps
Iron	57-2	12280663	12242711	12222624	12248666	0.24	cps
Iron	54-2	27466631	27338460	27020007	27275033	0.84	cps
Krypton	83-1	567	577	590	578	2.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	648031	652707	647257	649332	0.45	cps
Lead	207-1	554824	554228	552583	553878	0.21	cps
Lead	208-1	2533527	2546231	2548176	2542645	0.31	cps
Lithium	6-1	2072773	1995932	1960308	2009671	2.86	cps
Magnesium	24-2	18076579	17919916	17744930	17913808	0.93	cps
Manganese	55-2	9898269	9654506	9759363	9770713	1.25	cps
Molybdenum	94-1	757253	762707	764685	761548	0.51	cps
Molybdenum	95-1	4938	5088	4978	5001	1.55	cps
Molybdenum	96-1	135723	136184	136201	136036	0.20	cps
Molybdenum	97-1	3224	3107	2834	3055	6.55	cps
Molybdenum	98-1	7259	7382	6825	7155	4.09	cps
Neodymium	150-1	593986	600627	599762	598125	0.60	cps
Neodymium	150-2	337445	334766	332772	334994	0.70	cps
Nickel	60-2	803930	799097	798903	800643	0.36	cps
Phosphorus	31-2	124767	126504	125519	125597	0.69	cps
Potassium	39-2	3294334	3248039	3235042	3259139	0.96	cps
Rhodium	103-1	13485438	13972996	13756262	13738232	1.78	cps
Rhodium	103-2	8494394	8222148	8285135	8333892	1.71	cps
Scandium	45-1	10882067	10921180	10878493	10893913	0.22	cps
Scandium	45-2	957638	950692	945354	951228	0.65	cps
Selenium	82-1	1077	1001	1015	1031	3.94	cps
Selenium	77-2	1213	1220	1143	1192	3.56	cps
Selenium	78-2	1270	1277	1173	1240	4.66	cps
Silicon	28-1	39453577	39338584	39397858	39396673	0.15	cps
Silver	107-1	11792	11238	11718	11582	2.60	cps
Silver	109-1	10057	9927	10200	10061	1.36	cps
Sodium	23-2	734869	737412	724559	732280	0.93	cps
Strontium	86-1	2368596	2427242	2386462	2394100	1.26	cps
Strontium	88-1	20694579	20465466	21160656	20773567	1.71	cps
Sulfur	34-1	307631	305614	305680	306308	0.37	cps
Terbium	159-1	17616600	17433543	17314516	17454886	0.87	cps
Terbium	159-2	11455397	11427944	11461443	11448261	0.16	cps
Thallium	203-1	3334	3520	3224	3359	4.47	cps
Thallium	205-1	8156	7656	8029	7947	3.27	cps
Tin	118-1	66188	66978	67829	66998	1.22	cps
Titanium	47-1	6870644	6840764	6761168	6824192	0.83	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-07 Instrumnet Name : P7
Client Sample ID : MYD0Z7D Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:12:23 DataFile Name : 122SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	78982	77538	79523	78681	1.30	cps
Vanadium	51-2	1120376	1121772	1116906	1119685	0.22	cps
Yttrium	89-1	25794443	26118249	25951350	25954681	0.62	cps
Yttrium	89-2	6139773	5996984	6059225	6065327	1.18	cps
Zinc	66-2	223951	226539	229095	226528	1.14	cps
Zirconium	90-1	2099740	2139886	2143208	2127611	1.14	cps
Zirconium	91-1	466819	467526	470988	468444	0.48	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	5074502	5076995	5093418	5081638	0.20	cps
Antimony	121-1	1777	1707	1750	1745	2.03	cps
Arsenic	75-2	7422	7309	7495	7409	1.27	cps
Barium	135-1	1302144	1325511	1315709	1314455	0.89	cps
Barium	137-1	2405034	2411611	2393260	2403302	0.39	cps
Beryllium	9-1	2451	2707	2578	2578	4.96	cps
Bismuth	209-1	9785157	9760745	9634915	9726939	0.83	cps
Bismuth	209-2	7684019	8263779	7669950	7872583	4.30	cps
Bromine	81-1	12686	13289	12605	12860	2.91	cps
Bromine	81-2	373	357	437	389	10.85	cps
Cadmium	108-1	370	363	267	333	17.35	cps
Cadmium	106-1	5184	5221	5011	5139	2.18	cps
Cadmium	111-1	4373	4380	4381	4378	0.10	cps
Calcium	43-1	540462	543435	552061	545319	1.10	cps
Calcium	44-1	8264721	8189374	8386212	8280102	1.20	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	292986	294279	288782	292016	0.98	cps
Cobalt	59-2	117734	119679	118634	118682	0.82	cps
Copper	63-2	313424	311042	313920	312795	0.49	cps
Dysprosium	156-1	42915	43698	43604	43406	0.98	cps
Dysprosium	156-2	37557	39215	38372	38381	2.16	cps
Erbium	164-1	22909	23169	23019	23032	0.57	cps
Erbium	164-2	15195	15125	15462	15261	1.17	cps
Gadolinium	160-1	34914	35137	34031	34694	1.69	cps
Gadolinium	160-2	26111	25139	26298	25849	2.41	cps
Holmium	165-1	16406094	16371628	16132426	16303383	0.91	cps
Holmium	165-2	11094647	11525490	11113863	11244667	2.16	cps
Indium	115-1	14479448	14002150	14315111	14265570	1.70	cps
Indium	115-2	4607383	4780077	4625513	4670991	2.03	cps
Iron	56-2	92856939	92812955	93643199	93104364	0.50	cps
Iron	57-2	2289182	2311846	2344814	2315281	1.21	cps
Iron	54-2	5233820	5150833	5271867	5218840	1.19	cps
Krypton	83-1	323	357	367	349	6.50	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	123821	125499	125294	124871	0.73	cps
Lead	207-1	106671	107645	106484	106934	0.58	cps
Lead	208-1	484382	490778	486430	487197	0.67	cps
Lithium	6-1	2080487	2207213	2195791	2161164	3.24	cps
Magnesium	24-2	3189044	3173168	3244570	3202261	1.17	cps
Manganese	55-2	1839751	1811801	1862952	1838168	1.39	cps
Molybdenum	94-1	141573	144906	145960	144146	1.59	cps
Molybdenum	95-1	1010	1050	1023	1028	1.98	cps
Molybdenum	96-1	26150	25646	26130	25975	1.10	cps
Molybdenum	97-1	600	640	657	632	4.61	cps
Molybdenum	98-1	1533	1447	1457	1479	3.21	cps
Neodymium	150-1	109787	112031	110808	110875	1.01	cps
Neodymium	150-2	62696	61788	62679	62387	0.83	cps
Nickel	60-2	150995	151301	148042	150113	1.20	cps
Phosphorus	31-2	23214	22403	23475	23031	2.43	cps
Potassium	39-2	710194	721858	708944	713665	1.00	cps
Rhodium	103-1	14061756	13991751	14132585	14062031	0.50	cps
Rhodium	103-2	8381352	8557275	8334226	8424284	1.40	cps
Scandium	45-1	10374914	10160220	10318494	10284543	1.08	cps
Scandium	45-2	885278	875412	891223	883971	0.90	cps
Selenium	82-1	721	687	641	683	5.87	cps
Selenium	77-2	207	157	227	197	18.33	cps
Selenium	78-2	540	533	547	540	1.23	cps
Silicon	28-1	7715682	8041662	7757797	7838380	2.26	cps
Silver	107-1	2350	2270	2367	2329	2.22	cps
Silver	109-1	1957	1937	1827	1907	3.67	cps
Sodium	23-2	194070	192760	193031	193287	0.36	cps
Strontium	86-1	429517	434925	433221	432554	0.64	cps
Strontium	88-1	3813712	3899617	3859038	3857456	1.11	cps
Sulfur	34-1	263091	268113	269394	266866	1.25	cps
Terbium	159-1	17172806	16980003	17222959	17125256	0.75	cps
Terbium	159-2	11558520	11533096	11285259	11458958	1.32	cps
Thallium	203-1	750	783	730	754	3.57	cps
Thallium	205-1	1597	1687	1770	1685	5.15	cps
Tin	118-1	14177	14611	14574	14454	1.66	cps
Titanium	47-1	1273882	1256566	1286555	1272334	1.18	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06LX5 Instrumnet Name : P7
Client Sample ID : MYD0Z7L Dilution Factor : 5
Date & Time Acquired : 2024-10-23 23:15:24 DataFile Name : 123SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	14158	14842	14518	14506	2.36	cps
Vanadium	51-2	206053	208754	207125	207311	0.66	cps
Yttrium	89-1	24212513	23945355	23901259	24019709	0.70	cps
Yttrium	89-2	5577762	5679926	5574844	5610844	1.07	cps
Zinc	66-2	45295	45964	45355	45538	0.81	cps
Zirconium	90-1	394061	399565	405020	399549	1.37	cps
Zirconium	91-1	88779	88498	90816	89364	1.42	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	27627108	27087552	27400739	27371800	0.99	cps
Antimony	121-1	776110	789435	789028	784858	0.97	cps
Arsenic	75-2	58224	57333	57909	57822	0.78	cps
Barium	135-1	11472934	11563824	11668737	11568498	0.85	cps
Barium	137-1	19289114	19791674	20138304	19739697	2.16	cps
Beryllium	9-1	82951	85031	85912	84631	1.80	cps
Bismuth	209-1	9465568	9590315	9543051	9532978	0.66	cps
Bismuth	209-2	7603622	7493485	7664893	7587334	1.14	cps
Bromine	81-1	16800	17177	17360	17112	1.67	cps
Bromine	81-2	1443	1493	1367	1435	4.45	cps
Cadmium	108-1	8196	8536	8596	8443	2.56	cps
Cadmium	106-1	18435	18779	18298	18504	1.34	cps
Cadmium	111-1	112144	113816	112598	112853	0.77	cps
Calcium	43-1	2641449	2684796	2702789	2676344	1.18	cps
Calcium	44-1	41977855	42985342	42424455	42462551	1.19	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	2398708	2341115	2380635	2373486	1.24	cps
Cobalt	59-2	3898311	3868707	3848022	3871680	0.65	cps
Copper	63-2	2793677	2769336	2757052	2773355	0.67	cps
Dysprosium	156-1	227573	228678	231871	229374	0.97	cps
Dysprosium	156-2	205268	201804	202716	203263	0.88	cps
Erbium	164-1	121560	122608	122400	122189	0.45	cps
Erbium	164-2	82847	81761	83665	82758	1.15	cps
Gadolinium	160-1	182035	184891	184228	183718	0.81	cps
Gadolinium	160-2	134055	130804	133038	132632	1.25	cps
Holmium	165-1	16383771	16200366	16142624	16242254	0.78	cps
Holmium	165-2	11088985	11141409	11200294	11143562	0.50	cps
Indium	115-1	14046921	14267899	13860896	14058572	1.45	cps
Indium	115-2	4575814	4534651	4531085	4547183	0.55	cps
Iron	56-2	497673139	488508819	489961793	492047917	1.00	cps
Iron	57-2	12417212	12161502	12038002	12205572	1.58	cps
Iron	54-2	27618471	26914277	26985002	27172583	1.43	cps
Krypton	83-1	543	563	640	582	8.76	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	738752	755761	761436	751983	1.57	cps
Lead	207-1	630328	641989	640384	637567	0.99	cps
Lead	208-1	2900415	2957013	2961375	2939601	1.16	cps
Lithium	6-1	2050638	2049063	1975619	2025107	2.12	cps
Magnesium	24-2	17312091	17231827	17154231	17232716	0.46	cps
Manganese	55-2	11254982	11065962	11029204	11116716	1.09	cps
Molybdenum	94-1	755644	759466	764241	759784	0.57	cps
Molybdenum	95-1	4884	5031	4564	4826	4.95	cps
Molybdenum	96-1	134089	135747	136228	135355	0.83	cps
Molybdenum	97-1	3130	2920	2910	2987	4.16	cps
Molybdenum	98-1	7332	7359	7752	7481	3.15	cps
Neodymium	150-1	581264	594513	589190	588323	1.13	cps
Neodymium	150-2	332852	328466	332336	331218	0.72	cps
Nickel	60-2	1656826	1620658	1635481	1637655	1.11	cps
Phosphorus	31-2	122959	122640	121803	122468	0.49	cps
Potassium	39-2	3174805	3197196	3155437	3175813	0.66	cps
Rhodium	103-1	13680187	13610376	13501736	13597433	0.66	cps
Rhodium	103-2	8256414	8142371	8206744	8201843	0.70	cps
Scandium	45-1	10752101	10879741	10645329	10759057	1.09	cps
Scandium	45-2	940546	927814	930725	933028	0.72	cps
Selenium	82-1	19209	20160	19901	19757	2.49	cps
Selenium	77-2	2897	2904	2774	2858	2.56	cps
Selenium	78-2	7058	6508	6862	6809	4.09	cps
Silicon	28-1	39859519	39185054	39790924	39611832	0.94	cps
Silver	107-1	463030	468755	472407	468064	1.01	cps
Silver	109-1	432502	440343	447911	440252	1.75	cps
Sodium	23-2	710515	708436	712387	710446	0.28	cps
Strontium	86-1	2289848	2376497	2368110	2344818	2.04	cps
Strontium	88-1	20161940	20549693	20470381	20394005	1.00	cps
Sulfur	34-1	292772	294702	294434	293969	0.36	cps
Terbium	159-1	17251951	16910510	17123873	17095444	1.01	cps
Terbium	159-2	11350058	11078899	11047861	11158939	1.49	cps
Thallium	203-1	310914	312728	315807	313150	0.79	cps
Thallium	205-1	734002	750983	749350	744779	1.26	cps
Tin	118-1	67417	69513	69470	68800	1.74	cps
Titanium	47-1	6683570	6723127	6709922	6705540	0.30	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-08 Instrumnet Name : P7
Client Sample ID : MYD0Z7S Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:18:36 DataFile Name : 124SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	76904	77665	77106	77225	0.51	cps
Vanadium	51-2	2966356	2960480	2930634	2952490	0.65	cps
Yttrium	89-1	25386517	26132546	25801370	25773478	1.45	cps
Yttrium	89-2	6037217	5948958	5903574	5963250	1.14	cps
Zinc	66-2	573393	568875	567306	569858	0.55	cps
Zirconium	90-1	2071996	2126434	2120568	2106333	1.42	cps
Zirconium	91-1	463762	469750	468788	467434	0.69	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	27903866	27741146	27725895	27790302	0.35	cps
Antimony	121-1	3652946	3670597	3588570	3637371	1.19	cps
Arsenic	75-2	122255	122245	120796	121766	0.69	cps
Barium	135-1	25093026	25207168	24826470	25042222	0.78	cps
Barium	137-1	42257940	43349421	42765310	42790890	1.28	cps
Beryllium	9-1	317255	316590	314756	316200	0.41	cps
Bismuth	209-1	9697788	9637267	9480719	9605258	1.17	cps
Bismuth	209-2	7496586	7524204	7548804	7523198	0.35	cps
Bromine	81-1	16396	16967	16439	16601	1.91	cps
Bromine	81-2	1403	1307	1310	1340	4.10	cps
Cadmium	108-1	31865	32276	32226	32122	0.70	cps
Cadmium	106-1	50902	51745	50367	51005	1.36	cps
Cadmium	111-1	462654	475162	471082	469633	1.36	cps
Calcium	43-1	2528009	2470856	2530481	2509782	1.34	cps
Calcium	44-1	40198874	40039089	40290148	40176037	0.32	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	5131013	5080701	5070984	5094233	0.63	cps
Cobalt	59-2	14596143	14568859	14193991	14452997	1.55	cps
Copper	63-2	6355996	6334269	6288321	6326195	0.55	cps
Dysprosium	156-1	219463	223166	222173	221601	0.87	cps
Dysprosium	156-2	197364	195692	197783	196946	0.56	cps
Erbium	164-1	116384	117882	118756	117674	1.02	cps
Erbium	164-2	81492	78321	77886	79233	2.48	cps
Gadolinium	160-1	175845	178644	177918	177469	0.82	cps
Gadolinium	160-2	130003	128130	129586	129240	0.76	cps
Holmium	165-1	16238130	16198060	16447270	16294487	0.82	cps
Holmium	165-2	11099737	11117274	11273172	11163394	0.86	cps
Indium	115-1	13764170	14017917	14032673	13938253	1.08	cps
Indium	115-2	4563778	4424327	4497981	4495362	1.55	cps
Iron	56-2	489382686	486703699	486362886	487483091	0.34	cps
Iron	57-2	12052018	11785728	11776266	11871337	1.32	cps
Iron	54-2	26820684	26892840	26886678	26866734	0.15	cps
Krypton	83-1	517	520	527	521	0.98	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	1065644	1087688	1091496	1081609	1.29	cps
Lead	207-1	912517	925114	921370	919667	0.70	cps
Lead	208-1	4487527	4576424	4543923	4535958	0.99	cps
Lithium	6-1	2026982	1938334	1966223	1977179	2.29	cps
Magnesium	24-2	16938489	16653699	16512846	16701678	1.30	cps
Manganese	55-2	15603725	15467033	15416918	15495892	0.62	cps
Molybdenum	94-1	714512	736959	728464	726645	1.56	cps
Molybdenum	95-1	5094	5068	4918	5026	1.90	cps
Molybdenum	96-1	127110	130422	131314	129615	1.71	cps
Molybdenum	97-1	2974	2860	2990	2941	2.41	cps
Molybdenum	98-1	7622	7729	7665	7672	0.70	cps
Neodymium	150-1	561483	572382	567520	567128	0.96	cps
Neodymium	150-2	322570	320033	320543	321048	0.42	cps
Nickel	60-2	4388378	4378740	4380060	4382393	0.12	cps
Phosphorus	31-2	116610	116059	116643	116437	0.28	cps
Potassium	39-2	3011127	3091744	3066478	3056450	1.35	cps
Rhodium	103-1	13633711	13478157	13568443	13560104	0.58	cps
Rhodium	103-2	8206200	8092666	8349894	8216253	1.57	cps
Scandium	45-1	10693340	10673847	10604674	10657287	0.44	cps
Scandium	45-2	930641	923529	923072	925747	0.46	cps
Selenium	82-1	69138	70161	70665	69988	1.11	cps
Selenium	77-2	7479	7669	7302	7483	2.45	cps
Selenium	78-2	22187	22300	22130	22206	0.39	cps
Silicon	28-1	36565807	37040829	38405517	37337384	2.56	cps
Silver	107-1	1984630	2059472	2017818	2020640	1.86	cps
Silver	109-1	1949241	1941713	1902954	1931302	1.29	cps
Sodium	23-2	692376	690071	690602	691016	0.17	cps
Strontium	86-1	2220150	2263770	2260532	2248151	1.08	cps
Strontium	88-1	19263957	19734713	19705491	19568054	1.35	cps
Sulfur	34-1	283367	280993	275767	280042	1.39	cps
Terbium	159-1	17106842	17063730	16961339	17043970	0.44	cps
Terbium	159-2	11473066	11215352	11111365	11266594	1.65	cps
Thallium	203-1	1388583	1398157	1401803	1396181	0.49	cps
Thallium	205-1	3744533	3838642	3743024	3775399	1.45	cps
Tin	118-1	65166	67497	67514	66726	2.02	cps
Titanium	47-1	6407067	6460849	6415185	6427700	0.45	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-06MS Instrumnet Name : P7
Client Sample ID : MYD0Z7SRE Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:21:33 DataFile Name : 125SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	72717	75372	75439	74509	2.08	cps
Vanadium	51-2	8965500	8872284	8887581	8908455	0.56	cps
Yttrium	89-1	24992401	25356864	25732413	25360559	1.46	cps
Yttrium	89-2	5914186	5848946	5878028	5880387	0.56	cps
Zinc	66-2	1743828	1696296	1753809	1731311	1.78	cps
Zirconium	90-1	2003729	2047739	2016233	2022567	1.12	cps
Zirconium	91-1	439626	441543	445911	442360	0.73	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	20976173	20751163	20834886	20854074	0.55	cps
Antimony	121-1	46632	46485	46913	46677	0.47	cps
Arsenic	75-2	117460	117010	115979	116816	0.65	cps
Barium	135-1	7448932	7539676	7528584	7505731	0.66	cps
Barium	137-1	12857591	12986787	13151359	12998579	1.13	cps
Beryllium	9-1	13786	14231	14187	14068	1.74	cps
Bismuth	209-1	9809819	9861683	9801432	9824311	0.33	cps
Bismuth	209-2	7682105	7691636	7711637	7695126	0.20	cps
Bromine	81-1	13887	14090	14401	14126	1.83	cps
Bromine	81-2	863	847	830	847	1.97	cps
Cadmium	108-1	2280	2220	2250	2250	1.33	cps
Cadmium	106-1	8609	8803	8626	8679	1.23	cps
Cadmium	111-1	26414	26574	25996	26328	1.13	cps
Calcium	43-1	1356988	1378278	1332181	1355816	1.70	cps
Calcium	44-1	21755728	22017431	21894197	21889119	0.60	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1225692	1223232	1226041	1224989	0.13	cps
Cobalt	59-2	630163	625784	625239	627062	0.43	cps
Copper	63-2	4946203	4882815	4991436	4940151	1.10	cps
Dysprosium	156-1	207935	211491	213160	210862	1.27	cps
Dysprosium	156-2	191017	192146	192474	191879	0.40	cps
Erbium	164-1	101425	102872	104199	102832	1.35	cps
Erbium	164-2	70520	70473	70771	70588	0.23	cps
Gadolinium	160-1	158925	159122	159958	159335	0.34	cps
Gadolinium	160-2	117262	116533	116247	116681	0.45	cps
Holmium	165-1	16175623	16241466	16530594	16315894	1.16	cps
Holmium	165-2	11220558	11329846	11253842	11268082	0.50	cps
Indium	115-1	13975154	14084221	13902387	13987254	0.65	cps
Indium	115-2	4631814	4552843	4527557	4570738	1.19	cps
Iron	56-2	428952034	427076154	425394860	427141016	0.42	cps
Iron	57-2	10625143	10658279	10535976	10606466	0.60	cps
Iron	54-2	23309221	23405139	23405945	23373435	0.24	cps
Krypton	83-1	457	510	423	463	9.44	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2132485	2206477	2212510	2183824	2.04	cps
Lead	207-1	1923366	1934603	1922900	1926956	0.34	cps
Lead	208-1	8620181	8769350	8698695	8696075	0.86	cps
Lithium	6-1	2080380	1983119	1988529	2017343	2.71	cps
Magnesium	24-2	23445457	23200721	23676307	23440829	1.01	cps
Manganese	55-2	9385531	9346096	9382250	9371292	0.23	cps
Molybdenum	94-1	403757	414711	411309	409926	1.37	cps
Molybdenum	95-1	10074	9827	9757	9886	1.68	cps
Molybdenum	96-1	79924	81978	83229	81710	2.04	cps
Molybdenum	97-1	6018	6045	5758	5940	2.67	cps
Molybdenum	98-1	14627	15318	14821	14922	2.39	cps
Neodymium	150-1	546201	557215	560628	554681	1.36	cps
Neodymium	150-2	315068	314132	313640	314280	0.23	cps
Nickel	60-2	870491	869508	868483	869494	0.12	cps
Phosphorus	31-2	168277	168139	166649	167688	0.54	cps
Potassium	39-2	3407777	3406427	3368743	3394316	0.65	cps
Rhodium	103-1	13745999	13567952	13918466	13744139	1.28	cps
Rhodium	103-2	8278977	8367070	8337559	8327869	0.54	cps
Scandium	45-1	10475367	10291377	10322432	10363059	0.95	cps
Scandium	45-2	905914	898556	899833	901434	0.44	cps
Selenium	82-1	1348	1242	1384	1325	5.56	cps
Selenium	77-2	977	960	1130	1022	9.17	cps
Selenium	78-2	1420	1273	1337	1343	5.48	cps
Silicon	28-1	22926280	22997847	23644060	23189396	1.70	cps
Silver	107-1	37532	36680	36456	36889	1.54	cps
Silver	109-1	35156	35624	33890	34890	2.57	cps
Sodium	23-2	5670886	5649408	5646270	5655521	0.24	cps
Strontium	86-1	3107166	3143031	3135147	3128448	0.60	cps
Strontium	88-1	27251473	27665750	27352458	27423227	0.79	cps
Sulfur	34-1	289598	288949	290029	289525	0.19	cps
Terbium	159-1	16926621	16839194	16703606	16823140	0.67	cps
Terbium	159-2	11302271	11209982	11441915	11318056	1.03	cps
Thallium	203-1	3887	3964	3817	3889	1.89	cps
Thallium	205-1	9090	9116	8963	9056	0.91	cps
Tin	118-1	66694	66918	67467	67026	0.59	cps
Titanium	47-1	3909419	3995333	4024491	3976414	1.50	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-09 Instrumnet Name : P7
Client Sample ID : MYD0Z8 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:24:28 DataFile Name : 126SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	77893	79177	79281	78784	0.98	cps
Vanadium	51-2	927716	929219	927009	927981	0.12	cps
Yttrium	89-1	25084000	25001218	25378449	25154556	0.79	cps
Yttrium	89-2	5993609	6019562	5936292	5983154	0.71	cps
Zinc	66-2	597543	591358	596991	595297	0.57	cps
Zirconium	90-1	1114422	1137181	1150557	1134053	1.61	cps
Zirconium	91-1	248132	252532	256604	252423	1.68	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	30444309	30664671	30451468	30520149	0.41	cps
Antimony	121-1	8589	8686	8626	8634	0.57	cps
Arsenic	75-2	28851	27976	28497	28442	1.55	cps
Barium	135-1	8595502	8749314	8995840	8780219	2.30	cps
Barium	137-1	15236627	15202559	15338997	15259394	0.47	cps
Beryllium	9-1	15330	15914	15480	15575	1.95	cps
Bismuth	209-1	9668214	9556745	9627423	9617461	0.59	cps
Bismuth	209-2	7588471	7665601	7747163	7667078	1.04	cps
Bromine	81-1	18545	19620	19840	19335	3.58	cps
Bromine	81-2	1703	1747	1843	1765	4.06	cps
Cadmium	108-1	847	890	883	873	2.67	cps
Cadmium	106-1	6598	6608	6712	6639	0.95	cps
Cadmium	111-1	6436	6450	6297	6394	1.33	cps
Calcium	43-1	1497756	1503644	1531954	1511118	1.21	cps
Calcium	44-1	23878363	24029003	24093555	24000307	0.46	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1495892	1548544	1539236	1527890	1.84	cps
Cobalt	59-2	730258	742254	737629	736714	0.82	cps
Copper	63-2	1102721	1102015	1104434	1103057	0.11	cps
Dysprosium	156-1	256438	258604	263052	259365	1.30	cps
Dysprosium	156-2	233050	237181	235483	235238	0.88	cps
Erbium	164-1	130675	129931	132108	130904	0.85	cps
Erbium	164-2	88894	89658	89035	89196	0.46	cps
Gadolinium	160-1	198239	200964	202106	200437	0.99	cps
Gadolinium	160-2	147369	145524	147413	146769	0.73	cps
Holmium	165-1	16333350	16473215	16268860	16358475	0.64	cps
Holmium	165-2	11624331	11410406	11367991	11467576	1.20	cps
Indium	115-1	14119077	14208434	14246603	14191371	0.46	cps
Indium	115-2	4610380	4593625	4601909	4601972	0.18	cps
Iron	56-2	525885592	525881326	529340725	527035881	0.38	cps
Iron	57-2	13021617	12864260	12964314	12950064	0.61	cps
Iron	54-2	28936574	28835251	29176935	28982920	0.61	cps
Krypton	83-1	560	447	563	523	12.69	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	335665	342997	341523	340062	1.14	cps
Lead	207-1	278892	285643	285812	283449	1.39	cps
Lead	208-1	1301417	1326096	1326584	1318032	1.09	cps
Lithium	6-1	2136972	2102730	2091726	2110476	1.12	cps
Magnesium	24-2	23352934	23414082	23381782	23382933	0.13	cps
Manganese	55-2	11279699	11189809	11442270	11303926	1.13	cps
Molybdenum	94-1	342323	347816	349698	346612	1.11	cps
Molybdenum	95-1	6071	5965	6031	6022	0.90	cps
Molybdenum	96-1	67187	68389	66507	67361	1.41	cps
Molybdenum	97-1	3634	3530	3821	3662	4.02	cps
Molybdenum	98-1	9090	8783	9063	8978	1.89	cps
Neodymium	150-1	677710	678800	681293	679268	0.27	cps
Neodymium	150-2	381302	386107	387595	385002	0.85	cps
Nickel	60-2	1124636	1131042	1118820	1124833	0.54	cps
Phosphorus	31-2	165096	166845	164655	165532	0.70	cps
Potassium	39-2	2963361	2981852	2948609	2964607	0.56	cps
Rhodium	103-1	13751016	13762719	13564320	13692685	0.81	cps
Rhodium	103-2	8366280	8410406	8298469	8358385	0.67	cps
Scandium	45-1	10707257	10746131	10745360	10732916	0.21	cps
Scandium	45-2	926306	921174	929787	925756	0.47	cps
Selenium	82-1	1171	1334	1224	1243	6.69	cps
Selenium	77-2	1247	1270	1090	1202	8.14	cps
Selenium	78-2	1263	1420	1500	1395	8.63	cps
Silicon	28-1	25125116	24848649	24997420	24990395	0.55	cps
Silver	107-1	6498	6482	6335	6438	1.40	cps
Silver	109-1	5985	6098	5665	5916	3.80	cps
Sodium	23-2	1252450	1268510	1227097	1249352	1.67	cps
Strontium	86-1	2838364	2789162	2834572	2820699	0.97	cps
Strontium	88-1	23936465	24593776	24027050	24185764	1.47	cps
Sulfur	34-1	276133	268025	269749	271302	1.57	cps
Terbium	159-1	17269038	17232967	17416174	17306060	0.56	cps
Terbium	159-2	11534842	11376233	11644444	11518506	1.17	cps
Thallium	203-1	3380	3544	3724	3549	4.84	cps
Thallium	205-1	8399	8549	8456	8468	0.89	cps
Tin	118-1	35808	36880	36002	36230	1.58	cps
Titanium	47-1	5028761	5084187	5025800	5046250	0.65	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-10 Instrumnet Name : P7
Client Sample ID : MYD0Z9 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:27:27 DataFile Name : 127SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	86455	86321	86931	86569	0.37	cps
Vanadium	51-2	1153710	1159495	1153205	1155470	0.30	cps
Yttrium	89-1	25874665	25995870	26147168	26005901	0.52	cps
Yttrium	89-2	6113429	6096165	6103306	6104300	0.14	cps
Zinc	66-2	206606	206832	205609	206349	0.32	cps
Zirconium	90-1	934394	948122	951361	944626	0.95	cps
Zirconium	91-1	208058	212060	211457	210525	1.03	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	10176241	10182056	10059943	10139413	0.68	cps
Antimony	121-1	24297	24778	24952	24676	1.37	cps
Arsenic	75-2	70208	69160	68771	69380	1.07	cps
Barium	135-1	1970328	1985511	2000781	1985540	0.77	cps
Barium	137-1	3417487	3424526	3442582	3428198	0.38	cps
Beryllium	9-1	3998	4016	4022	4012	0.31	cps
Bismuth	209-1	9925305	9854794	10025889	9935330	0.87	cps
Bismuth	209-2	7835260	7766039	7873824	7825041	0.70	cps
Bromine	81-1	13837	13570	13747	13718	0.99	cps
Bromine	81-2	420	427	513	453	11.49	cps
Cadmium	108-1	833	823	727	794	7.42	cps
Cadmium	106-1	6181	6081	5958	6074	1.84	cps
Cadmium	111-1	10562	10729	10807	10699	1.17	cps
Calcium	43-1	777649	783163	793456	784756	1.02	cps
Calcium	44-1	11986040	12128765	12172653	12095820	0.81	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	623825	627484	622908	624739	0.39	cps
Cobalt	59-2	360417	361487	356450	359451	0.74	cps
Copper	63-2	2033816	2062293	2011008	2035706	1.26	cps
Dysprosium	156-1	78304	78477	79255	78679	0.64	cps
Dysprosium	156-2	67387	68061	68362	67937	0.73	cps
Erbium	164-1	51360	52080	51655	51699	0.70	cps
Erbium	164-2	35251	35358	34717	35109	0.98	cps
Gadolinium	160-1	68664	70007	68932	69201	1.03	cps
Gadolinium	160-2	50779	49999	50052	50277	0.87	cps
Holmium	165-1	16088581	16618685	16440999	16382755	1.65	cps
Holmium	165-2	11350987	11252832	11495084	11366301	1.07	cps
Indium	115-1	14335508	14400307	14357749	14364521	0.23	cps
Indium	115-2	4693029	4515079	4550610	4586240	2.05	cps
Iron	56-2	345425248	337797975	336644062	339955762	1.40	cps
Iron	57-2	8404243	8426570	8392758	8407857	0.20	cps
Iron	54-2	18914749	18549317	18683800	18715955	0.99	cps
Krypton	83-1	410	457	490	452	8.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	743653	755110	762220	753661	1.24	cps
Lead	207-1	649318	655666	653205	652730	0.49	cps
Lead	208-1	2960697	2982162	3006018	2982959	0.76	cps
Lithium	6-1	2142200	2108237	2164089	2138175	1.32	cps
Magnesium	24-2	10433667	10460578	10241843	10378696	1.15	cps
Manganese	55-2	6068036	5941759	5896644	5968813	1.49	cps
Molybdenum	94-1	182526	185831	185209	184522	0.95	cps
Molybdenum	95-1	5825	6225	6298	6116	4.17	cps
Molybdenum	96-1	38604	39577	39112	39098	1.24	cps
Molybdenum	97-1	3794	3797	3834	3808	0.58	cps
Molybdenum	98-1	9690	9630	9887	9736	1.38	cps
Neodymium	150-1	173916	177214	177133	176087	1.07	cps
Neodymium	150-2	99616	98589	98921	99042	0.53	cps
Nickel	60-2	268694	266130	265868	266898	0.58	cps
Phosphorus	31-2	50757	49593	50212	50187	1.16	cps
Potassium	39-2	2954615	2909980	2932588	2932394	0.76	cps
Rhodium	103-1	14247575	14244803	14170640	14221006	0.31	cps
Rhodium	103-2	8517957	8489885	8365193	8457678	0.96	cps
Scandium	45-1	10628582	10683264	10684077	10665308	0.30	cps
Scandium	45-2	904382	906775	901025	904061	0.32	cps
Selenium	82-1	929	907	915	917	1.21	cps
Selenium	77-2	497	373	430	433	14.25	cps
Selenium	78-2	710	693	750	718	4.06	cps
Silicon	28-1	37553405	38505668	37940725	37999933	1.26	cps
Silver	107-1	12149	12142	11878	12056	1.28	cps
Silver	109-1	10714	10994	10844	10851	1.29	cps
Sodium	23-2	613048	607369	604053	608157	0.75	cps
Strontium	86-1	589378	606600	598259	598079	1.44	cps
Strontium	88-1	5358824	5376320	5415540	5383562	0.54	cps
Sulfur	34-1	257677	255245	253299	255407	0.86	cps
Terbium	159-1	17344953	17068255	17210191	17207799	0.80	cps
Terbium	159-2	11453594	11319602	11367727	11380308	0.60	cps
Thallium	203-1	1900	1880	1994	1925	3.14	cps
Thallium	205-1	4421	4567	4537	4509	1.72	cps
Tin	118-1	35375	32370	32517	33420	5.07	cps
Titanium	47-1	2401348	2478876	2466210	2448811	1.70	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-11 Instrumnet Name : P7
Client Sample ID : MYD100 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:30:31 DataFile Name : 128SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	27696	27822	27692	27737	0.27	cps
Vanadium	51-2	748939	746693	740830	745487	0.56	cps
Yttrium	89-1	24738056	24618515	24726351	24694307	0.27	cps
Yttrium	89-2	5799714	5863927	5773044	5812228	0.80	cps
Zinc	66-2	279770	278129	277380	278426	0.44	cps
Zirconium	90-1	501069	510209	510069	507116	1.03	cps
Zirconium	91-1	109938	114123	112602	112221	1.89	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	12854452	12695162	12730951	12760188	0.65	cps
Antimony	121-1	27299	28532	27410	27747	2.46	cps
Arsenic	75-2	64305	64399	63408	64037	0.85	cps
Barium	135-1	1175931	1154889	1176665	1169162	1.06	cps
Barium	137-1	2099465	2128060	2046513	2091346	1.98	cps
Beryllium	9-1	3196	3550	3668	3471	7.07	cps
Bismuth	209-1	9586902	9755791	9516245	9619646	1.28	cps
Bismuth	209-2	7683062	7612488	7508491	7601347	1.16	cps
Bromine	81-1	13870	13380	13750	13666	1.87	cps
Bromine	81-2	500	617	520	546	11.44	cps
Cadmium	108-1	467	403	397	422	9.15	cps
Cadmium	106-1	5618	5501	5491	5537	1.27	cps
Cadmium	111-1	5743	5619	5650	5670	1.14	cps
Calcium	43-1	1442058	1393459	1411692	1415737	1.73	cps
Calcium	44-1	23239526	22587157	22880973	22902552	1.43	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	589243	591646	582639	587842	0.79	cps
Cobalt	59-2	403284	402878	397192	401118	0.85	cps
Copper	63-2	822413	814985	825524	820974	0.66	cps
Dysprosium	156-1	77864	79249	79306	78806	1.04	cps
Dysprosium	156-2	63593	64072	64725	64130	0.89	cps
Erbium	164-1	62047	65298	63172	63506	2.60	cps
Erbium	164-2	43454	42458	42799	42904	1.18	cps
Gadolinium	160-1	74011	73920	74319	74083	0.28	cps
Gadolinium	160-2	53559	53947	53997	53834	0.45	cps
Holmium	165-1	16372238	16439264	16340556	16384019	0.31	cps
Holmium	165-2	11375540	11138987	11021692	11178740	1.61	cps
Indium	115-1	14371224	13918894	14508113	14266077	2.16	cps
Indium	115-2	4664522	4636927	4452851	4584767	2.51	cps
Iron	56-2	474217566	471303713	466404900	470642060	0.84	cps
Iron	57-2	11637356	11388055	11536075	11520495	1.09	cps
Iron	54-2	25833558	26104214	25837972	25925248	0.60	cps
Krypton	83-1	440	467	490	466	5.37	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	298282	303820	302747	301616	0.97	cps
Lead	207-1	266795	264147	268220	266387	0.78	cps
Lead	208-1	1185169	1206744	1197055	1196322	0.90	cps
Lithium	6-1	1977269	2048153	1912074	1979165	3.44	cps
Magnesium	24-2	11743646	11734589	11561504	11679913	0.88	cps
Manganese	55-2	8406239	8338311	8313408	8352653	0.58	cps
Molybdenum	94-1	131222	134004	135093	133440	1.50	cps
Molybdenum	95-1	7445	7065	7449	7320	3.01	cps
Molybdenum	96-1	32095	33876	32693	32888	2.76	cps
Molybdenum	97-1	4424	4267	4464	4385	2.37	cps
Molybdenum	98-1	10767	10707	11181	10885	2.37	cps
Neodymium	150-1	140772	149089	145071	144977	2.87	cps
Neodymium	150-2	81930	82956	81806	82230	0.77	cps
Nickel	60-2	251544	249933	247013	249497	0.92	cps
Phosphorus	31-2	35855	35939	36113	35969	0.36	cps
Potassium	39-2	3641572	3612796	3577042	3610470	0.90	cps
Rhodium	103-1	13725506	13633570	13601656	13653577	0.47	cps
Rhodium	103-2	8418529	8390475	8276047	8361684	0.90	cps
Scandium	45-1	10746664	10279857	10599657	10542059	2.26	cps
Scandium	45-2	914837	907877	908731	910481	0.42	cps
Selenium	82-1	779	721	718	739	4.67	cps
Selenium	77-2	343	323	360	342	5.36	cps
Selenium	78-2	697	603	660	653	7.20	cps
Silicon	28-1	40406454	43148416	42030410	41861760	3.29	cps
Silver	107-1	3334	3254	3264	3284	1.33	cps
Silver	109-1	2997	2930	3070	2999	2.34	cps
Sodium	23-2	290504	289080	290154	289913	0.26	cps
Strontium	86-1	335730	356752	347025	346502	3.04	cps
Strontium	88-1	3020087	3075629	3137344	3077687	1.91	cps
Sulfur	34-1	272763	275777	279241	275927	1.17	cps
Terbium	159-1	17403650	17093097	17541379	17346042	1.32	cps
Terbium	159-2	11177159	11206733	11036782	11140225	0.82	cps
Thallium	203-1	2520	2557	2440	2506	2.38	cps
Thallium	205-1	5825	6001	5995	5940	1.69	cps
Tin	118-1	46565	47076	46090	46577	1.06	cps
Titanium	47-1	2015511	1947448	1967496	1976818	1.77	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : P4295-12 Instrumnet Name : P7
Client Sample ID : MYD101 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:33:37 DataFile Name : 129SMPL.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	24316	23765	23691	23924	1.43	cps
Vanadium	51-2	1034211	1032486	1027340	1031345	0.35	cps
Yttrium	89-1	24670435	24353215	24889420	24637690	1.09	cps
Yttrium	89-2	5805436	5750416	5731033	5762295	0.67	cps
Zinc	66-2	224220	221295	221146	222220	0.78	cps
Zirconium	90-1	364974	355901	363298	361391	1.34	cps
Zirconium	91-1	78334	82232	80460	80342	2.43	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	16437103	16345549	15914553	16232401	1.72	cps
Antimony	121-1	6393670	6677384	6563917	6544990	2.18	cps
Arsenic	75-2	357287	352247	352131	353888	0.83	cps
Barium	135-1	8216352	8269453	8115475	8200427	0.95	cps
Barium	137-1	14126705	14082006	13984354	14064355	0.52	cps
Beryllium	9-1	1221466	1240688	1222253	1228135	0.89	cps
Bismuth	209-1	9246626	9082482	8977693	9102267	1.49	cps
Bismuth	209-2	7153147	7215396	7273461	7214001	0.83	cps
Bromine	81-1	11835	11475	11852	11720	1.82	cps
Bromine	81-2	130	173	110	138	23.50	cps
Cadmium	108-1	121225	121830	122382	121812	0.47	cps
Cadmium	106-1	178688	178668	180318	179225	0.53	cps
Cadmium	111-1	1725805	1695437	1707995	1709746	0.89	cps
Calcium	43-1	10675778	10881828	10699498	10752368	1.05	cps
Calcium	44-1	171692047	174827471	170294817	172271445	1.35	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	3120105	3086730	3091331	3099389	0.58	cps
Cobalt	59-2	4954161	4990759	4940996	4961972	0.52	cps
Copper	63-2	34763668	34800469	34770825	34778321	0.06	cps
Dysprosium	156-1	300	280	287	289	3.53	cps
Dysprosium	156-2	533	387	493	471	16.09	cps
Erbium	164-1	290	350	363	334	11.68	cps
Erbium	164-2	223	250	193	222	12.76	cps
Gadolinium	160-1	267	253	207	242	13.01	cps
Gadolinium	160-2	520	493	503	506	2.66	cps
Holmium	165-1	15916023	16093118	15792285	15933808	0.95	cps
Holmium	165-2	10955658	11182051	10985645	11041118	1.11	cps
Indium	115-1	13593296	13333675	13185126	13370699	1.55	cps
Indium	115-2	4265740	4319266	4301634	4295547	0.64	cps
Iron	56-2	637716764	632585591	635511444	635271266	0.41	cps
Iron	57-2	15903750	15839470	15677297	15806839	0.74	cps
Iron	54-2	35412425	35301036	34803284	35172248	0.92	cps
Krypton	83-1	357	297	350	334	9.83	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	21743276	22144532	21452356	21780055	1.60	cps
Lead	207-1	19226708	19619226	19150941	19332291	1.30	cps
Lead	208-1	87234228	89281992	87014414	87843545	1.42	cps
Lithium	6-1	2092369	2142843	2155378	2130197	1.57	cps
Magnesium	24-2	141889315	139823265	138612081	140108220	1.18	cps
Manganese	55-2	21451353	21428556	21139678	21339862	0.81	cps
Molybdenum	94-1	26506845	26806455	27268869	26860723	1.43	cps
Molybdenum	95-1	38034170	39220024	39116633	38790276	1.69	cps
Molybdenum	96-1	41666869	43014178	42127340	42269462	1.62	cps
Molybdenum	97-1	23957942	24640220	23895740	24164634	1.71	cps
Molybdenum	98-1	61139909	62869104	61255437	61754817	1.57	cps
Neodymium	150-1	357	420	367	381	8.93	cps
Neodymium	150-2	130	97	127	118	15.59	cps
Nickel	60-2	1232578	1221946	1216420	1223648	0.67	cps
Phosphorus	31-2	181640	180797	179375	180604	0.63	cps
Potassium	39-2	86626189	85410585	85025320	85687365	0.98	cps
Rhodium	103-1	12928279	12779989	12445441	12717903	1.94	cps
Rhodium	103-2	7475118	7627268	7505435	7535940	1.07	cps
Scandium	45-1	9838248	9732176	9762152	9777526	0.56	cps
Scandium	45-2	803928	801698	795622	800416	0.54	cps
Selenium	82-1	115330	115914	115674	115639	0.25	cps
Selenium	77-2	9973	9927	9620	9840	1.95	cps
Selenium	78-2	32770	32375	32576	32574	0.61	cps
Silicon	28-1	16207899	16289411	16621897	16373069	1.34	cps
Silver	107-1	8549218	8533207	8849914	8644113	2.06	cps
Silver	109-1	8158014	8245831	8109560	8171135	0.85	cps
Sodium	23-2	242390036	241579203	241669830	241879690	0.18	cps
Strontium	86-1	57938432	58662497	57369509	57990146	1.12	cps
Strontium	88-1	504516752	508241606	500676286	504478215	0.75	cps
Sulfur	34-1	964955	962325	960805	962695	0.22	cps
Terbium	159-1	16777287	16756632	16407831	16647250	1.25	cps
Terbium	159-2	10942728	11078542	11007322	11009531	0.62	cps
Thallium	203-1	5547893	5540938	5400591	5496474	1.51	cps
Thallium	205-1	12998596	13117830	12906540	13007655	0.81	cps
Tin	118-1	5376292	5450683	5376219	5401065	0.80	cps
Titanium	47-1	11114484	11296245	11414378	11275036	1.34	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCV006 Instrumnet Name : P7
Client Sample ID : CCV006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:36:44 DataFile Name : 130CCV.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	16834346	17013518	17247562	17031808	1.22	cps
Vanadium	51-2	2746371	2795177	2721448	2754332	1.36	cps
Yttrium	89-1	22689253	22538950	22880460	22702888	0.75	cps
Yttrium	89-2	5258161	5305192	5259237	5274197	0.51	cps
Zinc	66-2	5301292	5197569	5284260	5261041	1.06	cps
Zirconium	90-1	12142091	12259007	12470292	12290463	1.35	cps
Zirconium	91-1	2689128	2715067	2779833	2728009	1.71	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Aluminium	27-2	1623	1463	1787	1625	9.95	cps
Antimony	121-1	4791	4781	5078	4883	3.45	cps
Arsenic	75-2	20	27	23	23	14.29	cps
Barium	135-1	430	370	257	352	24.99	cps
Barium	137-1	813	573	540	642	23.22	cps
Beryllium	9-1	110	92	87	96	12.51	cps
Bismuth	209-1	9437909	9445484	9629504	9504299	1.14	cps
Bismuth	209-2	7783376	7857279	7840546	7827067	0.50	cps
Bromine	81-1	11485	11371	11208	11354	1.23	cps
Bromine	81-2	113	170	167	150	21.20	cps
Cadmium	108-1	17	17	17	17	0.00	cps
Cadmium	106-1	4471	4144	4371	4328	3.87	cps
Cadmium	111-1	3291	2999	3148	3146	4.64	cps
Calcium	43-1	1147	1087	1000	1078	6.84	cps
Calcium	44-1	44509	42721	41749	42993	3.26	cps
Carbon	12-1						cps
Carbon	12-2						cps
Chlorine	35-1						cps
Chlorine	35-2						cps
Chromium	52-2	1557	1710	1620	1629	4.73	cps
Cobalt	59-2	227	210	197	211	7.12	cps
Copper	63-2	3951	3787	3644	3794	4.05	cps
Dysprosium	156-1	13	23	27	21	32.88	cps
Dysprosium	156-2	7	17	3	9	78.08	cps
Erbium	164-1	127	110	120	119	7.06	cps
Erbium	164-2	73	60	80	71	14.32	cps
Gadolinium	160-1	87	87	77	83	6.93	cps
Gadolinium	160-2	387	383	383	384	0.50	cps
Holmium	165-1	15594849	15461618	15493682	15516716	0.45	cps
Holmium	165-2	11073239	11037782	10842672	10984564	1.13	cps
Indium	115-1	13629951	13800465	13837633	13756016	0.81	cps
Indium	115-2	4449444	4519899	4522747	4497363	0.92	cps
Iron	56-2	42834	41678	40688	41733	2.57	cps
Iron	57-2	2474	2604	2587	2555	2.77	cps
Iron	54-2	3730	3617	3797	3715	2.45	cps
Krypton	83-1	287	373	333	331	13.10	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Lead	206-1	2640	2074	1990	2235	15.83	cps
Lead	207-1	2390	1877	1847	2038	14.99	cps
Lead	208-1	10535	8835	8171	9180	13.28	cps
Lithium	6-1	2129215	2173742	2229562	2177506	2.31	cps
Magnesium	24-2	4387	4187	3604	4059	10.03	cps
Manganese	55-2	1160	1190	1123	1158	2.88	cps
Molybdenum	94-1	3687	3044	2940	3224	12.55	cps
Molybdenum	95-1	2667	2347	2110	2375	11.77	cps
Molybdenum	96-1	3377	2900	2557	2945	13.99	cps
Molybdenum	97-1	1687	1603	1320	1537	12.51	cps
Molybdenum	98-1	4314	3767	3437	3839	11.54	cps
Neodymium	150-1	27	23	23	24	7.89	cps
Neodymium	150-2	10	3	7	7	50.03	cps
Nickel	60-2	313	307	263	294	9.22	cps
Phosphorus	31-2	250	170	177	199	22.32	cps
Potassium	39-2	85391	85170	85776	85446	0.36	cps
Rhodium	103-1	13302531	13461892	13438909	13401111	0.64	cps
Rhodium	103-2	8222306	8203375	8249571	8225084	0.28	cps
Scandium	45-1	9531286	9518056	9596100	9548481	0.44	cps
Scandium	45-2	806163	804800	811836	807600	0.46	cps
Selenium	82-1	612	595	605	604	1.46	cps
Selenium	77-2	0	7	0	2	173.21	cps
Selenium	78-2	330	350	433	371	14.77	cps
Silicon	28-1	381785	381974	382247	382002	0.06	cps
Silver	107-1	1483	1193	1057	1245	17.51	cps
Silver	109-1	1203	980	947	1043	13.38	cps
Sodium	23-2	72670	72650	70842	72054	1.46	cps
Strontium	86-1	3257	2417	2000	2558	25.03	cps
Strontium	88-1	21683	16566	12582	16944	26.93	cps
Sulfur	34-1	288798	289678	288173	288883	0.26	cps
Terbium	159-1	16520699	16208363	16323203	16350755	0.97	cps
Terbium	159-2	10970537	10906996	10992037	10956523	0.40	cps
Thallium	203-1	827	737	603	722	15.56	cps
Thallium	205-1	2054	1807	1467	1776	16.59	cps
Tin	118-1	3247	3564	3694	3502	6.56	cps
Titanium	47-1	953	857	837	882	7.07	cps

LB Number : LB133092 Operator : Jaswal
Lab Sample ID : CCB006 Instrumnet Name : P7
Client Sample ID : CCB006 Dilution Factor : 1
Date & Time Acquired : 2024-10-23 23:39:27 DataFile Name : 131CCBE.d

Parameter	Mass	CPS1	CPS2	CPS3	CPSMean	CPSRSD	Units
Uranium	238-1	640	527	427	531	20.10	cps
Vanadium	51-2	107	127	143	126	14.62	cps
Yttrium	89-1	22234265	22270357	22487467	22330696	0.61	cps
Yttrium	89-2	5368623	5322212	5438690	5376508	1.09	cps
Zinc	66-2	2890	2540	2624	2685	6.81	cps
Zirconium	90-1	5668	5061	4494	5074	11.57	cps
Zirconium	91-1	1367	1160	1090	1206	11.93	cps